TABLE OF CONTENTS

page

ACKNOWLE	DG	EME	NT		i
ABSTRACT					ii
ABSTRAK					iii
ABBREVIAT	ION	S			iv
TABLE OF C	'ON'	TENT	S		vi
LIST OF TAI		J			XIII
CHAPTER	1	TI	IE RO	LE OF VEGETATION ON SLOPE STAB	ILITY
		1.1	Introd	uction	1
		1.2		ture Review	
			1.2.1	Slope Instability	
			1.2.2	Vegetation And Slope Stability: Water Relation	s and
				Root Reinforcement	
			1.2.3	Influence of Vegetation Type	7
		1.3	Philos	sophy and Objectives : Monoculture vs. Mix-cultu	re7
		1.4	Scree	ning of the Species of Shrubs	9
CHAPTER	2	PL	ANT S	SCREENING : ROOT LENGTH DENSITY	r -
		2.1	Introd	uction	11
				ials and Methods	
			2.2.1	Plant Materials	
			2.2.2	Measurements	
		2.3	Result	ts and Discussion	
			2.3.1	Photosynthesis, Transpiration Rates, and Stoma	tal
				Conductance	13
			2.3.2	Root Length Density (RLD)	
			2.3.3	Water Absorption Capacity (WAC)	
			2.3.4	Dry Weight Partitioning and Biomass	
			2.3.5	Root/Shoot Ratio	21
			2.3.6	Correlation between RLD and Physiological	

			Parameters	
		2.4 Gener	al Discussion	27
CHAPTER	3	PLANT S	SCREENING: DROUGHT STRESS	
		3.1 Introd	luction	28
			ials and Methods	
		3.2.1	Plant Culture	28
		3.2.2	Water Stress Treatment	
		3.2.3	Measurements	
		3.3 Result	ts and Discussion	
		3.3.1	Species Performance	
		3.3.2	Visual Observations	
		3.3.3	Leaf Water Potential	
		3.3.4	Relationship of Stomatal Conductance and Leaf V	Water
			Potential	34
		3.3.5	Influence on Leaf Water Potential on Photosynthe	esis
			Rate	
		3.3.6	Photosynthesis Rates and Stomatal Conductance	
		3.3.7	Transpiration Rates and Stomatal Conductance	
		3.3.8	Recovery from Water Stress	
		3.3.9	The Effects of Water Stress on Leaf Area	
		3.4 Genera	al Discussion	47
CHAPTER	4		XPERIMENT: PLANT WATER RELATIO JB ON SLOPES	NS
		4.1 Introdu	action	
		4.2 Materi	als and Methods	
		4.2.1	Plant Materials	49
		4.2.2	Experimental Design	49
		4.2.3	Measurements	49
		4.3 Result	s and Discussion	
		4.3.1	Water Relations of the Shrubs	
			(a) Photosynthesis Rate	52
			(b) Transpiration Rates	52

			(c) Stomatal Conductance	
			(d) Water Use Efficiency (WUE)	
		4.3.2	Gross Measurement of the Shrubs	
			(a) Leaf Area Per Plant	
			(b) Dry Weight Partitioning and Above Ground	
			Biomass	
		4.4 Gener	al Discussion	61
CHAPTER	5	SURVEY	ON SOIL WATER AND ROOT PROFILES OF	
		SLOPES A	ALONG THE NORTH-SOUTH EXPRESSWAY	
		5.1 Introd	uction	64
		5.2 Mater	als and Methods	
		5.2.1	Description of the Sites	64
		5.2.2	Measurements	66
		5.3 Result	s and Discussion	
		5.3.1	Root Length Density (RLD)	67
		5.3.2	Soil Water Content (SWC)	71
		5.3.3	Penetrability	74
		5.3.4	Shear Strength	74
		5.4 Genera	al Discussion	77
CHAPTER	6	FIELD EX	PERIMENT: MONOCULTURE VS. MIX-	
		CULTURI	£	

6.1	Introdu	iction	
		als and Methods	
	6.2.1	Plant Materials	
	6.2.2	"Bush Ecosystem" Experiment	
	6.2.3	Experimental Design	
	6.2.4 Measurements		
6.3	Results	and Discussion	-
	6.3.1	Physiological Performance of the Shrubs	
		(a) Photosynthesis Rate	
		(b) Transpiration Rate	
		(c) Leaf Area Index (LAI)	

		(d) Shrubs Performance in the Mix-culture - Dece	ember
		1996 vs. December 1997	
		(e) Component of Photosynthesis	
		(i) Light Response Curve	
		(ii) Carbon Dioxide Response Curves	
		(ACa and ACi)	91
	6.3.2	Performance of the Plant Community	
		(a) Leaf Area Index (LAI)	
		(b) Diversity	
		(c) Biomass	
		(d) Relationship between Diversity and Biomass.	100
	6.3.3	Stability of the Slopes	
		(a) RLD on the Slopes	100
		(b) Soil Penetrability	104
		(c) Shear Strength	106
		(d) Soil Water Content (SWC)	106
	6.4 Gener	al Discussion	109
CHAPTER 7	VEGETA	ATION AND SLOPE STABILISATION - AN	N
	EPILOG	UE	
	7.1 Introdu	uction	114
	7.2 Vegeta	tion Role on Slope Stability	114
	7.3 Plant S	Screening : 3 Ways of Selection	
	7.4 "Bush'	'Ecosystem Model	
	7.5 Contri	bution of the Project	
	7.6 Challe	nge and Conflict of Interest	116
	7.7 Conclu	ision	117
BIBLIOGRAPHY		-	119

APPENDIX 1	127
APPENDIX 2	
APPENDIX 3	

APPENDIX 4	
APPENDIX 5	
APPENDIX 6	
APPENDIX 7	134
APPENDIX 8	

х

~

LIST OF FIGURES

Fig. 2.1	:	Physiological criteria of 5 species in (a) photosynthesis rate (b) transpiration rate (c) stomatal conductance14
Fig. 2.2	:	Root profile 5 species of shrubs17
Fig. 2.3	:	Dry weight partitioning of the shrubs studied23
Fig. 3.1	:	Relationship between stomatal conductance and leaf water potential36
Fig. 3.2	:	Relationship between photosynthesis rate and leaf water potential37
Fig. 3.3	:	Relationship between photosynthesis rate and stomatal conductance39
Fig. 3.4	:	Relationship between transpiration rate and stomatal conductance40
Fig. 3.5	:	Photosynthesis rates in well-watered and water-stressed shrubs41
Fig. 3.6	:	Transpiration rates in well-watered and water-stressed shrubs43
Fig. 3.7	:	WUE in well-watered and water-stressed shrubs44
Fig. 3.8	:	RWC in well-watered and water-stressed shrubs45
Fig. 3.9	:	Leaf area of well-watered and water-stressed of the plant studied46
Fig. 4.1	:	Comparison of stomatal conductance between controlled and pre-treated shrubs
Fig. 4.2	:	Comparison of leaf area per plant of the shrubs studied between controlled and pre-treated shrubs
Fig. 4.3	:	Comparison of biomass of the shrubs studied between controlled and pre- treatments shrubs
Fig. 5.1	:	Root length density of the NSE slopes
Fig. 5.2	:	Soil water content of the NSE slopes72
Fig. 5.3	:	Penetrability of the NSE slopes75
Fig. 5.4	:	Relationship between penetrability (MPa) and SWC (%)78

Fig. 5.5	:	Relationship between penetrability (MPa) and RLD (km m ⁻³)79
Fig. 5.6	:	Relationship between SWC (%) and shear strength (kPa)81
Fig. 5.7	:	Relationship between shear strength (kPa) and RLD (km m ⁻³)82
Fig. 6.1	:	Six plots at the experimental slope
Fig. 6.2	:	Performance of the shrubs in the mix-culture treatment (December 1996 – December 1997)90
Fig. 6.3	:	Carbon response curve (ACa) of the species studied
Fig. 6.4	:	Carbon response curve (ACi) of the species studied95
Fig. 6.5	:	Biomass of the plots studied at FSKTM101
Fig. 6.6	:	Relationship between biomass and diversity of the plots studied102
Fig. 6.7	:	Root length density of 6 plots studied at FSKTM slopes 103
Fig. 6.8	:	Penetrability of the soil at FSKTM slopes105
Fig. 6.9	:	Soil water content of FSKTM slopes108
Fig. 6.10	:	Relationship between penetrability (MPa) and SWC (%)110
Fig. 6.11	:	Relationship between penetrability (MPa) and RLD (km m ⁻³)111
Fig. 6.12	:	Relationship between SWC (%) and shear strength (kPa)112
Fig. 6.13	:	Relationship between shear strength (kPa) and RLD (km m ⁻³)113
Fig. 7.1	:	The negative and positive interaction among some of the parameters studied

LIST OF TABLES

Page

Table 1.1 : Beneficial effects of vegetation and grasses on slopes stability (Gray, 1995)	4
	4
Table 1.2 : Hydro-mechanical influences of woody vegetation on slopes stability (Greenway, 1987)	5
Table 1.3 : The values of nutrients measured at different soil samplings (Rosli et al., 1994)	6
Table 1.4 : Plant types for different functions and applications (Coppin et al., 1990)	8
Table 1.5 : Introduction to the species of the shrubs studied (Graf, 1992)	10
Table 2.1 : Correlation coefficient between (a) photosynthesis rates and stomatal conductance and (b) transpiration rates and stomatal conductance of 5 species of the shrubs studied	16
Table 2.2 : Root length density of the 5 species studied.	
Table 2.3 : Water absorption capacity of root in the 5 species of shrubs studied	
Table 2.4 : Biomass of stem, leaf, and root, total root length and total leaf area of 5 species of shrubs (each value represents the mean of 6 determinations except total root length).	22
Table 2.5 : Root/Shoot ratio of the species studied (2 ways). Each value represents the mean of 6 determinations.	
Table 2.6 : Correlation coefficients of other physiological parameters and RLD (n=6).	
Table 3.1 : Species performance at the beginning and the end of the treatment (n=7-10) Highlighted species was much affected by the stress.	
Table 3.2 : Visual observations of 4 species during the water-stressed treatment within 40 days (n=7-10).	33
Table 3.3 : Leaf water potential of the species during the experiment (W=well-watered, S=water-stressed) with n=7-10.	

Table 4.1 : The physiological parameters studied during the pre-stressed treatment (n=10).	50
	51
Table 4.3 : Comparison of performance of the shrubs in controlled and pre-treated shrubs in December 1997. Each value represents the mean of 6-10 replications	n 53
Table 4.4 : Dry weight partitioning of the shrubs studied in the two treatments.	. 59
Table 4.5 : Overall results of plant water relations and gross parameters studies of the pre-treated shrubs as compared to the controlled shrubs. ($\uparrow = significantly higher than the control, \downarrow = significantly lowerthan the control and N.S. = not significant).$	63
Table 5.1 : Description of the slopes.	
Table 5.2 : Information of the measurements on slopes.	68
Table 5.3 : Root profile of 5 type of slopes.	70
Table 5.4 : Soil water content and field capacity ()* of the slopes studied.	73
Table 5.5 : Shear strength value (kPa) at 4 inches of soil depth of the NSE slopes (n = 8).	76
Table 6.1 : Description of the plots.	. 85
Table 6.2 : Some parameters related to photosynthesis components of the species studied.	.92
Table 6.3 : Plant performance in terms of Leaf Area Index (LAI) of the plant community in December 1997.	.97
Table 6.4 : The percentage of increment in diversity at the experimental plots from December 1996 to December 1997 (summarisation of Appendix 6 and 7)	
Table 6.5: Shear strength value (kPa) of the plots studied at FSKTM slopes	107

Page

•