

# WEB PAGE FOR A BOOK VENDOR

AMBAR JEET SINGH S/O SURJAN SINGH  
MATRIKS No. WEK 97162

WXES 3182



University Malaya

*A Final Year Project report , submitted as a requirement for the degree of Bachelor of Computer Science in Information Management System from the Faculty of Computer Science & Information Technology, University of Malaya, Kuala Lumpur 1999/2000.*

## Abstract

Web pages have become a common tool for communication and advertising the service and product available in a company especially with the increasing popularity of the Internet facility in Malaysia.

In this project I created web site for Syarikat First Agency and Syarikat First Agency Sdn. Bhd. a book vendor and publisher for two different purpose. The first is the web page should promote the vendor as a representative of U.S and U.K. publishers , dealer and distributor for the foreign and local customers. This web will also deal in marketing and distribution of books for the SouthEast and FarEast region , making Malaysia as the their regional center.

The second purpose of the web page is also have its own identity which will deal mainly with local customers and the government agency. It have option where the local customer or government agency will able to view listing of its customers for convincing bidding of government or local agency tenders .

Both of the company will have same information and e-mail contacts but one deal in publishing and the other as book vendor and distributor

There will be inter link between the two web , where a user will able to browse from one web to another web and also the down line of the each web.

## Acknowledgements

*First, I would like to thank Dr. Diljit Singh for his constant support and valued direction as my advisor in helping me discover my research niche in developing report on web page development project that began in my first semester of the final year in University Malaya.*

*Secondly I would like to thanks all the other lecturers that had thought me in the previous semesters , all the knowledge that I gain from them had help me a lot in the analysing and coming up with a final product as a web site for Syarikat First Agency Sdn. Bhd. Not forgetting, I like to thank all the FSKTM staff , friends and Syarikat First Agency staff specially the managing directors of SFA Mr Ramalingam and Mr Ali, who were also very cooperative during my research.*

*Finally, I would like to thank my family: Ranjit , Tharan Jeet, Bhalqish Jeet and Balqishan Jeet. Mostly, I would like to acknowledge my wife, Ranjit, for her belief in me and her undying devotion and support in whatever I chose to do. Lastly, I would like to thank my parent, for inspiring me to be the best person and helping me keep perspective on the important things in life.*



## Table of Contents

Headings	Page
Abstract	I
Acknowledgements	II
List of Figures	VI
List of Tables	VII
List of Abbreviations	VIII
Introduction	
Preamble	1
Objectives	2
Scope	3
Significance	4
Definitions	5
Limitations	5
Review of Literature	
Purpose	6
Approach	6
Finding	7
Analysis	8
Methodology	
Description	11
Approach	16
Development strategy	18
Proposed Tools	20
System Design	22
Testing	
Defining web site quality/reliability	27
Web site test automation requirements	28
Web site Dynamic validation	29



Implementation	
Implementation	30
Maintenance	
Maintenance	31
Conclusion	
Conclusion	32
Appendices	
Reference/ Bibliography	33
Schedule	33A
User manual	34
Program source code	35
Output from Netscape	109
Program source code for the ASP	130
Database table	140

## List of Figures

<i>Figure</i>	<i>Description</i>	<i>Page</i>
Figure 1	The designing approach using waterfall method	17
Figure 2	The workflow diagram of the web pages	22
Figure 3	The detail flow of the web pages and the sub-pages	23
Figure 4	Block diagram of the home page	24
Figure 5	Block diagram of the company profile sub page.	25
Figure 6	Block diagram for the product / activities option from the main page.	26

List of abbreviations

List of Tables

Table	Description	Page
Table 1	The development strategies	15



## List of abbreviations

Bookmark	A stored address of a web page. You can jump to a page by clicking on this its bookmark.
Browser	Software that allows you to read web pages, copy save and print these pages. They also allow you to navigate the web by following the links.
FTP	“File Transfer Protocol” is currently the most common way to move files between computer systems.
GIF	“ Graphic Interchange Format” A popular compressed image format best suited artwork.
Java	An object –oriented language that allows dynamic applications to be run on the internet.
JPEG	“ Join Photographic Expert Group” a compressed image format best suited for photographs.
HTML	“ Hypertext Markup Language” is the language behind the appearance of documents on the web.
http://	“ Hypertext Transfer Protocol” is used to move web pages between computers.
ULR	“ Uniform Resource Locator” is the address of a document or program on the Internet.
VRML	“ Virtual Reality Markup Language” a language similar to HTML that allows users to browse in 3D.
Webmaster	The person responsible for maintaining the web site.
www	“ World Wide Web” A global hypertext system that uses the internet.

# Introduction

## Preamble

The web pages are programmed using HTML and JAVA programming language and Visual Basic to interface with database created in Microsoft Access . The first web contented name of the companies with the back ground under the control of a animation program . On top of the companies names frame there is a banner that will exist though out all the other sub-web pages.

The banner basically sub divided all the sub web pages into four major categories. The first option provided is the home of the web page it self . The second option leads to the companies history, companies profile , directors and also the contact information for their customers or business partners. The following sub web page leads to the companies activities. At this section the activities are sub divided further into two categories. One for the international level and the other for the local level specially for the government contract bidding which will abusively need to know the standing of the company in the local business environment. These two pages are further sub divided into many other pages to give more details information related to their publishing and distribution activities. Both of the main page of the activities also do allow the user to access the company's database to look into the availability of the books or magazines.

The last option of the banner list latest news or product that is available at the company. It also display the location map of the company for those who wants to visit the company for any business.



## Objective

The main objective of the web page is to promote the sales of the organization. Other than sales the secondary objective is to improve communication between the organization and the existing clients also to improve the overall image of the organization. Nowadays in Malaysia, every organization is trying to achieve some standard of I.T. involvement in their daily operation, by having their own web, both the government and non-government agency will be able to access the availability of products (books) without even calling the company and requesting information.

Common inquiry by customer by phone can be reduced, and this reduces workload of answering general inquiry. Faxing information to and from company also can be reduced, when the customer starts using e-mail and ordering from the web to make orders. Generally many organizations spend quite a sum on the advertisement, the web is 24 hours, 365 days advertisement and accessible to the whole world. Direct access by customers and business partners to the company's database will save much more time and money by both the customer and the company and allowing a proper flow of information.



## Scope

Project scope states the boundaries of the system to be analyzed, designed and implemented. It state what aspect of the organization will be address by the project and what will the project attempt to do. Defining the scope of the project is very important because problems tend to expend if no firm boundaries are established. Limitation are also necessary to stay within the eventual budget and schedule.

The scope of the system are define in line with the objective set earlier as follow:

- The web page must create awareness, this is done by the activities sub pages . This pages organise the activities of the companies in systematic manner so that the user will understand the nurture of companies the business.
- Secondly the to act as the companies marketing tool. This again is achieved by having sufficient information on the local and foreign business partners (this inclusive of publishers and distributors), information on the type of the companies customers, by groping them in groups.
- Thirdly the web page has to play apart as communication tool. To achieve this the web has option in making online inquiries using the form provided in the web. There is also an option in the web where the user can access to the e-mail , telephone no, fax no and location map if there are to visit the company.
- Lastly the web page also provide direct access to the database of the company, this involve in developing the database system for the company and programs that interface with the database and html files. All most all of the web pages display the last updated date to let the user know where the information receive by them is up to date.

## Significance

The significance of this project is it will improve the awareness and the existent of Syarikat First Agency and Syarikat First Agency Sdn.Bhd's business group. Other major contributions of the project is that the web page would play very important role in marketing and communication in the local and also the foreign business environment.

In terms of cost-benefit the web will cost saving approach in marketing program and the impact will improve as the number of Internet user increasing every day.

### Cost benefit analysis:

1. Hardware needed is already exist. Syarikat First Agency Sdn. Bhd. has 7 personal computers networked and a server. This is good enough to store the web page and database system.
2. Software, web page is designed using HTML and JAVA and connected to the internet facilities provider. The database system is created using Microsoft Access and interface with visual basic programs
3. Internet facilities provider estimation cost per year is  

Modem	RM 550.00
Telephone line(inclusive of deposit)	RM 300.00
Total cost	RM 2350.00
4. Cost of development will be null , as it is being design and develop by me as a final project.
5. Telephone bill will be the monthly operation expenses.



## Definitions

Book vendor and publisher is referring to Syarikat First Agency and Syarikat First Agency Sdn. Bhd. which deals in books and magazines. As a publisher it need to deal with the publishing process, writers and printing of books. As a vendor it will be representative of various publisher in sales and books distributor.

The other issue that a reader need to know is the use of term such as “Syarikat First Agency” and “Syarikat First Agency Sdn. Bhd.”. These refer to two different companies which belong to the same business group. The first deals at the international level and the second want deals more for the local customers and government agencies.

## Limitation

The company is not fully in automation environment, this could lead to few limitation of the web page system .The following are some of the limitation that the user or the company might face:-

- The web being design Syarikat First Agency and Syarikat First Agency Sdn. Bhd. does not involve the electronic-ordering of books using credit cards because the company does not have the facilities and on top of that it is beyond the scope set at the earlier during the proposal of the project.
- The company need to update the book list in their database system and the fourth option of the web regarding latest news from the company.
- Inquiries made via the web page will not be down loaded into inquiries database automatically but have to be viewed as an individual e-mail.
- Some of the programming is done using Visual Basic, this will only be assessable via internet explorer



## Review of Literature

### Purpose

The purpose of reviewing the existing Web page for book vendors was to find out the best suited web for foreign and also local user. To highlight and analyze the major needs of foreign and the local customers. My findings were, the best business Web sites (in terms of being attractive and generating customer and prospect traffic) are designed according to the following guidelines:

- ☞ Cohesion
- ☞ Navigation
- ☞ Design & Layout
- ☞ Consideration of the download time.

This report first developed these issues and then presents an analysis of verity's Web site followed by some suggestions.

Following are the sources of my findings:

### Approach

The approach use in reviewing the web was by :-

1. Internet
  - a. Checking on existing web site.
  - b. Looking on what is being place on the web.
  - c. Colour and the layout use on the web pages.( the type of human interface used)
  - d. The flow of the web pages.

Some of the web page viewed was as below.

ULR: <http://www.uts.cc.utexas.edu/~avd073/wdg.html>

ULR: <http://www.mvd.com.product.htm>

ULR: <http://www.books.com/>

ULR: <http://www.amazon.com>

ULR: <http://www.altbookstore.com>

- 2 Books on systems analysis and design.
  - a. Systems Analysis and Design and the Transition to Objects, by Sandra Donaldson Dewitz
  - b. Systems Analysis and Design by Kendall & Kendall.
  - c. Analysis & Design of Information System by James Senn

The other issue looked in to during collecting of information on the web page was looking into the organisation relevance. This is to choose best fit design for Syrikat Frist Agency web page in improving its efficiency and effectiveness in the define scope of the project.

## Findings

My finding on the collection of data above enable me to come out with basic guidelines on the design and layout of the web. The following are the findings:-

- ☞ Layout use has some impact on the visitors to the web.
- ☞ The web design should take into consideration of the facilities the user might be having.(The minimum configuration of communication tool and type of explorer)
- ☞ The design should be simple and easy to navigate the web page. This means the user must able to navigate from one sub page to any other sub page , and not necessary navigating through the hierarchy sub pages.



## Analysis

Analysing the finding above I discover the following:-

### 1. Aesthetics aspects of Web design

#### ➤ Oversized graphics

Some graphics affect the size of the windows, i.e. over 640 pixels width. This causes a scrollbar to appear at the bottom of the standard Netscape windows for PC's. In the case of a big graphic versus multiple tiny images. Smaller images are better in reducing the down loading time. In the case of bigger images on the Home Page, it could be divided in smaller ones, in order to minimize the download time.

#### ➤ Reuse of same images

In the same way, the reuse of same images on different pages of the Web site reduces the download time (using the cache function of Netscape browser). Also this cache function enables the reuse of multiple images as overlays or a montage for a "new" image.

#### ➤ Color of graphics

Some graphics differ from one monitor to another. The first question to ask is: "Were they created using the 256 non-dithering palette (or better yet the Netscape 216 palette)?" The type of color chosen in the web is based on the 256 non-dithering palette to optimize the coloring option on monitors, specially in Syarikat First Agency and Syarikat First Agency Sdn. Bhd. web where an animation of color changes happen on the home page.

### 2. Navigation

#### ➤ Difficulty of finding some sections

If some sections are hard to find and are key to the site, they should be included in the toolbar on each page.

#### ➤ Existence of some broken links



A professional Web site should avoid any broken link or reference to non-existent information/data.

➤ The position of the link to the text page

If the Home Page is highly graphic oriented, then the link to the text page should appear at the top of the Home Page and not at the bottom, because a user with a low connection won't wait and will simply leave the site before seeing this link.

➤ Graphics versus Image maps

Image maps are graphics that serves also as navigation tool (by pointing on an area and clicking with his mouse a user has access to the specified document).

The web created for the companies have over come the possible problem mention above by using a banner of animation graphics image on top of every page and sub pages to avoid broken link problem and missing of the links in the page. The user will never get in to trouble of getting to the home of the page or any other four option of sub pages or returning from the sub pages to the home page.

### 3. Design & Layout

➤ Better classification of information

The first task is to find a better classification of information. Better results are achieved through feedback and inputs collected through emails, phone calls, meetings and presentations. Design issues:

➤ Electronic versus Print Publishing

Electronic Publishing is different from Print Publishing. The electronic publishing is more effective because of the graphics and animation . The web can be modify in future to suite the changes in the company or policy.

- Some redundancy problems

A Web designer needs to pay particularly attention to this problem in case of stratification of the Web site. Indeed some elements might not be consistent and redundant. This has been over come in this web by having common page for request or links from two or more different pages.

#### 4. Corporate identity

- Lack of consistency in some sections

Because of its evolution and big size, a Web site is not always consistent. There might be stratifications of "look and feel". Hyperlinks allow users to virtually "jump" from one site to another; therefore, it is critical to ensure recognition and identity. The corporate identity of the Syarikat First Agency and Syarikat First Agency Sdn. Bhd. is maintained by using common background for the web pages.

- Unity Problems

Typography and layout may vary throughout the Web site and then don't maintain the corporate image, specifically in the case of absence of logo. It is critical that the user knows that he/she is still visiting the corporate Web site. The use of common layout and background had help to over come this problem in the web pages.

The conclusions for the analysis above are:

- ☞ Ensure that all web pages are consistent in balance, tone and feel. The two different company are in the same group. Then it may be good idea to establish formal web style guidelines to facilitate consistency.
- ☞ Be user friendly. The webs site will be design in such a way that users can easily locate the information they need. All pages directly linked to the home page within the site should the users with a link back to the home page.
- ☞ Keep graphics relatively small. As a rule of thumb, graphics should be no larger than 6.5"(468 pixels) wide and 3"(216 pixels) wide. This will allow those users with 13"



monitors to view the image without scrolling. It may be a good idea to first provide a small version (stamp or footprint) of the graphic that act a link to the larger graphic. It is also good to use fewer colour for the images.

- ☞ Do not use too many graphics to allow those who use less sophisticated browsers or have slow connections, to benefit from the site.
- ☞ Keep the page simple and clutter-free. Don't try to stack too much information in one screen.
- ☞ Always provide a footer that includes the webmasters name and e-mail address, as well as the date the page was last up dated.

# Methodology

## Project Description

Web pages project for the Syarikat First agency and Syarikat First agency Sdn. Bhd. were designed by taking into consideration of :-

- ☞ Audience of the Web
- ☞ Navigation
- ☞ Electronic publishing process
- ☞ Next priorities.

### 1. Knowing the audience of the Web site

- These cross-analysis will also be useful for the Marketing Department.

This will consists not in displaying hits, but by comparing traffic and Web design & communication issues, analyzing why we loose or gain general traffic, why some pages are more visited than others This will help to design a successful Web site, and keep it successful.

External and internal opinion from research reports from the internet and the marketing , sales and technical staff of Syarikat First Agency have been taken in to account as an asset for creating value-added information on the web.

Indeed, the Internet culture is based on exchange, and furthermore a Web site is not only a marketing and information tool, but a communication tool based on interactivity or two-way communication.



## **2. Better navigation**

### **➤ Image map and/or toolbar**

An image map on the Home Page that includes a navigation menu, or separate the toolbar (image map) from the rest of the graphic have been created. This is to indicate the current section on the toolbar, to ensure that the user knows what section he is currently viewing in his browser, as well as a better use of the space. Because standards windows are 480 pixels height, the title of the page and the information about links in the form of banner appear on top of the every page .

## **3. Electronic Publishing Process**

### **➤ Define the Web communication approach of Verity**

This issue is not based on technical aspects nor on aesthetic considerations, but rather on the company's perception of its customers' reactions and on its Web strategy. Also the Web communication approach is strongly intricate with the choice of education of the user.

A) Giving users a good image through the Web site is critical for a corporation:

This medium and its specific publishing process provide great capabilities in terms of interactivity or two-way communication, in order to improve the customer relationship. Improve interactivity of the Web site. Encourage current customers to visit the Web site. For example, send automatic email with announcements on updates, new information and allow the user to check on books available in the stock of the companies.

#### B) Educating the user

The Web communication approach will define the way of educating the users. Two options are available with this new medium:

- Giving the information easily in detriment of the organization of the Web site.
- A strongly structured site with a Home Page that provides entries to the different sections.

#### C). Redundant Information

This choice of communication introduces redundancy by providing multiple access to the same information. The asset of this is, users don't have to look for this information within the Web site but then the drawback of this idea is the organization of the Web site is less clearly divided into separate entries or sections. In optimization of the structural and reducing the redundancy an agreement was achieve between the Syarikat First Agency and Syarikat First agency Snd. Bhd. on how many sub pages or hierarchy is to be created at each sub pages.

#### D). A strongly structured site

The Home Page is simply a port of entry and presents links (graphic and text links) to the different sections. It is very important to put cross-site links for the sub-levels of a such site. In the web page for the Syarikat First Agency and Syarikat First Agency Snd. Bhd. the use of banner on top of the every page made the information strongly structured, and redundancy is limited . Therefore, the access to the information made easy and as direct as possible, through a better structure of the Web site. This allow the critical information to be accessible through the shorter way.

The decision making process was define and the key decision makers within marketing, sales, and technical support departments were identified. The requirements and milestones for the graphic and HTML designers were define . this follow by experimentation of ideas on a mirror site, then there were implemented on the Web site after approval. Quality for the publishing process was achieve through spelling tools and



software that searches for broken links (such as Sitemill from Adobe). Ensure good layout on the screen (specific electronic requirements) as well as for a printed version (print publishing requirements). Type of information will affect the importance of the publishing requirements, i.e. in case of conflict between the two kinds of requirements, the priorities was defined (press releases for example requires print publishing guidelines, as well as electronic ones ; for section pages, the relevant topic is electronic publishing).

#### 4. Next priorities

➤ First priority: Home Page Design

Indeed the Home Page Design is critical because it gives the first perception of the Web site. The Home Page should be responsive, attractive, well organized and clearly structured, in order to sustain willingness to visit the site and learn more about the company and its products. The non-dithering color palette of limited size in 10K of the graphics (whenever possible tiny images versus a big image) Use of Width on the screen should be fixed to 640 by defining the maximum width of graphic to 615 pixels.

➤ Second priority was to ensure the site with wide consistency by surfing the company's Web site which has common background layout. This will make the user aware that he/she is still viewing the same site? It was critical to solve this problem because it affects the corporate image and identity. Logos, banner, toolbars HTML, JAVA animation topography, text colors (links and hyperlinks, titles), style sheets (grid templates), tables was used to improved the appearances.



- Third Priority: Redefine the architecture of the Web site

Sections

Menus

Cross-links

Flow of information

- Fourth priority: Create Web site's unity

A specific typography and layout will also maintain the corporate image, even in the case of absence of logo. By creating a specific "look and feel", the user will know that he is still visiting the same Web site.

## **Approach**

The Approach used in developing the web page is waterfall approach. The traditional system development paradigm focuses on the system function, its primary strategy is functional decomposition in which high-level functions are successively decomposed into detail functions. Thus , system development under this paradigm are process-driven. In developing the web pages there will be four major stages or activities . Refer to the diagram below:




Figure 1 The waterfall concept

Justification

The reason for using the waterfall method in designing the web pages were :

- The web pages are actually menu driven from one page to the other , so it is easier to create the main page then to the sub-pages. Waterfall method is suitable for this purpose.
- Every sub-page design should be independent from the other sub pages in-term of hyperlink. This again is very well supported by the waterfall approach.
- Waterfall method support the modular designing concept and this modular concept was used during designing each web page or sub-pages.

Development Strategy

Steps	Process	Status
1. Analysis & Define the Problems, Define what are most of the problems of the Web site;	Navigation site-wide, consistency, Download Time (caused by graphic size in 10K). A reasonable download time is achieved with an Home Page of 60K, maximum 90K Uniqueness, image, identity and recognition	Analysis of the Web site must be first completed by following the guidelines of the report. This can be done in two weeks.



2. Gather Information	<p>Draw a first idea of a better organization and navigation</p> <p>Meet with managers and key decision makers to discuss this</p> <p>Integrate relevant ideas and feedback</p> <p>Analyse logs (traffic of the Web site) to know visitor profiles</p>	<p>This step depending on the size of the organization and the availability of the managers can take up to two weeks. So try to get feedback from groups of people (for example, meeting of an hour with Product Managers).</p>
3. Ideate	<p>Brainstorm and generate as many solutions as possible.</p> <p>This step is the most difficult, because you need to unleash your creativity</p>	<p>I have came up with rules and design for 5 major ideas that can be inspire for the Web site design.</p>
4. Select and test ideas	<p>From the above step, select the most promising solutions and test them through physical manifestations and prototypes (maquettes and mirror web site).</p>	<p>This, depending on your availability and on how many persons may assist you, can take up to three weeks.</p>

5. Implementing and Evaluate	Determine which solutions are working and which are not. Select 2-3 strong ideas to be tested with the sales field, partners and a selection of customers.	Determination of which solutions are relevant should be done with roundtables and testings. Then, implement 2-3 (if necessary) ideas on a mirror site. Allocate at least two week for testing (internal, worldwide, partners, some customers). Implement the best option site-wide on the mirror site. Check for consistency , broken links, and spelling. Depending on the complexity of the project and if you can integrate automatic process for some changes, allow 2-3 weeks.
------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Table 1

## Proposal Tools

The hardware use for the development and implementation of the web page are personal computer from the range of Pentium 200Mh and above where else the software use will be from both Windows 3.x (16-bit) and Windows 95/98/NT (32-bit) versions.

Tool Summaries available and will be use in Window for web page designing are as follow:

- HTML PowerAnalyzer -- Fast, powerful, and customizable offline HTML syntax checker and link validator.



- HTML PowerSpell -- Spell-check an entire Website in one pass! Fully HTML-aware. Supports multiple languages, custom dictionaries, context view of misspelled words, and much more.
- HTML Image Scanner -- Automatically inserts Width and Height attributes for all GIF and JPEG images, plus on-the-fly insertion and validation of all ALT attributes.
- HTML Meta Manager -- The fastest, easiest, and cheapest way to guarantee that your Website appears optimally in major WWW search engines. Allows rapid insertion/editing of Description and Keyword META tags (and TITLE tags) for every page in a Website.
- HTML PowerSearch -- The most powerful multi-file/multi-directory search/replace utility available today.
- HTML Date Stamper -- Intelligently and quickly inserts a dynamic "last modified date" string into pre-defined locations in every HTML page in a Website. Customizable and very flexible.
- HTML to Text Converter -- Converts HTML documents to text files while retaining basic formatting. Converts any number of HTML files stored in any number of directories with a single mouse click.
- HTML Rulebase Editor -- Simple-to-use utility for complete customization of the HTML language rules used by other HTML PowerTools.



System Design






Figure 2



Both of the web pages (first and second) will have the same flow of pages but for different perspective of business


Figure 3



Block diagram of the home page


Figure 4





Block diagram of the company profile sub page.

Figure 5



Block diagram for the product /activities option from the main page.

Figure 6

# Testing

## DEFINING WEBSITE QUALITY & RELIABILITY

Like any complex piece of software there is no single, all inclusive quality measure that fully characterizes a Web page. There are many dimensions of quality; each measure will pertain to a particular Web site in varying degrees. Here are some common measures that I have taken during the architecture stage to improve the quality and reliability of the web site.

### Timeliness:-

Web sites change often and rapidly, highlight the parts and date last the page was updated.

### Structural Quality:

Insure that all of the parts of the Web site hold together are all links inside and outside the Web site. Check on all of the images whether working as needed.

### Content:

Check that the content of critical pages match what is supposed to be there and do the critical pages maintain quality content from version to version

### Accuracy and Consistency:

Check that the pages downloaded at different day and system maintain the accuracy and consistency

### Response Time and Latency:

Check on whether the Web site server respond to a browser request within certain performance parameters In an E-commerce context, it is the end-to-end response time



after a SUBMIT This are important there parts of a site because if the system is so slow the user might discontinues working.

Performance:

This is to check that the Browser->Web->WebSite->Web->Browser connection quick enough

## WEBSITE TEST AUTOMATION REQUIREMENTS

Assuring Web site quality requires conducting sets of tests, automatically and repeatable, that demonstrate required properties and behaviors. Here are some required elements of tools that aim to do this.

Test Sessions. Typical elements of tests involve these characteristics:

Browser Independent. Tests should be realistic, but not be dependent on a particular browser, whose biases and characteristics might mask a Web Site's problems.

No Buffering, Caching. Local caching and buffering is often a way to improve apparent performance should be disabled so that timed experiments are a true measure of the Browser-Web-Web site-Web-Browser response time.

Fonts and Preferences. Most browsers support a wide range of fonts and presentation preferences, and these should not affect how quality on a Web Site is assessed or assured.

Object Mode. Edit fields, push buttons, radio buttons, check boxes, etc. All should be treatable in object mode, i.e, independent of the fonts and preferences.

Object mode operation is essential to protect an investment in test suites and to assure that test suites continue operating when Web site pages experience change. In other

words, when buttons and form entries change location on the screen as they often do the tests should still work.

However, when a button or other object is deleted, that error should be sensed! Adding objects to a page clearly implies re-making the test.

Tables and Forms. Even when the layout of a table or form varies in the browser's view, tests of it should continue independent of these factors.

Frames. Windows with multiple frames ought to be processed simply, i.e. as if they were multiple single-page frames.

Test Context. Tests need to operate from the browser level for two reasons: (1) this is where users see a Web site, so tests based in browser operation are the most realistic; and (2) tests based in browsers can be run locally or across the Web equally well. Local execution is fine for quality control, but not for performance measurement work, where response time including Web-variable delays reflective of real-world usage is essential.

## **WEBSITE DYNAMIC VALIDATION**

Confirming validity of what is tested is the key to assuring Web site quality -- the most difficult challenge of all. Here are four key areas where test automation had a significant impact.

Operational Testing. Individual test steps was involve a variety of checks on individual pages in the Web site:

Page Consistency. Was to the check entire page identical with a prior version and look in to the key parts of the text whether they are the same or different?



Table and Form Consistency. Make sure all of the parts of a table or form present , correctly laid out selected texts are in the "right place".

Page Relationships. Test on all of the links on a page the same as they were before check for any missing links and broken links

Performance Consistency, Response Times. The response time for a user action the same as it was or within a range

## Implementation

In this stage it will involve server of Syarikat First Agency Sdn. Bhd. . The following step will be taken in implementing the web site on WWW protocols.

- Create a subdirectory on the server.
- Copy all html graphic ,database and image files into the subdirectory.
- Select proper domain for the web site.
- Use following software to host the web page by connecting it to internet (TCP/IP)

a. Core Internet- Connect 2.0 Trial Version (Windows)

\tcpip\inetcon2

This program will provide WinSock and TCP/IP for networks, is design to help end users connect, design and develop TCP/IP base application.

b. Crynwr Packet Drivers(Windows/Dos)

\tcpip\crynwr\pktdll-- or-- \tcpip\ernwr\pktdll a

Most Dos base ( some as windows base) Internet application require this collection of drivers. The collection serve as an internet connections.

- The main page is index.htm, that mean the link on WWW should lead to the main page

As follow <http://www/tcpip/domain/index.htm>

The http will be created by the software above to the links.



## Maintenance

The web site need to be maintain specially the database file created in access . The following files need to be up date form time to time:

- Pengkalan.mdb ( Access file contain the list of book available )
- htm files in the form of table such as list of customers, school, higher learning institution .every time this file is up dated the HTTP option will update the date display on the web site to indicate the last up-dated date on it.
- The Maintenance schedule will be up to the company it shelf to decide
-

## Conclusion

My primary goals to achieved in designing Web sites for Syarikat First Agency and Syarikat First Agency Sdn. Bhd. are :-

- ☞ To improve communication between the organisation and the customer.
- ☞ To help in marketing books available for sales.
- ☞ To build corporate image for the organisation.

This was achieve by creating web pages that have the following criteria:

1. Ease of navigation
2. Identity & Recognition
3. Consistency
4. Identification of the location
5. Download time

I always keep in mind, that the more complex the graphics get, the more download time the end-user has to wait. I always try to stress out content (which is really what makes the greater sites, if you look at Yahoo, Microsoft...) and ease of navigation, as well as image & identity.

## Reference / Bibliographic

The reference done to complete the project was as follow:-

### Books referred:

- a) System Analysis and Design and Transaction to Object, *Sandra Donaldson Dewitz*, The Mc Graw-Hill Companies, Inc Publication
- b) System Analysis and Design Kendall & Kendall , *Kendall E. Kendall and Julie E Kendall*, Prentice-Hall International, Inc Publication
- c) The Complete Reference HTML second edition ,*Thomas A Powell*, The McGraw-Hill Companies , Inc Publication
- d) Special edition Using HTML ,*Tom Savola,,Roland Elgy* , Que Corporation , Inc Publication


### Internet ULR

- a) <http://www.uts.cc.utexas.edu/~avd073/wdg.html>
- b) <http://www.mvd.com/product.html>
- c) <http://www.books.com/>
- d) <http://www.amazon.com>
- e) <http://www.altbookstore.com>



## Project Schedule


Following was the development schedule for the web site of Syarikat First Agency and Syarikat First Agency Sdn. Bhd.



## User Manual

The user must be familiar with internet usage. He / she have to type the ULR of the web site which will lead to the home page of the web site. On top of the home page is a banner that will link the user to any other sub pages or forms for inquiries . The banner will appear on every page of the web and this will avoid the missing links . To test run the web site user are advice to copy all the file in to a folder in C drive and then view from that drive.

As for the banner it looks as bellow:-



The user need to click on any of the option on the banner he/she will be transfer to the chosen option and to go back click on the previous option or click on the back button on the browsers application.

## Program Source Codes

### Banner.htm

```
<html>

<head>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
<meta name="GENERATOR" content="Microsoft FrontPage 3.0">
<title>Untitled Normal Page</title>
<base target="middle">
</head>

<body bgcolor="#FFFFFF">

<table border="0" cellspacing="0" cellpadding="0" width="796">
<tr>
<td width="116"></td>
<td width="680"></td>
</tr>
</table>
</body>
</html>
```



## company\_activities.htm

```
<html>

<head>
<title>Company</title>
<meta name="GENERATOR" content="Microsoft FrontPage 3.0">
</head>

<body background="Celtic.gif">
<div align="left">
<table border="0" cellspacing="0" cellpadding="0" width="717" height="300">
<tr>
<td width="432" colspan="2" valign="top"><font color="#FFFFFF"
face="Verdana"><big><strong>Company's
Activities <IMG SRC="liteline.gif"></strong></big></font><p><font
color="#FFFFFF" face="Verdana"><big><strong>&nbsp;</strong></big></font></td>

</tr>

<tr>
<td width="432" colspan="2" valign="top"><p align="left"><a
href="international.htm"
target="_self"><strong><big><font color="#000080" face="Verdana">International
<ALIGN=RIGHT><IMG SRC="globe12.gif" width="50"
height="50"></font></big></strong></a></td>

</tr>

<td width="51" valign="top">&nbsp;</td>
<td width="432" valign="top"><p align="left"></td>

</tr>
```

```

<tr>
  <td width="432" valign="top" colspan="2"><strong><font color="#FFFFFF"
face="Verdana">Book
  Vendor - List of Foreign Customers and Business Partners</font></strong></td>
</tr>
<tr>
  <td width="432" valign="top" colspan="2"><font color="#FFFFFF"
face="Verdana">Inquiry Facilities and <strong>
  List of Book Available
  &nbsp;&nbsp;&nbsp;</strong></font></td>
</tr>
<tr>
  <td width="51" valign="top">&nbsp;</td>
  <td width="432" valign="top"><strong><font color="#FFFFFF" face="Verdana">

<!-- This is your typical scrolling banner -->
<script language="JavaScript">

var id,pause=0,position=0,revol=90;

function banner()
{
  var i,k;
  var msg="    Check for New Listing of Books, Magazine and Software.    Semak
Untuk Buku, Majalah Dan Perisihan Baru.  ";
  var speed=10;
  document.thisform.thisbanner.value=msg.substring(position,position+50);

  if(position++==msg.length)

```

```

{
    if (revol-- < 2) return;
    position=0;
}

id=setTimeout("banner()",1000/speed);
}

</script>

</head>
<body bgcolor="ffffff" onload="banner()">
<CENTER><form name="thisform">
<input type="text" name="thisbanner" size="30">
</FORM>
</CENTER></font></strong></td>

</tr>
<tr>
<td width="432" valign="top" colspan="2"><a href="local.htm" target="_self"><font
color="#000080" face="Verdana"><strong><big>Local <ALIGN=RIGHT><IMG
SRC="malaysia.gif"></big></strong></font></a></td>

</tr>
<tr>
<td width="51" valign="top">&nbsp;</td>
<td width="432" valign="top"><strong><font color="#FFFFFF"
face="Verdana"></font></strong></td>
</tr>
<tr>

```



[illegible]

### common\_communication.htm

<html>

<head>

<title>Common Communication</title>

<meta name="GENERATOR" content="Microsoft FrontPage 3.0">

<meta name="Microsoft Border" content="none">

</head>

<body background="Celtic.gif">

<p><font face="Verdana" color="#FFFFFF"><big><strong>Common  
Communication</strong></big></font></p>

<IMG SRC="anim-bar.gif">

<!-- This is a great Clock and Calendar, You MUST change the color= attribute  
in the script so you can view it on your pages-->

<script language="JavaScript">

<!-- hide script from old browsers

function process(){}

today = new Date()

if(today.getMinutes() < 10) {

pad = "0"}

else

pad = "";

document.write("<center><FONT SIZE=4  
color=black>Welcome!!</FONT></center>")

if((today.getHours() < 12) && (today.getHours() >= 6))

```
{ document.write("<center><FONT SIZE=4 color=black>Good  
Morning</FONT></center>")}
```

```
if((today.getHours() >= 12) && (today.getHours() < 18))  
{ document.write("<center><FONT SIZE=4 color=black>Good  
Afternoon</FONT></center>")}
```

```
if((today.getHours() >= 18) && (today.getHours() <= 23))  
{ document.write("<center><FONT SIZE=4 color=black>Good  
Evening</FONT></center>")}
```

```
if((today.getHours() >= 0) && (today.getHours() < 4))  
{ document.write("<center><FONT SIZE=4 color=black>You're up late  
today,</FONT></center>")}
```

```
if((today.getHours() >= 4) && (today.getHours() <= 6))  
{ document.write("<center><FONT SIZE=4 color=black>Wow! You are up  
early!!</FONT></center>")}
```

```
document.write("<center><FONT SIZE=3 color=black>Time:  
",today.getHours(),":",pad(today.getMinutes())
```

```
document.write(" Date:  
",today.getMonth()+1,"/",today.getDate(),"/",today.getYear(),"<br></font></center>");  
// end hiding contents -->  
</script>
```

```
<CENTER><font face="Verdana" color="#FFFFFF"><h3>THE FOLLOWING ARE  
STAFF OF SYARIKAT FIRST AGENCY OF VARIOUS  
DEPARTMENT</h3></CENTER>
```

```
<H4> IN WAY THAT WE CAN BE HELPFULL TO YOU PLEASE CALL US</H4>
```



<TABLE>

<TR>

<TH ALIGN=middle BGCOLOR=#F880F BORDERCOLOR=#8000FF>NAME

</TH>

<TH ALIGN=middle BGCOLOR=#F880F

BORDERCOLOR=#8000FF>DEPARTMENT </TH>

<TH ALIGN=middle BGCOLOR=#F880F BORDERCOLOR=#8000FF>CONTACT

NUMBER </TH>

<TH ALIGN=middle BGCOLOR=#F880F BORDERCOLOR=#8000FF>FAX

NUMBER </TH>

</TR>

<TR>

<TD ALIGN=middle BGCOLOR=#FFFFFF BORDERCOLOR=#8000FF>KUMAR  
SONEE</TD>

<TD ALIGN=middle BGCOLOR=#FFFFFF  
BORDERCOLOR=#8000FF>SALES</TD>

<TD ALIGN=middle BGCOLOR=#FFFFFF BORDERCOLOR=#8000FF>603-  
7955906</TD>

<TD ALIGN=middle BGCOLOR=#FFFFFF BORDERCOLOR=#8000FF>603-  
7953430</TD>

</TR>

<TR>

<TD ALIGN=middle BGCOLOR=#FFFFFF BORDERCOLOR=#8000FF>BATSHA  
ALI</TD>

<TD ALIGN=middle BGCOLOR=#FFFFFF  
BORDERCOLOR=#8000FF>ADMINISTRATION.</TD>

<TD ALIGN=middle BGCOLOR=#FFFFFF BORDERCOLOR=#8000FF>603-  
7955906</TD>

```

<TD ALIGN=middle BGCOLOR=#FFFFFF BORDERCOLOR=#8000FF>603-
7953433</TD>
</TR>
<TR>
<TD ALIGN=middle BGCOLOR=#FFFFFF
BORDERCOLOR=#8000FF>KUMARI SONIA</TD>
<TD ALIGN=middle BGCOLOR=#FFFFFF
BORDERCOLOR=#8000FF>SALES</TD>
<TD ALIGN=middle BGCOLOR=#FFFFFF BORDERCOLOR=#8000FF>603-
7955906</TD>
<TD ALIGN=middle BGCOLOR=#FFFFFF BORDERCOLOR=#8000FF>603-
7953430</TD>
</TR>
<TR>
<TD ALIGN=middle BGCOLOR=#FFFFFF
BORDERCOLOR=#8000FF>AZLIZAH</TD>
<TD ALIGN=middle BGCOLOR=#FFFFFF
BORDERCOLOR=#8000FF>ADMINISTRATION</TD>
<TD ALIGN=middle BGCOLOR=#FFFFFF BORDERCOLOR=#8000FF>603-
7955906</TD>
<TD ALIGN=middle BGCOLOR=#FFFFFF BORDERCOLOR=#8000FF>603-
7953433</TD>
</TR>
<TR>
<TD ALIGN=middle BGCOLOR=#FFFFFF
BORDERCOLOR=#8000FF>MR.ZAMANI KHAN</TD>
<TD ALIGN=middle BGCOLOR=#FFFFFF
BORDERCOLOR=#8000FF>ACCOUNTS</TD>
<TD ALIGN=middle BGCOLOR=#FFFFFF BORDERCOLOR=#8000FF>603-
7952501</TD>

```



```

<TD ALIGN=middle BGCOLOR=#FFFFFF BORDERCOLOR=#8000FF>603-
7953431</TD>
</TR>
<TR>
<TD ALIGN=middle BGCOLOR=#FFFFFF BORDERCOLOR=#8000FF>MS TAN
MUI LAN</TD>
<TD ALIGN=middle BGCOLOR=#FFFFFF
BORDERCOLOR=#8000FF>ACCOUNTS</TD>
<TD ALIGN=middle BGCOLOR=#FFFFFF BORDERCOLOR=#8000FF>603-
7952501</TD>
<TD ALIGN=middle BGCOLOR=#FFFFFF BORDERCOLOR=#8000FF>603-
7953430</TD>
</TR>
<TR>
<TD ALIGN=middle BGCOLOR=#FFFFFF BORDERCOLOR=#8000FF>AMIR
SINGH</TD>
<TD ALIGN=middle BGCOLOR=#FFFFFF
BORDERCOLOR=#8000FF>I.T.</TD>
<TD ALIGN=middle BGCOLOR=#FFFFFF BORDERCOLOR=#8000FF>603-
7952500</TD>
<TD ALIGN=middle BGCOLOR=#FFFFFF BORDERCOLOR=#8000FF>603-
7953432</TD>
</TR>
</table>
</body>
</html>

```



## company\_detail.htm

<html>

<head>

<title>Company Profile</title>

<meta name="GENERATOR" content="Microsoft FrontPage 3.0">

</head>

<body background="Celtic.gif">

<p><font face="Verdana" color="#92C7FC"><big><strong>Company Profile  
</strong></big></font></p>

<p><font face="Verdana" color="#92C7FC"><big><u>Syarikat First  
Agency</u></big></font></p>

<blockquote>

<font size="1"><p></font><font face="Verdana" size="1"  
color="#FFFFFF">ESTABLISH IN 1992</font></p>

<p><font face="Verdana" size="1" color="#FFFFFF">MARKETING A VARIETY  
PRODUCTS AND SERVICES  
INCLUDING:</font></p>

<blockquote>

<ul>

<li><font face="Verdana" size="1" color="#FFFFFF">BOOKS</font></li>

<li><font face="Verdana" size="1" color="#FFFFFF">JOURNALS</font></li>

<li><font face="Verdana" size="1" color="#FFFFFF">DOCUMENTATION

INCLUDING</font></li>

<li><font face="Verdana" size="1" color="#FFFFFF">LITERARY MATERIAL ON  
COMPUTER MEDIA

SOFTWARE FORMATS CD-ROMS, DATA TAPE, ETC.</font></li>

<li><font face="Verdana" size="1" color="#FFFFFF">AUDIO VISUA  
MATERIAL</font></li>

<li><font face="Verdana" size="1" color="#FFFFFF">RELATED COMPUTER  
HARDWARE AND PERIPHERALS</font></li>

</ul>

</blockquote>

<p><font face="Verdana" size="1" color="#FFFFFF">REGISTERED WITH THE  
TREASURY OF MALAYSIA

AND HAS NECESSARY LICENCES TO TRANSACT BUSINESS WITH THE  
GOVERNMENT SECTOR AND

QUASI-GOVERNMENT BODIES.</font><font size="1"></p>

</font>

</blockquote>

</body>

</html>

## company\_detail2.htm

<html>

<head>

<title>Company Profile</title>

<meta name="GENERATOR" content="Microsoft FrontPage 3.0">

</head>

<body background="Celtic.gif">

<font size="1">

<p></font><font face="Verdana" color="#9FCAF4"><strong><big>Company Profile  
</big></strong></font></p>

<p><font face="Verdana" color="#9FCAF4"><strong><u>Syarikat First Agency  
Publishing (M)  
Sdn. Bhd</u></strong></font></p>

<blockquote>

<p><font face="Verdana" color="#FFFFFF">1. ESTABLISH IN 1995</font></p>

<p><small><font face="Verdana" color="#FFFFFF">2. PUBLISHER, PUBLISHER'S  
REPRESENTATIVE  
AND DISTRIBUTOR</font></small></p>

<p><small><font face="Verdana" color="#FFFFFF">3. PUBLISHED MORE THEN  
50 TITLES COVERING  
MANAGEMENT , CAREER DEVELOPMENT, HEALTH AND GENERAL  
STUDIES.</font></small></p>

<p><small><font face="Verdana" color="#FFFFFF">4. TRANSLATION OF TITLE  
FROM ENGLISH TO  
MALAY LANGUAGE.</font></small></p>





### company\_detail3.htm

```
<html>

<head>
<title>Company Profile</title>
<meta name="GENERATOR" content="Microsoft FrontPage 3.0">
</head>
<body background="Celtic.gif">
<font size="1">
<p></font><font face="Verdana" color="#A6D1FD"><big><strong>Company Profile
</strong></big></font></p>
<p><strong><font face="Verdana" color="#A6D1FD"><u>Associate
Companies</u></font></strong></p>
<blockquote>
  <p><font face="Verdana" color="#FFFFFF" size="2">KNOWLEDGE PUBLISHERS,
KUALA LUMPUR,
MALAYSIA</font></p>
  <p><font face="Verdana" color="#FFFFFF" size="2">KNOWLEDGE ENTERPRISES
, KUALA LUMPUR
MALAYSIA</font></p>
  <p><font face="Verdana" color="#FFFFFF" size="2">KNOWLEDGE ENTERPRISES
( SINGAPORE)</font></p>
  <p><font face="Verdana" color="#FFFFFF" size="2">THE ABOVE ASSOCIATE
COMPANIES PROVIDE
TRADING LINKS TO CATER FOR SPECIALISED SERVICES TO OUR
CLIENTS</font></p>
</blockquote>
</body>
</html>
```

## company\_directors.htm

<html>

<head>

<title>Company Profile</title>

<meta name="GENERATOR" content="Microsoft FrontPage 3.0">

</head>

<body background="Celtic.gif">

<p><font color="#FFFFFF" face="Verdana"><big><strong>Company Profile  
</strong></big></font></p>

<p><font color="#FFFFFF" face="Verdana"><u><big>Company's  
Directors</big></u></font></p>

<table border="0" cellpadding="0" cellspacing="0" width="548" height="165">  
<tr>

<td width="124" bgcolor="#4F9FF0" height="102"><p align="center"><font  
color="#FFFFFF"></font></td>

<td width="424" height="102"><font color="#FFFFFF"  
face="Verdana"><small><small><strong>

A.RAMALINGAM</strong> - MANAGING  
DIRECTOR</small></small></font><blockquote>

<p><small><small><font face="Verdana"><font color="#FFFFFF">A LIBRARIAN  
WITH OVER 31 YEARS  
OF SERVICE IN THE SECTOR. HAS SERVED IN VARIES PUBLIC AND  
SPECIAL LIBRARIES. HIS LAST







<p><small><small><font color="#FFFFFF" face="Verdana">A GRADUATE OF  
NORTH EAST LONDON

POLYTECHNIC, UNITED KINGDOM. HE HOLDS DEGREES IN BUSINESS  
STUDIES (COMPUTER STUDIES) HE

HAS OVER 10 YEARS OF EXPERIENCE IN COMPUTERS AND WITH HIS  
TEAM HANDLES ALL OUR COMPUTERS

INSTALLATIONS.</font></small></small></p>

</blockquote>

<blockquote>

<blockquote>

<p ALIGN="JUSTIFY"><small><small><font color="#FFFFFF"  
face="Verdana">&nbsp;</font></small></small></p>

</blockquote>

</blockquote>

</td>

</tr>

</table>

</body>

</html>



## company\_history.htm

```
<html>
<head>
<meta name="GENERATOR" content="Microsoft FrontPage 3.0">
<meta name="Microsoft Border" content="none">
<title>Company Profile - History</title>
</head>
<body background="Celtic.gif">
<p><font face="Verdana" color="#FFFFFF"><big><strong>Company Profile
</strong></big></font></p>
<p><font face="Verdana" color="#FFFFFF"><u><big>History</big></u></font></p>
<p ALIGN="left"><font face="Verdana" color="#FFFFFF">This company was
established in 1992
and the main operating office was in Jalan Tun Sambanthan, Brickfields Kuala Lumpur,
Malaysia. This main office was operating at this location until 1998 where the operations
has now been re-located to Jalan Medan 8 in Petaling Jaya Selangor. </font></p>
<p ALIGN="left"><font face="Verdana" color="#FFFFFF">Syarikat First Agency is
registered
with the Treasury of Malaysia and has the necessary licences to transact business with the
government sector and quasi-government bodies.</font></p>
<p ALIGN="left"><font face="Verdana" color="#FFFFFF">Over the years the company
has not
only realised the importance of distributing books but has also been involved in published
material in multimedia form. With the use of high-end computers in the marketplace
today
this is definitely a bonus point to the end users who can take advantage of obtaining
information through these new sources.</font></p>
</body>
</html>
```









[illegible]

## foreign\_customer.htm

```
<html>
```

```
<head>
```

```
<title>Foreign Customer</title>
```

```
<meta name="GENERATOR" content="Microsoft FrontPage 3.0">
```

```
<meta name="Microsoft Border" content="none">
```

```
<body background="Celtic.gif">
```

```
<p><font face="Verdana" color="#FFFFFF"><big><strong>Foreign  
Customer</strong></big></font></p>
```

```
<IMG SRC="anim-bar.gif">
```

```
<!-- This shows the user the last date this page was modified -->
```

```
<CENTER>
```

```
<SCRIPT LANGUAGE="JavaScript">
```

```
function initArray()
```

```
{
```

```
  this.length = initArray.arguments.length
```

```
  for (var i = 0; i < this.length; i++)
```

```
    this[i+1] = initArray.arguments[i]
```

```
}
```

```
var DOWArray = new
```

```
initArray("Sunday","Monday","Tuesday","Wednesday","Thursday","Friday","Saturday")
```

```
;
```

```

var MOYArray = new
initArray("January","February","March","April","May","June","July","August","Septem
ber","October","November","December");
var LastModDate = new Date(document.lastModified);

document.write("This page was last updated on ");
document.write(DOWArray[(LastModDate.getDay()+1)],", ");
document.write(MOYArray[(LastModDate.getMonth()+1)]," ");
document.write(LastModDate.getDate(),", ",(LastModDate.getYear()+1900));
document.write(".");

```

```

</SCRIPT>

```

```

</center>

```

```

</head>

```

```

<TABLE>

```

```

  <TR>

```

```

    <TH ALIGN=middle BGCOLOR=#008080
    BORDERCOLOR=#8000FF>CUSTOMERS </TH>

```

```

    <TH ALIGN=middle BGCOLOR=#008080
    BORDERCOLOR=#8000FF>COUNTRY</TH>

```

```

    <TH ALIGN=middle BGCOLOR=#008080
    BORDERCOLOR=#8000FF>BUSINESS</TH>

```

```

    <TH ALIGN=middle BGCOLOR=#008080
    BORDERCOLOR=#8000FF>FEILD</TH>

```

```

  </TR>

```

```

  <TR>

```

```

    <TD ALIGN=middle BGCOLOR=#FFFF80 BORDERCOLOR=#8000FF>Mc Graw
    Hill </TD>

```

```

    <TD ALIGN=middle BGCOLOR=#FFFF80
    BORDERCOLOR=#8000FF>USA</TD>

```



```

<TD ALIGN=middle BGCOLOR=#FFFF80
BORDERCOLOR=#8000FF>Publisher</TD>
<TD ALIGN=middle BGCOLOR=#FFFF80 BORDERCOLOR=#8000FF>Computer
</TD>
</TR>
<TR>
<TD ALIGN=middle BGCOLOR=#FFFF80 BORDERCOLOR=#8000FF>Brandon
A Nordin</TD>
<TD ALIGN=middle BGCOLOR=#FFFF80
BORDERCOLOR=#8000FF>USA</TD>
<TD ALIGN=middle BGCOLOR=#FFFF80
BORDERCOLOR=#8000FF>Publisher</TD>
<TD ALIGN=middle BGCOLOR=#FFFF80
BORDERCOLOR=#8000FF>Computer</TD>
</TR>
<TR>
<TD ALIGN=middle BGCOLOR=#FFFF80 BORDERCOLOR=#8000FF>Alan
Herrik</TD>
<TD ALIGN=middle BGCOLOR=#FFFF80
BORDERCOLOR=#8000FF>USA</TD>
<TD ALIGN=middle BGCOLOR=#FFFF80
BORDERCOLOR=#8000FF>Distributor</TD>
<TD ALIGN=middle BGCOLOR=#FFFF80
BORDERCOLOR=#8000FF>Education</TD>
</TR>
<TR>
<TD ALIGN=middle BGCOLOR=#FFFF80 BORDERCOLOR=#8000FF>Jani
Jan</TD>
<TD ALIGN=middle BGCOLOR=#FFFF80
BORDERCOLOR=#8000FF>India</TD>

```

```

<TD ALIGN=middle BGCOLOR=#FFFF80
BORDERCOLOR=#8000FF>Publisher</TD>
<TD ALIGN=middle BGCOLOR=#FFFF80
BORDERCOLOR=#8000FF>Business</TD>
</TR>
<TR>
<TD ALIGN=middle BGCOLOR=#FFFF80 BORDERCOLOR=#8000FF>Megg
Bonar</TD>
<TD ALIGN=middle BGCOLOR=#FFFF80
BORDERCOLOR=#8000FF>UK</TD>
<TD ALIGN=middle BGCOLOR=#FFFF80
BORDERCOLOR=#8000FF>Publisher</TD>
<TD ALIGN=middle BGCOLOR=#FFFF80
BORDERCOLOR=#8000FF>Management</TD>
</TR>
<TR>
<TD ALIGN=middle BGCOLOR=#FFFF80 BORDERCOLOR=#8000FF>Beth
Young</TD>
<TD ALIGN=middle BGCOLOR=#FFFF80
BORDERCOLOR=#8000FF>UK</TD>
<TD ALIGN=middle BGCOLOR=#FFFF80
BORDERCOLOR=#8000FF>Publisher</TD>
<TD ALIGN=middle BGCOLOR=#FFFF80
BORDERCOLOR=#8000FF>Accountantce</TD>
</TR>
<TR>
<TD ALIGN=middle BGCOLOR=#FFFF80 BORDERCOLOR=#8000FF>Bob
Hansen</TD>
<TD ALIGN=middle BGCOLOR=#FFFF80
BORDERCOLOR=#8000FF>UK</TD>

```



```

<TD ALIGN=middle BGCOLOR=#FFFF80
BORDERCOLOR=#8000FF>Distributer</TD>
<TD ALIGN=middle BGCOLOR=#FFFF80
BORDERCOLOR=#8000FF>Management</TD>
</TR>
<TR>
<TD ALIGN=middle BGCOLOR=#FFFF80 BORDERCOLOR=#8000FF>Vicki Van
Ausdall</TD>
<TD ALIGN=middle BGCOLOR=#FFFF80
BORDERCOLOR=#8000FF>Horland</TD>
<TD ALIGN=middle BGCOLOR=#FFFF80
BORDERCOLOR=#8000FF>Publisher</TD>
<TD ALIGN=middle BGCOLOR=#FFFF80
BORDERCOLOR=#8000FF>Mathematics</TD>
</TR>
<TR>
<TD ALIGN=middle BGCOLOR=#FFFF80 BORDERCOLOR=#8000FF>Emily
Rader</TD>
<TD ALIGN=middle BGCOLOR=#FFFF80
BORDERCOLOR=#8000FF>UK</TD>
<TD ALIGN=middle BGCOLOR=#FFFF80
BORDERCOLOR=#8000FF>Publisher</TD>
<TD ALIGN=middle BGCOLOR=#FFFF80
BORDERCOLOR=#8000FF>Law</TD>
</TR>
<TR>
<TD ALIGN=middle BGCOLOR=#FFFF80 BORDERCOLOR=#8000FF>Scott
Rogers</TD>
<TD ALIGN=middle BGCOLOR=#FFFF80
BORDERCOLOR=#8000FF>UK</TD>

```



```

<TD ALIGN=middle BGCOLOR=#FFFF80 BORDERCOLOR=#8000FF>Pubilsher
& Distributor</TD>
<TD ALIGN=middle BGCOLOR=#FFFF80
BORDERCOLOR=#8000FF>English</TD>
</TR>
<TR>
<TD ALIGN=middle BGCOLOR=#FFFF80 BORDERCOLOR=#8000FF>Kiran
Singh</TD>
<TD ALIGN=middle BGCOLOR=#FFFF80 BORDERCOLOR=#8000FF>UK
</TD>
<TD ALIGN=middle BGCOLOR=#FFFF80
BORDERCOLOR=#8000FF>Publisher</TD>
<TD ALIGN=middle BGCOLOR=#FFFF80
BORDERCOLOR=#8000FF>Computer</TD>
</TR>
<TR>
<TD ALIGN=middle BGCOLOR=#FFFF80 BORDERCOLOR=#8000FF>Man jete
Walla </TD>
<TD ALIGN=middle BGCOLOR=#FFFF80
BORDERCOLOR=#8000FF>India</TD>
<TD ALIGN=middle BGCOLOR=#FFFF80
BORDERCOLOR=#8000FF>Publisher</TD>
<TD ALIGN=middle BGCOLOR=#FFFF80
BORDERCOLOR=#8000FF>Science</TD>
</TR>
<TR>
<TD ALIGN=middle BGCOLOR=#FFFF80 BORDERCOLOR=#8000FF>Amiry
kula </TD>
<TD ALIGN=middle BGCOLOR=#FFFF80
BORDERCOLOR=#8000FF>Pakistan</TD>

```

```
<TD ALIGN=middle BGCOLOR=#FFFF80
BORDERCOLOR=#8000FF>Publisher</TD>
<TD ALIGN=middle BGCOLOR=#FFFF80
BORDERCOLOR=#8000FF>other</TD>
</TR>
```

```
</TABLE>
```

```
</body>
```

```
</html>
```

University of Malaya

## foreign\_publisher.htm

<html>

<head>

<title>Foreign Publisher</title>

<meta name="GENERATOR" content="Microsoft FrontPage 3.0">

<meta name="Microsoft Border" content="none">

</head>

<body background="Celtic.gif">

<p><font face="Verdana" color="#FFFFFF"><big><strong>Foreign  
Partners</strong></big></font></p>

<IMG SRC="anim-bar.gif">

<p ALIGN="left"><font face="Verdana" color="#FFFFFF">The partnership with the  
publisher have been  
very important and benefiting Syarikat First Agency from the day we started the  
business. Their  
have been very help full specially in supplying new edition off books to us, keeping us  
update  
on the techology and ideas. We hope With this web page of ours, the communication  
between all  
our business partners will even be more easier.</font></p>

<p>&nbsp;</p>

</body>

</html>



## government\_agencyv.htm

```
<html>

<head>
<title>Government Agency</title>
<meta name="GENERATOR" content="Microsoft FrontPage 3.0">
<meta name="Microsoft Border" content="none">

<body background="Celtic.gif">

<p><font face="Verdana" color="#FFFFFF"><big><strong>Government
Agency</strong></big></font></p>
<IMG SRC="Colorbar.gif">
<!-- This shows the user the last date this page was modified -->
<CENTER>
<SCRIPT LANGUAGE="JavaScript">

function initArray()
{
    this.length = initArray.arguments.length
    for (var i = 0; i < this.length; i++)
        this[i+1] = initArray.arguments[i]
}

var DOWArray = new
initArray("Sunday","Monday","Tuesday","Wednesday","Thursday","Friday","Saturday")
;
```

```

var MOYArray = new
initArray("January","February","March","April","May","June","July","August","Septem
ber","October","November","December");
var LastModDate = new Date(document.lastModified);

document.write("This page was last updated on ");
document.write(DOWArray[(LastModDate.getDay()+1)],", ");
document.write(MOYArray[(LastModDate.getMonth()+1)]," ");
document.write(LastModDate.getDate(),", ",(LastModDate.getYear()+1900));
document.write(".");

```

```

</SCRIPT>

```

```

</center>

```

```

</head>

```

```

<TABLE>

```

```

<TR>

```

```

<TH ALIGN=middle BGCOLOR=#C0COCO
BORDERCOLOR=#8000FF>NAME</TH>

```

```

<TH ALIGN=middle BGCOLOR=#COCOCO
BORDERCOLOR=#8000FF>LOCATION</TH>

```

```

<TH ALIGN=middle BGCOLOR=#COCOC0 BORDERCOLOR=#8000FF>TYPE
OF PRODUCTS</TH>

```

```

<TH ALIGN=middle BGCOLOR=#COCOC0
BORDERCOLOR=#8000FF>QUANTITY</TH>

```

```

</TR>

```

```

<TR>

```

```

<TD ALIGN=middle BGCOLOR=#00FFFF BORDERCOLOR=#8000FF>Education
Ministry</TD>

```

```

<TD ALIGN=middle BGCOLOR=#00FFFF BORDERCOLOR=#8000FF>Kuala
Lumpur </TD>
<TD ALIGN=middle BGCOLOR=#00FFFF BORDERCOLOR=#8000FF>School
Books </TD>
<TD ALIGN=middle BGCOLOR=#00FFFF BORDERCOLOR=#8000FF>More than
200,000</TD>
</TR>

```

```

<TR>
<TD ALIGN=middle BGCOLOR=#00FFFF BORDERCOLOR=#8000FF>Polis
Library</TD>
<TD ALIGN=middle BGCOLOR=#00FFFF BORDERCOLOR=#8000FF>Kuala
Lumpur</TD>
<TD ALIGN=middle BGCOLOR=#00FFFF BORDERCOLOR=#8000FF>Law.
Books</TD>
<TD ALIGN=middle BGCOLOR=#00FFFF
BORDERCOLOR=#8000FF>5000</TD>
</TR>

```

```

<TR>
<TD ALIGN=middle BGCOLOR=#00FFFF BORDERCOLOR=#8000FF>Health
Ministry</TD>
<TD ALIGN=middle BGCOLOR=#00FFFF BORDERCOLOR=#8000FF>Kuala
Lumpur</TD>
<TD ALIGN=middle BGCOLOR=#00FFFF BORDERCOLOR=#8000FF>Madical
& Health</TD>
<TD ALIGN=middle BGCOLOR=#00FFFF
BORDERCOLOR=#8000FF>5000</TD>
</TR>

```

```

<TR>

```



<TD ALIGN=middle BGCOLOR=#00FFFF BORDERCOLOR=#8000FF>Health  
Ministry</TD>

<TD ALIGN=middle BGCOLOR=#00FFFF  
BORDERCOLOR=#8000FF>Ipoh</TD>

<TD ALIGN=middle BGCOLOR=#00FFFF BORDERCOLOR=#8000FF>Madical  
& Health</TD>

<TD ALIGN=middle BGCOLOR=#00FFFF  
BORDERCOLOR=#8000FF>3000</TD>

</TR>

<TR>

<TD ALIGN=middle BGCOLOR=#00FFFF BORDERCOLOR=#8000FF>Prime  
Ministers Department</TD>

<TD ALIGN=middle BGCOLOR=#00FFFF BORDERCOLOR=#8000FF>Kuala  
Lumpur</TD>

<TD ALIGN=middle BGCOLOR=#00FFFF  
BORDERCOLOR=#8000FF>Magazine</TD>

<TD ALIGN=middle BGCOLOR=#00FFFF  
BORDERCOLOR=#8000FF>2500</TD>

</TR>

<TR>

<TD ALIGN=middle BGCOLOR=#00FFFF BORDERCOLOR=#8000FF>Defence  
Ministry</TD>

<TD ALIGN=middle BGCOLOR=#00FFFF BORDERCOLOR=#8000FF>Kuala  
Lumpur</TD>

<TD ALIGN=middle BGCOLOR=#00FFFF  
BORDERCOLOR=#8000FF>Magazine</TD>

<TD ALIGN=middle BGCOLOR=#00FFFF  
BORDERCOLOR=#8000FF>3000</TD>

</TR>

<TR>

<TD ALIGN=middle BGCOLOR=#00FFFF BORDERCOLOR=#8000FF>Foreign  
Ministry</TD>

<TD ALIGN=middle BGCOLOR=#00FFFF BORDERCOLOR=#8000FF>Kuala  
Lumpur</TD>

<TD ALIGN=middle BGCOLOR=#00FFFF  
BORDERCOLOR=#8000FF>Magazine</TD>

<TD ALIGN=middle BGCOLOR=#00FFFF  
BORDERCOLOR=#8000FF>4000</TD>

</TR>

<TR>

<TD ALIGN=middle BGCOLOR=#00FFFF BORDERCOLOR=#8000FF>Foreign  
Ministry</TD>

<TD ALIGN=middle BGCOLOR=#00FFFF BORDERCOLOR=#8000FF>Kuala  
Lumpur</TD>

<TD ALIGN=middle BGCOLOR=#00FFFF BORDERCOLOR=#8000FF>Politics  
Study</TD>

<TD ALIGN=middle BGCOLOR=#00FFFF  
BORDERCOLOR=#8000FF>200</TD>

</TR>

<TR>

<TD ALIGN=middle BGCOLOR=#00FFFF BORDERCOLOR=#8000FF>Health  
Ministry</TD>

<TD ALIGN=middle BGCOLOR=#00FFFF BORDERCOLOR=#8000FF>Kuala  
Lumpur</TD>

<TD ALIGN=middle BGCOLOR=#00FFFF  
BORDERCOLOR=#8000FF>Magazine</TD>

<TD ALIGN=middle BGCOLOR=#00FFFF  
BORDERCOLOR=#8000FF>1500</TD>

```

</TR>

<TR>
  <TD ALIGN=middle BGCOLOR=#00FFFF
  BORDERCOLOR=#8000FF>Information Ministry</TD>
  <TD ALIGN=middle BGCOLOR=#00FFFF BORDERCOLOR=#8000FF>Kuala
  Lumpur</TD>
  <TD ALIGN=middle BGCOLOR=#00FFFF
  BORDERCOLOR=#8000FF>Mixed</TD>
  <TD ALIGN=middle BGCOLOR=#00FFFF
  BORDERCOLOR=#8000FF>5000</TD>
</TR>

<TR>
  <TD ALIGN=middle BGCOLOR=#00FFFF
  BORDERCOLOR=#8000FF>Information Ministry</TD>
  <TD ALIGN=middle BGCOLOR=#00FFFF BORDERCOLOR=#8000FF>Kuala
  Lumpur</TD>
  <TD ALIGN=middle BGCOLOR=#00FFFF
  BORDERCOLOR=#8000FF>Magazine</TD>
  <TD ALIGN=middle BGCOLOR=#00FFFF
  BORDERCOLOR=#8000FF>15000</TD>
</TR>
</table>
</body>
</html>

```



## index.htm

<html>

<head>

<title>New Page 2</title>

<meta name="GENERATOR" content="Microsoft FrontPage 3.0">

</head>

<frameset framespacing="0" border="false" frameborder="0" rows="48,35,\*">

<frame name="Banner1" scrolling="no" noresize target="middle" src="Banner1.htm"  
style="border-bottom: medium none" marginwidth="0" marginheight="5">

<frame name="middle" target="bottom" scrolling="no" src="menu1.htm"

marginwidth="0"

marginheight="0">

<frame name="bottom" src="main.htm" scrolling="auto">

<noframes>

<body>

<p>This page uses frames, but your browser doesn't support them.</p>

</noframes>

</frameset>

</html>

## inquiries.htm

<html>

<head>

<title>Inquiries</title>

<meta name="GENERATOR" content="Microsoft FrontPage 3.0">

<meta name="Microsoft Border" content="none">

</head>

<body background="Celtic.gif">

<p><font face="Verdana"

color="#FFFFFF"><big><strong>Inquiries</strong></big></font></p>

<IMG SRC="anim-bar.gif">

<p ALIGN="left"><font face="Verdana" color="#FFFFFF"> For Any inquiries to the  
Syarikat First Agency Sdn. Bhd. or First Agency

you can forward your inquiries using the quires box below. </font></p>

<div align="center">

<h3><font face="Verdana" color="#FFFFFF">CONTACT FORM FOR CUSTOMER  
AND BUSINESS PARTNERS</font><H3>

<form action="mailto:ajdhan@hotmail.com" method=post>

<table border="1">

<tr>

<td>First Name:</td>

<td><Input name="firstname" size="40"></td>

</tr>

<tr>

```
<td>Last Name:</td>
<td><Input name="lastname" size="40"></td>
```

```
</tr>
```

```
<tr>
```

```
<td>Company:</td>
```

```
<td><Input name="company" size="40"></td>
```

```
</tr>
```

```
<tr>
```

```
<td>Address:</td>
```

```
<td><Input name="address" size="40"></td>
```

```
</tr>
```

```
<tr>
```

```
<td>City:</td>
```

```
<td><Input name="city" size="25"></td>
```

```
</tr>
```

```
<tr>
```

```
<td>State:</td>
```

```
<td><Input name="state" size="20"></td>
```

```
</tr>
```

```
<tr>
```

```
<td>Country:</td>
```

```
<td><Input name="country" size="25"></td>
```

```
</tr>
```

```
<tr>
```

```
<td>postal Code:</td>
```

```
<td><Input name="zip" size="10"> </td>
```

```
</tr>
```

```
<tr>
```

```
<td colspan="2"><br><font face="Verdana" color="#FFFFFF"> ENTER YOUR  
COMMENT/INQUIRY BELOW:</font><BR>
```



```
<textarea name="text" row="20" cols="40"></textarea></td>
</tr>
<tr>
<td colspan="2" align="center"><br>
<input type="Submit" value="Sumit"> <input type="Reset"
value="Reset"><br><br></td>
</tr>

</table>
</form>
</div>
</body>
</html>
```

## inter\_menu.htm

```
<html>
```

```
<head>
```

```
<title>New Page 5</title>
```

```
<meta name="GENERATOR" content="Microsoft FrontPage 3.0">
```

```
<meta name="Microsoft Border" content="none">
```

```
<base target="main">
```

```
</head>
```

```
<body>
```

```
<table border="0" width="100%" cellspacing="0" cellpadding="0" height="173">
```

```
<tr>
```

```
<td width="100%" height="25"><a href="foreign_publisher.htm"
```

```
target="main"></a></td>
```

```
</tr>
```

```
<tr>
```

```
<td width="100%" height="24"><a href="foreign_customer.htm" target="main"></a></td>
```

```
</tr>
```

```
<tr>
```

```
<td width="100%" height="24"><a href="local_cust.htm" target="main"></a></td>
```

```
</tr>
```

```
<tr>
```

```

<td width="100%" height="25"><a href="others_book_vendors.htm"
target="main"></a></td>
</tr>
<tr>
<td width="100%" height="25"><a href="inquiries.htm" target="main"></a></td>
</tr>
<tr>
<td width="100%" height="43"><a href="comman_communication.htm"
target="main"></a></td>
</tr>
</table>

<p>&nbsp;</p>

<p>&nbsp;</p>
<IMG SRC="earth_sp.gif">

<p>&nbsp;</p>

<p>&nbsp;</p>

<p>&nbsp;</p>
<</body>
</html>

```



## international.htm

<html>

<head>

<title>New Page 4</title>

<meta name="GENERATOR" content="Microsoft FrontPage 3.0">

</head>

<frameset framespacing="0" border="false" frameborder="0" cols="142,\*">

<frame name="contents" target="main" src="inter\_menu.htm" scrolling="no"  
marginwidth="0"

marginheight="0">

<frame name="main" src="foreign\_publisher.htm" scrolling="auto">

<IMG SRC="anim-bar.gif">

<noframes>

<body>

<p>This page uses frames, but your browser doesn't support them.</p>

</body>

</noframes>

</frameset>

</html>

## local.htm

<html>

<head>

<title>New Page 4</title>

<meta name="GENERATOR" content="Microsoft FrontPage 3.0">

</head>

<frameset framespacing="0" border="false" frameborder="0" cols="138,\*">

<frame name="contents" target="main" src="local\_menu.htm" scrolling="no"

marginwidth="0"

marginheight="0">

<frame name="main" src="Local\_partners.htm" scrolling="auto">

<noframes>

<body>

<p>This page uses frames, but your browser doesn't support them.</p>

</body>

</noframes>

</frameset>

</html>

## local\_cust.htm

```
<html>
```

```
<head>
```

```
<title>Local Customer</title>
```

```
<meta name="GENERATOR" content="Microsoft FrontPage 3.0">
```

```
<meta name="Microsoft Border" content="none">
```

```
</head>
```

```
<body background="Celtic.gif">
```

```
<p><font face="Verdana" color="#FFFFFF"><big><strong>Local  
Customer</strong></big></font></p>
```

```
<IMG SRC="COLORBAR.GIF">
```

```
<!-- This shows the user the last date this page was modified -->
```

```
<CENTER>
```

```
<SCRIPT LANGUAGE="JavaScript">
```

```
function initArray()
```

```
{
```

```
  this.length = initArray.arguments.length
```

```
  for (var i = 0; i < this.length; i++)
```

```
    this[i+1] = initArray.arguments[i]
```

```
}
```

```
var DOWArray = new
```

```
initArray("Sunday","Monday","Tuesday","Wednesday","Thursday","Friday","Saturday")
```

```
;
```

```
var MOYArray = new
```

```
initArray("January","February","March","April","May","June","July","August","Septem  
ber","October","November","December");
```



```
var LastModDate = new Date(document.lastModified);
```

```
document.write("This page was last updated on ");
```

```
document.write(DOWArray[(LastModDate.getDay()+1)],", ");
```

```
document.write(MOYArray[(LastModDate.getMonth()+1)]," ");
```

```
document.write(LastModDate.getDate(),"",(LastModDate.getYear()+1900));
```

```
document.write(".");
```

```
</SCRIPT>
```

```
</center>
```

```
<!-- Use 2 backgrounds at the same time. A color &  
a picture-->
```

```
<!-- A style sheet example of how to control your  
pages by SETTING what things will do for the  
whole page all the time. This covers backgrounds  
for your whole page and certain areas you pick  
to be different. Use our example of Fonts  
also to enhance this look.If you want to use a  
picture as a background use this tag instead of  
the one shown:
```

```
-->
```

```
<HEAD>
```

```
<TITLE>Your Title Here</TITLE>
```

```
<STYLE>
```

```
<!--
```

```
BODY { background: #000000 }
```

```
P { background: #FF0000 }
```

```
H1 { background: #0000A0;  
color : #FFFFFF;  
font-weight: bold;  
font-size : 18pt;  
font-family : Arial}
```

```
H2 { background: #FFFF00;  
color : #000000;  
font-weight: bold;  
font-size : 30pt;  
font-family : Arial}
```

```
BODY { color : #FFFFFF;  
font-size : 16pt;  
font-family : Comic Sans MS}
```

```
H3 { background: #FFFFFF;  
color : #000000;  
font-weight: bold;  
font-size : 20pt;  
font-family : Arial}
```

```
-->
```

```
</STYLE>
```

```
</HEAD>
```

```
<BODY>
```

<CENTER>

<H1>BOOK DISTRIBUTORS, MAGAZINE DISTRIBUTORS</H1>

<P>SOFTWARE DISTRIBUTORS</P>

<H2>BOOK PUBLISHERS, MAGAZINE PUBLISHERS, SOFTWARE HOUSE</H2>

SCHOOLS, PRIVATE COLLEGES, UNIVERCITIES, GOVERNMENT AGENCIES

<H3>TEACHERS, LECTURERS , STUDENTS AND MANY MORE

INDIVIDUALS. </H3>

</CENTER>

</BODY>

</html>



## local\_customer.htm

<html>

<head>

<title>Local Customer</title>

<meta name="GENERATOR" content="Microsoft FrontPage 3.0">

<meta name="Microsoft Border" content="none">

</head>

<body background="Celtic.gif">

<p><font face="Verdana" color="#FFFFFF"><big><strong>Local  
Customer</strong></big></font></p>

<IMG SRC="Colorbar.gif">

</body>

</html>

## local\_higher\_institution.htm

```
<html>
```

```
<head>
```

```
<title>Local Higher Learning Institution</title>
```

```
<meta name="GENERATOR" content="Microsoft FrontPage 3.0">
```

```
<meta name="Microsoft Border" content="none">
```

```
</head>
```

```
<body background="Celtic.gif">
```

```
<p><font face="Verdana" color="#FFFFFF"><big><strong>Local Higher Learning  
Institution</strong></big></font></p>
```

```
<IMG SRC="Colorbar.gif">
```

```
<!-- This shows the user the last date this page was modified -->
```

```
<CENTER>
```

```
<SCRIPT LANGUAGE="JavaScript">
```

```
function initArray()
```

```
{  
    this.length = initArray.arguments.length  
    for (var i = 0; i < this.length; i++)  
        this[i+1] = initArray.arguments[i]  
}
```

```
var DOWArray = new
```

```
initArray("Sunday","Monday","Tuesday","Wednesday","Thursday","Friday","Saturday")
```

```
;
```

```
var MOYArray = new
```

```
initArray("January","February","March","April","May","June","July","August","Septem  
ber","October","November","December");
```

```
var LastModDate = new Date(document.lastModified);
```

```
document.write("This page was last updated on ");
```

```
document.write(DOWArray[(LastModDate.getDay()+1)], ", ");
```

```
document.write(MOYArray[(LastModDate.getMonth()+1)], " ");
```

```
document.write(LastModDate.getDate(), ", ", (LastModDate.getYear()+1900));
```

```
document.write(".");
```

```
</SCRIPT>
```

```
</center>
```

```
<TABLE>
```

```
<TR>
```

```
<TH ALIGN=middle BGCOLOR=#80800 BORDERCOLOR=#8000FF>NAME
```

```
</TH>
```

```
<TH ALIGN=middle BGCOLOR=#80800
```

```
BORDERCOLOR=#8000FF>LOCATION </TH>
```

```
<TH ALIGN=middle BGCOLOR=#80800 BORDERCOLOR=#8000FF>TYPE OF  
PRODUCTS </TH>
```

```
<TH ALIGN=middle BGCOLOR=#80800
```

```
BORDERCOLOR=#8000FF>QUANTITY </TH>
```

```
</TR>
```

```
<TR>
```

```
<TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>Universiti  
Malaya</TD>
```

```
<TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>Kuala  
Lumpur</TD>
```

```
<TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>All Type  
of Books</TD>
```

```
<TD ALIGN=middle BGCOLOR=#00FF00  
BORDERCOLOR=#8000FF>10,000</TD>
```



</TR>

<TR>

<TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>Universiti  
Putra Malaysia</TD>

<TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>Bangi,  
Selangor</TD>

<TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>All Type  
of Books</TD>

<TD ALIGN=middle BGCOLOR=#00FF00  
BORDERCOLOR=#8000FF>10,000</TD>

</TR>

<TR>

<TD ALIGN=middle BGCOLOR=#00FF00  
BORDERCOLOR=#8000FF>International Islamic University</TD>

<TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>Gombak,  
Selangor</TD>

<TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>Law &  
Islamic Study</TD>

<TD ALIGN=middle BGCOLOR=#00FF00  
BORDERCOLOR=#8000FF>5000</TD>

</TR>

<TR>

<TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>Universiti  
Technology Mara</TD>

<TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>Shah  
Alam, Selangor</TD>

<TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>All Type  
of Books</TD>

<TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>  
10,000</TD>

</TR>

<TR>

<TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>Universiti  
Kebangsaan Malaysia</TD>

<TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>P.  
Penang</TD>

<TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>All Type  
of Books</TD>

<TD ALIGN=middle BGCOLOR=#00FF00  
BORDERCOLOR=#8000FF>10,000</TD>

</TR>

<TR>

<TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>Universiti  
Telikom</TD>

<TD ALIGN=middle BGCOLOR=#00FF00  
BORDERCOLOR=#8000FF>Melaka</TD>

<TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>All Type  
of Books</TD>

<TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>800</TD>

</TR>

<TR>

<TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>Universiti  
Multimedia</TD>

<TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>Kuala  
Lumpur</TD>

<TD ALIGN=middle BGCOLOR=#00FF00  
BORDERCOLOR=#8000FF>Computer</TD>

<TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>300</TD>

</TR>

<TR>

<TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>Universiti  
Utara Malaysia</TD>



```

<TD ALIGN=middle BGCOLOR=#00FF00
BORDERCOLOR=#8000FF>Kedah</TD>
<TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>All Type
of Books</TD>
<TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>2500
</TR>
<TR>
<TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>Universiti
Petronas</TD>
<TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>Negeri
Sembilan</TD>
<TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>All Type
of Books</TD>
<TD ALIGN=middle BGCOLOR=#00FF00
BORDERCOLOR=#8000FF>1,000</TD>
</TR>
<TR>
<TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>Kolej
TAR</TD>
<TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>Kuala
Lumpur</TD>
<TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>All Type
of Books</TD>
<TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>500</TD>
</TR>
<TR>
<TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>Standfort
College</TD>
<TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>Kuala
Lumpur</TD>

```



```

<TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>Business
& computing</TD>
<TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>200</TD>
</TR>
<TR>
<TD ALIGN=middle BGCOLOR=#00FF00
BORDERCOLOR=#8000FF>Sistemmatic College</TD>
<TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>Kuala
Lumpur</TD>
<TD ALIGN=middle BGCOLOR=#00FF00
BORDERCOLOR=#8000FF>Computer& Accountantce</TD>
<TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>300</TD>
</TR>
<TR>
<TD ALIGN=middle BGCOLOR=#00FF00
BORDERCOLOR=#8000FF>Sistemmatic College</TD>
<TD ALIGN=middle BGCOLOR=#00FF00
BORDERCOLOR=#8000FF>Ipoh</TD>
<TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>Computer
& Business</TD>
<TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>200</TD>
</TR>
<TR>
<TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>Rima
College</TD>
<TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>Kuala
Lumpur</TD>
<TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>Law &
Computer</TD>
<TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>250</TD>
</TR>

```

```

<TR>
  <TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>Rima
College</TD>
  <TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>Johor
Baharu</TD>
  <TD ALIGN=middle BGCOLOR=#00FF00
BORDERCOLOR=#8000FF>Computer</TD>
  <TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>150</TD>
</TR>
<TR>
  <TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>Help
College</TD>
  <TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>Kuala
Lumpur</TD>
  <TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>All Type
of Books</TD>
  <TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>300</TD>
</TR>
<TR>
  <TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>Mahota
Coolege</TD>
  <TD ALIGN=middle BGCOLOR=#00FF00
BORDERCOLOR=#8000FF>Melaka</TD>
  <TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>Medical
& A-leves</TD>
  <TD ALIGN=middle BGCOLOR=#00FF00 BORDERCOLOR=#8000FF>550</TD>
</TR>
</table>
</body>
</html>

```



## local\_menu.htm

```
<html>

<head>
<title>New Page 3</title>
<meta name="GENERATOR" content="Microsoft FrontPage 3.0">
<meta name="Microsoft Border" content="none">
<base target="main">
</head>

<body>

<table border="0" width="100%" cellspacing="0" cellpadding="0" height="118">
  <tr>
    <td width="100%" height="18"><a href="local_higher.htm" target="main"></a></td>
    </tr>
    <tr>
      <td width="100%" height="4"><a href="government_agency.htm"
target="main"></a></td>
      </tr>
      <tr>
        <td width="100%" height="26"><a href="local_cust.htm" target="main"></a></td>
        </tr>
        <tr>
```



```
<td width="100%" height="14"><a href="local_schools.htm" target="main"></a></td>
</tr>
<tr>
<td width="100%" height="6"><a href="student_and_lecturer.htm"
target="main"></a></td>
</tr>
</table>

<p align="center">&nbsp;</p>
<IMG SRC="malaysia.gif">
</body>
</html>
```

## local\_partners.htm

<html>

<head>

<title>Local Publisher</title>

<meta name="GENERATOR" content="Microsoft FrontPage 3.0">

<meta name="Microsoft Border" content="none">

</head>

<body background="Celtic.gif">

<p><font face="Verdana" color="#FFFFFF"><big><strong>Local  
Partners</strong></big></font></p>

<IMG SRC="Colorbar.gif">

<p ALIGN="left"><font face="Verdana" color="#FFFFFF">The Syarikat First Agency  
Sdn. Bhd deals with the  
local partners. As we deal in both distribution and publishing , both of our client and  
supplier  
are equally important to us. </font></p>

<p ALIGN="left"><font face="Verdana" color="#FFFFFF">We like to take this  
opportunity to thanks all our local

<B>Customers, Publishers and Distributors</B> all over Malaysia. </font></p>

</body>

</html>

## local\_schools.htm

```
<html>
<head>
<title>Local Schools</title>
<meta name="GENERATOR" content="Microsoft FrontPage 3.0">
<meta name="Microsoft Border" content="none">
</head>
<body background="Celtic.gif">
```

```
<p><font face="Verdana" color="#FFFFFF"><big><strong>Local
Schools</strong></big></font></p>
```

```
<IMG SRC="Colorbar.gif">
```

```
<!-- This shows the user the last date this page was modified -->
```

```
<CENTER>
```

```
<SCRIPT LANGUAGE="JavaScript">
```

```
//Modified by Coffeecup.com
```

```
function initArray()
```

```
{
  this.length = initArray.arguments.length
  for (var i = 0; i < this.length; i++)
    this[i+1] = initArray.arguments[i]
}
```

```
var DOWArray = new
```

```
initArray("Sunday","Monday","Tuesday","Wednesday","Thursday","Friday","Saturday")
```

```
;
```

```
var MOYArray = new
```

```
initArray("January","February","March","April","May","June","July","August","Septem
ber","October","November","December");
```

```
var LastModDate = new Date(document.lastModified);
```



```
document.write("This page was last updated on ");
document.write(DOWArray[(LastModDate.getDay()+1)],", ");
document.write(MOYArray[(LastModDate.getMonth()+1)]," ");
document.write(LastModDate.getDate()," ",(LastModDate.getYear()+1900));
document.write(".");
```

```
</SCRIPT>
```

```
</center>
```

```
<TABLE>
```

```
<TR>
```

```
<TH ALIGN=middle BGCOLOR=#808FF BORDERCOLOR=#8000FF>NAME
```

```
</TH>
```

```
<TH ALIGN=middle BGCOLOR=#808FF
```

```
BORDERCOLOR=#8000FF>LOCATION </TH>
```

```
<TH ALIGN=middle BGCOLOR=#808FF BORDERCOLOR=#8000FF>TYPE OF
```

```
PRODUCTS </TH>
```

```
<TH ALIGN=middle BGCOLOR=#808FF
```

```
BORDERCOLOR=#8000FF>QUANTITY </TH>
```

```
</TR>
```

```
<TR>
```

```
<TD ALIGN=middle BGCOLOR=#FFFFFF BORDERCOLOR=#8000FF>Sekolah
```

```
Menengah Tinggi Setapak</TD>
```

```
<TD ALIGN=middle BGCOLOR=#FFFFFF BORDERCOLOR=#8000FF>Kuala
```

```
Lumpur</TD>
```

```
<TD ALIGN=middle BGCOLOR=#FFFFFF BORDERCOLOR=#8000FF>All Type
```

```
of Books</TD>
```

```
<TD ALIGN=middle BGCOLOR=#FFFFFF
```

```
BORDERCOLOR=#8000FF>9,000</TD>
```

```
</TR>
```

```

<TR>
  <TD ALIGN=middle BGCOLOR=#FFFFFF BORDERCOLOR=#8000FF>Sekolah
Menengah Tinggi Mexwell</TD>
  <TD ALIGN=middle BGCOLOR=#FFFFFF BORDERCOLOR=#8000FF>Kuala
Lumpur</TD>
  <TD ALIGN=middle BGCOLOR=#FFFFFF BORDERCOLOR=#8000FF>All Type
of Books</TD>
  <TD ALIGN=middle BGCOLOR=#FFFFFF
BORDERCOLOR=#8000FF>8,000</TD>
</TR>

```

```

<TR>
  <TD ALIGN=middle BGCOLOR=#FFFFFF BORDERCOLOR=#8000FF>Sekolah
Menengah Tinggi Rawang</TD>
  <TD ALIGN=middle BGCOLOR=#FFFFFF
BORDERCOLOR=#8000FF>Selangor</TD>
  <TD ALIGN=middle BGCOLOR=#FFFFFF BORDERCOLOR=#8000FF>All Type
of Books</TD>
  <TD ALIGN=middle BGCOLOR=#FFFFFF
BORDERCOLOR=#8000FF>8,000</TD>
</TR>

```

```

<TR>
  <TD ALIGN=middle BGCOLOR=#FFFFFF BORDERCOLOR=#8000FF>Sekolah
Menengah Tinggi Kajang</TD>
  <TD ALIGN=middle BGCOLOR=#FFFFFF
BORDERCOLOR=#8000FF>Selangor</TD>
  <TD ALIGN=middle BGCOLOR=#FFFFFF BORDERCOLOR=#8000FF>All Type
of Books</TD>

```



<TD ALIGN=middle BGCOLOR=#FFFFFF  
BORDERCOLOR=#8000FF>5,000</TD>  
</TR>

<TR>  
<TD ALIGN=middle BGCOLOR=#FFFFFF BORDERCOLOR=#8000FF>Sekolah  
Menengah Tinggi Kuantan</TD>

<TD ALIGN=middle BGCOLOR=#FFFFFF  
BORDERCOLOR=#8000FF>Kuantan</TD>

<TD ALIGN=middle BGCOLOR=#FFFFFF BORDERCOLOR=#8000FF>All Type  
of Books</TD>

<TD ALIGN=middle BGCOLOR=#FFFFFF  
BORDERCOLOR=#8000FF>6,000</TD>  
</TR>

<TR>  
<TD ALIGN=middle BGCOLOR=#FFFFFF BORDERCOLOR=#8000FF>Sekolah  
Menengah Tinggi Cheras</TD>

<TD ALIGN=middle BGCOLOR=#FFFFFF BORDERCOLOR=#8000FF>Kuala  
Lumpur</TD>

<TD ALIGN=middle BGCOLOR=#FFFFFF BORDERCOLOR=#8000FF>All Type  
of Books</TD>

<TD ALIGN=middle BGCOLOR=#FFFFFF  
BORDERCOLOR=#8000FF>3,000</TD>

</TR>

<TR>  
<TD ALIGN=middle BGCOLOR=#FFFFFF BORDERCOLOR=#8000FF>Sekolah  
Menengah Tinggi Kepong</TD>

<TD ALIGN=middle BGCOLOR=#FFFFFF  
BORDERCOLOR=#8000FF>Kepong</TD>



```

<TD ALIGN=middle BGCOLOR=#FFFFFF BORDERCOLOR=#8000FF>All Type
of Books</TD>
<TD ALIGN=middle BGCOLOR=#FFFFFF
BORDERCOLOR=#8000FF>4,000</TD>
</TR>
<TR>
<TD ALIGN=middle BGCOLOR=#FFFFFF BORDERCOLOR=#8000FF>Sekolah
Menengah Tinggi Malim</TD>
<TD ALIGN=middle BGCOLOR=#FFFFFF BORDERCOLOR=#8000FF>Tanjung
Malim</TD>
<TD ALIGN=middle BGCOLOR=#FFFFFF BORDERCOLOR=#8000FF>All Type
of Books</TD>
<TD ALIGN=middle BGCOLOR=#FFFFFF
BORDERCOLOR=#8000FF>2,000</TD>
</TR>
<TR>
<TD ALIGN=middle BGCOLOR=#FFFFFF BORDERCOLOR=#8000FF>Sekolah
Menengah Tinggi Beruas</TD>
<TD ALIGN=middle BGCOLOR=#FFFFFF BORDERCOLOR=#8000FF>Kuala
Beruas</TD>
<TD ALIGN=middle BGCOLOR=#FFFFFF BORDERCOLOR=#8000FF>All Type
of Books</TD>
<TD ALIGN=middle BGCOLOR=#FFFFFF
BORDERCOLOR=#8000FF>1,900</TD>
</TR>
</table>
</body>
</html>

```



## menu1.htm

<html>

<head>

<title>New Page 3</title>

<meta name="GENERATOR" content="Microsoft FrontPage 3.0">

<meta name="Microsoft Border" content="none">

<base target="bottom">

</head>

<body bgcolor="#0F62AC">

<table border="0" cellspacing="0" cellpadding="0" width="560">

<tr>

<td width="116"></td>

<td width="108"><a href="main.htm" target="bottom"></a></td>

<td width="112"><a href="sub\_index.htm" target="bottom"></a></td>

<td width="112"><a href="company\_activities.htm" target="bottom"></a></td>

<td width="112"><a href="latest\_news.htm" target="bottom"></a></td>

</tr>

</table>

</body>

</html>



## profile\_menu.htm

<html>

<head>

<meta name="GENERATOR" content="Microsoft FrontPage 3.0">

<meta name="Microsoft Border" content="none">

<base target="main">

<title>Profile - Menu</title>

</head>

<body>

<p><a href="company\_history.htm" target="main"></a></p>

<p><a href="company\_directors.htm" target="main"></a></p>

<p></p>

<table border="0" width="175" cellpadding="0" cellspacing="0" height="76">

<tr>

<td width="39" align="right" height="28"

valign="top"><small><small><strong><font

face="Verdana">A.</font></strong></small></small></td>

<td width="136" height="28" valign="top"><a

href="company\_detail.htm"><small><strong><small><font

face="Verdana">Syarikat First Agency</font></small></strong></small></a></td>

</tr>

<tr>

```

    <td width="39" valign="top" align="right"
height="33"><small><strong><small><font
face="Verdana">B.</font></small></strong></small></td>
    <td width="136" height="33" valign="top"><a
href="company_detail2.htm"><small><strong><small><font
face="Verdana">Syarikat Fisrt Agency PUBlisher (M) sdn.
Bhd.</font></small></strong></small></a></td>
</tr>
<tr>
    <td width="39" valign="top" align="right"
height="15"><small><small><strong><font
face="Verdana">C.</font></strong></small></small></td>
    <td width="136" height="15" valign="top"><a
href="company_detail3.htm"><small><small><strong><font
face="Verdana">Associate Companies</font></strong></small></small></a></td>
</tr>
</table>

<p><a href="contact_info.htm" target="main"></a></p>

<p>&nbsp;</p>
</body>
</html>

```

## sub\_index.htm

<html>

<head>

<title>New Page 2</title>

<meta name="GENERATOR" content="Microsoft FrontPage 3.0">

</head>

<frameset framespacing="0" border="false" frameborder="0" cols="185,\*">

<frame name="contents" target="main" src="profile%20menu.htm" scrolling="no"  
marginwidth="0" marginheight="2">

<frame name="main" src="company\_history.htm" scrolling="auto">

<noframes>

<body>

<p>This page uses frames, but your browser doesn't support them.</p>

</body>

</noframes>

</frameset>

</html>



## student lecture.htm

```
<html>
<head>
<title>Student and Lecturer</title>
<meta name="GENERATOR" content="Microsoft FrontPage 3.0">
<meta name="Microsoft Border" content="none">
</head>
<body background="Celtic.gif">
<p><font face="Verdana" color="#FFFFFF"><big><strong>Student and
Lecturer</strong></big></font></p>
<IMG SRC="Colorbar.gif">
<TABLE>
  <TR>
    <TH ALIGN="middle" BGCOLOR="#008080" BORDERCOLOR="#8000FF">NAME
  </TH>
    <TH ALIGN="middle" BGCOLOR="#008080
BORDERCOLOR="#8000FF">ADDRESS    </TH>
    <TH ALIGN="middle" BGCOLOR="#008080
BORDERCOLOR="#8000FF">PRODUCT TYPE    </TH>
    <TH ALIGN="middle" BGCOLOR="#008080
BORDERCOLOR="#8000FF">CONTACT NUMBER    </TH>
  </TR>
  <TR>
    <TD ALIGN="middle" BGCOLOR="#FFF000" BORDERCOLOR="#8000FF">MR
Sazali</TD>
    <TD ALIGN="middle" BGCOLOR="#FFF000
BORDERCOLOR="#8000FF">Rawang</TD>
    <TD ALIGN="middle" BGCOLOR="#FFF000" BORDERCOLOR="#8000FF">Form 5
science</TD>
```

<TD ALIGN=middle BGCOLOR=#FFF000  
BORDERCOLOR=#8000FF>6919620</TD>

</TR>

<TR>

<TD ALIGN=middle BGCOLOR=#FFF000 BORDERCOLOR=#8000FF>Miss  
Mahani</TD>

<TD ALIGN=middle BGCOLOR=#FFF000 BORDERCOLOR=#8000FF>P.J.</TD>

<TD ALIGN=middle BGCOLOR=#FFF000 BORDERCOLOR=#8000FF>Form 5  
science</TD>

<TD ALIGN=middle BGCOLOR=#FFF000  
BORDERCOLOR=#8000FF>8976120</TD>

</TR>

<TR>

<TD ALIGN=middle BGCOLOR=#FFF000 BORDERCOLOR=#8000FF>MR Tan  
Tai Hun</TD>

<TD ALIGN=middle BGCOLOR=#FFF000 BORDERCOLOR=#8000FF>Klang  
</TD>

<TD ALIGN=middle BGCOLOR=#FFF000 BORDERCOLOR=#8000FF>Computer  
Books</TD>

<TD ALIGN=middle BGCOLOR=#FFF000  
BORDERCOLOR=#8000FF>33456220</TD>

</TR>

<TR>

<TD ALIGN=middle BGCOLOR=#FFF000 BORDERCOLOR=#8000FF>MR  
Ranjit singh</TD>

<TD ALIGN=middle BGCOLOR=#FFF000  
BORDERCOLOR=#8000FF>Cheras</TD>

<TD ALIGN=middle BGCOLOR=#FFF000 BORDERCOLOR=#8000FF>Madical  
Books</TD>

```

<TD ALIGN=middle BGCOLOR=#FFF000
BORDERCOLOR=#8000FF>8976580</TD>
</TR>
<TR>
<TD ALIGN=middle BGCOLOR=#FFF000 BORDERCOLOR=#8000FF>Pn
Maryati</TD>
<TD ALIGN=middle BGCOLOR=#FFF000 BORDERCOLOR=#8000FF>Kg. Baru
Kuala lumpur</TD>
<TD ALIGN=middle BGCOLOR=#FFF000 BORDERCOLOR=#8000FF>Form 6
science</TD>
<TD ALIGN=middle BGCOLOR=#FFF000
BORDERCOLOR=#8000FF>23476520</TD>
</TR>
<TR>
<TD ALIGN=middle BGCOLOR=#FFF000 BORDERCOLOR=#8000FF>Mr wan
Ismail</TD>
<TD ALIGN=middle BGCOLOR=#FFF000
BORDERCOLOR=#8000FF>Rawang</TD>
<TD ALIGN=middle BGCOLOR=#FFF000
BORDERCOLOR=#8000FF>Management Books</TD>
<TD ALIGN=middle BGCOLOR=#FFF000
BORDERCOLOR=#8000FF>6922345</TD>
</TR>
<TR>
<TD ALIGN=middle BGCOLOR=#FFF000 BORDERCOLOR=#8000FF>MR
Sastry</TD>
<TD ALIGN=middle BGCOLOR=#FFF000
BORDERCOLOR=#8000FF>Kajang</TD>
<TD ALIGN=middle BGCOLOR=#FFF000 BORDERCOLOR=#8000FF>Pure
science U/G books</TD>

```




```

<TD ALIGN=middle BGCOLOR=#FFF000
BORDERCOLOR=#8000FF>8765439</TD>
</TR>
<TR>
<TD ALIGN=middle BGCOLOR=#FFF000 BORDERCOLOR=#8000FF>Mr
Rambly Chik</TD>
<TD ALIGN=middle BGCOLOR=#FFF000
BORDERCOLOR=#8000FF>Sentul</TD>
<TD ALIGN=middle BGCOLOR=#FFF000 BORDERCOLOR=#8000FF>Business
Books</TD>
<TD ALIGN=middle BGCOLOR=#FFF000
BORDERCOLOR=#8000FF>44325690</TD>
</TR>
<TR>
<TD ALIGN=middle BGCOLOR=#FFF000 BORDERCOLOR=#8000FF>MR Basry
Yusof</TD>
<TD ALIGN=middle BGCOLOR=#FFF000 BORDERCOLOR=#8000FF>P.J.</TD>
<TD ALIGN=middle BGCOLOR=#FFF000 BORDERCOLOR=#8000FF>Computer
Books</TD>
<TD ALIGN=middle BGCOLOR=#FFF000
BORDERCOLOR=#8000FF>7654398</TD>
</TR>
</table>

</body>
</html>

```


## Output on Netscape



This the home page from the file call index.htm.



The following pages are from the option of company\_info.





Syarikat First Agency & Syarikat First Agency Publishing (M) Sdn. Bhd.

Home Company Info Products Press

Company's History

Company's Directors

Company's Details

Contact Information

## Company Profile

### Company's Directors



**A. RAMALINGAM - MANAGING DIRECTOR**

A LIBRARIAN WITH OVER 31 YEARS OF SERVICE IN THE SECTOR. HAS SERVED IN VARIES PUBLIC AND SPECIAL LIBRARIES. HIS LAST APPOINTMENT BEFORE OPTION RETIREMENT WAS WITH RHE NATIONAL LIBRARY OF MALAYSIA IN KUALA LUMPUR, MALAYSIA.



**AKBAR ALI - MARKETING DIRECTOR**

HAS SERVED FOR MORE THAN 25 YEAR IN THE PUBLISHING SECTOR. A VETERAN IN PUBLISHING INDUSTRY IN MALAYSIA BEFORE ESTABLISHING SYRIKAT FIRST AGENCY PUBLISHING (M) SDN. BHD. IN 1995.




**R. GANESH, M.Sc -SYSTEM ENGINEER**

HEAD OUR COMPUTER DIVISION. A GRADUATE OF STAFFORDSHIRE UNIVERSITY, UNITED KINGDOM. HE ATTENDS TO SOFTWARE DEVELOPMENT, FIELD SERVICE SUPPORT AND REMOTE DIAGNOSTICS AND SUPPORT.




**R. NENON, B. Sc -COMPUTER SUPPORT**


A GRADUATE OF NORTH EAST LONDON POLYTECHNIC, UNITED KINGDOM. HE HOLDS DEGREES IN BUSINESS STUDIES


















The following pages are from the product /activities option from the main page.







New Page 2 - Netscape

File Edit View Go Communicator Help

Syarikat First Agency & Syarikat First Agency Publishing (M) Sdn. Bhd.

Home Company Info Products Press

Foreign Publisher  
Foreign Customer  
Local Customer  
Other Book Vendors  
Inquiries  
Common Communication


## Foreign Customer

This page was last updated on Monday, January 8, 1900.

CUSTOMERS	COUNTRY	BUSINESS	FIELD
Mc Graw Hill	USA	Publisher	Computer
Brandon A Nordin	USA	Publisher	Computer
Alan Hernk	USA	Distributor	Education
Jani Jan	India	Publisher	Business
Megg Bonar	UK	Publisher	Management
Beth Young	UK	Publisher	Accountantce
Bob Hansen	UK	Distributer	Management
Vicki Van Ausdall	Horland	Publisher	Mathematics
Emaly Rader	UK	Publisher	Law
Scott Rogers	UK	Pubilsher & Distributor	English
Kiran Singh	UK	Publisher	Computer
Man jete Walla	India	Publisher	Science
Amirul Huda	Dubai	Publisher	Other

Document Done







New Page 2 - Netscape

File Edit View Go Communicator Help

Syarikat First Agency & Syarikat First Agency Publishing (M) Sdn. Bhd.

Home Company Info Products Press

Foreign Publisher  
Foreign Customer  
Local Customer  
Other Book Vendors  
Inquiries  
Common Communication

Others Book Vendors

This page was last updated on Friday, January 19, 1900.

NAME	LOCATION	TYPE OF PRODUCTS	QUANTITY
Book store	Kuala Lumpur	All Type of Books	9,000
Popular Book store	Kuala Lumpur	All Type of Books	8,000
Sheqe Book store	Kuala Lumpur	All Type of Books	7,000
Ally Book store	Kuala Lumpur	All Type of Books	10,000
Bistari Book store	Kuala Lumpur	All Type of Books	7,000
Chamkaur Book store	Kuala Lumpur	All Type of Books	5,000
Minarva Book store	Kuala Lumpur	All Type of Books	4,000
Ally Book store	Ipoh	All Type of Books	8,000
Popular Book store	P.Pinang	All Type of Books	5,000

Document Done

New Page 2 - Netscape

File Edit View Go Communicator Help

Syarikat First Agency & Syarikat First Agency Publishing (M) Sdn. Bhd.

Home Company Info Products Press

Foreign Publisher  
Foreign Customer  
Local Customer  
Other Book Vendors  
Inquiries  
Common Communication

### Inquiries


For Any Inquiries to the Syarikat First Agency Sdn. Bhd. or First Agency you can forward your inquiries using the quires box below.

### CONTACT FORM FOR CUSTOMER AND BUSINESS PARTNERS


First Name:	<input type="text"/>
Last Name:	<input type="text"/>
Company:	<input type="text"/>
Address:	<input type="text"/>
City:	<input type="text"/>
State:	<input type="text"/>
Country:	<input type="text"/>

Document: Done









New Page 2 - Netscape

File Edit View Go Communicator Help

Syarikat First Agency & Syarikat First Agency Publishing (M) Sdn. Bhd.

Home Company Info Products Press

Local Higher Learning Institution

Local Customer

Local Schools

Students and Lecturer

This page was last updated on Tuesday, January 16, 1900.

NAME	LOCATION	TYPE OF PRODUCTS	QUANTITY
Universiti Malaya	Kuala Lumpur	All Type of Books	10,000
Universiti Putra Malaysia	Bangi, Selangor	All Type of Books	10,000
International Islamic University	Gombak, Selangor	Law & Islamic Study	5000
Universiti Teknologi Mara	Shah Alam, Selangor	All Type of Books	10,000
Universiti Kebangsaan Malaysia	P. Penang	All Type of Books	10,000
Universiti Telekom	Melaka	All Type of Books	800
Universiti Multimedia	Kuala Lumpur	Computer	300
Universiti Utara Malaysia	Kedah	All Type of Books	2500
Universiti Petronas	Negeri Sembilan	All Type of Books	1,000
Kolej TAR	Kuala Lumpur	All Type of Books	500
Standfort College	Kuala Lumpur	Business & computing	200
Sistematic College	Kuala Lumpur	Comouter & Accountantce	300

Document Done



New Page 2 - Netscape

File Edit View Go Communicator Help

Syarikat First Agency & Syarikat First Agency Publishing (M) Sdn. Bhd.

Home Company Info Products Press

Local Higher Learning Institution  
Government Agency  
Local Customer  
Local Schools  
Students and Lecturer

Government Agency

This page was last updated on Monday, January 8, 1900.

NAME	LOCATION	TYPE OF PRODUCTS	QUANTITY
Education Ministry	Kuala Lumpur	School Books	More then 200,000
Polis Library	Kuala Lumpur	Law. Books	5000
Health Ministry	Kuala Lumpur	Madical & Health	5000
Health Ministry	Ipoh	Madical & Health	3000
Prime Ministers Department	Kuala Lumpur	Magazine	2500
Defence Ministry	Kuala Lumpur	Magazine	3000
Foreign Ministry	Kuala Lumpur	Magazine	4000
Foreign Ministry	Kuala Lumpur	Politics Study	200
Health Ministry	Kuala Lumpur	Magazine	1500
Information Ministry	Kuala Lumpur	Mixed	5000
Information Ministry	Kuala Lumpur	Magazine	15000

Document Done



New Page 2 - Netscape

File Edit View Go Communicator Help

Syarikat First Agency & Syarikat First Agency Publishing (M) Sdn. Bhd.

Home Company Info Products Press

Local Higher Learning Institution

Government Agency

Local Customer

Local Schools

Students and Lectu

This page was last updated on Tuesday, January 16, 1900.


NAME	LOCATION	TYPE OF PRODUCTS	QUANTITY
Menengah Tinggi Setapak	Kuala Lumpur	All Type of Books	9,000
Sekolah Menengah Tinggi Maxwell	Kuala Lumpur	All Type of Books	8,000
Sekolah Menengah Tinggi Rawang	Selangor	All Type of Books	8,000
Sekolah Menengah Tinggi Kajang	Selangor	All Type of Books	5,000
Sekolah Menengah Tinggi Kuantan	Kuantan	All Type of Books	6,000
Sekolah Menengah Tinggi Cheras	Kuala Lumpur	All Type of Books	3,000
Sekolah Menengah Tinggi Kepong	Kepong	All Type of Books	4,000
Sekolah Menengah Tinggi Malim	Tanjung Malim	All Type of Books	2,000
Sekolah Menengah Tinggi Beruas	Kuala Berus	All Type of Books	1,900

Document Done

Student and Lecturer - Netscape			
File Edit View Go Communicator Help			
Student and Lecturer			
NAME	ADDRESS	PRODUCT TYPE	CONTACT NUMBER
MR Sazali	Rawang	Form 5 science	6919620
Miss Mahani	P.J.	Form 5 science	8976120
MR Tan Tai Hun	Klang	Computer Books	33456220
MR Ranjit singh	Cheras	Madical Books	8976580
Pn Maryati	Kg. Baru Kuala lumpur	Form 6 science	23476520
Mr wan Ismail	Rawang	Management Books	6922345
MR Sastry	Kajang	Pure science U/G books	8765439
Mr Rambly Chik	Sentul	Business Books	44325690
MR Basry Yussof	P.J.	Computer Books	7654398
Document: Done			



The last option of the home page is the location and latest news from the company.





Local Publisher - Netscape

File Edit View Go Communicator Help

## List of Books Available

---

This page was last updated on Wednesday, January 31, 1900.

### THE LISTINGS

#### Form1

isbn	Title	publisher	Author/s	no_in -stock	price(usd)
0-07-056236-9	Analysis Design of Information System	McGraw-Hill International Editions	James A senn	200	\$80.00
0-987-5423-88	Information System	Scott Rogers	Alan Herrick	104	\$195.00
07897-02363	Special edition Using HTML	Roland Elgey	Tom Salvola	100	\$100.90
0899-02875-9	The Most complete Reference of HTML	Merie Butle-Knight	Alan Westenbroek	190	\$160.00
09-45271-008		Bistari (m)	Ranjit Singh Mahli	250	\$25.00

Document: Done

## PROGRAM SOURCE CODE FOR THE ASP

```

<HTML>

<TITLE>Form1</TITLE>

<BODY background = gray.jpg>

<%
If IsObject(Session("bookdatabase.dbm_conn")) Then
    Set conn = Session("bookdatabase.dbm_conn")
Else
    Set conn = Server.CreateObject("ADODB.Connection")
    conn.open "bookdatabase.dbm","",""
    Set Session("bookdatabase.dbm_conn") = conn
End If
%>
<%
If IsObject(Session("Form_Form1_rs")) Then
    Set rs = Session("Form_Form1_rs")
Else
    sql = "SELECT * FROM [p_buku]"
    Set rs = Server.CreateObject("ADODB.Recordset")
    rs.Open sql, conn, 3, 3
    If rs.eof Then
        rs.AddNew
    End If
    Set Session("Form_Form1_rs") = rs
End If
%>
<%
If cstr(Request.QueryString("price(usd))) <> "" Then
    rs.Fields("price(usd)").Value = Request.QueryString("price(usd)")
End If
If cstr(Request.QueryString("no_in -stock")) <> "" Then
    rs.Fields("no_in -stock").Value = Request.QueryString("no_in -stock")
End If
If cstr(Request.QueryString("Author/s")) <> "" Then
    rs.Fields("Author/s").Value = Request.QueryString("Author/s")
End If
If cstr(Request.QueryString("publisher")) <> "" Then
    rs.Fields("publisher").Value = Request.QueryString("publisher")
End If
If cstr(Request.QueryString("Title")) <> "" Then
    rs.Fields("Title").Value = Request.QueryString("Title")
End If
If cstr(Request.QueryString("isbn")) <> "" Then
    rs.Fields("isbn").Value = Request.QueryString("isbn")
End If

tempVar = Request.QueryString("nav_btn")
On Error Resume Next
If cstr(tempVar)="nav_btn_MoveFirstRecord" Then
    rs.MoveFirst
End If
If cstr(tempVar)="nav_btn_MovePrevRecord" Then
    rs.MovePrevious
    If rs.bof Then
        rs.MoveNext
    End If
End If
If cstr(tempVar)="nav_btn_MoveNextRecord" Then
    rs.MoveNext
    If rs.eof Then

```



```

        rs.MovePrevious
    End If
End If
If cstr(tempVar)="nav_btn_MoveLastRecord" Then
    rs.MoveLast
End If
If cstr(tempVar)="nav_btn_MoveAddRecord" Then
    rs.AddNew
End If
If cstr(tempVar)="nav_btn_MoveCommitRecord" Then
    rs.Update
    rs.Requery
End If
If cstr(tempVar)="nav_btn_MoveCancelUpdate" Then
    rs.CancelUpdate
    rs.Resync
End If
If cstr(tempVar)="nav_btn_MoveDeleteRecord" Then
    rs.Delete
    rs.MoveNext
    If rs.eof Then
        rs.MovePrevious
        If rs.bof Then
            rs.AddNew
        End If
    End If
End If
End If
On Error Goto 0
%>
<OBJECT ID="Form1_1alx"
CLASSID="CLSID:812AE312-8B8E-11CF-93C8-00AA00C08FDF"
STYLE="TOP:0;LEFT:0;">
<PARAM NAME="ALXPATH" VALUE="Form1_1alx.asp">
</OBJECT>

</BODY>

<BR><BR>

<IMG SRC = "msaccess.jpg">

</HTML>

```

```

<%
If IsObject(Session("bookdatabase.dbm_conn")) Then
    Set conn = Session("bookdatabase.dbm_conn")
Else
    Set conn = Server.CreateObject("ADODB.Connection")
    conn.open "bookdatabase.dbm","",""
    Set Session("bookdatabase.dbm_conn") = conn
End If
%>
<%
If IsObject(Session("Form_Form1_rs")) Then
    Set rs = Session("Form_Form1_rs")
Else
    sql = "SELECT * FROM [p_buku]"
    Set rs = Server.CreateObject("ADODB.Recordset")
    rs.Open sql, conn, 3, 3
    If rs.eof Then
        rs.AddNew
    End If
    Set Session("Form_Form1_rs") = rs
End If
%>
<SCRIPT LANGUAGE=VBScript>
<!--
Dim rgsczCtrls(15, 2)
Dim cMaxCtrls
cMaxCtrls = 15
Sub AddCtrlToList(szCtrl, szCtrlSrc)
    Dim i
    for i = 1 to cMaxCtrls
        if rgsczCtrls(i, 1) = szCtrl Then Exit Sub
        if rgsczCtrls(i, 1) = "" Then
            rgsczCtrls(i, 1) = szCtrl
            rgsczCtrls(i, 2) = szCtrlSrc
            Exit Sub
        End If
    next
End Sub

Sub UpdateRefreshBtn()
    nav_btn_MoveCancelUpdate.Caption = "Cancel"
End Sub

Function MakeHTMLValue(szVal)
    Dim i
    Dim szRet
    for i = 1 to Len(szVal)
        ch = Mid(szVal, i, 1)
        if ch = " " Then
            szRet = szRet & "%20"
        elseif ch = "&" Then
            szRet = szRet & "%26"
        elseif ch = "#" Then
            szRet = szRet & "%23"
        elseif ch = """" Then
            szRet = szRet & "%22"
        elseif ch = ";" Then
            szRet = szRet & "%3B"
        elseif ch = ":" Then
            szRet = szRet & "%3A"
        elseif ch = "'" Then
            szRet = szRet & "%27"

```

```

else
    szRet = szRet & Mid(szVal, i, 1)
end if
next
MakeHTMLValue = szRet
End Function

Function GetCtrlQueryString()
    Dim szRet
    Dim i
    for i = 1 to cMaxCtrls
        if rgszCtrls(i, 1) = "" Then Exit For
        szRet = szRet & rgszCtrls(i, 2) & "=" & MakeHTMLValue(Form1_1alx.Cont
        rls(rgszCtrls(i, 1)).Value) & "&"
    next
    GetCtrlQueryString = szRet
End Function

Sub Form1_1alx_OnLoad()
End Sub

Sub price_usd_AfterUpdate()
    call AddCtrlToList("price_usd_", "price(usd)")
    call UpdateRefreshBtn()
End Sub

Sub no_in_stock_AfterUpdate()
    call AddCtrlToList("no_in_stock", "no_in -stock")
    call UpdateRefreshBtn()
End Sub

Sub Author_s_AfterUpdate()
    call AddCtrlToList("Author_s", "Author/s")
    call UpdateRefreshBtn()
End Sub

Sub publisher_AfterUpdate()
    call AddCtrlToList("publisher", "publisher")
    call UpdateRefreshBtn()
End Sub

Sub Title_AfterUpdate()
    call AddCtrlToList("Title", "Title")
    call UpdateRefreshBtn()
End Sub

Sub isbn_AfterUpdate()
    call AddCtrlToList("isbn", "isbn")
    call UpdateRefreshBtn()
End Sub

Sub nav_btn_MoveFirstRecord_Click()
    Window.Location.Href = "Form1_1.asp?nav_btn=nav_btn_MoveFirstRecord&" & G
    etCtrlQueryString()
End Sub

Sub nav_btn_MovePrevRecord_Click()
    Window.Location.Href = "Form1_1.asp?nav_btn=nav_btn_MovePrevRecord&" & Ge
    tCtrlQueryString()
End Sub

Sub nav_btn_MoveNextRecord_Click()

```



```

Window.Location.Href = "Form1_1.asp?nav_btn=nav_btn_MoveNextRecord&" & Get
CtrlQueryString()
End Sub

Sub nav_btn_MoveLastRecord_Click()
    Window.Location.Href = "Form1_1.asp?nav_btn=nav_btn_MoveLastRecord&" & Get
CtrlQueryString()
End Sub

Sub nav_btn_MoveAddRecord_Click()
    Window.Location.Href = "Form1_1.asp?nav_btn=nav_btn_MoveAddRecord&" & Get
CtrlQueryString()
End Sub

Sub nav_btn_MoveCommitRecord_Click()
    Window.Location.Href = "Form1_1.asp?nav_btn=nav_btn_MoveCommitRecord&" &
GetCtrlQueryString()
End Sub

Sub nav_btn_MoveCancelUpdate_Click()
    Window.Location.Href = "Form1_1.asp?nav_btn=nav_btn_MoveCancelUpdate&"
End Sub

Sub nav_btn_MoveDeleteRecord_Click()
    If MsgBox("Press OK to delete current record", 1, "Form1_1") = 1 Then
        Window.Location.Href = "Form1_1.asp?nav_btn=nav_btn_MoveDeleteRecord&"
    End If
End Sub

-->
</SCRIPT>
<DIV ID="Form1_1alx" STYLE="LAYOUT:FIXED;HEIGHT:576;WIDTH:720;">
<OBJECT ID="nav_btn_MoveCancelUpdate"
CLASSID="CLSID:D7053240-CE69-11CD-A777-00DD01143C57"
STYLE="TOP:546;LEFT:336;WIDTH:84;HEIGHT:28;ZINDEX:0;">
<PARAM NAME="BackStyle" VALUE="0">
<PARAM NAME="Caption" VALUE="Refresh">
<PARAM NAME="ParagraphAlign" VALUE="3">
<PARAM NAME="ForeColor" VALUE="0">
<PARAM NAME="Size" VALUE="2184;728">
<PARAM NAME="SpecialEffect" VALUE="0">
<PARAM NAME="VariousPropertyBits" VALUE="2">
</OBJECT>
<OBJECT ID="nav_btn_MoveDeleteRecord"
CLASSID="CLSID:D7053240-CE69-11CD-A777-00DD01143C57"
STYLE="TOP:546;LEFT:252;WIDTH:84;HEIGHT:28;ZINDEX:1;">
<PARAM NAME="BackStyle" VALUE="0">
<PARAM NAME="Caption" VALUE="Delete">
<PARAM NAME="ParagraphAlign" VALUE="3">
<PARAM NAME="ForeColor" VALUE="0">
<PARAM NAME="Size" VALUE="2184;728">
<PARAM NAME="SpecialEffect" VALUE="0">
<PARAM NAME="VariousPropertyBits" VALUE="2">
</OBJECT>
<OBJECT ID="nav_btn_MoveCommitRecord"
CLASSID="CLSID:D7053240-CE69-11CD-A777-00DD01143C57"
STYLE="TOP:546;LEFT:168;WIDTH:84;HEIGHT:28;ZINDEX:2;">
<PARAM NAME="BackStyle" VALUE="0">
<PARAM NAME="Caption" VALUE="Commit">
<PARAM NAME="ParagraphAlign" VALUE="3">
<PARAM NAME="ForeColor" VALUE="0">

```

```

PARAM NAME="Size" VALUE="2184;728">
PARAM NAME="SpecialEffect" VALUE="0">
PARAM NAME="VariousPropertyBits" VALUE="2">
/OBJECT>
OBJECT ID="nav_btn MoveAddRecord"
CLASSID="CLSID:D7053240-CE69-11CD-A777-00DD01143C57"
STYLE="TOP:546;LEFT:112;WIDTH:28;HEIGHT:28;ZINDEX:3;">
PARAM NAME="BackStyle" VALUE="0">
PARAM NAME="Caption" VALUE="&gt;*>
PARAM NAME="ParagraphAlign" VALUE="3">
PARAM NAME="ForeColor" VALUE="0">
PARAM NAME="Size" VALUE="728;728">
PARAM NAME="SpecialEffect" VALUE="0">
PARAM NAME="VariousPropertyBits" VALUE="2">
/OBJECT>
OBJECT ID="nav_btn MoveLastRecord"
CLASSID="CLSID:D7053240-CE69-11CD-A777-00DD01143C57"
STYLE="TOP:546;LEFT:84;WIDTH:28;HEIGHT:28;ZINDEX:4;">
PARAM NAME="BackStyle" VALUE="0">
PARAM NAME="Caption" VALUE="&gt;|>
PARAM NAME="ParagraphAlign" VALUE="3">
PARAM NAME="ForeColor" VALUE="0">
PARAM NAME="Size" VALUE="728;728">
PARAM NAME="SpecialEffect" VALUE="0">
PARAM NAME="VariousPropertyBits" VALUE="2">
/OBJECT>
OBJECT ID="nav_btn MoveNextRecord"
CLASSID="CLSID:D7053240-CE69-11CD-A777-00DD01143C57"
STYLE="TOP:546;LEFT:56;WIDTH:28;HEIGHT:28;ZINDEX:5;">
PARAM NAME="BackStyle" VALUE="0">
PARAM NAME="Caption" VALUE="&gt;*>
PARAM NAME="ParagraphAlign" VALUE="3">
PARAM NAME="ForeColor" VALUE="0">
PARAM NAME="Size" VALUE="728;728">
PARAM NAME="SpecialEffect" VALUE="0">
PARAM NAME="VariousPropertyBits" VALUE="2">
/OBJECT>
OBJECT ID="nav_btn MovePrevRecord"
CLASSID="CLSID:D7053240-CE69-11CD-A777-00DD01143C57"
STYLE="TOP:546;LEFT:28;WIDTH:28;HEIGHT:28;ZINDEX:6;">
PARAM NAME="BackStyle" VALUE="0">
PARAM NAME="Caption" VALUE="&lt;*>
PARAM NAME="ParagraphAlign" VALUE="3">
PARAM NAME="ForeColor" VALUE="0">
PARAM NAME="Size" VALUE="728;728">
PARAM NAME="SpecialEffect" VALUE="0">
PARAM NAME="VariousPropertyBits" VALUE="2">
/OBJECT>
OBJECT ID="nav_btn MoveFirstRecord"
CLASSID="CLSID:D7053240-CE69-11CD-A777-00DD01143C57"
STYLE="TOP:546;LEFT:0;WIDTH:28;HEIGHT:28;ZINDEX:7;">
PARAM NAME="BackStyle" VALUE="0">
PARAM NAME="Caption" VALUE="|&lt;*>
PARAM NAME="ParagraphAlign" VALUE="3">
PARAM NAME="ForeColor" VALUE="0">
PARAM NAME="Size" VALUE="728;728">
PARAM NAME="SpecialEffect" VALUE="0">
PARAM NAME="VariousPropertyBits" VALUE="2">
/OBJECT>
OBJECT ID="price_usd_"
CLASSID="CLSID:8BD21D10-EC42-11CE-9E0D-00AA006002F3"
STYLE="TOP:366;LEFT:288;WIDTH:282;HEIGHT:36;TABINDEX:5;ZINDEX:8;">

```



```

<%If Not IsNull(rs.Fields("price(usd)").Value) Then%>
<PARAM NAME="Value" VALUE="<%=Server.HtmlEncode(rs.Fields("price(usd)").Value)>">
<%End If%>
<PARAM NAME="BackStyle" VALUE="1">
<PARAM NAME="BackColor" VALUE="10092543">
<PARAM NAME="ForeColor" VALUE="0">
<PARAM NAME="FontHeight" VALUE="240">
<PARAM NAME="FontName" VALUE="Times New Roman">
<PARAM NAME="Size" VALUE="7332;936">
<PARAM NAME="SpecialEffect" VALUE="2">
<PARAM NAME="VariousPropertyBits" VALUE="2894088219">
</OBJECT>
<OBJECT ID="Label5"
CLASSID="CLSID:978C9E23-D4B0-11CE-BF2D-00AA003F40D0"
STYLE="TOP:366;LEFT:144;WIDTH:108;HEIGHT:30;ZINDEX:9;">
<PARAM NAME="BackStyle" VALUE="0">
<PARAM NAME="Caption" VALUE="price(usd):">
<PARAM NAME="ForeColor" VALUE="0">
<PARAM NAME="FontHeight" VALUE="240">
<PARAM NAME="FontWeight" VALUE="700">
<PARAM NAME="FontName" VALUE="Times New Roman">
<PARAM NAME="Size" VALUE="2808;780">
<PARAM NAME="SpecialEffect" VALUE="0">
<PARAM NAME="VariousPropertyBits" VALUE="8388627">
<PARAM NAME="FontEffects" VALUE="1">
</OBJECT>
<OBJECT ID="no_in_stock"
CLASSID="CLSID:8BD21D10-EC42-11CE-9E0D-00AA006002F3"
STYLE="TOP:300;LEFT:288;WIDTH:282;HEIGHT:36;TABINDEX:4;ZINDEX:10;">
<%If Not IsNull(rs.Fields("no_in -stock").Value) Then%>
<PARAM NAME="Value" VALUE="<%=Server.HtmlEncode(rs.Fields("no_in -stock").Value)>">
<%End If%>
<PARAM NAME="BackStyle" VALUE="1">
<PARAM NAME="BackColor" VALUE="10092543">
<PARAM NAME="ForeColor" VALUE="0">
<PARAM NAME="FontHeight" VALUE="240">
<PARAM NAME="FontName" VALUE="Times New Roman">
<PARAM NAME="Size" VALUE="7332;936">
<PARAM NAME="SpecialEffect" VALUE="2">
<PARAM NAME="VariousPropertyBits" VALUE="2894088219">
</OBJECT>
<OBJECT ID="Label4"
CLASSID="CLSID:978C9E23-D4B0-11CE-BF2D-00AA003F40D0"
STYLE="TOP:300;LEFT:144;WIDTH:108;HEIGHT:36;ZINDEX:11;">
<PARAM NAME="BackStyle" VALUE="0">
<PARAM NAME="Caption" VALUE="no_in -stock:">
<PARAM NAME="ForeColor" VALUE="0">
<PARAM NAME="FontHeight" VALUE="240">
<PARAM NAME="FontWeight" VALUE="700">
<PARAM NAME="FontName" VALUE="Times New Roman">
<PARAM NAME="Size" VALUE="2808;936">
<PARAM NAME="SpecialEffect" VALUE="0">
<PARAM NAME="VariousPropertyBits" VALUE="8388627">
<PARAM NAME="FontEffects" VALUE="1">
</OBJECT>
<OBJECT ID="Author s"
CLASSID="CLSID:8BD21D10-EC42-11CE-9E0D-00AA006002F3"
STYLE="TOP:222;LEFT:288;WIDTH:288;HEIGHT:36;TABINDEX:3;ZINDEX:12;">
<%If Not IsNull(rs.Fields("Author/s").Value) Then%>
<PARAM NAME="Value" VALUE="<%=Server.HtmlEncode(rs.Fields("Author/s").Value)>"

```



```

>">
<%End If%>
<PARAM NAME="BackColor" VALUE="1">
<PARAM NAME="BackColor" VALUE="10092543">
<PARAM NAME="ForeColor" VALUE="0">
<PARAM NAME="FontHeight" VALUE="240">
<PARAM NAME="FontName" VALUE="Times New Roman">
<PARAM NAME="Size" VALUE="7488;936">
<PARAM NAME="SpecialEffect" VALUE="2">
<PARAM NAME="VariousPropertyBits" VALUE="2894088219">
</OBJECT>
<OBJECT ID="Label3"
CLASSID="CLSID:978C9E23-D4B0-11CE-BF2D-00AA003F40D0"
STYLE="TOP:222;LEFT:144;WIDTH:90;HEIGHT:36;ZINDEX:13;">
<PARAM NAME="BackColor" VALUE="0">
<PARAM NAME="Caption" VALUE="Author/s:">
<PARAM NAME="ForeColor" VALUE="0">
<PARAM NAME="FontHeight" VALUE="240">
<PARAM NAME="FontWeight" VALUE="700">
<PARAM NAME="FontName" VALUE="Times New Roman">
<PARAM NAME="Size" VALUE="2340;936">
<PARAM NAME="SpecialEffect" VALUE="0">
<PARAM NAME="VariousPropertyBits" VALUE="8388627">
<PARAM NAME="FontEffects" VALUE="1">
</OBJECT>
<OBJECT ID="publisher"
CLASSID="CLSID:8BD21D10-EC42-11CE-9E0D-00AA006002F3"
STYLE="TOP:156;LEFT:288;WIDTH:288;HEIGHT:36;TABINDEX:2;ZINDEX:14;">
<%If Not IsNull(rs.Fields("publisher").Value) Then%>
<PARAM NAME="Value" VALUE="<%=Server.HtmlEncode(rs.Fields("publisher").Value)
%>">
<%End If%>
<PARAM NAME="BackColor" VALUE="1">
<PARAM NAME="BackColor" VALUE="10092543">
<PARAM NAME="ForeColor" VALUE="0">
<PARAM NAME="FontHeight" VALUE="240">
<PARAM NAME="FontName" VALUE="Times New Roman">
<PARAM NAME="Size" VALUE="7488;936">
<PARAM NAME="SpecialEffect" VALUE="2">
<PARAM NAME="VariousPropertyBits" VALUE="2894088219">
</OBJECT>
<OBJECT ID="Label2"
CLASSID="CLSID:978C9E23-D4B0-11CE-BF2D-00AA003F40D0"
STYLE="TOP:156;LEFT:144;WIDTH:96;HEIGHT:36;ZINDEX:15;">
<PARAM NAME="BackColor" VALUE="0">
<PARAM NAME="Caption" VALUE="publisher:">
<PARAM NAME="ForeColor" VALUE="0">
<PARAM NAME="FontHeight" VALUE="240">
<PARAM NAME="FontWeight" VALUE="700">
<PARAM NAME="FontName" VALUE="Times New Roman">
<PARAM NAME="Size" VALUE="2496;936">
<PARAM NAME="SpecialEffect" VALUE="0">
<PARAM NAME="VariousPropertyBits" VALUE="8388627">
<PARAM NAME="FontEffects" VALUE="1">
</OBJECT>
<OBJECT ID="Title"
CLASSID="CLSID:8BD21D10-EC42-11CE-9E0D-00AA006002F3"
STYLE="TOP:90;LEFT:288;WIDTH:288;HEIGHT:36;TABINDEX:1;ZINDEX:16;">
<%If Not IsNull(rs.Fields("Title").Value) Then%>
<PARAM NAME="Value" VALUE="<%=Server.HtmlEncode(rs.Fields("Title").Value)%>">
<%End If%>
<PARAM NAME="BackColor" VALUE="1">

```



```

<PARAM NAME="BackColor" VALUE="10092543">
<PARAM NAME="ForeColor" VALUE="0">
<PARAM NAME="FontHeight" VALUE="240">
<PARAM NAME="FontName" VALUE="Times New Roman">
<PARAM NAME="Size" VALUE="7488;936">
<PARAM NAME="SpecialEffect" VALUE="2">
<PARAM NAME="VariousPropertyBits" VALUE="2894088219">
</OBJECT>
<OBJECT ID="Label1"
CLASSID="CLSID:978C9E23-D4B0-11CE-BF2D-00AA003F40D0"
STYLE="TOP:90;LEFT:144;WIDTH:54;HEIGHT:30;ZINDEX:17;">
<PARAM NAME="BackStyle" VALUE="0">
<PARAM NAME="Caption" VALUE="Title:">
<PARAM NAME="ForeColor" VALUE="0">
<PARAM NAME="FontHeight" VALUE="240">
<PARAM NAME="FontWeight" VALUE="700">
<PARAM NAME="FontName" VALUE="Times New Roman">
<PARAM NAME="Size" VALUE="1404;780">
<PARAM NAME="SpecialEffect" VALUE="0">
<PARAM NAME="VariousPropertyBits" VALUE="8388627">
<PARAM NAME="FontEffects" VALUE="1">
</OBJECT>
<OBJECT ID="isbn"
CLASSID="CLSID:8BD21D10-EC42-11CE-9E0D-00AA006002F3"
STYLE="TOP:30;LEFT:288;WIDTH:282;HEIGHT:36;TABINDEX:0;ZINDEX:18;">
<%If Not IsNull(rs.Fields("isbn").Value) Then%>
<PARAM NAME="Value" VALUE="<%=Server.HtmlEncode(rs.Fields("isbn").Value)%>">
<%End If%>
<PARAM NAME="BackStyle" VALUE="1">
<PARAM NAME="BackColor" VALUE="10092543">
<PARAM NAME="ForeColor" VALUE="0">
<PARAM NAME="FontHeight" VALUE="240">
<PARAM NAME="FontName" VALUE="Times New Roman">
<PARAM NAME="Size" VALUE="7332;936">
<PARAM NAME="SpecialEffect" VALUE="2">
<PARAM NAME="VariousPropertyBits" VALUE="2894088219">
</OBJECT>
<OBJECT ID="Label0"
CLASSID="CLSID:978C9E23-D4B0-11CE-BF2D-00AA003F40D0"
STYLE="TOP:30;LEFT:144;WIDTH:106;HEIGHT:36;ZINDEX:19;">
<PARAM NAME="BackStyle" VALUE="0">
<PARAM NAME="Caption" VALUE="isbn:">
<PARAM NAME="ForeColor" VALUE="0">
<PARAM NAME="FontHeight" VALUE="240">
<PARAM NAME="FontWeight" VALUE="700">
<PARAM NAME="FontName" VALUE="Times New Roman">
<PARAM NAME="Size" VALUE="2756;936">
<PARAM NAME="SpecialEffect" VALUE="0">
<PARAM NAME="VariousPropertyBits" VALUE="8388627">
<PARAM NAME="FontEffects" VALUE="1">
</OBJECT>
</DIV>

```

10-10-1984	10-10-1984	10-10-1984	10-10-1984	10-10-1984
10-10-1984	10-10-1984	10-10-1984	10-10-1984	10-10-1984
10-10-1984	10-10-1984	10-10-1984	10-10-1984	10-10-1984
10-10-1984	10-10-1984	10-10-1984	10-10-1984	10-10-1984
10-10-1984	10-10-1984	10-10-1984	10-10-1984	10-10-1984

## **DATABASE TABLE**

University of Malaya



isbn	publisher	Author/s	editor/s	edition	country
0-07-056236-9	McGraw-Hill Int	James A senn	karen M Jackso	2	USA
0-987-5423-88	Scott Rogers	Alan Herrick	Gary Morris	1	USA
07897-02363	Roland Elgey	Tom Salvola	Thomas F Hay	3	USA
0899-02875-9	Merie Butle-Kni	Alan Westenbr	Nancy E. Sixsm	1	U.K
09-45271-008	Bistari (m)	Ranjit Singh Ma	Jagjit kaur	1	Malaysia

University of Malaya

no_in -stock	Printer_in	price(usd)	Title
200	Singapore	\$80.00	Analysis Design
104	USA	\$195.00	Information Sys
100	USA	\$100.90	Special edition
190	U.K.	\$160.00	The Most comp
250	Malaysia	\$25.00	

University of Malaya