

REFERENCES

1. Abu Samah, A., Tick, L.J., 1992. Investigation on the transport of air pollutants in the Klang Valley, Kuala Lumpur, Malaysia. *J. Fiz. Mal.* 13 (18), 18-28.
2. Abu Samah, A. Modeling the development of mixing height in near equatorial region. In *EURASAP Workshop Proceedings*, Risø National Laboratory, Roskilde, Denmark, October 1-3, 1997; pp 31-34.
3. Andre', J.C., Mahrt, L., 1982. The nocturnal surface inversion and influence of clear-air radiative cooling. *Journal of Atmospheric Sciences* 39, 864-878.
4. Andren, A., 1995. The structure of the stably stratified atmospheric boundary layer: a large-eddy simulation study. *Quarterly Journal of the Royal Meteorological Society* 121, 961-986.
5. Angevine, W.M., Trainer, M., Parrish, D.D., Buhr, M.P., Fehsenfeld, F.C., Kok, G.L., 1994b. Wind profiler mixing depth and entrainment measurements with chemical applications. *Proceedings of Eight AMS Conference on Air Pollution Meteorology and AWMA*, Nashville, pp. 32-34.
6. Angevine, W.M., White, A.B., Avery, S.K., 1994a. Boundary layer dept and entrainment zone characterisation with a boundary-layer profiler. *Boundary-Layer Meteorology* 68, 375-385.
7. Aron, R., 1983. Mixing height – an inconsistent indicator of potential air pollution concentrations. *Atmospheric Environment*. 17, 2193-2197.
8. Arritt, R. W. (1993). Effects of the large scale flow on characteristics features of the sea breeze. *Journal of Applied Meteorology* 32, 116-125.
9. Arya, S.P. 1999. *Air Pollution Meteorology and Dispersion*. Oxford University Press Inc., New York, U.S.A.
10. Arya, S.P., 1988. *Introduction to Micrometeorology* Vol. 42. International Geophysics Series, Academic Press, New York, U.S.A.
11. Arya, S.P.S., 1981. Parameterizing the height of the stable atmospheric boundary layer. *Journal of Applied Meteorology* 20, 1192-1202.
12. Arya, S.P.S., Byun, D.W., 1987. Rate equations for the planetary boundary layer depth (urban vs. rural). In: Modelling the Urban

- Boundary Layer. *American Meteorological Society*, Boston, pp. 215-251.
13. Asimakopoulos, D.N., Helmis, C.G., Petrakis, M., 1996. Miniacoustic sounding – a powerful tool for ABL applications: recent advances and applications of acoustic mini-sodars. *Boundary-Layer Meteorology* 81, 49-61.
 14. Banta, R.M., Olivier, L. D. and Levinson, D. H. (1993). Evolution of the Monterey sea-breeze layer as observed by pulsed Doppler lidar. *Journal of the Atmospheric Sciences* 50, 3959-3982.
 15. Banta, R. M. (1995). Sea breeze shallow and deep on the California coast. *Monthly Weather Review* 123, 3614-3622.
 16. Batchvarova, E., Cai, X., Gryning, S.E., Steyn, D., 1999. Modeling internal boundary layer development in a region with complex coastline. *Boundary-Layer Meteorology* 90, 1-20.
 17. Batchvarova, E., Gryning, S., 1991. Applied model for the growth of the daytime mixed layer. *Boundary-Layer Meteorology* 56, 261-274.
 18. Batchvarova, E., Gryning, S., 1994. An applied model for the height of the daytime mixed layer and the entrainment zone. *Boundary-Layer Meteorology* 71, 311-323.
 19. Baxter, R.A., 1991. Determination of mixing heights from data collected during the 1985 SCCCAMP field program. *Journal of Applied Meteorology* 30, 598-606.
 20. Beljaars, A.C.M., Betts, A.K., 1992. Validation of the boundary layer representation in the ECMWF model. *ECMWF Seminar Proceedings: Validation of Models over Europe, Vol. II Reading, UK*, 7-11 September 1992.
 21. Bechtold, P., Pinty, J. P. and Mascart, P (1991). A numerical investigation of the influence of large-scale winds on sea-breeze and land-breeze-type circulations. *Journal of Applied Meteorology* 30, 1268-1279.
 22. Beljaars, A.C.M., Holtslag, A.A.A., 1989. A software library for the calculation of surface fluxes over land and sea. *Environ. Software* 5, 60-68.
 23. Beljaars, A.C.M., Holtslag, A.A.M., 1991. Flux parameterization over land surface for atmospheric models. *Journal of Applied Meteorology* 30, 327-341.
 24. Berkowicz, R., Olesen, H.R., Torp, U., 1985. The Danish Gaussian air

pollution model (OmL), dispersion, test, and sensitivity analysis in view of regulartory applications. *Proc. NATO 15th Int. Tech. Meeting on Air Pollution Modeling and its application.*

25. Betts, A.K., 1973. Non-precipitating cumulus convection and its parameterisation. *Quarterly Journal of the Royal Meteorological Society* 99, 178-196.
26. Betts, A.K., 1974. Reply to comment on the paper " Non-precipitating cumulus convection and its parametrization". *Quarterly Journal of the Royal Meteorological Society* 100, 496-471.
27. Betts, A.K., 1992. FIFE atmospheric boundary layer budget method. *Journal of Geophysical Research* 101, 23, 285-23, 288.
28. Betts, A.K., Albrecht, B.A., 1987. Conserved variable analysis of the convective boundary layer thermodynamic structure over tropical oceans. *Journal of the Atmospheric Sciences* 44, 83-99.
29. Beyrich F., Gorsdorf, U., 1995. Composing the diurnal cycle of mixing height from simultaneous sodar and wind profiler measurements. *Boundary-Layer Meteorology* 76, 387-394.
30. Beyrich, F., 1994. Sodar observations of the stable boundary layer height in relation to the nocturnal low-level jet. In Seibert et al., 2000.
31. Beyrich, f., 1995. Mixing height estimation in the convective boundary layer using Sodar data. *Boundary-Layer Meteorology* 74, 1-8.
32. Beyrich, F., 1997. Mixing height estimation from sodar data – a critical discussion. *Atmospheric Environment* 31, 3941-3954.
33. Beyrich, F., Weill, A., 1993. Some aspects of determining the stable boundary layer depth from Sodar data. *Boundary-Layer Meteorology* 63, 97-116.
34. Brown, D.F., 1997. *An Improved Methodology For Characterizing Atmospheric Boundary Layer Turbulence And Dispersion*. Ph.D. thesis, University of Illinois at Urbana-Champaign. Illinois.
35. Carson, D. J., Smith, F.B., 1974. Thermodynamic model for the development of a convectively unstable boundary layer. *Advances Geophysics* 18A, Academic Press, New York, pp. 111-124.
36. Carson, D.J., 1973. The development of a dry inversion-capped convectively unstable boundary layer. *Quarterly Journal of the royal Meteorological Society* 99, 450-467.

37. Caughey, S.J., 1982. Observed characteristics of the atmospheric boundary layer. In: Nieuwstadt, F.T.M., van Dop, H. (Eds.), *Atmospheric Turbulence and Air Pollution Modeling*. Reidel Publ. Co., Dordrecht, pp. 107-158.
38. Caughey, S.J., Wyngaard, J.C., Kaimal, J.C., 1979. Turbulence in the evolving stable boundary layer. *Journal of Atmospheric Science* 36, 1041-1052.
39. Caughey, S.T., Palmer, S.G., 1979. Some aspects of turbulence structure through the depth of the convective boundary layer. *Quarterly Journal of the Royal Society* 105, 811-927.
40. Clark, R.H., Dyer, A.J., Brook, R.R., Reid, D.G., Troup, A.J., 1971. The Wangera experiment: boundary layer data. Technical paper 19. *Div. Meteorological Physics*, CSIRO, Australia.
41. Clarke, R.H., 1990. Modeling mixed layer growth in the Koorin experiment. *Australian Meteorological magazine* 38, 227-234.
42. Clifford, S.F., Kaimal, J.C., Lataitis, R.J., Strauch, R.G., 1994. Ground-based remote profiling in atmospheric studies: an overview. *Proceedings of IEEE* 82 (3), 313-355.
43. Coulter, R.L., 1979. A comparison of three methods for measuring mixing layer height. *Journal of Applied Meteorology* 18, 1495-1499.
44. Culf, A., 1992. An application of simple models to Sahelian convective boundary layer growth. *Boundary-Layer Meteorology* 58, 1-18.
45. Dalu, G. A. and Pielke, R. A. (1989). An analytical study of the sea breeze. *Journal of the Atmospheric Science* 46, 1815-1825.
46. Deardorff, J.W., 1979. Prediction of convective mixed-layer entrainment for realistic capping inversion structure. *Journal of the Atmospheric Sciences* 36, 424-436.
47. Devara, P.C.S., Ernest Raj, P., Murthy, B.S., Pandithurai, G., Sharma, S., Vernkar, K.G., 1995. Intercomparison of nocturnal lower-atmospheric structure observed with lidar and sodar techniques at Pune, India. *Journal of Applied Meteorology* 34, 1375-1383.
48. Driedonks, A.G.M., 1981. Dynamics of the well-mixed atmospheric boundary layer. *De Bilt: KNMI Sci. Rep. WR 81-2*, 189pp.
49. Driedonks, A.G.M., 1982a. Sensitivity analysis of the equations for a

- convective mixed layer. *Boundary Layer Meteorology* 22, 475-480.
50. Driedonks, A.G.M., 1982b. Model and observations of the growth of the atmospheric boundary layer. *Boundary-Layer Meteorology* 23, 283-306.
51. Driedonks, A.G.M., Tennekes, H., 1984. Entrainment effect in the well mixed atmospheric boundary layer. *Boundary Layer Meteorology* 30(1-4), 75-105.
52. Dye, T.S., Lindsay, C.G., Anderson, J.A., 1995. Estimates of mixing depth from boundary layer radar profilers. *Proceedings of 9th AMS Symposium on Meteorological Instruments & Obs.*, Charlottesville, pp.156-160.
53. Estournel, C., Guedalia, D.; 1990. Improving the diagnostic relation for the nocturnal boundary layer height. *Boundary-Layer Meteorology* 53, 191-198.
54. Fisch, G., 1996. *Amazonian Boundary Layer: Observational And Modeling Aspects*. PhD thesis, INPE, Sao Jose'dose Campos, Brazil.
55. Fisch, G.; Culf, A.D., Nobre, C.A., 1996. Modelling convective boundary layer growth in Rondonia. *Amazonian Deforestation and Climate*. John Wiley & Sons. 611p
56. Frinkele, K., Hacker, J. M>, Kraus, H. and Byron-Scott, R. A. D. (1995). A complete sea-breeze circulation cell derived from aircraft observations. *Boundary-Layer Meteorology* 25, 63-88.
57. Garratt, J.R., 1982a. Observations in the nocturnal boundary layer. *Boundary Layer Meteorology* 22, 21-48.
58. Garratt, J.R., 1982a. Observations in the nocturnal boundary layer. *Boundary Layer Meteorology* 22, 21-48.
59. Garratt, J.R., 1982b. Surface fluxes and the nocturnal boundary layer height. *Journal of Applied Meteorology* 21, 725-729.
60. Garratt, J.R., 1992. *The Atmospheric Boundary Layer*. University Press, Cambridge, 316 pp.
61. Garratt, J.R., 1993. Sensitivity od climatic simulations to lan-surface and atmospheric boundary layer treatments-a review. *Journal of Climate* 6(3), 419-449.
62. Garrett, A.J., 1981. Comparison of observed mixed layer depth to model estimates using observed temperature and winds and MOS forecasts.

63. Gaynor, J.E., Ye Jin Ping, White, A.B., 1994. Determining mixing depths in complex terrain near a power plant with radar profiler reflectivities. *Proceedings of 8th AMS Conference on Air Pollution Meteorology & AWMA*, Nashville, pp. 335-339.
64. Gryning, S.E., Batchvarova, 1990a. Simple model of the daytime boundary layer. *Ninth symposium on turbulence and diffusion. American Meteorological Society*. April 30- May 3, 1990. Roskilde, Denmark, pp. 779-382.
65. Gryning, S.E., Batchvarova, E., 1990b. Analytical model for the growth of the coastal internal boundary layer during onshore flow. *Quarterly Journal of the Royal Meteorological Society* 116, 187-203
66. Gryning, S.E., Batchvarova, E., 1994. Parameterization of the depth of the entrainment zone above the daytime mixed layer. *Quarterly Journal of the Royal Meteorological Society* 120, 47-58.
67. Gryning, S.E., Holtslag, A.A.M, Irwin, J.S., Sivertsen, B., 1987. Applied dispersion modeling based on meteorological scaling parameters. *Atmospheric Environment* 21, 79-89.
68. Hanna, S.R., 1969. The thickness of the planetary boundary layer. *Atmospheric Environment* 3, 519-536.
69. Hanna, S.R., Burkhardt, C.L., Paine, R.J., 1985. Mixing height uncertainties. *Proceedings of 7th AMS Symposium on Turbulence and Diffusion, Boulder*, pp.82-85.
70. Hanna, S.R., Chang, J.C., 1992. Boundary-layer parameterization for applied dispersion modeling over urban areas. *Boundary-Layer Meteorology* 58-229-259.
71. Hanna, S.R., Paine, R.J., 1989. Hybrid Plume Dispersion Model (HPDM) development and evaluation. *Journal of Applied Meteorology* 28, 206-224.
72. Holtslag, A.A.M., Nieuwstadt, F.T.M., 1986. Scaling the atmospheric boundary layer. *Boundary-Layer Meteorology* 36, 201-209.
73. Holtslag, A.A.M., van Ulden, A.P., 1983. A simple scheme for daytime estimates of the surface fluxes from routine weather data. *Journal of Climate and Applied Meteorology* 22, 517-529.
74. Holzworth, C.G., 1964. Estimates of mean maximum mixing depths in

- the contiguous United States. *Monthly Weather Review* 92, 235-242.
75. Holzworth, C.G., 1967. Mixing depths, wind speeds and air pollution potential for selected locations in the United States. *Journal of Applied Meteorology* 6, 1039-1044.
76. Holzworth, C.G., 1972. *Mixing depths, wind speeds, and potential for urban pollution throughout the contiguous United States*. EPA, Office of Air Programs Publ. AP-101, 118 pp. (Can be obtained from EPA, Research Triangle Park NC 277711, USA).
77. Irwin, J.S., Paumier, J.O., 1990. Characterizing the dispersion state of convective boundary layers for applied dispersion modeling. *Boundary Layer Meteorology* 53, 267-296.
78. Jones D.E. 1985. Mixing depth in La Trobe Valley. *Clean Air in Australia* 19, 49-51.
79. Kaimal, J.C., Wyngaard, J.C., Haugen, D.A., Cote', O.R., Izumi, Y., Caughey, S.J., Readings, C.J., 1976. Turbulence structure in the convective boundary layer. *Journal of the Atmospheric Sciences* 33, 2152-2169.
80. Kato, H., Phillips, O.M., 1969. On the penetration of a turbulent layer into stratified fluid. *Journal Fluid Mech.* 37, 643-655.
81. Kitaigorodskii, S.A., Joffre, S.M., 1988. In search of a simple scaling for the height of the stratified atmospheric boundary layer. *Tellus* 40A, 419-433.
82. Koo, Y. S. and Reible, D. D. (1995). Flow and transport modeling in the sea breeze. Part I: A modified E - ϵ model with a non-equilibrium level 2.5 closure. *Boundary-Layer Meteorology* 75, 109-140.
83. Koracin, D., Berkowicz, R., 1988. Nocturnal boundary layer height: observations by acoustic sounders and prediction in terms of surface layer parameters. *Boundary Layer Meteorology* 43, 65-83.
84. Kraus, H., Hacker, J. M. and Hartmann, J. (1990). An observational aircraft-based study of sea-breeze frontogenesis. *Boundary-Layer Meteorology* 53, 223-266.
85. Kurzeja, R.J., Berman, S., Weber, A.H., 1991. A climatological study of the nocturnal planetary boundary layer. *Boundary Layer Meteorology* 54, 105-128.
86. Kustas, W. P., 1986. *Turbulent Fluxes At The Surface And At The*

Inversion In Unstable Boundary Layer Over Complex Hilly Terrain.
Ph.D. Thesis, Cornell University

87. Laird, N. F., Kristovich, D. A. R., Rauber, R. M., Ochs III, H. T. and Jay Miller, L. (1995). The Cape Canaveral sea river breeze: kinematic structure and convective initiation. *Monthly Weather Review* 123, 2942-2956.
88. Lilly, D.K., 1968. Models of cloud-topped mixed layer under a strong inversion. *Quarterly Journal of the Royal Meteorological Society* 94, 292-309.
89. Lim, S. F.; Leong, C. P. Variation of total suspended particulate matter in Petaling Jaya. *Malaysian Meteorological Service Report* (unpublished) 1991.
90. Lyra, R., Druilhet, C., Benech, B., Bouka Biona, C., 1992. Dynamics above a dense equatorial rain forest from the surface boundary layer to the free atmosphere. *Journal of Geophysical Research* 97(D12), 12953-12965.
91. Mahrt, L. and Paumier, J. 1984. Heat transport in the atmospheric boundary layer. *Journal of the Atmospheric Sciences* 41, 3061-3075.
92. Mahrt, L., 1981. Modelling the depth of the stable boundary layer. *Boundary Layer Meteorology* 21, 3-19.
93. Mahrt, L., Andre, J.C., Heald, R.C., 1982. On the depth of the nocturnal boundary layer. *Journal of Applied Meteorology* 21, 90-92.
94. Mahrt, L., Heald, R.C., 1979. Comments on determining the height of the nocturnal boundary layer. *Journal of Applied Meteorology* 18, 383.
95. Mahrt, L., Heald, R.C., Lenschow, D.H., Stankov, B.B., Troen, I., 1979. An observational study of the structure of the nocturnal boundary layer. *Boundary Layer Meteorology* 17, 247-264.
96. Mahrt, L., Lenschow, D.H., 1976. Growth dynamics of the convectively mixed layer. *Journal of the Atmospheric Sciences* 33, 41-51.
97. Manins, P.C., 1982. The daytime planetary boundary layer; a new interpretation of the Wangara data. *Quarterly Journal of the Royal Meteorological Society* 108, 689-705.
98. Marsik, F.J., Fischer, K.W., McDonald, T.D., Samson, P.J., 1995. Comparison of methods for estimating mixing height used during the 1992 Atlanta Field Initiative. *Journal of Applied Meteorology* 34, 1802-

99. Marsik, F.J., Fischer, K.W., McDonald, T.D., Samson, P.J., 1995. Comparison of methods for estimating mixing height used during the 1992 Atlanta Field Initiative. *Journal of Applied Meteorology* 34, 1802-1814.
100. Martano, P., Romanelli, A., 1997. A routine for the calculation of the time-dependent height of the atmospheric boundary from surface-layer parameters. *Boundary-Layer Meteorology* 82, 105-117.
101. Martin, C.L., Fitzjarrald, D., Garstang, M., Oliveira, A.P., Greco, S., Browell, E., 1988. Structure and growth of the mixing layer over the Amazonian rain forest. *Journal of Geophysical Research* 93, 1361-1375.
102. Maughan, R.A., Spanton, A.M., Williams, M.L., 1982. An analysis of the frequency distribution od sodar derived mixing heights classified by atmospheric stability. *Atmospheric Environment* 16, 1209-1218.
103. Melgarejo, J.W., Deardorff, J.W., 1974. Stability functions for the boundary layer resistance laws based upon observed boundary layer heights. *Journal of Atmospheric Science* 31, 1324-1333.
104. Miller, M.E., 1967. Forecasting afternoon mixing depth's and transport wind speed. *Monthly Weather Review* 95, 35-44.
105. Morwal, S.B., Parasnis, S.S., 1997. On the dynamical aspects of the monsoon boundary layer. *Boundary Layer Meteorology* 83, 163-171.
106. Myrick, R.H., Sakiyama, S.H., Angle, P.R., Sandh, A.S., 1994. Seasonal mixing heights and inversions at Edmonton, Alberta. *Atmospheric Environment* 28A, 723-729.
107. Nagar, S. G., Tyagi, A., Seetaramayya, P., Singh, S.S., 2001. Growth of the summer daytime convective boundary layer at Anand. *Boundary Layer Meteorology* 98, 297-314.
108. Nieuwstadt, F.T.M., 1980. A rate equation for the inversion height in a nocturnal boundary layer. *Journal of Applied Meteorology* 19(12), 1445-1447.
109. Nieuwstadt, F.T.M., 1984. Some aspects of the turbulent stable boundary layer. *Boundary Layer Meteorology* 30, 31-55.
110. Nieuwstadt, F.T.M., 1995. Atmospheric boundary-layer processes and influence of inhomogeneous terrain. In: Gyr, A., Rys, F.S. (Ed). *Diffusion And Transport Of Pollution In Atmospheric Mesoscale Flow Fields*. Kluwer Academic Publishers, Dordrecht, The Netherlands.

111. Nieuwstadt, F.T.M., Driedonks, A.G.M., 1979. The nocturnal boundary layer- a case study compared with model calculations. *Journal of Applied Meteorology* 18, 1397-1405.
112. Nieuwstadt, F.T.M., Tennekes, H., 1981. A rate equation for the nocturnal boundary layer. *Journal of Atmospheric Sceince* 38(7), 1418-1421.
113. Nobre, C.A.; G. Fisch, H.R.; da Rocha, R.F.; da F.Lyra; E.P. da Rocha, A.C.L. da Costa; Ubarana, V.N, 1996. Observations of the atmospheric Boundary Layer in Rondonia. In *Amazonian Deforestation and Climate*; John Wiley & Sons: New York, 1996; pp 413-422.
114. Noonkester, V.R., 1976. The evolution of the clear air convective layer revealed by surface based remote sensors. *Journal of Applied Meteorology* 15, 594-606.
115. Norton, C.L., Hoidale, G.B., 1976. The diurnal variation of mixing height by season over white sands missle range, New Mexico. *Monthly weather Review* 104,1317-1320.
116. Olesen, H.R., Jensen, A.B., Brown, N., 1987. An operational procedure for mixing height estimation. *Riso National Laboratory MST-Luft-A96*. 2nd edition 1992, 182 pp.
117. Overland, J.E., Davidson, K.L., 1992. Geostrophic drag coefficients over sea ice. *Tellus* 44A, 54-66.
118. Parasnus, S.S., Morwal, S.B., 1991. The convective boundary layer over the Deccan Plateau, India during the summer monsoon. *Boundary Layer Meteorology* 54, 59-68.
119. Pielke, R. A. (1974). A three-dimensional numerical model of the sea breezes over Florida. *Monthly Weather Review* 102, 115-139.
120. Rayner, K.N., Watson, D., 1991. Operational prediction of day-time mixed layer heights for dispersion modelling. *Atmospheric Environment* 25A, 1427-1436.
121. Rocha , H.R., Nobre, C.A., Bonatti, J.P., Wright, I.R., 1996. A vegetation-atmosphere interaction study for Amazonia deforestation using field data and a single column physical model. *Quarterly Journal of the Royal Meteorological Society* 122, 567-594.
122. Rontunno, R. (1983). On the linear theory of land and sea breeze. *Journal of the Atmospheric Sciences* 40, 1999-2009.

123. Russell, P.B., Uthe, E.E., Ludwig, F.L., Shaw, N.A., 1974. A comparison of atmospheric structure as observed with monostatic acoustic sounder and lidar techniques. *Journal of Geophysical Research* 79, 5555-5566.
124. San Jose, R., Casanova, J., 1988. An empirical method to evaluate the height of the convective boundary layer by using small mast measurements. *Atmospheric Research* 22, 265-273.
125. Seibert, P., Beyrich, F., Gryning, S.E., Joffre, S., Rasmussen, A., Tercier, p., 1998. Mixing layer determination for dispersion modeling. European Commission. In: Fisher, B.E.A., Erbrink, J.J., Finardi, S., Jeasnnet, P., Joffre, S., Morselli, M.G., Pechinger, U., Seibert, P., Thomson, D.J. (Eds), 1998: *COST Action 710-Final Report. Harmonisation of the pre-processing of meteorological data for atmospheric dispersion models*. L-2985 Luxembourg: European Commission, EUR 18195 EN (ISBN 92-828-3302-X).
126. Seibert, P., Beyrich, F., Gryning, S.E., Joffre, S., Rasmussen, A., Tercier, p., 2000. Review and intercomparison of operational methods for the determination of the mixing height. *Atmospheric Environment* 34, 1001-1027.
127. Shuttleworth, W.J.; Gash, J.H.; Lloyd, C.R.; McNeil, D.D., Moore, C.J.; Wallace, J.S. (1988) An integrated micrometeorological system for evaporation measurements. *Agricultural and Forest Meteorology*, 43 (3-4): 295-317.
128. Simpson, J.E., (1994). *Sea Breeze and Local Wind*. Cambridge University Press, 234 pp.
129. Sivaramakrishnan, S., Saxena, S., Vernekar, K.G., 1992. Characteristics of turbulent fluxes of sensible heat and momentum in the surface boundary layer during the Indian summer monsoon. *Boundary Layer Meteorology* 60, 95-108.
130. Smedman, A.S., 1988. Observations of multi-level turbulence structure in a very stable atmospheric boundary layer. *Boundary Layer Meteorology* 44, 231-253.
131. Smedman, A.S., 1991. Some turbulence characteristics in stable atmospheric boundary layer flow. *Journal of the Atmospheric Sciences* 48, 856-868.
132. Steyn, D.G., 1990. An advective mixed layer model for heat moisture incorporating an analytic expression for moisture entrainment. *Boundary Layer Meteorology* 53 21-31.

133. Stull, R.B., 1973. Inversion rise model based on penetrative convection. *Journal of the Atmospheric Sciences* 30, 1092-1099.
134. Stull, R.B., 1976a. The energetics of entrainment across a density interface. *Journal of the Atmospheric Sciences* 33, 1260-1267.
135. Stull, R.B., 1976b. Internal gravity waves generated by penetrative convection. *Journal of the Atmospheric Sciences* 33 1279-1286.
136. Stull, R.B., 1983a. A heat flux history length scale for the nocturnal boundary layer. *Tellus* 35A, 219-230.
137. Stull, R.B., 1983b. Integral scales for the nocturnal boundary-layer. Part I: Empirical depth relationships. *Journal of Climate Applied Meteorology* 22, 673-686.
138. Stull, R.B., 1988. *An Introduction to Boundary Layer Meteorology*; Kluwer Academic Publishers: Dordrecht.
139. Tijm, A. B. C., Holtslag, A. A. M. and Van Delden, A. J. (1999). Observations and modeling of the sea breeze with the return current. *Monthly Weather Review* 127, 625-640.
140. Tennekes, H., 1973. A model for the dynamics of the inversion above a convective boundary layer. *Journal of Atmospheric Sciences* 30, 558-567.
141. Tennekes, H., 1975. Reply to comments on a model for the dynamics of the inversion above the convective boundary layer. *Journal of the Atmospheric Sciences* 32, 992-995.
142. Tennekes, H., Driedonks, A.G.M., 1981. Basic entrainment equation for the atmospheric boundary layer. *Boundary-Layer Meteorology* 20, 515-531.
143. Tennekes, H., 1970. Free convection in the turbulent Ekman layer of the atmosphere. *Journal of the Atmospheric Science* 27, 1027-1033.
144. Thomson, D.J., 1992. An analytical solution of Tennekes' equations for the growth of boundary layer depth. *Boundary Layer Meteorology* 59, 227-229.
145. Troen, I., Mahrt, L., 1986. A simple model of the planetary boundary layer: Sensitivity to surface evaporation. *Boundary-Layer Meteorology* 37, 129-148.
146. Van Pul, W.A.J., Holtslag, A.A.M., Swart, D.P.J., 1994. A comparison of ABL-heights inferred routinely from lidar and radiosonde at noontime.

147. Venkatesan, R., Sitaraman, V., Manju, M., 1995. Estimation of atmospheric surface layer parameters and comparison with sodar observations. *Atmospheric Environment* 29 (22), 3325-3331.
148. Verneker, K.G., Mohan, B., Saxena, S., Patil, M.N., 1993. Characteristics of the atmospheric boundary layer over a tropical station as evidenced by tethered balloon observations. *Journal of Applied Meteorology* 32(8), 1426-1432.
149. Vogelezang, D.H.P., Holtslag, A.A.M., 1996. Evolution and model impacts of alternative boundary layer formulations. *Boundary Layer Meteorology* 81, 245-269.
150. Vogelezang, D.H.P., Holtslag, A.A.M., 1996. Evolution and model impacts of alternative boundary layer formulations. *Boundary Layer Meteorology* 81, 245-269.
151. Weil, J.C. and Brower, R.P., 1984. An updated gaussian plume model for tall stacks. *Journal of Air Pollution and Control Association* 34, 818-827.
152. Wetzel, P.J., 1982. Toward parameterization of the stable boundary layer. *Journal of Applied Meteorology* 27-13.
153. Wotawa, G., Stohl, A., Kromp-Kolb, H., 1996. Parameterization of the planetary boundary layer over Europe: A data comparison between the observation-based OML preprocesses and ECMWF model data. *Contributions to Atmosphere Physics* 69, 273-284.
154. Wyngaard, J.C., 1992. Atmospheric Turbulence. *Ann. Rev. Fluid Mech.* 24, 205-233.
155. Xu, Q., Xue, M. and Droege, K. K. (1996). Numerical simulations of density currents in sheared environments within a vertically confined channel. *Journal of the Atmospheric Sciences* 53, 770-786.
156. Yadav, A.K., Raman, S., Sharan, M., 1996. Surface layer turbulence and dissipation rates during low winds in tropics. *Boundary Layer Meteorology* 79, 205-223.
157. Yamada, T., Berman, S., 1979. A critical evaluation of a simple mixed layer model with penetrative convection. *Journal of Applied Meteorology* 18, 781-786.
158. Yamamoto, S., Minoru, G., Yokoyama, O., 1977. Airborne measurements of turbulent heat flux. *Jour. Meteor. Soc. Japan* 55, 533-545.

159. Yu, T.W., 1978. Determining the height of the nocturnal boundary layer. *Journal of Applied Meteorology* 17, 28-33.
160. Zainal Abidin, A.; Young, W.; Inouye, R. The occurrence of haze in the Klang Valley, Malaysia- a case study of the October 1991 haze episode. *In Proc. of the International Conference on Regional Environmental and Climate Changes in East Asia*, Taipei, Taiwan, November 30- December 3, 1993.
161. Zeman, O., 1979. Parameterization of the dynamics of stable boundary layers and nocturnal jets. *Journal of Atmospheric Sciences* 36, 792-804.
162. Zeman, O., Tenneks, H., 1977. Parameterization of the turbulent kinetic energy budget at the top of the daytime boundary layer. *Journal of the Atmospheric Sciences* 34, 111-123.
163. Zilitinkevich, S.S., 1972. On the determination of the height of the Ekman boundary layer. *Boundary Layer Meteorology* 3, 141-145.
164. Zilitinkevich, S.S., 1975. Comments on a paper by H. Tenneks. *Journal of the Atmospheric Sciences* 32, 991-992.
165. Zilitinkevich, S.S., 1975. Comments on a paper by H. Tennekes. *Journal of the Atmospheric Sciences* 32, 991-992.
166. Zilitinkevich, S.S., Deardorff, J.W., 1974. Similarity theory for the planetary boundary layer of time-dependent height. *Journal of Atmospheric Sciences* 31(5), 1449-1452.
167. Zilitinkevich, S.S., Fedorovich, E.E., Shabalova, m.V., 1992. Numerical model of a non-steady atmospheric planetary boundary layer, based on similarity theory. *Boundary-Layer Meteorology* 59, 387-411.
168. Zilitinkevich, S.S., Mironov, D.V., 1996. A multi-limit formulation for the equilibrium depth of a stably stratified boundary layer. *Boundary Layer Meteorology* 81, 325-351.