

- Ibdahah, F. M., P. K. Eng, J. A. Johari, M. Baeyry and P. Ibrahim. 1992. Productivity of Malia sheep under semi-intensive management system. In: Proc. The national IRPA Seminar, Kuala Lumpur, pp. 62 - 63.
- Jaffar, M. and W. A. A. Bahaman. 1994. The performance of longwool sheep in tropical Malaysia. In: Proc. 5th World Congress on Genetics Applied to Livestock Production Vol. 20, pp. 398 - 401.
- Kellogg, R. M. 1985. Small ruminant production in and sub-saharan Africa. Proceedings of an expert consultation held in Sofia, Bulgaria, 8 - 12 July 1985. FAO Animal Production and Health paper, 53, pp. 145 - 166.
- Lambarri, A., O. Rodriguez and A. Hernandez. 1994. Anatomical determinants to borrego Pelibuey con la Utilización de Pastoreo-dando. (Time of ovary synchronization in Pelibuey sheep with pastureland) Rev. Per. Med. Vol. 32, pp. 21-29 (Abstract).
- Langat, Y. 1963. The Nigerian sheep (West African Dwarf & West African Long-legged). In: Togo, a Review of Economic Development. Secretaria-do-para-Tropicos, 36, 1, pp. 77 - 84.
- Latif, M. A. Mamun, S. S. M. Ali and M. A. Hossain. 1993. Analysis of the genetic relationship between growth and meat traits in indigenous sheep. Canadian Journal of Animal Science, 73, 1, pp. 111 - 116.
- Aid, A. 1990. Sheep production in Malaysia. 12 - 16 May, 1990, Kuala Lumpur, pp. 8 - 10.
- Aitouegbevani, M., S. Sivapragasam, G. Peters. 1990. Development of synthetic hair sheep by crossbreeding indigenous sheep with Cameroonian sheep. Estimation of energy and nutrient requirements with feeds. Bewertung von Ernährungsbedürfnissen. 21. Conf. 1990, 1990.
- Aid, O. M., M. Wan Zabid, A. S. Zainal and H. Yacobudin. 1994. Highlights on sheep production research and development. In: Proc. Second Series Conference on Sheep Production in Malaysia, 12 - 16 November 1994, Seremban, Selangor, pp. 1 - 16.
- Embruster, F., N. J. Peters, A. Hadjil-Thoma and P. Lindner. 1993. Sheep production of the forest zone of west Africa. I - Reproductive performance in an improved production system in Côte d'Ivoire. *Journal of Animal Breeding and Genetics*, 110 (3), pp. 193 - 199.
- Arthur, F. and B. E. Akwanga. 1990. Changes in size and shape with time of crushed West African hair sheep wool under tree-crop plantations. *Livestock Production Science*, 24, pp. 233 - 241.

REFERENCES

Arthur, F. and B. E. Akwanga. 1990. Changes in size and shape with time of crushed West African hair sheep wool under tree-crop plantations. *Livestock Production Science*, 24, pp. 233 - 241.

REFERENCES

- Abdullah, F. M., P. K. Eng, J. A. Johari, M. Basery and P. Ibrahim.** 1992. Productivity of Malin sheep under semi-intensive management system. In: Proc. The national IRPA Seminar, Kuala Lumpur, pp 62 – 63.
- Abdul Wahid, S. and W. A. A. Bolhassan.** 1994. The performance of temperate sheep in tropical Malaysia. In: Proc. 5th World Congress on Genetics Applied to Livestock Production. Vol. 20, pp 398 - 401.
- Acharya, R. M.** 1985. Small ruminant production in arid and semi-arid Asia. Proceedings of an expert consultation held in Sofia, Bulgaria, 8 – 12 July 1985. FAO Animal Production and Health paper, 58, pp 148 – 169.
- Alvarez, A., O. Rodriguez and J. Hernández.** 1994. Sincronización del estro en la borrega Pelibuey con la Utilización de Prostaglandina F_{2α}. (Oestrus synchronization in Pelibuey sheep with prostaglandins) *Tec. Pec. Méx.* Vol. **32**, pp. 21–29 (Abstract).
- Amegee, Y.** 1983. The Vogan sheep (West African Dwarf x West African Long – Legged) in Togo. *Revue-d'Elevage-et-de-Medicine-Veterinaire-des-pays-Tropicaux.* **36:** 1, pp 79 - 84.
- Analla, M; A. Munoz Serrano and J. M. Serradilla.** 1997. Analysis of the genetic relationship between litter size and weight traits in Segurena sheep. *Canadian Journal of Animal Science.* **77**(1), pp 17-21.
- Ani, A.** 1988. Status of direction in expanding sheep production in Malaysia. Proc. Symp. On sheep production in Malaysia, 15 – 16 Nov. 1988, Kuala Lumpur, pp 8 – 18.
- Antongiovanni, M., S. Sivaraj, R. Bruni and G. Parisi.** 1995. Development of synthetic hair sheep by crossbreeding Malaysian Long Tail with Cameroon sheep. Estimation of energy and nitrogen requirements of F1 lambs. *Zootecnica-e-Nutrizione-Animale.* **21** (4), pp 223 – 230.
- Ariff, O. M., M. Wan Zahari, A. S. Zainur and R. Moh Salleh.** 1994. Highlights in sheep production research and development. In Proc. Second Symp. On Sheep Production in Malaysia. 22 – 24 November 1994. Serdang, Selangor, pp 67 – 76.
- Armbruster, T., K. J. Peters, A. Hadji-Thomas and P. Limizana.** 1991. Sheep production of the humid zone of west Africa. I – Reproductive performance in improved production systems in Cote d' Ivoire. *Journal of Animal Breeding and Genetics.* **108** (3), pp 203 – 209.
- Arthur, F and B. K. Ahunu.** 1989. Changes in size and shape with time of crossbred West African hair sheep raised under tree-crop plantations. *Livestock Production Science,* **21**(3), pp 235-249.

- Atta, M. and O. A. El khidir.** 2004. Use of heart girth, wither height and scapuloischial length for prediction of liveweight of Nilotc sheep. Article in Press.Doi:10.1016/j.smallrumres.2004.01.005,pp 1-11.
- Aziz, M. A. and M. A. Sharaby.** 1993. Collinearity as a problem in predicting body weight from body dimensions of Najdi sheep in Saudi Arabia. *Small Ruminant Research*. **12**(2), pp 117-124.
- Banze-Ngoy, K.** 1985. Body development and the physiology and pathology of reproduction of West African hair sheep. Thesis. Justus – Liebig – Universitat, Giessen, German Federal Republic. 160 pp.
- Bell, F. L., I. Inounu, B. Tiesnamurti and Subandriyo.** 1983. Variability in reproduction performance of sheep among twenty-two farms in Tenjonegara and Sindangratu villages, District of Garut, Working paper no. 18, SR-CRSP, Bogor, Indonesia.
- Ben Salem, H and A. Nefzaoui.** 2003. Feed blocks as alternative supplements for sheep and goats. *Small Ruminant Research*. **49**, pp 275 – 288.
- Boujenane, I., N. Roudies, A. Benmira, Z. El Idrissi and M. El Aouni.** 2003. On-station assessment of performance of the DS synthetic and parental sheep breeds, D'man and Sardi. *Small Ruminant Research*. **49**, pp 125-133.
- Boujenane, I.** 2002. Development of the DS synthetic breed of sheep in Morocco: Ewe reproduction and lamb pre-weaning growth and survival. *Small Ruminant Research*, **45**(1), pp 61-66.
- Boujenane, I and J. Kansari.** 2002. Lamb production and its components from purebred and crossbred mating types. *Small Ruminant Research*, **43**(2), pp 115-120.
- Boyd, L. H.** 1983. Barbados Blackbelly sheep in Mississippi; in: Hair sheep of the Western Africa and the Americas – A genetic resource for the tropics; Fitzhugh , H. A. and Bradford, G. E. (eds.); A Winrock International Study, Westview Press, Boulder, Colorado: pp 299 – 304.
- Bunch, T. D., R. C. Evans, S. Wang, C. P. Brennard, D. R. Whittier and B. J. Taylor.** 2004. Feed efficiency, growth rates, carcass evaluation, cholesterol level and sensory evaluation of lambs of various hair and wool sheep and their crosses. *Small Ruminant Research*, **52**(3), pp 239 – 245.
- Bunge, R., D. L. Thomas and T. G. Nash.** 1995. Performance of hair breeds and prolific wool breeds of sheep in Southern Illinois: Lamb production of F₁ adult ewes. *Journal of Animal Science*, **73**, pp 1602 – 1608.
- Bunge, R., D. L. Thomas and T. G. Nash.** 1993. Performance of hair breeds and prolific wool breeds of sheep in Southern Illinois: Lamb production of F₁ ewe lambs. *Journal of Animal Science*, **71**, pp 2013 – 2017.

- Burke, J. M., J.K. Apple, W. J. Roberts, C. B. Boger and E. B. Kegley.** 2003. Effect of breed-type on performance and carcass traits of intensively managed hair sheep. *Meat Science*. **63**(3), 2003, pp 309-315.
- Burns.** 1967. The Katsima Wool Project I – The coat and skin histology of some Northern Nigerian hair sheep and their Merino crosses. *Tropical Agriculture (Trinidad)*, **44**, pp 173 – 192.
- Bradford, G. E., H. A. Fitzhugh and A. Dowding.** 1983. Reproduction and birth weight of Barbados Blackbelly sheep in the Golden Grove Flock, Barbados; in: Hair sheep of the Western Africa and the Americas – A genetic resource for the tropics; Fitzhugh , H. A. and Bradford, G. E. (eds.); A Winrock International Study, Westview Press, Boulder, Colorado: pp 163 – 170.
- Brody, S.**, 1945. Bioenergetics and Growth. Reinhold, New York, USA.
- Carillo, L and J. C. Segura.** 1993. Environmental and genetic effects on preweaning growth performance of hair sheep in Mexico. *Tropical Animal Health and Production*. **25** (3), pp 173 – 178.
- Castillo, R. H., J. Valencia and J. M. Berruecos.** 1972. Comportamiento reproductivo del borrego Tabasco mantenido en clima tropical y subtropical. I. Indices de fertilidad. (Reproductive performance of Tabasco sheep in the tropics and subtropics. 1. Fertility index. *Téc. Pec. Méx.* **20**, pp. 52–56.
- Castillo, R.H., H. Roman, J. Rojas, F. Lozano and P. Martinez.** 1981. Inducción del parto en borregas Tabasco (Lambing induction in Tabasco sheep). XV Reunión Anual del INIP Mexico, pp. 103-105.
- Chaturvedi, O. H., A. Santra, M. K. Tripathi, J. Jayashankar and S. A. Karim.** 2003. Weight gain and body conformational changes in weaner lambs fed high concentrate diets containing graded levels of sodium bicarbonate. *Indian Journal of Animal Sciences*. **73**(6), pp 668-673.
- Chen, C. P., Z. Ahmad Tajuddin, W. E. Wan Mohamad, I. Tajuddin, C. E. Ibrahim and R. Moh Salleh.** 1988. Research and development on integrated system in livestock, forage and tree crops production in Malaysia. In: Z. Ahmad Tajuddin (ed.). Proc. of the Int. Livestock-tree Cropping Workshop, 5 – 9 Dec. 1988, Serdang, Selangor, Malaysia.
- Chopra, S. C. and R. M. Acharya.** 1971. Genetic and phenotypic parameters of body weights in Bikaneri sheep (Magra strain). *Animal Production*. **13**, pp 343 – 347.
- Cruz, L., S. Fernández-Baca, J. A. Alvarez and H. Pérez.** 1994. Variaciones estacionales en presentación de ovulación, fertilización y sobrevida embrionaria de ovejas Tabasco en el trópico húmedo (Seasonal variations in oestrus presentation, ovulation, fertilization and embryo survival in Tabasco sheep in the humid tropics). *Vet. Méx.* **25** (1). (Abstract).
- Dass, G.S. and R. M. Acharya.** 1970. Growth of Bikaneri sheep. *Journal of Animal Science*, **31** (1), pp 14.

- Davis, M. P. and M. A. Rajion.** 1990. Acclimatisation of Australian sheep to the humid tropics. In: Proc. the 13th Annual Conference of the Malaysian Society of Animal Production, Malacca, pp 275 – 278.
- Department of Veterinary Services, Malaysia.** 2002. Peninsular Malaysia: Ex-farm value of livestock products (RM) 1987 – 2002.
- Department of Veterinary Services, Malaysia.** 2004. Livestock Statistics for 2004 in Peninsular Malaysia.
- Dettmers, A.** 1983. Performance of hair sheep in Nigeria; in: Hair sheep of the Western Africa and the Americas – A genetic resource for the tropics; Fitzhugh, H.A. and Bradford, G.E. (eds.); A Winrock International Study, Westview Press, Boulder, Colorado, pp 201 – 218.
- Devendra, C. and I. E. Coop.** 1982. Ecology and distribution; in: World Animal Science, C1, production System Approach Sheep and Goat production; 1dCOOP I. E. (ed), pp 1 – 14.
- Dickerson, G. E.** 1973. Inbreeding and heterosis in animals. In: Proc. Animal Breeding and Genetics (Symposium of J. L. Lush at the University of Guelph, Ontario, Canada), American Society of Animal Science, pp 54 – 77.
- Djemali, M., R. Aloulou and M. Ben Sassi.** 1994. Adjustment factors and genetic and phenotypic parameters for growth traits of Barbarine lambs in Tunisia. *Small Ruminant Research*. 13(1), pp 41-47.
- Doloksaribu, M; R. M. Gatenby, Subandriyo and G. E. Bradford.** 2000. Comparison of Sumatra sheep and hair sheep crossbreds. III. Reproductive performance of F₂ ewes and weights of lambs. *Small Ruminant Research*. 38(2), pp 115-121.
- Dumas, M. J. K., C. H. Mannasmith, A. E. Wilhelm and H. A. Fitzhugh.** 1988. Contemporary comparison of hair sheep in the Caribbean region. Proc. 3rd World Congress on Sheep and Beef Cattle Breeding. June, 1988. Paris, France, Vol. 2, pp 679 – 681.
- Dzakuma, J.M., M. K. Nielsen and T. H. Doane.** 1978. Genetic and phenotypic parameter estimates for growth and wool traits in Hampshire sheep. *Journal of Animal Science*, 47(5), pp 1014-1021.
- Edey, T. N.** 1983. Tropical sheep and goat production. Pub. By Australian Universities International Development Programme (AUIDP), Canberra, 192 pp.
- El Khidir, O.A.** 1980. A note on prediction of liveweight of growing Kenana heifers from linear body measurements. *Sudan Journal Vet. Sci. Anim. Husb.* 21, pp 102-102.
- El Saied, U. M., J. A. Carriedo, Fuente-LF-de-la, F. San-Primitivo, L.F. de-la-Fuente.** 1999. Genetic parameters of lactation cell counts and milk protein yields in dairy ewes. *Journal of Dairy Science*. 82 (3), pp 639 – 644.

- Eltawil, L.A., L. N. Hazel, G. M. Sidwell and C. E. Terrill.** 1970. Evaluation of environmental factors affecting birth, weaning and yearling traits in Navajo sheep. *Journal of Animal Science*, **31** (5), pp 823-827.
- Falconer, D. S.** 1980. Introduction to quantitative genetics. Longman Group Ltd., London, UK.
- Figueiredo, E. A. P. and de Souza Neto.** 1990. Products and marketing; in: Hair Sheep production and subtropical regions; Sheltonm., Figueirido, E.A.P. (eds.); Davis 1990, pp 135 - 145.
- Figueiredo, E. A. P., E. R. De Olivera, C. Bellaver and A. A. Simplicio.** 1983. Hair sheep performance in Brazil; in: Hair sheep of the Western Africa and the Americas - A genetic resource for the tropics; Fitzhugh, H. A. and Bradford, G. E. (eds.); A Winrock International Study, Westview Press, Boulder, Colorado, pp 125 - 140.
- Filius, P.** 1984. Produktionsleistung autochthoner Djallonkeschafe unter verschiedenen Umweltbedingungen; in der Elfenbeinkuste; Dissertation im Fachbereich Internationale Agrarentwicklung, TU Berlin.
- Fitzhugh, H. A.** 1984. Hair sheep; Meat production without wool; in: Sheep and goat production handbook, Vol. 4; Baker, F.H. and miller, M. E. (eds), A Winrock International Project, Westview Press, Boulder, Colorado, pp 415 - 424.
- Fitzhugh, H. A. and G. E. Bradford.** 1983. Hair sheep of the Western Africa and the Americas - a genetic resource for the tropics; A Winrock International Study, Westview Press, Boulder, Colorado, pp 171 - 176.
- Foote, W. C.** 1983. The St. Croix sheep in the United States; in: Hair sheep of the Western Africa and the Americas - A genetic resource for the tropics; Fitzhugh, H.A. and Bradford, G.E. (eds.); A Winrock International Study, Westview Press, Boulder, Colorado, pp 275 - 288.
- Fowler, V. R.** 1968. Body development and some problems of its evaluation in growth and development of mammals, Butterworth, London.
- Galina, M., E. Silva, M. Guerrero and A. Aguilar.** 1992a. Comportamiento Reproductivo del borrego Tabasco y Black Belly bajo pastoreo diurno en el Trópico seco Mexicano en Colima (Reproductive performance of Tabasco and Black Belly sheep grazing in the dry tropics of Colima). *Avances en Investigación Agropecuaria*. **1** (1), pp 118-129.(Abstract).
- Galina, M., E. Silva, A. Aguilar.** 1992b. Habilidad reproductiva del borrego Tabasco en Colima. (Reproductive performance of Tabasco sheep in Colima). *V Reunión de Avances en Investigación Agropecuaria*. **.92**, pp 59-62. (Abstract).
- Galina, M.A., R. Morales, E. Silva and B. Lopez.** 1996. Reproductive performance of Pelibuey and Blackbelly sheep under tropical management systems in Mexico. *Small Ruminant Research*. **22**(1), pp 31 - 37.

- Gama, L. T., G. E. Dickerson, L. D. Young and K. A. Leymaster.** 1991. Effects of breed, heterosis, age of dam, litter size and birth weight on lamb mortality. *J. Anim. Sci.*, **69**, pp 2727 – 2743.
- Garcia, E.** 1973. Modificación al sistema de clasificación climática de Koppen (Modifications of Koppen climate classification system). Instituto de geografía, Universidad Nacional Autónoma de México, México, D.F. p. 33.
- Gatenby, R.** 1986. Sheep production in the tropics and sub-tropics; Longman, London, New York.
- Gatenby, R.M., G. E. Bradford, M. Doloksaribu, E. Romjali, A. D. Pitono and H. Sakul.** 1997a. Comparison of Sumatra sheep and three hair sheep crossbreds. I. Growth, mortality and wool cover of F1-lambs; *Small Ruminant Research*. **25**, pp 1 – 7.
- Gatenby, R.M.; M. Doloksaribu, G. E. Bradford, E. Romjali, A. Batubara and I. Mirza.** 1997b. Comparison of Sumatra sheep and three hair sheep crossbreds. II. Reproductive performance of F1 ewes. *Small-Ruminant-Research*. **25**(2), pp 161 – 167.
- Godfrey, R.W., J. R. Collins and M. I. Gray.** 1998. Evaluation of sexual behaviour of hair sheep rams in a tropical environment. *Journal of Animal Sciences*. **76**(3), pp 714 – 717.
- Godfrey, R.W and R.E. Dodson.** 2003. Effect of supplemental nutrition around lambing on hair sheep ewe and lambs during the dry and wet seasons in the US Virgin Islands. *J. Anim. Sci.* **81**, pp 587 – 593.
- Gonzalez Reyna, A., J. Valencia Mendez, W. C. Foote and B. D. Murphy.** 1991. Hair sheep in Mexico: Reproduction in the Pelibuey sheep. *Anim. Breed. Abstr.*, **59**, pp 509 – 524.
- Goode, L., T. A. Yazwinski, D. J. Moncol, A. C. Linnerud, G. W. Morgan and D. F. Tugman.** 1983. Research with Barbados Blackbelly sheep in North Carolina; in: Hair sheep of the Western Africa and the Americas – A genetic resource for the tropics; Fitzhugh, H.A. and Bradford, G.E. (eds.); A Winrock International Study, Westview Press, Boulder, Colorado, pp 257 – 274.
- Goonewardene, L. A.; V. Ravindran, K. Nadarajah and R. Rajamahendran.** 1984. The native sheep of Sri Lanka. Animal Genetic Resources Information. No. 1, pp 27 – 30.
- Hafez, E. S. E.** 1974. Reproduction in farm animals. (3rd Edn.). Lea and Febieger, New York.
- Halbeisen, C.** 1998. PhD dissertation. Humboldt University of Berlin, Germany. 185pp
- Hall, D.G.; N. M. Fogarty and A. R. Gilmour.** 1995. *Australian Journal of Experimental Agriculture*. **35**(8), pp 1069-1074.

- Haring, F. and A. M. S. Mukhtar.** 1971. Kreuzung afrikanischer Haarschafe mit deutschen Merinos fur Ostafrika. *Saugetierkunde*. **36**, pp 304 – 315.
- Hansen, C. and J.N.B. Shrestha.** 2002. Consistency of genetic parameters of productivity for ewes lambing in February, June and October under an 8-month breeding management. *Small Ruminant Research*, **44**(1), pp 1-8.
- Hassan, A. W., M. Y. M. Khusahry and S. R. Abdullah.** 1992. Productivity of Siamese Long Tail sheep in orchard: In: Proc. of the National Intensification of Research in Priority Areas Seminar, Vol II; Ho, Y. W., Vidyadarshan, M. K., Abdullah, N., Jainudeen, M. R. and Bahaman, A. R. (eds.), Kuala Lumpur, 6 – 11 Jan. 1992; Ministry of Science, Technology and Environment, Malaysia, pp 60 – 61.
- Hassen, Y., J. Solkner, S. Gizaw and R. Baumung.** 2002. Performance of crossbred and indigenous sheep under village conditions in the cool highlands of central-northern Ethiopia: growth, birth and body weights. *Small Ruminant Research*, **43**(3), pp 195-202.
- Harvey, W.R.,** 1960. Least square analysis of data with unequal subclass numbers. ARS 20-8, USDA, Washington, DC, pp 141 – 157.
- Hernandez Ledezma, J. J.** 1987. Sheep; in: World Animal Science B5, Climatology and the adaptation of livestock; 169 – 179.
- Hinch, G. N., S. F. Crosbie, R. W. Kelly, J. L. Owens and G. H. Davis.** 1985. Influence of birth weight and litter size on lamb survival in high fecundity Booroola-Merino crossbred flocks. *New Zealand Jour. Agric. Res.* **28**, pp 31 – 38.
- Horst, P.** 1983. The concept of “productive adaptability” of domestic animals in tropical and subtropical regions. *Journal of the South African Veterinary Association*. **54**, pp 159 – 164.
- Horton, G.M.J and A. A. Rodriguez.** 1997. Comparison between hair (St. Croix) and wool (Targhee and Dorset) lambs regarding the effect of heat stress on food and water intake, digestive function and nitrogen balance. *Archivos-Latinoamericanos-de-Produccion-Animal*. **5**(1), pp 79 – 92.
- Horton, G. M. J.; S. M. Emanuele, M. B. Solomon, C. C. Burgher and K. E. McClure.** 1991. Physiological responses of hair and wool sheep to changes in ambient temperature and feed allowance. In: Wildeus, S. (Ed.), Proceedings of the Hair Sheep Research Symposium, University of Virgin Islands, St. Croix, pp 331.
- Hulet, C.V. and F. Stormshak.** 1972. Some factors affecting response of anestrous ewes to hormone treatment. *J. Anim. Sci.* **34**(6), pp 1011–1019. Abstract-MEDLINE
- Hupp, H. and D. Deller.** 1983. Virgin Islands white hair sheep; in: Hair sheep of the Western Africa and the Americas – A genetic resource for the tropics; Fitzhugh, H.A. and Bradford, G.E. (eds.); A Winrock International Study, Westview Press, Boulder, Colorado, pp 171 – 176.

- Inyangala, B. A. O., J.E.O. Rege and S. Itulya.** 2004. Growth traits of Dorper sheep. 11.genetic and phenotypic parameters – paramètres de croissance du mouton Dorper 11. Parametres génétiques et phénotypiques
<http://www.fao.org/wairdocs/ilri/x5520b1f.htm>
- Jalaludin, S. and Y. W. Ho.** 1991. Animal production in Southeast Asia: present status and research directions; ACIAR proceedings No. 34.
- Johor, K. S. and N. W. Norton.** 1977. Genetic study on birth and weaning weight of Suffolk and Torghee sheep. *Indian Veterinary Journal*. **54**, pp 902
- Kabuga, J. D. and F. Akowuah.** 1991. Reproductive performance of Djallonke x Sahelian crossbred ewes in Ghana. *Small Ruminant Research*, **5**(3), pp 245 – 254.
- Khusahry, M. Y. M., M. N. Jariah, J. Mohamad, A. R. Gayah and A. Djajanegara.** 1994. Breed of sire effects on pre-weaning growth performance of hair sheep crosses: Sustainable animal production and the environment. Proceedings of the 7th AAAP Animal Science Congress, Bali, Indonesia, 11 – 16 July 1994. Volume 2: contributed papers. pp 9 – 10.
- Khusahry, M. Y. M., R. M. Zin, R. Sarah and P. Ibrahim.** 1990. Breed of sire effects on lamb production from Malin ewes under semi-intensive management. In: Proc. 13th MSAP Ann. Conf., Malacca. pp 186 – 192.
- Kiriro.** 2001. Estimates of genetic and phenotypic parameters for the Dorper, Red Masai and their crosses. <http://www.fao.org/wairdocs/ilri/x5472b19.htm>
- Lallo, C.H.O. and G. W. Garcia.** 1994. Poultry by-product meal as a substitute for soyabean meal in the diets of growing hair sheep lambs fed whole chopped sugarcane. *Small Ruminant Research*. **14**(2), pp 107 – 114.
- Lawrence, T.L. and V. R. Fowler.** 1997. Growth of farm animals. CAB International, Wallingford, Oxon, UK, p 330.
- Levine, J. M. and G. M. Spurlock.** 1983. Blackbelly sheep in California. In : Hair sheep of the Western Africa and the Americas – A genetic resource for the tropics; Fitzhugh, H. A. and Bradford, G. E. (eds.); A Winrock International Study, westview Press, Boulder, Colorado, pp 305 – 311.
- London, J. C.** 1993. Investigation into the present state of production performance and the role of the Djallonke sheep in small-farm-holdings in the Asante region of Ghana; Dissertation im Fachbereich der Internationalen Agrarentwicklung, TU Berlin.
- Macit, M., N. Esenbuga and M. Karaoglu.** 2002. Growth performance and carcass characteristics of Awassi, Morkaraman and Tushin lambs grazed on pasture and supported with concentrate. *Small Ruminant Research*, **44** (3), pp 241-246.
- Macleroy, G.B.**, 1961. The sheep of the Sudan. 2. Ecotypes and tribal breeds. *Sudan J. Vet. Sci. Anim. Husb.* **2**, pp. 101-165.

Mahieu, M., G. Aumont and G. Alexandra. 1997. Intensive management of tropical hair sheep in Martinique. *Productions Animales*. **10**(1), pp 21 – 32.

Mandal, A., K. P. Pant, D. K. Nandy, P. K. Rout and R. Roy. 2003. Genetic analysis of growth traits in Muzaffarnagari sheep. *Trop. Anim. Health Prod.* **35**(3), pp 271 – 284.

Maniatis, N and G. E. Pollott. 2002. Maternal effects on weight and ultrasonically measured traits of lambs in a small closed Suffolk flock. *Small Ruminant Research*. **45** (3), pp 235 – 246.

Martini, M., R. Leotta, P. Verita and D. Cianci. 1993. Rilievi zootometrici su ovini di razza massese (Zoometric data in Massese breed sheep). *Zoot. Nutr. Anim.*, **19**, pp 197-207.

Martinez, A. 1983. Reproduction and growth of hair sheep in an experimental flock in venezuela; in: Hair sheep of the Western Africa and the Americas – A genetic resource for the tropics; Fitzhugh , H. A. and Bradford, G. E. (eds.); A Winrock International Study, Westview Press, Boulder, Colorado: pp 105 – 118.

Matika, o., J.B. van Wyk, G.J. Erasmus and R.L. Baker. 2003. A description of growth, carcass and reproductive traits of Sabi sheep in Zimbabwe. *Small Ruminant Research*. **48** (2), pp 119-126.

Mavrogenis, A.P., A. Louca and O. W. Robison. 1980. Estimates of genetic parameters for pre-weaning and post-weaning growth traits of Chios lambs. *Animal Production*. **30**, pp 271

Mejia, C. E; M. Rosales, J. E. Vargas and E. Murgueitio. 1991. Intestine production from African hair sheep fed sugarcane tops, multi-nutritional blocks and tree foliage. *Livestock Research for Rural Development*. **3**(1), pp 53 – 58.

Merkel, R.C; K. Simanihuruk, S. P. Ginting, J. Sianipar, L. P. Batubara and K. R. Pond. 1999. Growth potential of five sheep genotypes in Indonesia. *Small Ruminant Research*. **34**(1), pp 11 – 14.

Michael, F and N. Mohamad. 1994. Status and performance of sheep breeds at Kumpulan Guthrie Berhad. In Proc. Second Symp. On Sheep Production in Malaysia. 22 – 24 November 1994. Serdang, Selangor. pp 35 – 38.

Mukasa-Mugerwa, E., D. Anindo, S. Sovani, A. Lahlou-Kassi, S. Tembely, J.E.O. Rege and R.L. Baker. 2002. Reproductive performance and productivity of Menz and Horro sheep lambing in the wet and dry seasons in the highlands of Ethiopia. *Small Ruminant Research*, **45** (3), pp 261-271.

Mukherjee, T. K. 1994. Current status and future perspectives of sheep improvement in Malaysia. In Proc. Second Symp. On Sheep Production in Malaysia. 22 – 24 November 1994. Serdang, Selangor., pp 63 – 66.

Napolitano, F., A. Braghieri, G.F. Cifuni, C. Pacelli and A. Girolami. 2002. Behaviour and meat production of organically farmed unweaned lambs. *Small Ruminant Research*, **43**(2), pp 179-184.

- Ngere, L.O. and G. Aboagye.** 1981. Reproductive performance of the West African Dwarf and Nungua Blackhead sheep of Ghana. *Anim. Prod.* 33, pp 249-252.
- Ngere, L.O.,** 1973. Size and growth rate of West African Dwarf sheep and a new breed, the Nungua Blackhead of Ghana. *Ghana Journal of Agricultural Science*, 6, pp 113-117.
- Noraida, I.; T. K. Mukherjee and I. M. Khanafiah.** 2004. Growth performance of the purebred and crossbred hair sheep in Malaysia. Proc. 11th Asian-Australiasian Association of Animal Production (AAAP), Animal Science Congress, 5 - 9 September 2004, Kuala Lumpur, Malaysia, Vol. II, pp 280 – 282.
- Noraida, I., T.K. Mukherjee and J. Ibrahim.** 2001. Body weights development of hair sheep crossbreds into two locations and their carrying capacity in a semi-intensive management system. Proc. RMK7 IRPA Research seminar, 24-25 July 2001, UM, Kuala Lumpur, Vol. 1, pp 13-16.
- Noraida, I. and T. K. Mukherjee.** 1996. Crossbreeding of Thai Long Tail wool sheep and Cameroon hair sheep – Evaluation of different genotypes. In: Roger C. Merkel, Tjeppy D. Soedjana and Subandriyo (Eds.). Small Ruminant Production- Recommendation for South East Asia. Proc. International Conference on. Prapat, Sumatera, Indonesia. 12-15 May 1996. Gaya Teknik, Bogor, Indonesia. 1996. pp 237 – 244.
- Noraida, I.; C. Halbersien, S. Sivaraj, T. K. Mukherjee and P. Horst.** 1994. Growth and body conformations of the purebreds (Cameroons, Thai Long Tail) and the crossbreds (Cameroons x Thai Long Tail) sheep. Proc. of the 1st National Congress on Genetics, 7 – 8 November, Kuala Lumpur, Malaysia, pp 139 – 142.
- Notter, D.R. and J. D. Hough.** 1997. Genetic parameter estimates for growth and fleece characteristics in Targhee sheep. *Journal of Animal Science*. 75(7), pp 1729 - 1737.
- Nurse, G., N. Cumberbatch and P. McKenzie.** 1983. Performance of Barbados Blackbelly sheep and their crosses at the Ebini Station, Guyana; in: Hair sheep of the Western Africa and the Americas – A genetic resource for the tropics; Fitzhugh , H. A. and Bradford, G. E. (eds.); A Winrock International Study, Westview Press, Boulder, Colorado: pp 119 – 124.
- Odenya, W. O.** 1982. Relationship of coat cover and production traits in the Dorper breed of sheep; M. S. Thesis, UC Davis, California, U.S.A.
- Odubote, I. K.** 1992. An analysis of lambing records of West African Dwarf sheep kept at Ille-Ife, Nigeria; African Small Ruminant Research Network. Small Ruminant Research and Development in Africa, ILCA, Addis Ababa, pp185 – 191.
- Ogan, M.** 1994. Possibilities of improving important production characteristics of the Karacabey Merino by selection. II. Some environmental factors affecting production traits, phenotypic and genetic parameters. *Lalahan Hayvancilik Arastirma Enstitusu Dergisi*. 34(3-4), pp 25-47.

- Olazaran, J., J. Lagunes and H. Castillo.** 1991. Modulo de produccion de carne 'San Pedro' con ovinos Pelibuey, Dorset x Pelibuey, Suffolk x Pelibuey. (Model of 'San Pedro' meat production with Pelibuey, Dorset x Pelibuey, Suffolk x Pelibuey sheep). Memorias del IV Congreso Nacional de Producción Ovina, Mexico, 81 pp.
- Osman, A.H. and G. E. Bradford.** 1965. Effects of environment on phenotypic and genetic variation in sheep. *Journal of Animal Science*, **24**, pp 766.
- Panella, F., L. Morbidini, A. Lavva, C. Cavalletti and D. M. Sarti.** 1993. Effetto della selezione nella omogeneizzazione degli ovini assimilabili alla razza Appenninica. 1. Confronto tra province e differenza rispetto allo standard (The effect of selection in reducing morphological variability in Appennine sheep. 1. A comparison between provinces and deviations from the breed standard). In: proceedings of the 10th ASPA national Congress, Bologna, Italy, pp 639-644.
- Pastrana, B. R., D. R. Camacho and G. E. Bradford.** 1983. African sheep in Colombia; in: Hair sheep of the Western Africa and the Americas – A genetic resource for the tropics; Fitzhugh, H.A. and Bradford, G.E. (eds.); A Winrock International Study, Westview Press, Boulder, Colorado, pp 79 – 84.
- Patterson, H. C.** 1983. Barbados Blackbelly and crossbred sheep performance in an experimental flock in Barbados; in: Hair sheep of the Western Africa and the Americas – A genetic resource for the tropics; Fitzhugh , H. A. and Bradford, G. E. (eds.); A Winrock International Study, Westview Press, Boulder, Colorado: pp 151 – 162.
- Pena Blanco, F., V. Domenech Garcia, F. Aparicio Ruiz and M. Cruz Mira.** 1990. Estudio biometrico en la raza ovina Segurena (Study of live measurements in Segurena breed). *Arch. Zootec.* **39**, pp 249-261.
- Pillai, K. R., S. Thigarajan and C. Samuel.** 1985. Weed control by sheep grazing under plantation tree crop. In: S. Sivarajasingam et. al. (ed.). Proc.. 9th Ann. Conf. MSAP. Pub. MSAP. pp 43 – 52.
- Pineda, J., J. M. Palma, G. F. W. Haenlein and M. A. Galina.** 1998. Fattening of Pelibuey hair sheep and crossbreds (Rambouillet – Dorset x Pelibuey) in the Mexican tropics. *Small Ruminant Research*. **27**(3), pp 263 – 266.
- Ponzoni, R.W.** 1992. Genetic improvement of hair sheep in the tropics @ FAO 1992. 26 pp.
- Rajab, M. H; T. C. Cartwright, P. F. Dahm and E. A. P. Figueiredo.** 1992. Performance of three tropical hair sheep breeds. *Journal of Animal Science*. **70**(11), pp 3351 – 3359.
- Rastogi, R. K.** 2001. Production performance of Barbados blackbelly sheep in Tobago, West Indies. *Small Ruminant Research*. **41**(2), pp 171 – 175.
- Rastogi, R. K; M. J. Keens – Dumas and F. B. Lauckner.** 1993. Comparative performance of several breeds of Caribbean hair sheep in purebreeding and crossbreeding. *Small Ruminant Research*. **9**(4), pp 353 – 366.

- Rastogi, R. K., F. G. Youssef, M. J. Keens-Dumas and D. Davis.** 1979. Note on early growth rates of lambs of some tropical breeds. *Trop. Agric. (T'dad)*, **56**, pp 259 – 261.
- Reid, J. T.** 1972. Body composition of animals: interspecific, sex and age peculiarities and the influence of nutrition. In: L. S. Spildo, T. Homb and H. Hvdtseen (editors), *Festskrift Knut Brierem. Mariendals Boktrykkeri*, Gjovik, pp 213 – 238.
- Restall, B.J., A. Kearins, J. Herdegen and P. Carberry.** 1978. The induction of reproductive activity in lactating ewes. *Austr. J. Agr. Res.* **29**, pp. 181–187.
- Reyna, A. G; J. V. Mendez, W. C. Foote and B. D. Murphy.** 1991. Hair sheep in Mexico: reproduction in the Pelibuey sheep. *Animal Breeding Abstracts*. 59(6), pp 509 – 524.
- Riva, J., R. Rizzi, S. Marelli and L.G. Cavalchini.** 2003. Body measurements in Bergamasca sheep. **Small Ruminant Research**. Article in Press. Doi:10.1016/j.smallrumres.2003.12.010, pp 1-15.
- Rodriguez – Rivera, O. L.** 1990. Selection of mating season for hair sheep in the tropics. *Memoria – III Congreso Nacional de Producción Ovina*, pp 133 – 136.
- Rosado, J., E. Silva and M. A. Galina.** 1998. Reproductive management of hair sheep with progesterone and gonadotropins in the tropics. *Small Ruminant Research*. **27**(3), pp 237 – 242.
- Rosati, A., E. Mousa, L.D. Van Vleck and L.D. Young.** 2002. Genetic parameters of reproductive traits in sheep. *Small Ruminant Research*, **43** (1), pp 65-74.
- Ryder, M. L.** 1984. Sheep; in: *Evolution of domesticated animals*; Carlson, L.L. (eds.), Longman, London.
- Saatci, M, S. Yildiz and I. Kaya.** 2003. New rearing systems for Tuj (Tushin) lambs. *Small Ruminant Research*. **50**, pp 23 – 27.
- Sánchez, V., V. Fuentes, H. González, C. Perera and A. Salas.** 1995. El efecto de la Naloxona en primera y segunda dosis sobre la secreción pulsatil de la LH en borrega Criolla durante su anestro (Effect of first and second application of naloxone in LH secretion in Criollo sheep during anoestrus). *Memorias del XIX Congreso Nacional de Buiatría, Torreón, Coahuila, Méx.*, pp. 507-514. (Abstract).
- Sandford, J., Y. J. Wissocq, J. Durkin and J. C. M. Trail.** 1982. Evaluation of productivities of Djallonke sheep and N'dama cattle at the Centre de Recherches Zootechniques, Kolda, Senagal. *ILCA Res. Rep.* **3**, pp 9-39.
- SAS (Statistical Analysis System).** 1996. SAS user's guide: Statistics. SAS Inc., Cary, North Carolina, USA, 404 pp.

Schanbacher, B., 1980. Relationship of daylength and prolactin to resumption of reproductive activity in anestrous ewes. *J. Anim. Sci.* **50**(2), pp 293–297
Abstract-MEDLINE

Searle, T.W., N.McC. Graham and J. B. Donnelly(a). 1989. Change of skeletal dimension during growth in sheep: the effect of nutrition. *J. Agric. Sci. Camb.* **112**, pp 321–327.

Searle, T.W., N.McC. Graham, J.B. Donnelly and D. E Margan(b). 1989. Breed and sex difference in skeletal dimension of sheep in the first year of life. *J. Agric. Sci. Camb.* **113**, pp 349–354.

Sharples, T.J. and J. Dumelow. 1990. Prediction of body dimension of Mule and Scottish Blackface ewes from measurement of body weight. *Anim. Prod.* **50**, pp 491–495.

Shelton, M. and E. A. P. Figueiredo. 1998. The place and potential for sheep in tropical and subtropical regions; in: hair sheep production in tropical and subtropical regions; Shelton, M., Figueiredo, E. A. P. (eds.), pp 1–5.

Shrestha, J. N. B., H. F. Peters and D. P. Heaney. 1982. Growth performance of lambs sired by rams of the East Friesien, Finnish landrace, Ile de France and Suffolk breeds. *Can. J. Anim. Sci.* **62**, pp 689 – 697.

Sinha, N.K. and S. K. Singh, S.K. 1997. Genetic and phenotypic parameters of body weights, average daily gains and first shearing wool yield in Muaffarnagri sheep. *Small Ruminant Research.* **26**(1-2), pp 21–29.

Smith, I. D. and W. H. Clarke. 1972. Observations on the short-tailed sheep of the Malay Peninsular with special reference to their wool follicle characteristics. *Australian Jour. of Experimental Agri. and Anim. Husbandry*, **12**, pp 479 – 484.

Snyman, M. A. and W. J. Olivier. 2002. Productive performance of hair and wool type Dorper sheep under extensive conditions. *Small Ruminant Research*, **45**, pp 17 – 23.

Sousa, W.H., C.S. Pereira and F.L.R. Silva. 1999. Linear and nonlinear models in genetic analyses of lamb survival in the Santa Ines hair sheep breed. *Arquivo-Brasileiro-de-Medicina-Veterinaria-e-Zootecnia.* **51**(3), pp 287 – 292.

Stagnaro, C. G. 1983. Commercial hair sheep production in a semi-arid region of Venezuela. In: Hair sheep of the Western Africa and the Americas – A genetic resource for the tropics; Fitzhugh , H. A. and Bradford, G. E. (eds.); A Winrock International Study, Westview Press, Boulder, Colorado, pp 85 – 104.

Subandriyo, B. Setiadi, M. Rangkuti, K. Diwyanto, M. Doloksaribu, L.P. Batubara, E. Romjali, S. Eliaser and E. Handiwirawan. 1998. Performance of the first- and second-generation composite breed resulting from crossing between local Sumatran sheep and hair sheep. *Jurnal Ilmu Ternak dan Veteriner.* **3**(2), pp 78 – 86.

- Sulieman, A.H., A.R. Sayers, and R.T. Wilson.** 1990. Evaluation of Shugar, Dubasi and Watish subecotypes of Sudan desert sheep at El huda national Sheep research Station, Gezira Province, Sudan. *ILCA Res. Rep.* **18**, pp 30.
- Suvindra, K. and N. S. Tomar.** 1982. Genetic studies on Corriedale sheep in India. *Indian Veterinary Journal*, **59**, pp 948.
- Stobart , R.H, J.W. Basset, T.C. Cartwright and R.L. Blackwell.** 1986. An analysis of body weight and maturing patterns in Western Range ewes. *Journal of Animal Science*, **63**(3), pp 729-740.
- Tabbaa, M. J.** 2003. Some factors affecting different body and fat-tail dimensions of Awassi ewes in Jordan. *Dirasat. Agricultural Sciences*. **30**(3), pp 280-284.
- Taiwo, B. B. A., L. O. Ngere and I. O. Adeleye.** 1982. Comparative growth performance of Nigerian Dwarf sheep and its crosses with Permer, Uda and Yankasa. *World Review of Animal Production*, **18**(1), pp 58 – 63.
- Tajuddin, I. and D. T. Chong.** 1988. Rubber Research Institute of Malaysia's research on sheep integration under rubber. In Proc. Symposium On Sheep Production in Malaysia. November, 15 – 16, 1988. Kuala Lumpur, Malaysia, pp 73 – 82.
- Terrill, C. E. and J. Slee.** 1991. Breed differences in adaptation of sheep; World Animal Science, B8: Genetic Resources of Pig, Sheep and Goat, Elsevier, pp 195 – 233.
- Tizikara, C., O. Akinokun and O. Chiboka.** 1985. Productivity and evolutionary adaptation of tropical livestock. **21**(4), pp 41 – 46.
- Torres, H., R. Garza, D. Arroyo, R. De Leon and Y. Molina.** 1978. Evaluacion del borrego Tabasco o Pelibuey bajo condiciones de pastoreo. (Evaluation of Tabasco or Pelibuey lambs under grazing conditions). Memoria de la XIV Reunion Annual del Instituto Nacional de Investigaciones Pecuarias, Mexico City, 15 pp.
- Tuah , A. K. and J. Baah.** 1985. Reproductive performance, pre-weaning growth rate and pre-weaning lamb mortality of Djallonke sheep in Ghana. *Tropical Animal Health Production*. **17**, pp 107 – 113.
- Turner, H. N.** 1977. Some aspects of sheep breeding in the tropics; FAO Animal Production and Health Paper: Animal Breeding; selected articles from the World Animal Review, Rome, pp 115 – 121.
- Ulusan, H.O.K. and T. Bekyurek.** 1996. *Kafkas Universitesi Veteriner Fakultesi Dergisi*. **2**(2), pp 219-224.
- Valdez, C. A., D. G.A. Tupas and J. B. Matias.** 1997. Determination of body weight in sheep using external body measurements. *Philippine J. Vet. Med.* **34**, pp 24-31
- Valencia, M., P.E. Gonzalez.** 1983. Pelibuey sheep in Mexico. In: Fitzhugh, H.A., Bradford, G.E. (Eds.), Hair sheep of Western Africa and the Americas. Winrock International, Westview Press, Boulder, CO, pp 319.

- Valencia, J., A. Gonzalez-Reyna and S.F. Lopez Barbella.** 1990. Hair sheep in Mexico and Venezuela: reproduction in Pelibuey and West African sheep. In: Livestock Reproduction in Latin America. pp. 299 – 320 (Int. Atomic Energy Agency, Vienna, Austria).
- Wan Mohamed, W. E., N. Mohamed and Abd. Rahman.** 1988. Perspective and progress of sheep industry at Kumpulan Guthrie. In Proc. Symposium on sheep production in Malaysia. November, 15 – 16, 1988. Kuala Lumpur, Malaysia. pp 98 – 108.
- Wheaton, J.E., K.M. Carlson, H.F. Windels and L.J. Johnston.** 1993. CIDR: A new progestrone-releasing intravaginal device for induction of estrus and cycle control in sheep and goats. *Anim. Reprod. Sci.* **33**, pp 127–141. Abstract.
- Wildeus, S.** 1997. Hair sheep genetic resources and their contribution to diversified small ruminant production in the United States of America. *Journal of Animal Science.* **75**(3), pp 630 – 640.
- Wildeus, S.** 1989. Barbados Blackbelly sheep in the caribbean. Proceedings of the world congress on coloured sheep. Erskine, K. (ed.). Black Sheep Press, Ashland, U.S.A., pp 37 – 42.
- Williams, H.** 1984. Efecto de la latitud en la estacionalidad reproductiva de las ovejas (Effect of latitude on reproduction seasonality in sheep). Memorias del Curso 'Bases de la Cría Ovina'. Toluca, México (Abstract).
- Williamson, G. and W. J. A. Payne.** 1978. An introduction to animal husbandry in the tropics. Longman, London, New York.
- Wilson, R.T.** 1987. Livestock production in Central Mali: Environment factors affecting weight in traditionally managed goat and sheep. *Animal production.* **45**, pp 223-232.
- Wodzicka-Tomaszewska, Manika, T. N. Edey and J. J. Lynch.** 1980. Behaviour in relation to reproduction, management and welfare of farm animals. Reviews in Rural Science. IV. University of New England, Armidale, Australia.
- Wright, L.A., F.A. Thrift and R.H. Dutt.** 1975. Influence of ewe age on productive characters of Southdown sheep. *Journal of Animal Science,* **4**(2), pp 517-521.
- Yamaki, K.** 1994. Growth of lambs and genetic parameters in four sheep breeds. Proceeding 5th World Congress on Genetics Applied to Livestock Production. Vol. 18, pp135 – 138.
- Yapi, C. V.** 1993. Crossbreeding experiments between Sahelian and Djallonke sheep in Cote d' Ivoire. Proceedings of the VII World Conference on Animal Production. Edmonton, Alberta, Vol.2: pp 53 – 54.
- Yi-KeXian, C.E. Lascano, P.C. Kerridge, P. Avila and Yi-KX.** 1998. The effect of three tropical shrub legumes on intake rate and acceptability by small ruminants. *Pasturas-Tropicales.* **20**(3), pp 31 – 35.

Zarazua, M. V. and E. G. Padilla. 1983. Pelibuey sheep in Mexico; in: Hair sheep of the Western Africa and the Americas – A genetic resource for the tropics; Fitzhugh , H. A. and Bradford, G. E. (eds.); A Winrock International Study, Westview Press, Boulder, Colorado, pp 55 – 74.

Zeuner, F. E. 1963. A history of domesticated animals. Hutchinson, London.