

TABLE OF CONTENTS

Page

ACKNOWLEDGEMENT	i
TABLE OF CONTENTS	ii
LIST OF TABLES	x
LIST OF FIGURES	xv
LIST OF PLATES	xvii
LIST OF APPENDICES	xviii
ABSTRACT	xix
1. INTRODUCTION	1
2. LITERATURE REVIEW	9
2.1 Tropical hair sheep	9
2.1.1 Meat production from hair sheep	10
2.1.2 Physiological traits	12
2.1.3 Hair coat	12
2.2 Growth	13
2.2.1 Birth weight	16
2.2.1.1 Effect of sex on birth weight	26
2.2.1.2 Effect of the type of birth on birth weight	27
2.2.1.3 Effect of ewe body weight on birth weight	28
2.2.2 Weaning weight and subsequent body weights	29
2.2.3 Average daily weight gain (ADG) for growth performance	33
2.2.4 Effect of nutrition on body weights	35
2.2.5 Lamb mortality	37

2.3	Body conformation traits (BCT)	39
2.3.1	Measurements of growth	40
2.3.2	Biometrical measurements of growth	41
2.3.3	Body conformation in various breeds	43
2.3.4	Effect of the type of lambing and month of lambing	44
2.4	Reproductive traits	45
2.4.1	Effect of ewe genotype on reproductive traits	46
2.4.2	Age at first oestrus and sexual maturity	49
2.4.3	Age at lambing, gestation length, lambing interval and post-partum oestrus	51
2.4.4	Effects of weight, age and parity of ewes on reproductive traits	52
2.4.5	Litter size	54
2.5	Estimates of genetic and phenotypic parameters	55
2.5.1	Genetic and phenotypic parameters	55
2.5.2	Estimates of heritability for birth weights and subsequent body weights	55
2.5.3	Genetic and phenotypic correlations	57
3.	MATERIALS AND METHODS	60
3.1	Experimental animals	60
3.2	Data collection and sample size	62
3.3	Breed description	62
3.3.1	Cameroon hair sheep	62
3.3.2	Thai Long Tail wool sheep	65
3.3.3	F ₁ crossbred (Cameroon x Thai Long Tail)	65

3.3.4	F ₂ crossbred (F ₁ x F ₁)	66
3.3.5	F ₃ crossbred (F ₂ x F ₂)	66
3.3.6	Backcrosses	67
3.4	Management of animals	67
3.4.1	Housing	74
3.4.2	General husbandry	74
3.4.2.1	Breeding males	74
3.4.2.2	Breeding females	75
3.4.2.3	Pregnant and lactating ewes	76
3.4.2.4	Care of the newborn to weaning	77
3.4.3	Feeding	78
3.4.4	Health and hygiene	80
3.4.5	Matings	80
3.5	Traits under study	81
3.5.1	Growth measurements	81
3.5.1.1	Birth weight	81
3.5.1.2	Monthly body weight	82
3.5.1.3	Average daily weight gain (ADG)	82
3.5.1.4	Lamb mortality	83
3.5.2	Body conformation traits	83
3.5.2.1	Height at wither	83
3.5.2.2	Body length	84
3.5.2.3	Heart girth	84
3.5.2.4	Back girth	84
3.5.3	Reproductive traits	86
3.5.3.1	Age at first oestrus	86

LIST OF FIGURES

No	Titles	Page
3.1	Schematic diagram of the crossbreeding programme and the development of the various genotypes	63
3.2	The sheep's body and body conformation traits	85
4.1	Least square means and std. errors of the birth weights by the effects of sex, type of birth and parity of birth	99
4.2	Least square means and std. errors of the birth weights of the various genotypes	100
4.3	Least square means and std. errors of the birth weights by the effects of genotypes and sex	102
4.4	Least square means and std. errors of the birth weights by the effects of genotypes and type of birth	103
4.5	Least square means and std. errors of the birth weights by the effects of genotypes and parity of birth	106
4.6	Least square means and std. errors of the weaning weights by the effects of sex, type of birth and parity of birth	114
4.7	Least square means and std. errors of the weaning weights by the effects of genotypes and type of birth	115
4.8	Least square means and std. errors of the weaning weights by the effects of genotypes and sex	118
4.9	Least square means and std. errors of the weaning weights by the effects of genotypes and parity of birth	121

4.1.3.2	Interaction effect of genotype and type of birth on weaning weight	113
4.1.3.3	Effect of sex on weaning weight	117
4.1.3.4	Effect of the parity of birth on weaning weight	120
4.1.4	Post-weaning weights	122
4.1.4.1	Least square analysis of variance for post-weaning weights	122
4.1.4.2	Interaction effect of genotype and sex on post-weaning weights	124
4.1.4.3	Interaction effect of genotype and type of birth on post-weaning weights	131
4.1.4.4	Effect of the parity of birth on post-weaning weights	135
4.1.5	Average daily weight gain (ADG) as an indicator for growth performance	137
4.1.5.1	Least square analysis of variance on the average daily weight gain (ADG) for growth performance	137
4.1.5.2	Interaction effect between genotype and sex on ADG	141
4.1.5.3	Interaction effect between genotype and type of birth on ADG	148
4.1.5.4	Effect of the parity of birth on ADG	151
4.1.6	Lamb mortality	155
4.2	Body conformation traits (BCT)	158

4.2.1	Least square analysis of variance for body conformation traits (BCT) at the different age groups	158
4.2.2	Effect of genotypes on BCT	161
4.2.3	Effect of sex on BCT	171
4.2.4	Effect of the type of birth on BCT	175
4.3	Reproductive traits	175
4.3.1	Least square analysis of variance for reproductive traits	177
4.3.2	Age at first oestrus	177
4.3.3	Age at first successful mating	184
4.3.4	Age at first and second parturition	186
4.3.5	The first and the second gestation periods	194
4.3.6	The first and the second post-partum oestrus	197
4.4	Estimates of genetic and phenotypic parameters	200
4.4.1	Heritability estimates	200
4.4.2	Estimates of genetic and phenotypic correlations	201
5.	DISCUSSION	204
5.1	Growth performance	204
5.1.1	Birth weight	204
5.1.1.1	Effect of genotypes on birth weight	204
5.1.1.2	Effect of sex on birth weight	207
5.1.1.3	Effect of the type of birth on birth weight	208
5.1.1.4	Effect of the parity of birth on birth weight	209
5.1.2	Weaning weight (90 – days weight)	211
5.1.2.1	Effect of genotypes on weaning weight	211
5.1.2.2	Effect of sex on weaning weight	215
5.1.2.3	Effect of the type of birth on weaning weight	217

5.1.2.4	Effect of the parity of birth on weaning weight	218
5.1.3	Post weaning weights	219
5.1.3.1	Effect of genotypes on post-weaning weight	220
5.1.3.2	Effect of sex on post-weaning weight	222
5.1.3.3	Effect of the type of birth on post-weaning weight	223
5.1.3.4	Effect of the parity of birth on post-weaning weight	224
5.1.4	Average daily weight gain (ADG) for growth performance	225
5.1.4.1	Effect of genotypes on ADG	226
5.1.4.2	Effect of sex on ADG	228
5.1.4.3	Effect of the type of birth on ADG	229
5.1.4.4	Effect of the parity of birth on ADG	230
5.1.5	Lamb mortality	231
5.2	Body conformation traits (BCT)	233
5.2.1	Effect of genotypes on BCT	233
5.2.2	Effect of sex on BCT	235
5.2.3	Effect of the type of birth on BCT	237
5.3	Reproductive traits	238
5.3.1	Effect of genotypes on reproductive traits	238
5.3.2	Effect of the type of birth on reproductive traits	243
5.3.3	Effect of the parity of birth on reproductive traits	246
5.4	Estimates of genetic and phenotypic parameters	249
5.4.1	Heritability estimates	249

5.4.2	Estimates of genetic and phenotypic correlations	250
6.	GENERAL DISCUSSION	253
7.	SUMMARY AND CONCLUSION	259
	REFERENCES	265
	APPENDICES	281

LIST OF TABLES

No	Titles	Page
2.1	Comparison of the performance and performance potential of the hair sheep and the wool sheep under tropical and temperate environments respectively	11
2.2	Birth weights of the various hair sheep breeds and their crosses to wool sheep breeds by the effects of sex and type of birth	17
3.1	Sample size of the genotypes included in the study	64
3.2	Composition (%) of the concentrate pellets used in the University of Malaya's farm	79
4.1	Least square analysis of variance for the body weights of the various genotypes at different age groups	94
4.2	Least square analysis of variance for birth weights	97
4.3	Overall least square means and std. errors for birth weights	99
4.4	Least square means and std. errors of the birth weights for the various genotypes	100
4.5	Least square means and std. errors of the birth weights by the effects of genotypes and sex	102
4.6	Least square means and std. errors of the birth weights by the effects of genotypes and type of birth	103
4.7	Least square means and std. errors of the birth weights by the effects of genotypes and parity of birth	106
4.8	Least square means and std. errors of the birth weights by the effects of genotypes and year of birth	108
4.9	Least square analysis of variance for weaning weights	112

4.10	Overall least square means and std. errors for weaning weights	114
4.11	Least square means and std. errors of the weaning weights by the effects of genotypes and type of birth	115
4.12	Least square means and std. errors of the weaning weights by the effects of genotypes and sex	118
4.13	Least square means and std. errors of the weaning weights by the effects of genotypes and parity of birth	121
4.14	Least square analysis of variance for post-weaning weights at the various age groups	123
4.15	Least square means and std. errors of post-weaning weights at the various age groups by the effects of sex, type of birth and parity of birth	126
4.16	Least square means and std. errors of post-weaning weights at the various age groups by the effects of genotype and sex	127
4.17	Least square means and std. errors of post-weaning weights at the various age groups by the effects of genotypes and the type of birth	132
4.18	Least square means and std. errors of post-weaning weights at the various age groups by the effects of genotypes and parity of birth	136
4.19	Least square analysis of variance on the average daily weight gain (ADG) for the growth performance	139
4.20	The average daily weight gain (ADG) for the growth performance by the overall effects of genotype, sex, type of birth and parity of birth	140
4.21	The average daily weight gain (ADG) for the growth performance by the interaction effect of genotypes and sex	142

4.22	The average daily weight gain (ADG) for the growth performance of the various genotypic groups	147
4.23	The average daily weight gain (ADG) for the growth performance by the interaction effect of genotypes and the type of birth	149
4.24	The average daily weight gain (ADG) for the growth performance by the interaction effect of genotypes and the parity of birth	153
4.25	Number of lamb mortality by the age groups and the year of birth	156
4.26	Number of lamb mortality by genotypes and the age groups	157
4.27	Least square analysis of variance for body conformation traits at the age of 90-days and 180-days	159
4.28	Least square analysis of variance for body conformation traits at the age of 270-days and 360-days	160
4.29	Least square means and std. errors of the body conformation traits of the various genotypes at the age of 90-days and 180-days	163
4.30	Least square means and std. errors of the body conformation traits of the various genotypes at the age of 270-days and 360-days	164
4.31	Least square means and std. errors of the height at wither for all the genotypes at the age of 90, 180, 270 and 360 days	167
4.32	Least square means and std. errors of the body length for all the genotypes at the age of 90, 180, 270 and 360 days	168
4.33	Least square means and std. errors of the heart girth for all the genotypes at the age of 90, 180, 270 and 360 days	169
4.34	Least square means and std. errors of the back girth for all the genotypes at the age of 90, 180, 270 and 360 days	170
4.35	Least square means and std. errors of the body conformation traits at the different age groups by the effect of sex	172

4.36	Least square means and std. errors of the body conformation traits for the interaction effect of genotypes and sex at the age of 90 days	173
4.37	Least square means and std. errors of the body conformation traits at the different age groups by the effect of the type of birth	176
4.38	Least square analysis of variance for the age at first oestrus and the age at first successful mating	178
4.39	Least square means of the age at first oestrus and the age at first successful mating for the various genotypes	180
4.40	Least square means of the age at first oestrus and the age at first successful mating for all the genotypes by the effects of the type of birth and the parity of birth	180
4.41	Least square means of the age at first oestrus and the age at first successful mating by the interaction effect of genotypes and the type of birth	181
4.42	Least square means of the age at first oestrus and the age at first successful mating by the interaction effect of genotypes and the parity of birth	183
4.43	Least square analysis of variance for the age at first and second parturition	187
4.44	Least square means of the age at first and second parturition for the various genotypes	189
4.45	Least square means of the age at first and second parturition for the various genotypes by the effect of the type of birth and the parity of birth	189

4.46	Least square means of the age at first and second parturition by the interaction effect of genotypes and the type of birth	191
4.47	Least square means of the age at first and second parturition by the interaction effect of genotypes and the parity of birth	193
4.48	Least square analysis of variance for the first and the second gestation periods	195
4.49	Least square means of the first and second gestation period of the various genotypes	195
4.50	Least square means of the first and second gestation periods of the various genotypes by the effects of the type of birth and the parity of birth	196
4.51	Least square analysis of variance of the length of the first and the second post-partum oestrus for the various genotypes	198
4.52	Least square means of the length of the first and the second post-partum oestrus for the various genotypes	198
4.53	Heritability estimates and std. errors of different body weight traits	202
4.54	Genetic correlations between traits using the method of Falconer (1980)	202
4.55	Phenotypic correlations between various body weights in F_1 and F_2 offsprings	203

LIST OF FIGURES

No	Titles	Page
3.1	Schematic diagram of the crossbreeding programme and the development of the various genotypes	63
3.2	The sheep's body and body conformation traits	85
4.1	Least square means and std. errors of the birth weights by the effects of sex, type of birth and parity of birth	99
4.2	Least square means and std. errors of the birth weights of the various genotypes	100
4.3	Least square means and std. errors of the birth weights by the effects of genotypes and sex	102
4.4	Least square means and std. errors of the birth weights by the effects of genotypes and type of birth	103
4.5	Least square means and std. errors of the birth weights by the effects of genotypes and parity of birth	106
4.6	Least square means and std. errors of the weaning weights by the effects of sex, type of birth and parity of birth	114
4.7	Least square means and std. errors of the weaning weights by the effects of genotypes and type of birth	115
4.8	Least square means and std. errors of the weaning weights by the effects of genotypes and sex	118
4.9	Least square means and std. errors of the weaning weights by the effects of genotypes and parity of birth	121

4.10	Least square means and std. errors of the post-weaning weights at the various age groups	128
4.11	Least square means and std. errors of the post- weaning weights by the effects of genotypes and sex	128
4.12	Least square means and std. errors of the post-weaning weights by the effects of genotypes and type of birth	133
4.13	Least square means and std. errors of the post-weaning weights by the effects of genotypes and parity of birth	133
4.14	Number of lamb mortality by the age groups and the year of birth	156
4.15	Number of lamb mortality by genotypes and the age groups	157
4.16	Height at withers for all the genotypes at the age of 90, 180, 270 and 360 days	167
4.17	Body length for all the genotypes at the age of 90, 180, 270 and 360 days	168
4.18	Heart girth all the genotypes at the age of 90, 180, 270 and 360 days	169
4.19	Back girth for all the genotypes at the age of 90, 180, 270 and 360 days	170
5.1	Path diagram showing the relationship between phenotype and genotype of two traits and environmental effect on the two traits.	252

LIST OF PLATES

No	Titles	Page
3.1	Cameroon hair sheep (male)	68
3.2	Cameroon hair sheep (female)	68
3.3	Thai Long Tail wool sheep (male)	69
3.4	Thai Long Tail wool sheep (female)	69
3.5	F ₁ crossbred (male)	70
3.6	F ₁ crossbred (female)	70
3.7	F ₂ crossbred (male)	71
3.8	F ₂ crossbred (female)	71
3.9	F ₃ crossbred (male)	72
3.10	F ₃ crossbred (female)	72
3.11	BC crossbred (male)	73
3.12	BC crossbred (female)	73

LIST OF APPENDICES

No	Titles	Page
1	Sheep population in Peninsular Malaysia in 2002	281
2	Total livestock population 1970 – 2002 in Peninsular Malaysia	282
3	Number of lamb mortality by genotypes, year of birth and the age groups	283