

UV λ_{\max} nm	: 248, 281, 323
IR ν_{\max} cm^{-1}	: 1602, 3392
$[\alpha]_D^{25}$: -
Mass spectrum m/z	: 575.2164
^1H NMR (CDCl_3) δ	: see table 3.11
^{13}C NMR (CDCl_3) δ	: see table 3.11

References

1. Keng, H.,(1978). *Order and families of Malayan seed plants*. 2 ed.; Singapore University Press.

2. Barton, S. D.; Nakanishi, K.,(1999). *Comprehensive Natural Products Chemistry-Volume Nine*. Elsevier.
3. Gilani, A. H.; Molla, N.; Atta-ur-Rahman; Shah, B. H.,(1992) Phytotherapy-Role of natural products in modern medicine. *J Pharm. Med*, **2**, 111-118.
4. Gilani, A. H.,(2005) Role of Medicinal Plants in Modern Medicine. *Malaysian Journal of Science*, **24**, (1), 1-5.
5. Corner, E. J. H.,(1988). *Wayside Tree of Malaya-Volume One*. 3 ed.; The Malayan Nature Society: Kuala Lumpur, p 23-27,371-375.
6. Ng, F. S. P.,(1989). *Tree flora of Malaya; a manual for foresters.-Volume 3*. Longman: p 98-139.
7. Gibbs, R. D.,(1974). *Chemotaxonomy of flowering plant-Volume One*. McGill-Queen's University Press.
8. Brossi, A.,(1987). *The Alkaloids: chemistry and physiology-Volume 31*. Academic Press: Florida.
9. Rohwer, J. G.; Richter, H. G.; Werff, H. v. d.,(1991) Two New Genera of Neotropical Lauraceae and Critical Remarks on the Generic Delimitatio. *Annals of the Missouri Botanical Garden*, **78**, (2), 388-400.
10. Werff, H. v. d.; Richter, H. G.,(1996) Toward an Improved Classification of Lauraceae. *Annals of the Missouri Botanical Garden*, **83**, (3), 409-418.
11. Wilson, E. O. Ipecies.org. <http://ispecies.org/> (8 March 2010),

12. Banning, J. W.; Salman, K. N.; Patil, P. N.,(1982) A Pharmacological Study of Two Bisbenzylisoquinoline Alkaloids, Thalistryline and Obamegine. *Journal of Natural Products*, **45**, (2), 168-177.
13. Kochummen, K. M.,(1997). *Tree flora of Pasoh Forest*. Forest Research Institute Malaysia: Vol. 44, p 462.
14. Fischer, D. C. H.; Gonçalves, M. I.; Oliveira, F.; Alvarenga, M. A.,(1999) Constituents from *Siparuna apiosyce*. *Fitoterapia*, **70**, (3), 322-323.
15. Hans, A.; Christian, R.; Ivan, A.-M.,(1982) Inhaltsstoffe Westafrikanischer Arzneipflanzen, X. Untersuchung der Inhaltsstoffe von *Hexalobus crispiflorus*. *Liebigs Annalen der Chemie*, **1982**, (9), 1623-1633.
16. Hans, A.; Christian, R.; Jürgen, W.; Ivan, A.-M.,(1982) Inhaltsstoffe Westafrikanischer Arzneipflanzen, VIII. 3-Hydroxynornuciferin und 3-Hydroxy-6a,7-dehydronuciferin, Nebenalkaloide in *Hexalobus crispiflorus* - Massenspektrometrische Strukturfestlegung an Noraporphinen. *Liebigs Annalen der Chemie*, **1982**, (6), 1132-1141.
17. Hesse, M.,(1981). *Alkaloid chemistry*. Wiley: New York, p 231.
18. Cordell, G. A.,(1981). *Introduction to alkaloids: a biogenetic approach*. Wiley: p 1055.
19. Mills, S.; Bone, K.,(2005). *The essential guide to herbal safety*. Elsevier Health Sciences: p 684.
20. Schiff, P. L.,(1991) Bisbenzylisoquinoline Alkaloids. *Journal of Natural Products*, **54**, (3), 645-749.

21. Shamma, M.; Moniot, J.,(1976) The systematic classification of bisbenzylisoquinolines. *Heterocycles*, **4**, (11), 1817-1822.
22. Sarker, S. D.; Nahar, L.,(2007). *Chemistry for pharmacy students: general, organic and natural product chemistry*. Wiley-Interscience: p 383.
23. Harborne, J. B.,(1998). *Phytochemical methods: a guide to modern techniques of plant analysis*. Springer: p 302.
24. Robinson, T.,(1981). *The biochemistry of alkaloids*. 2 ed.; Springer-Verlag: p 225.
25. Bray, C. M.,(1983). *Nitrogen metabolism in plants*. Longman: p 214.
26. Kanyinda, B.; Vanhaelen-Fastre, R.; Vanhaelen, M.,(1993) A New Bisbenzylisoquinoline-N-oxide Alkaloid from Seeds of *Anisocycla cymosa*. *Journal of Natural Products*, **56**, (4), 618-620.
27. Lu, S.-T.; Ian, L.; Shioh-Plaw Leou, T.,(1989) Alkaloids of *Dehaasia triandra*. *Phytochemistry*, **28**, (2), 615-620.
28. Yang-Chang, W.; Chung-Hsiung, C.; Tsang-Hsiung, Y.; sheng-Teh, L.; McPhail, D. R.; McPhail, A. T.; Kuo-Hsiung, L.,(1989) Cytotoxic aporphines from *artabotrys uncinatus* and the structure and stereochemistry of artacinatine. *Phytochemistry*, **28**, (8), 2191-2195.
29. Shamma, M.,(1960) Conformation of 4,5-substituted aporphine alkaloids. *Experientia*, **16**, 484-5.

30. Kithsiri Wijeratne, E. M.; Leslie Gunatilaka, A. A.; Kingston, D. G. I.; Curtis Haltiwanger, R.; Eggleston, D. S.,(1995) Artabotrine: A novel bioactive alkaloid from *Artabotrys zeylanicus*. *Tetrahedron*, **51**, (29), 7877-7882.
31. Barton, D. H. R.; Kirby, G. W.; Wiechers, A.,(1966) Biosynthesis of epistephanine and the structure of stebisimine. *Chemical Communications*, **9**, 266-7.
32. Blaschke, G.,(1968) Alkaloid biosyntheses. I. Biosynthesis of the aporphine alkaloid, bulbocapnine, from reticuline. *Arch. Pharm*, **301**, (6), 432-9.
33. Barton, D. H. R.; Kirby, G. W.; Steglich, W.; Thomas, G. M.; A.R.Battersby; T.A.Dobson; H.Ramuz,(1965) Phenol oxidation and biosynthesis. VII. Alkaloid biosynthesis. 7. The biosynthesis of morphine alkaloids. *Journal of the Chemical Society*, 2423-38.
34. Nagata, T.; Ebizuka, Y.,(2002). *Medicinal and Aromatic Plants XII*. Vol. 51, p 133.
35. Bentley, K. W.; Bentley, K. W.,(1998). *The isoquinoline alkaloids*. CRC Press: p 504.
36. Shamma, M.,(1972). *The isoquinoline alkaloids: chemistry and pharmacology*. Academic Press: p 594.
37. Swan, G. A.,(1967). *An introduction to the alkaloids*. Wiley: p 326.
38. Waugh, J. S.; Fessenden, R. W.,(1957) Nuclear Resonance Spectra of Hydrocarbons: The Free Electron Model. *Journal of the American Chemical Society*, **79**, (4), 846-849.

39. Carey, F. A.; Sundberg, R. J.,(2000). *Advanced Organic Chemistry: Structure and mechanisms*. 4 ed.; Springer: p 823.
40. Ke, J.; Weng, S. A.; Zhang, G. Q.,(1981) Effects of tetrandrine on experimental arrhythmias. *Acta Pharmacologica Sinica*, **2**, (4), 235-237.
41. Qian, Y. M.; Huang, Y. H.,(1989) Effects of tetrandrine on rabbit platelet aggregation, thromboxane A₂ generation and calmodulin activity. *Acta Pharmacologica Sinica*, **10**, (1), 61-65.
42. Li, N.; Li, W.; Li, Y.,(1986) Effects of berbamine on isolated myocardium in guinea pigs and humans. *Acta Pharmacologica Sinica*, **7**, (3), 222-226.
43. Li, F. L.; Bao, L. H.; Li, W. H.,(1985) The effects of berbamine on the isolated guinea-pig atria. *Yao xue xue bao = Acta pharmaceutica Sinica*, **20**, (11), 859-862.
44. Manske, R. H. F.; Rodrigo, R. G. A.; Holmes, H. L.,(1981). *The alkaloids: chemistry and physiology, Volume 18*. Academic Press: p 411.
45. Baldas, J.; Bick, I. R.; Ibuka, T.; Kapil, R. S.; Porter, Q. N.,(1972) Mass spectrometry of bisbenzylisoquinoline alkaloids. I. Alkaloids derived from coclaurine units joined tail-to-tail. *Journal of the Chemical Society. Perkin transactions 1*, **4**, 592-6.
46. Suau, R.; Rico, R.; López-Romero, J. M.; Nájera, F.; Cuevas, A.,(1998) Isoquinoline alkaloids from *Berberis vulgaris* subsp. *australis*. *Phytochemistry*, **49**, (8), 2545-2549.

47. Kitagawa, I.; Minagawa, K.; Zhang, R. S.; Hori, K.; Doi, M.; Inoue, M.; Ishida, T.; Kimura, M.; Uji, T.; Shibuya, H.,(1993) Dehatrine, an antimalarial bisbenzylisoquinoline alkaloid from the Indonesian medicinal plant *Beilschmiedia madang*, isolated as a mixture of two rotational isomers. *Chemical & pharmaceutical bulletin*, **41**, (5), 997-9.
48. Lai, S.; Zhao, T. F.; Wang, X. K.,(1988) Cycleanonine, a new bisbenzylisoquinoline alkaloid from *Cyclea racemosa* Oliv. *Yao Xue Xue Bao*, **23**, (5), 356-60.
49. Jain, S.; Shukla, K.; Bhakuni, D. S.,(1991) Minor alkaloids of *Cocculus pendulus*. *Fitoterapia*, **62**, (5), 391-5.
50. Lai, S.; Zhao, T.; Wang, X.; Shizuri, Y.; Yamamura, S.,(1993) Two new insularine-N-oxides from the roots of *Cyclea sutchuenensis* Gagnep. *Huaxue Xuebao* **51**, (11), 1133-8.
51. Shamma, M.; Moniot, J. L.,(1976) Some aspects of the NMR-spectra of aporphine and phenanthrene alkaloids. *Experientia* **32**, (3), 282-3.
52. Vernengo, M. J.,(1963) The structure of octeine (thalicmine). *Experientia*, **19**, 294-5.
53. Goodwin, S.; Shoolery, J. N.; Johnson, L. F. In *Significance of the nonequivalence of methylenedioxyhydrogen nuclei in the nuclear magnetic resonance spectra of aporphine alkaloids*. , Proceedings of the Chemical Society, London, 1958; London, 1958; pp 306-7.
54. Ohashi, M.; Wilson, J. M.; Budzikiewicz, H.; Shamma, M.; Slusarchyk, W. A.; Djerassi, C.,(1963) Mass Spectrometry in Structural and Stereochemical

- Problems. XXXI.1 Aporphines and Related Alkaloids. *Journal of the American Chemical Society*, **85**, (18), 2807-2810.
55. Patra, A.; Mandal, T. K.; Mukhopadhyay, P. K.; Ranu, B. C.,(1988) (+)-3',4'-dihydrostephasubine, a bisbenzylisoquinoline alkaloid from *Stephania hernandifolia*. *Phytochemistry*, **27**, (2), 653-655.
 56. Buck, K. T.,(1987). *The bisbenzylisoquinoline alkaloids*. Academic Press: New York, Vol. 29.
 57. Guinaudeau, H.; Michel, L.; Cavé, A.,(1988) Aporphinoid Alkaloids, IV. *Journal of Natural Products*, **51**, (3), 389-474.
 58. Schiff, P. L.,(1987) Bisbenzylisoquinoline Alkaloids. *Journal of Natural Products*, **50**, (4), 529-599.
 59. Schiff, P. L.,(1983) Bisbenzylisoquinoline Alkaloids. *Journal of Natural Products*, **46**, (1), 1-43.
 60. Gibson, E. P.; Turnbull, J. H.,(1980) The luminescence of bisbenzyltetrahydroisoquinoline alkaloids. The berbamine and oxyacanthine alkaloids. *J. Chem. Soc., Perkin Trans. 2*, 1696-1700.
 61. Mukhtar, M. R.; Zahari, A.; Nafiah, M. A.; Hadi, A. H. A.; Thomas, N. F.; Arai, H.; Morita, H.; Litaudon, M.; Awang, K.,(2009) 3',4'-Dihydronorstephasubine, a new bisbenzylisoquinoline from the bark of *Alseodaphne corneri*. *Heterocycles*, **78**, (10), 2571-2578.
 62. Mukhtar, M. R.; Nafiah, M. A.; Awang, K.; Thomas, N. F.; Zaima, K.; Morita, H.; Litaudon, M.; Hadi, A. H. A.,(2009) α' -Oxoperakensimines A - C, new

- bisbenzylisoquinoline alkaloids from *Alseodaphne perakensis* (Gamble) Kosterm. *Heterocycles*, **78**, (8), 2085-2092.
63. Mahmud, Z.; Khan, M. N.; Lajis, N. H.; Toia, R. F.,(1992) Perakensol: A Phenanthrenoid Isolated from *Alseodaphne perakensis*. *Journal of Natural Products*, **55**, (4), 533-535.
64. Lee, S.-S.; Chang, S.-M.; Chen, C.-H.,(2001) Chemical Constituents from *Alseodaphne andersonii*. *Journal of Natural Products*, **64**, (12), 1548-1551.
65. Chang, H.; Liu, L.; Tu, P.,(2000) Chemical constituents of *Alseodaphne hainanensis*. *Zhongcaoyao*, **31**, (10), 725-727.
66. Fengxian, Z.; Meifang, L.; Yujing, L.; Langtian, M.; renrong, L.,(1988) Alkaloids of *Alseodaphne Hainanensis* Merr. *Zhiwu Xuebao*, **30**, (2), 183-6.
67. Johns, S. R.; Lamberton, J. A.; Sioumis, A. A.,(1967) 1-Benzyl-1,2,3,4-tetrahydroisoquinoline alkaloids from *Alseodaphne archboldiana*. *Australian Journal of Chemistry*, **20**, (8), 1729-35.
68. Smolnycki, W. D.; Moniot, J. L.; Hindenlang, D. M.; Miana, G. A.; Shamma, M.,(1978) Srilankine: a 4-hydroxylated aporphine. *Tetrahedron Letters*, (47), 4617-20.
69. Ribár, B.; Lazar, D.; Gasic, O.; Kanyó, I.; Engel, P.,(1992) Structure of isocorydine. *Acta Cryst.*, **C48**, 945-947
70. Chang, Y.-C.; Chen, C.-Y.; Chang, F.-R.; Wu, Y.-C.,(2001) Alkaloids from *Lindera glauca*. *Journal of the Chinese Chemical Society*, **48**, (4), 811-815.

71. Ferreira, M. L. R.; de Pascoli, I. C.; Nascimento, I. R.; Zukerman-Schpector, J.; X., L. M.,(2010) Aporphine and bisaporphine alkaloids from *Aristolochia lagesiana* var. *intermedia*. . *Phytochemistry*, **71**, (4), 469-478.
72. Rasoanaivo, P.; Ratsimamanga-Urverg, S.; Rafatro, H.; Ramanitrahasimbola, D.; Palazzino, G.; Galeffi, C.; Nicoletti, M.,(1998) Alkaloids of *Hernandia voyronii*. Chloroquine-potentiating activity and structure elucidation of herveline D. *Planta Medica*, **64**, (1), 58-62.
73. Pyo, M. K.; Yun-Choi, H. S.; Hong, Y.-J.,(2003) Antiplatelet activities of aporphine alkaloids isolated from leaves of *Magnolia obovata*. *Planta Medica*, **69**, (3), 267-269.
74. Tewari, S.; Bhakuni, D. S.; Dhar, M. M.,(1972) The aporphine alkaloids of *Litsea glutenosa*. *Phytochemistry*, **11**, (3), 1149-1152.
75. Uprety, H.; Bhakuni, D. S.; Dhar, M. M.,(1972) Aporphine alkaloids of *Litsea sebifera*, *L. wightiana* and *Actinodaphne obovata*. *Phytochemistry*, **11**, (10), 3057-3059.
76. Castedo, L.; Granja, J. A.; de Lera, A. R.; Villaverde, M. C.,(1991) Alkaloids from *Guatteria goudotiana*. *Phytochemistry*, **30**, (8), 2781-2783.
77. Sangster, A. W.; Stuart, K. L.,(1965) Ultraviolet spectra of alkaloids. *Chem. Rev.*, **65**, (1), 69-130.
78. Suess, T. R.; Stermitz, F. R.,(1981) Synthesis of (\pm) Isocorytuberine and (\pm)-N-Methylisocorytuberine. *Journal of Natural Products*, **44**, (6), 688-692.

79. Shafiee, A.; Lalezari, I.; Rahimi, O.,(1977) Alkaloids of papaver genus. IX. Alkaloids of *Glaucium vitellinum* Boiss and Buhse, population Seerjan and *Glaucium pulchrum* Stapf, population Elika. *Lloydia*, **40**, (4), 352-5.
80. Bhakuni, D. S.; Gupta, S.,(1983) Alkaloids of *Litsea wightiana*. *Planta Medica*, **48**, (1), 52-4.
81. Kozuka, M.; Miyazawa, S.; Yokoyama, K.; Odani, T.; Kubo, M.,(1985) Alkaloids from *Lindera umbellata*, *Lindera sericea*, and Their Varieties. *Journal of Natural Products*, **48**, (1), 160-161.
82. Ross, S. A.; Minard, R. D.; Shamma, M.; Fagbule, M. O.; Olatunji, G.; Gbile, Z.,(1985) Thaliporphinemethine: A New Phenanthrene Alkaloid from *Illigera pentaphylla*. *Journal of Natural Products*, **48**, (5), 835-836.
83. Weber, J. F.; Bruneton, J.; Pusset, J.,(1986) Plants of New Caledonia. Part 103. Alkaloids of *Litsea lecardii*. *Planta Medica*, (1), 74-5.
84. Kanyinda, B.; Vanhaelen-Fastre, R.; Vanhaelen, M.; Ottinger, R.,(1997) Two New Isochondodendrine-Type Alkaloids from the Roots of *Anisocycla jollyana*. *Journal of Natural Products*, **60**, (11), 1121-1124.
85. Chalandre, M.-C.; Bruneton, J.; Cabalion, P.; Guinaudeau, H.,(1986) Alcaloides de *Gyrocarpus americanus*. *Journal of Natural Products*, **49**, (1), 101-105.
86. Patra, A.; Freyer, A. J.; Guinaudeau, H. I. n.; Shamma, M.; Tantisewie, B.; Pharadai, K.,(1986) The Bisbenzylisoquinoline Alkaloids of *Stephania suberosa*. *Journal of Natural Products*, **49**, (3), 424-427.

87. Cortes, D.; Dadoun, H.; Paiva, R. L. R.; de Oliveira, A. B.,(1987) Nouveaux Alcaloides Bis-benzylisoquinoleiques Isoles des Feuilles de *Aristolochia gigantea*. *Journal of Natural Products*, **50**, (5), 910-914.
88. Zhang, H.; Yue, J.-M.,(2006) New bisbenzylisoquinoline alkaloids from *Cocculus laurifolius*. *Natural Product Research*, **20**, (6), 553-557.
89. Beare, A. V. N.; Taylor, E. T.; Harding, P. S.; Susan, L.; Molyneux, E. M.,(2006) Malarial retinopathy: a newly established diagnostic sign in severe malaria. *The American journal of tropical medicine and hygiene*, **75**, (5), 790-7.
90. Desjardins, R. E.; Canfield, C. J.; Haynes, J. D.; Chulay, J. D.,(1979) Quantitative assessment of antimalarial activity in vitro by a semiautomated microdilution technique. *Antimicrobial Agents and Chemotherapy*, **16**, (6), 710-18.
91. Fidock, D. A.; Nomura, T.; Wellems, T. E.,(1998) Cycloguanil and its parent compound proguanil demonstrate distinct activities against *Plasmodium falciparum* malaria parasites transformed with human dihydrofolate reductase. *Molecular Pharmacology*, **54**, (6), 1140-1147.
92. Morita, H.; Iizuka, T.; Choo, C.-Y.; Chan, K.-L.; Takeya, K.; Kobayashi, J. i.,(2006) Vasorelaxant activity of cyclic peptide, cyclosquamosin B, from *Annona squamosa*. *Bioorganic & Medicinal Chemistry Letters*, **16**, (17), 4609-4611.