

REFERENCES

- Blumenfeld, O.O. & Huang, C.H. (1997) Molecular genetics of glycophorin MNS variants. *Transfus. Clin. Biol.*, 4: 357-365.
- Broadberry, R.E. & Lin, M. (1994) The incidence and significance of anti-“Mia” in Taiwan. *Transfusion*, 34: 349–352.
- Chandanayingyong, D. & Pejrachandra, S. (1975) Studies on the Miltenberger complex frequency in Thailand and family studies. *Vox Sanguinis*, 28: 152–155.
- Chen, V., Hafverson, G., Wasniowska, K., Lisowska, E., Chen, J., Moulds, M. & Reid, M.E. (2001) Direct evidence for the existence of Miltenberger^a antigen. *Vox Sanguinis*, 80: 230-233.
- Cheng, G., Hui, C.H., Lam, C.K., Hal, S.Y., Wong, L., Mak, K.H. & Lin, C.K. (1995) Haemolytic transfusion reactions due to Mi-antibodies; need to include Miltenberger III positive cells in pre-transfusion antibody screening in Hong Kong. *Clinical and Laboratory Haematology*, 17: 183–184.
- Cleghorn, T.E. (1966) A memorandum on the Miltenberger blood groups. *Vox Sanguinis*, 11: 219-222.
- Dahr, W., Beyreuther, K. & Moulds, J.J. (1987) Structural analysis of the major human erythrocyte membrane sialoglycoprotein from Miltenberger class VII cells. *European Journal of Biochemistry*, 166: 27-30.
- Daniels, G.L., Anstee, D.J., Cartron, J.P. (1995) Blood group terminology: From the ISBT Working Party on Terminology for Red Cell Surface Antigens. *Vox Sanguinis*, 69: 265-279.
- Daniels, G.L., Fletcher, A., Garratty, G., et al., (2004) Blood group terminology. *Vox Sanguinis*, 87: 316.
- Dopp, S.L. & Isham, B.E. (1983) Anti-U and hemolytic disease of the newborn. *Transfusion*, 23: 273–4.
- Duguid, J.K., Bromilow, I.M., Entwistle, G.D. & Wilkinson, R. (1995) Haemolytic disease of the newborn due to anti-M. *Vox Sanguinis*, 68: 195–6.
- Erskine, A.G. & Wladyslaw, W. (1978) *The principle and practice of Blood Grouping*. (2nd ed). The C. V. Mosby Company, Saint Louis.
- Giles, C.M. (1982) Serological activity of low frequency antigens of the MNSs system and reappraisal of the Miltenberger complex. *Vox Sanguinis*, 42: 256–261.

- Gorlin, J.B., Beaton, M., Poortenga, M., Davidson, S., & Mullane, S. (1996) Anti-Vw causing a case of clinically significant hemolytic disease of the newborn. *Transfusion*, 36: 938-939.
- Guastafierro, S., Sessa, F., Cuomo, C. & Tirelli, A. (2004) Delayed hemolytic transfusion reaction due to anti-S antibody in patient with anti-Jk(a) autoantibody and multiple alloantibodies. *Annals of Hematology*, 83(5): 307–8.
- Hillyer, C., Hillyer, K., Strobl, F., Jefferies, L. & Silberstein, L. (2001) *Handbook of Transfusion Medicine*. Elsevier.
- Huang, C.H. & Blumenfeld, O.O. (1991-a) Identification of recombination events resulting in three hybrid genes encoding human MiV, MiV(JL), and Sta glycoporphins. *Blood*, 77: 1813-1820.
- Huang, C.H. & Blumenfeld, O.O. (1991-b) Molecular genetics of human erythrocyte MiIII and MiVI glycoporphins. Use of a pseudoexon in construction of two δ - α - δ hybrid genes resulting in antigenic diversification. *The Journal of Biological Chemistry*, 266 (11): 7248-55.
- Huang, C.H., Skov, F., Daniels, G., Tippett, P. & Blumenfeld, O.O. (1992-a) Molecular analysis of human glycoporphin MiIX gene shows a silent segment transfer and untemplated mutation resulting from gene conversion via sequence repeats. *Blood*, 80: 2379-87.
- Huang, C.H., Spruell, P., Moulds, J.J., Blumenfeld, O.O. (1992-b) Molecular basis for the human erythrocyte glycoporphin specifying the Miltenberger class I (MiI) phenotype. *Blood*, 80: 257-63.
- Kudo, S. & Fukuda, M. (1989) Structural organization of glycoporphin A and B genes: glycoporphin B gene evolved by homologous recombination at Alu repeat sequences. *Proc. Natl. Acad. Sci. USA*, 86: 4619-23.
- Kudo, S., Chagnovich, D., Rearden, A., Mattei, M. & Fukuda, M. (1990) Molecular analysis of a hybrid gene encoding human glycoporphin variant Miltenberger V- like molecule. *The Journal of Biological Chemistry*, 265: (23), 13825-13829.
- Lewis, M., Anstee, D.J., Bird, G.W.G., Brodheim, E., Cartron, J.P. & Contreras, M., et al., (1990) Blood group terminology. *Vox Sanguinis*, 58: 152-169.
- Lewis, S.M., Bain, B.J. & Bates, I. (2001) *Dacie and Lewis Practical Haematology* (9th ed). Harcourt, London.
- Lin, M. & Broadberry, R.E. (1994) An intravascular hemolytic transfusion reaction due to anti-‘Mi (a)’ in Taiwan. *Vox Sanguinis*, 67: 320.
- Lin, C.K., Mak, K.H., Szeto, S.C., Poon, K.H., Yuen, C.M.Y., Chan, N.K., Liu, H.W. & NG, C.P. (1996) First case of haemolytic disease of the newborn due to anti-Mur in Hong Kong. *Clinical and Laboratory Haematology*, 18: 19–22.

- Molthan, L. (1981) Intravascular hemolytic transfusion reaction due to anti-Vw+Mia with fatal outcome. *Vox Sanguinis*, 40: 105–8.
- Nadarajan, V.S. & Shanmugam, H. (2005) Detection of Miltenberger by phenotyping and Real-time Polymerase chain reaction in a multi-ethnic population. Paper presented to the XVIth Regional Congress of the International Society of Blood Transfusion, Bangkok, November 12-15.
- Nakayashiki, N., Kanetake, J., Sasaki, Y., Yuasa, I., Miyoshi, A., Hashiyada, M. & Aoki, Y. (2003) Distribution of MN genotypes detected by PCR-SSCP analysis. *International Congress Series*, 1239: 703–706.
- Palacajornsuk, P. (2006) Review: molecular basis of MNS blood group variants. *Immunohematology*, 22: 171-182.
- Palacajornsuk, P., Nathalang, O., Tantimavanich, S., Bejrachandra, S. & Reid, M.E. (2007) Detection of MNS hybrid molecules in the Thai population using PCR-SSP technique. *Transfusion Medicine*, 17: 169–174.
- Prathiba, R., Lopez, C.G. & Mary, F. (2002) The prevalence of GP Mur and anti-“Mia” in a tertiary hospital Peninsula Malaysia. *Malaysian Journal of Pathology*, 42(2): 95–98.
- Race, R.R. & Sanger, R. (1975) *Blood Groups in Man* (6th ed). Blackwell Scientific Publication, Oxford.
- Reid, M.E., Oyen, R. & Marsh, W.L. (2000) Summary of the clinical significance of blood group alloantibodies. *Seminars in Hematology*, 37: 197-216.
- Reid, M.E. & Lomas-Francis, C. (2004) *Blood Group Antigen Facts Book* (2nd ed). Academic Press, San Diego.
- Rearden, A., Frandson, S. & Carry, J.B. (1987) Severe hemolytic disease of the newborn due to Anti-Vw and detection of glycoprotein A antigens on the Miltenberger I sialoglycoprotein by western blotting. *Vox Sanguinis*, 52: 318-321.
- Rothman, I.K., Alter, H.J. & Strewler, G.J. (1976) Delayed overt hemolytic transfusion reaction due to anti-U antibody. *Transfusion*, 16: 357- 60.
- Sancho, J.M., Pujol, M., Fernandez, F., Soler, M., Manzano, P. & Feliu, E. (1998) Delayed haemolytic transfusion reaction due to anti-M antibody. *British Journal of Haematology*, 103: 268-9.
- Skov, F., Green, C., Daniels, G., Khalid, G. & Tippett, P. (1991) Miltenberger class IX of the MNS blood group system. *Vox Sanguinis*, 61: 130-136.
- Story, J.R., Poole, J., Condon, J. & Reid, M.E. (2000) Identification of a novel hybrid glycoprotein gene encoding GP.Hop. *Transfusion*, 40: 560-565.

Taylor, A.M. & Knighton, G.J. (1982) A case of severe hemolytic disease of the newborn due to anti-Verweyst (Vw). *Transfusion*, 22: 165–6.

Tippett, P., Reid, M.E., Poole, J., Green, C.A., Daniels, G.L. & Anstee, D.J. (1992) The Miltenberger subsystem: is it obsolescent? *Transfusion Medicine Reviews*, 6: 170–182.

Van, A.G. & Steiner, K. (2004) Haemolytic disease of the newborn caused by anti-MUT (MNS 35). *Vox Sanguinis*, 87: 208–209.

Webb, A.J. & Giles, C.M. (1977) Three antibodies of MNSs system and their association with the miltenberger complex of antigens. II. Raddon and Lane sera. *Vox Sanguinis*, 32: 274–6.

Wu, K.H., Chang, J.G., Lin, M., Shih, M. C., Lin, H.C., Lee, C.C., Peng, C.T. & Tsai, C.H. (2002) Hydrops foetalis caused by anti-Mur in first pregnancy- a case report. *Transfusion Medicine*, 12: 325–327.

Wu, K.H., Chu, S.L., Chang, J.G., Shih, M.C. & Peng, C.T. (2003) Haemolytic disease of the newborn due to maternal irregular antibodies in the Chinese population in Taiwan. *Transfusion Medicine*, 13: 311–4.