

REFERENCES

- ALHaj, N., Mariana, N. S., Raha, A. R. and Ishak, Z. (2007). Development of Polymerase Chain Reaction and Dot Blot Hybridization to detect *Escherichia coli* isolates from various sources. *Research Journal of Microbiology* 12: 926-932.
- ALHaj, N., Mariana, N. S., Raha, A. R. and Ishak, Z. (2007). Simultaneous detection of enteropathogenic *E. coli* and Shiga toxin-producing *E. coli* by polymerase chain reaction. *Journal of Applied Science* 17: 2532-2534.
- Alonso, J. L., Soriano, K., Amoros, I. and Ferrus, M. A. (1998). Quantitative determination of *E. coli* and fecal coliforms in water using a chromogenic medium. *Journal of Environmental Science and Health* 33: 1229–1248.
- Anderson, J. C., Clarke, E. J., Arkin, A. P., Voigt, C. A. (2006). Environmentally controlled invasion of cancer cells by engineered bacteria. *Journal of Molecular Biology* 355: 619–627
- Ash, R. J., Mauck, B. and Morgan, M. (2002). Antibiotic resistance of gram-negative bacteria in rivers, United States. *Emerging Infectious Diseases* 8: 713-716.
- Baldy-Chudzik, K., Niedbach, J. and Stosik, M. (2003). Rep-PCR fingerprinting as a tool for the analysis of genomic diversity in *Escherichia coli* strains isolated from an aqueous/freshwater environment. *Cellular and Molecular Biology Letters* 8: 793–798.

Bettelheim, K. A. and Beutin, L. (2003). Rapid laboratory identification and characterization of verocytotoxigenic (Shiga toxin producing) *Escherichia coli* (VTEC/STEC). *Journal of Applied Microbiology*. 95: 205-217.

Byamukama D, Kansiime, F., Robert, L., Mach. and Andreas, H. F. (2000). Determination of *Escherichia coli* contamination with chromocult coliform agar showed a high level of discrimination efficiency for differing fecal pollution levels in tropical waters of Kampala, Uganda. *Applied and Environmental Microbiology* 66: 864–868.

Carlucci, A. F., and Pramer, D. (1960). An evaluation of factors affecting the survival of *Escherichia coli* in seawater. II. Salinity, pH, and nutrients. *Applied Environmental Microbiology* 8: 247–250.

Carson, C. A., Shear, B. L., Ellersieck, M. R. and Schnell, J. D. (2003). Comparison of ribotyping and repetitive extragenic palindromic-PCR for identification of fecal *Escherichia coli* from humans and animals. *Applied and Environmental Microbiology* 69: 1836–1839.

Cech, T. V. (2005). *Principles of water resources: history, development, management, and policy*, 2nd edition. Water allocation law, Chapter 8, p 211-245.

Chattopadhyay, U. K., Dutta, S., Deb, A. and Pal, D. (2001). Verotoxin producing *Escherichia coli* an environment-induced emerging zoonosis in and around Calcutta. *Journal of Environmental Health* 1: 107-112.

Clesceri, L. S., Greenberg, A. E. and Eaton, A. D. (1998). Standard methods for the examination of water and wastewater, 20th edition, American Public Health

Association, Washington, D.C.

Cornuet, J., Piry, S., Luikart, G., Estoup, A. and Solignac, M. (1999). New methods employing multilocus genotypes to select or exclude populations as origins of individuals. *Genetics* 153: 1989-2000.

De, S. N., Bhattacharya, K. and Sarkar, J. K. (1956). A study of the pathogenicity of strains of *Bacterium coli* from acute and chronic enteritis. *Journal of Pathology Bacteria* 71: 201-209.

Dombek, P. E., Johnson, L. K., Zimmerley, S. T. and Sadowsky, M. J. (2000). Use of repetitive DNA sequences and the PCR to differentiate *Escherichia coli* isolates from human and animal sources. *Applied and Environmental Microbiology* 66: 2572–2577.

Donnenberg, M. S. and Nataro, J. P. (1995). Methods for studying adhesion of diarrheagenic *Escherichia coli*. *Methods Enzymology* 253: 324-336.

Dubey, S. and Sharda, R. (2001). Prevalence, serotypes and pathogenicity of *E. coli* associated with diarrhoea in goats. *Indian Journal of Animal Science* 71: 92-94.

Dzidic, S. and V. Dedekovic. (2003). Horizontal gene transfer-emerging multidrug resistance in hospital bacteria. *Acta Pharmacologica Sinica* 6: 519-526.

Environmental Protection Agency (EPA). (2002). Method 1603: *Escherichia coli* (*E. coli*) in Water by Membrane Filtration Using Modified membrane-Thermotolerant *Escherichia coli* Agar (Modified mTEC). Office of Water, 2002. EPA

821-R-02- 023.

Evans, D. G., Evans, D. J. and Pierce, N. F. (1973). Differences in the response of rabbit small intestine to heat labile and heat stable enterotoxins of *Escherichia coli*. *Infection Immunology* 7: 873-880.

Ewing, W. H. (1986). Edwards and Ewing's identification of the enterobacteriaceae. Amsterdam (The Netherlands): Elsevier Science Publishers.

23. Fricker, E. J. and Fricker, C. R. Application of the polymerase chain reaction to the identification of *Escherichia coli* and coliforms in water. (1994). *Letters Applied Microbiology* 39: 44-46

Fujioka, R. S., Hashimoto, H. H., Siwak, E. B. and Young, R. H. F. (1981). Effect of sunlight on survival of indicator bacteria in seawater. *Applied and Environmental Microbiology* 41: 690-696.

Geldreich, E. E. (1972). Water-borne pathogens. In R. Mitchel (Ed.), Water Pollution Microbiology. Wiley-Interscience, New York. 207-241.

Gianella, R. A. (1976). Suckling mouse model for detection of heat stable *Escherichia coli* enterotoxin, characteristic of the model. *Infection and immunity* 14: 95-99.

Griffith, J. F., Weisberg, S. B. and McGee, C. D. (2003). Evaluation of microbial source tracking methods using mixed fecal sources in aqueous test samples. *Journal of Water Health* 1: 141-151.

- Guardabassi, L., Gravesen, J., Lund, C., Bagge, L. and Dalsgaard, A. (2002). Delayed incubation as an alternative method to sample storage for enumeration of *E. coli* and culturable bacteria in water. *Water Res* 18: 4655-4658.
- Hagedorn, C., S. L. Roberson, J. R. Filtz, S. M. Grubbs, T. A. Angier and R. B. Reneau, Jr. (1999). Determining sources of fecal pollution in a rural Virginia watershed with antibiotic resistance patterns in fecal streptococci. *Applied Environmental Microbiology* 65: 5522–5531.
- Hahm, B. K., Maldonado, Y., Schreiber, E., Bhunia, A. K. and Nakatsu, C. H. (2003). Subtyping of foodborne and environmental isolates of *Escherichia coli* by multiplex-PCR, rep-PCR, PFGE, ribotyping, and AFLP. *Journal of Microbiological Methods* 53: 387-399.
- Hamelin, K., Bruant, G., El-Shaarawi, A., Hill, S., Edge, T. A., Fairbrother, J., Harel, J., Maynard, C., Masson, L. and Brousseau, R. (2007). Occurrence of virulence and antimicrobial resistance genes in *Escherichia coli* isolates from different aquatic ecosystems within the St. Clair river and Detroit river areas. *Applied Environmental Microbiology* 73: 477-484.
- Hirsch, R., Ternes, T., Haberer, K. and Kratz K. L. (1999). Occurrence of antibiotics in the aquatic environment. *Science Total Environment* 225: 109-18.
- Holt, J. G., Krieg, N. R., Sneath, P. H. A., Staley, J. T. and Williams, S. T. (1994). Bergey's Manual of Determinative Bacteriology, 9th edition. Williams and Wilkins, Hagerstown, MD, USA.

Hoyer, M. V., Donze, J. L., Schulz, E. J., Willis, D. J. and Canfield, D. E. (2006). Total Coliform and *Escherichia Coli* Counts in 99 Florida Lakes with Relations to Some Common Limnological Factors. *Lake and Reservoir Management* 22: 141-150.

Ishiguro, N. and Sato, G. (1979). The distribution of plasmids determining citrate utilization in citrate positive variants of *E. coli* from humans, domestic animals, feral birds and environments. *Journal of Hygiene* 83: 331-344.

Janssen, P., Coopman, R., Huys, G., Swings, J., Bleeker, M., Vos, P., Zabeau, M. and Kersters, K. (1996). Evaluation of the DNA Fingerprinting Method AFLP as a New Tool in Bacterial Taxonomy. *Microbiology* 142 :1881-1893.

Johnson, L.K., Brown, M. B. and Dombek, P. E. (2002). Source Tracking Fecal Bacteria in the Environment Using rep-PCR Fingerprinting: Prospects and Problems. USEPA Workshop on Microbial Source Tracking. Irvine, CA.

Jordens, J. Z., Poul, J., Bates, J., Beaumont, C., Kimari, J. and Gilks, C. (1995). Characterisation of *Streptococcus pneumoniae* from human immunodeficiency virus-seropositive patients with acute and recurrent pneumonia. *Journal of infectious diseases* 172: 983-987.

Kon, T., Weir, S.C., Howell, E. T., Lee, H. and Trevor, J. T. (2007). Genetic Relatedness of *Escherichia coli* isolates in interstitial water from Lake Huron (Canada) Beach. *Environmental Microbiology* 73: 1961-1967.

Kong, R. Y. C., So, C. L., Law, W. F. and Wu, R. S. S. (1999). A Sensitive and Versatile Multiplex PCR System for the Rapid Detection of Enterotoxigenic (ETEC), Enterohaemorrhagic (EHEC) and Enteropathogenic (EPEC) Strains of *Escherichia coli*. *Marine Pollution Bulletin* 38: 207-1215.

Konowalchuk, J., Speirs, J. I. and Starvie, S. (1977). Vero response to a cytotoxin of *Escherichia coli*. *Infection Immunology* 18: 775-779.

42. Konowalchuk, J., Speirs, J. I. and Stavric, S. (1977). Vero response to a cytotoxin of *Escherichia coli*. *Infection Immunity* 18: 775-9.

Koplin, D. W., Furlong, E. T., Meyer, M. T., Thurnam, E. M., Zaugg, S. D., Barber, L. B. and Buxton, H. T. (2002). Pharmaceuticals, hormones, and other organic wastewater contaminants in U. S. streams, 1999-2000: a national reconnaissance. *Environmental Science Technology* 36: 1202-1211.

Lang, A. L., Tsai, Y. L., Mayer, C. L., Patton, K. C. and Palmer, C. J. (1994). Multiplex PCR for detection of the heat-labile toxin gene and Shiga-like toxin I and II genes in *Escherichia coli* isolated from natural waters. *Applied Environmental Microbiology* 60: 3145-3149.

Laws, E. A. (1993). Aquatic Pollution: an introductory text, 2nd edition. John Wiley and Sons, Inc. New York. 611.

Lee, H. J. and Choi, W. P. (1983). Isolation of citrate utilizing variants of *E. coli* from cattle, pigs, chickens, pigeons and wild animals. *Korean Journal of Veterinary*

23: 173-178.

Leung, K. T., Mackereth, R., Tien, Y. C. and Topp, E. (2004). A Comparison of AFLP and ERIC-PCR Analyses for Discriminating *Escherichia coli* from Cattle, Pig, and Human Sources. *FEMS Microbiology Ecology* 47: 111-119.

Levine, M. (1921). Bacteria fermenting lactose and the significance in water analysis. *Bull 62. Iowa State College Engr. Exp. Station.*

Levine, M. M. (1987). *Escherichia coli* that cause diarrhea: enterotoxigenic, enteropathogenic, enteroinvasive, enterohaemorrhagic and enteroadherent. *Journal of Infectious Disease* 155: 377-89.

Lipp, E.K., Farrah, S. A. and Rose, J. B. (2001) Assessment and impact of microbial fecal pollution and human enteric pathogens in a coastal community. *Marine Pollution Bulletin* 42: 286-293.

Liu, Y., Debroy, C. and Framico, P. (2007). Sequencing and analysis of the *Escherichia coli* serogroup 0117, 0126, and 0146 O-antigen gene cluster and development of PCR assays targeting serogroup 0117-, 0126-, and 0146- specific DNA sequences. *Molecular and Cellular Probes* 21: 295-302.

Malakoff, D. (2002). Microbiologists on the Trail of Polluting Bacteria. *Science*. 295: 2352-2353.

Mark V. H., Jennifer L. D., Eric J. S., Daniel J. W. and Daniel E. C. J. (2006). Total Coliform and *Escherichia Coli* Counts in 99 Florida Lakes with Relations to Some Common Limnological Factors. *Lake and Reservoir Management* 22: 141-150

McLellan, S. L. (2004). Genetic diversity of *Escherichia coli* isolated from urban rivers and beach water. *Applied Environmental Microbiology* 70: 4658–4665.

McLellan, S. L., Daniels, A. D. and Salmore, A. K. (2003). Genetic Characterization of *Escherichia coli* Populations from Host Sources of Fecal Pollution by Using DNA Fingerprinting. *Applied and Environmental Microbiology* 69: 2587-2594.

Meays, C. L., Broersma, K., Nordin, R. and Mazumder, A. (2004). Source tracking fecal bacteria in water: a critical review of current methods. *Journal of Environmental Management* 73: 71–79.

Milkman, R. (1997). Recombination and population structure in *Escherichia coli*. *Genetics*. 146:745–750.

Ministry of Health, Malaysia. Annual report on communicable diseases. Kelantan: Ministry of Health (1998).

Mohapatra, B. R., Broersma, K. and Mazumder, A. (2007). Comparison of five rep-PCR genomic fingerprinting methods for differentiation of fecal *Escherichia coli* from humans, poultry and wild birds. *FEMS Microbiology Letters* 277: 98–106.

Mohapatra, B. R., Broersma, K., Nordin, R. and Mazumder, A. (2007). Evaluation of repetitive extragenic palindromic-PCR for discrimination of fecal *Escherichia coli* from humans, and different domestic-and wild-animals.

Microbiological Immunology 51: 733–740.

Moseley, S. L., Echeverria, P., Seriwatana, J., Tirapat, C., Chaicumpa, W., Sakuldaipara, T. and Falkow, S. (1982). Identification of enterotoxigenic *Escherichia coli* by colony hybridization using three enterotoxin gene probes. *Journal of Infectious Disease* 145: 863-869.

Muller, D., Greune, L., Heusipp, G., Karch, H., Fruth, A., Tschape, H. and Schmidt, M. A. (2007). Identification of Unconventional Intestinal Pathogenic *Escherichia coli* Isolates Expressing Intermediate Virulence Factor Profiles by Using a Novel Single-Step Multiplex PCR. *Applied and Environmental Microbiology* 73: 3380-3390.

Nataro, J. P. and Kaper, J. B. (1998). Diarrheagenic *Escherichia coli*. *Clinical Microbiology Reviews* 11: 142-201.

National Committee of Clinical Laboratory Standards. (2004). Performance standards for antimicrobial susceptibility testing. 14th informational supplement. NCCLS document M100-S14. Wayne, Pa, National Committee for Clinical Laboratory Standards.

Parker, L. V. and Martel, C. J. (2002) *Long-term survival of enteric microorganisms in frozen wastewater*. Cold Regions Research and Engineering Laboratory Technical Report ERDC/CRREL TR-02-16. US Army Corps of Engineers Engineer Research and Development Center, Hanover, NH, USA.

Percival, S. L., Chalmers, R. M., Embrey, M., Hunter, P. R., Sellwood, J. and

Wyn, J. P. (2004). *Microbiology of Waterborne Diseases*. San Diego, CA: Elsevier Ltd.

67. Pope, M. L., Bussen, M., Feige, M. A., Shadkix, L., Gonder, S., Rodgers, C., Chambers, Y., Pulz, J., Miller, K., Coneell, K. and Standridge, J. (2003) Assessment of the effects of holding time and temperature on *Escherichia coli* densities in surface water samples. *Applied and Environmental Microbiology* 69: 6201-6207.

Qadri, F., Das, S. K., Svennerholm, A. M., Faruque, A. S. and Sack, R. B. (2005). Enterotoxigenic *Escherichia coli* in developing countries: Epidemiology, Microbiology, Clinical Features, Treatment and prevention. *Journal of Clinical Microbiology* 18: 465–483.

Reid, S. D., Herbelin, C. J., Bumbaugh, A. C., Selander, R. K., and Whittam, T. S. (2000). Parallel evolution of virulence in pathogenic *Escherichia coli*. *Nature*. 406: 64–67.

Rompre, A., Servais, P., Baudart, J., Marie, R. D. R. and Laurent, P. (2002). Detection and enumeration of coliform in drinking water: current methods and emerging approaches. *Journal of Microbiological Methods* 49: 31-54.

Safurah, H. J., Raili, H. S., Kamaliah, M. N, Fauziah, Z. E. and Siong, L. F. (2007). Primary health care key to intersectoral action for health and equity. *Intersectoral Action for Health and Equity*, Malaysia.

Sayah, Kaneene, R. S., Johnson, Y. and Miller, R. (2005). Patterns of

antimicrobial resistance observed in *Escherichia coli* isolates obtained from domestic and wild animal fecal samples, human septage, and surface water. *Applied Environmental Microbiology* 71: 1394–1404.

Scott, T. M., Rose, J. B., Jenkins, T. M., Farrah, S. R. and Lukasik, J. (2002) Microbial source tracking: current methodology and future directions. *Applied Environmental Microbiology* 68: 5796–5803.

Seurinck, S., Verstraete, W., and Siciliano, S. D. (2003). Use of 16S- 23S rRNA intergenic spacer region PCR and repetitive axtragenic palindromic PCR analyses of *Escherichia coli* isolates to identify nonpoint fecal sources. *Applied Environmental Microbiology* 69: 4942-4950

Simpson, J. M., Domingo, J. W. S. and Reasoner, D. J. (2002). Microbial source tracking: state of the science. *Environmental Science Technology* 36: 5279–5288.

Sinton, L.W., Finlay, R. K. and Lynch, P. A. (1999). Sunlight inactivation of fecal bacteriophages and bacteria in sewage-polluted seawater. *Applied and Environmental Microbiology* 65: 3605-3613.

Smith, J. L. and Framico, P. M. (2005). Diarrhea- inducing *Escherichia coli*. In: P.M. Fratamico, P. M., Bhunia, A. K. and Smith, J. L. (Eds.), *Food borne pathogens microbiology and molecular biology*. United Kingdom, Norfolk: Caister Academic Press pp357-382.

Sonzogni, W., Standridge, J. and Bussen, M. (2002). Preservation and survival of *E. coli* in well water samples submitted for routine analysis. Final report DNR Project 166. Wisconsin State Laboratory of Hygiene, Environmental Health Division, Madison, Wisconsin. pp48.

Stacy-Phipps, S., Mecca, J. J. and Weiss, J. B. (1995). Multiplex PCR assay and simple preparation method for stool specimens detect enterotoxigenic *Escherichia coli* DNA during the course of infection. *Journal of Clinical Microbiology* 33: 1054-1059.

Standard Methods for the Examination of Water and Wastewater, 16th Edition. 1985 APHAAWWA-WPCF, pp 858-859.

Standard Methods for the Examination of Water and Wastewater, 20th Edition. 1998 APHAAWWA-WPCF, pp 9-21.

Stoeckel, D. M., Mathes, M. V., Hyer, K. E., Hagedorn, C., Kator, H., Lukasik, J., O'Brien, T. L., Fenger, T. W., Samadpour, M., Strickler, K. M. and Wiggins, B. A. (2004). Comparison of Seven Protocols to Identify Fecal Contamination Sources Using *Escherichia coli*. *Environmental Science and Technology*. 38: 6109-6117.

Straus, D. C. (1987). Production of an extracellular toxic complex by various strains of *Klebsiella pneumoniae*. *Infection Immunity* 55: 44-48.

Strauss, B., King, W., Ley, A. and Hoey, J. R. (2001). A Prospective Study of Rural Drinking Water Quality and Acute Gastrointestinal Illness. *BMC Public Health*. 1:8.

85. Sussman, Max. (1985). The Virulence of *Escherichia coli* Reviews and Methods. London: Academic Press.

Taylor, J. (1961). Host specificity and enteropathogenicity of *Escherichia coli*. *Journal of Applied Bacteriology* 24: 316-325.

Trombert, A., Irazoqui, H., Marty'n, C. and Zalazar, F. (2007). Evaluation of UV-C induced changes in *Escherichia coli* DNA using repetitive extragenic palindromic-polymerase chain reaction (REP-PCR). *Journal of Photochemistry and Photobiology B: Biology* 89: 44-49.

Tyler, K. D., Wang, G., Tyler, S. D., Johnson, W. M. (1997). Factors affecting reliability and reproducibility of amplification-based DNA fingerprinting of representative bacterial pathogens. *Journal of Clinical Microbiology* 35: 339– 346.

USEPA (United States Environmental Protection Agency), 1986. Report, EPA440/5-84-002). Ambient water quality criteria for bacteria.

USEPA. (1978). Microbiological Methods for Monitoring the Environment. Water and Wastes. pp.30.

Versalovic, J., Schneider, M., de Bruijin, F. J., and Lupski, J. R. (1994). Genomic fingerprinting of bacteria using repetitive sequence- based polymerase chain reaction. *Methods of Molecular Cell Biology* 5: 25-40.

Vial, P. A., Browne, R. R., Lior, H., Prado, V., Kaper, J. B., Nataro, J. P., Maneval, D., Elsayed, A. and Levine. M. M. (1988). Characterization of

enteroadherentaggregative *Escherichia coli*, a putative agent of diarrheal disease. *Journal of Infectious Disease* 158: 70-79.

Vos, P., Hogers, R., Bleeker, M., Reijans, M., Lee, T., Hornes, M., Frijters, A., Pot, J., Peleman, J., Kuiper, M. and Zabeau, M. (1995). AFLP: A New Technique for DNA Fingerprinting. *Nucleic Acids Research* 23: 4407-4414.
Watkinson, A. J., Micalizzi, G. B., Graham, G. M., Bates, J. B. and Costanzo, S. D. (2007). Antibiotic-resistant *Escherichia coli* in wastewaters, surface waters, and oysters from an urban riverine system. *Applied Environmental Microbiology* 73: 5667-5670.

White, P. A., McIver, C. J. and Rawlinson W. D. (2001). Integrons and gene cassettes in the *Enterobacteriaceae*. *Antimicrobial Agents Chemotherapy* 45: 2658-2661.

Whittam, T.S. (1996). Genetic variation and evolutionary processes in natural populations of *Escherichia coli*. In *Escherichia coli and Salmonella: cellular and molecular biology*. F.C. Neidhardt, editor. ASM Press. Washington, DC, USA. pp2708-2720.

World Health organization. (2004). (WHO) Country Cooperation strategy Malaysia. Western Pacific Country Health Information Profiles in 2004.

Young, H. K. (1993). Review: Antimicrobial resistance spread in aquatic environments. *Journal of Antimicrobial Chemotherapy* 31: 627:635.