
REFERENCES

References

- Agadi, V.V., Bhosle, N.B., Untawale, A.G. 1978. Metal concentration in some seaweeds of Goa (India). **Bot. Mar.** 21 : 247-250.
- Ahner, B.A., Shing, K., Morel, F.M.M. 1995. Phytochelatin production in marine algae. 1. An interspecies comparison. **Limnol. Oceanogr.** 40 : 649-567.
- Andersson, S., Kautsky, L. and Kautsky, N. 1992. Effects of salinity and bromine on zygotes and embryos of *Fucus vesiculosus* from the Baltic Sea. **Mar. Biol.** 114 : 661-665.
- Andersson, S. and Kautsky, L. 1996. Copper effects on reproductive stages of Baltic Sea *Fucus vesiculosus*. **Mar. Biol.** : 171-176.
- ASTM. 1993. Standard guide for conducting static 96 h toxicity tests with microalgae. Method E1218-90. In : Annual Book of ASTM Standards, Volume 11.04. American Society for Testing and Materials, Philadelphia, Pennsylvania, pp. 929-940.
- Aulio, K. 1983. Heavy metals in the green alga *Cladophora glomerata* as related to shore types in the Archipelago Sea, SW Finland. **Mar. Pollut. Bull.** 14 : 347-348.
- Babji, A.S., Embong, M.S. and Awang, Z. 1986. Monitoring of heavy metal contents of coastal fishes in Peninsular Malaysia. In : Development and Management of Tropical Living Aquatic Resources, Chan, H.H. et al. (eds.), University Pertanian Malaysia (Publ.) : 219-224.
- Barnett, B.E. and Ashcroft, C.R. 1985. Heavy metals in *Fucus vesiculosus* in the Humber Estuary. **Environ. Pollut. Ser. B** 9 : 193-213.
- Barreiro, R., Real, C., Carballeira, A. 1993. Heavy metal accumulation by *Fucus ceranoides* in a small estuary in North-West Spain. **Mar. Environ. Res.** 36 : 39-61.
- Bryan, G.W. 1969. The absorption of Zn and other metals by brown seaweed *Laminaria digitata*. **J. Mar. Biol. Ass. U.K.** 49 : 225-243.

- Bryan, G.W. 1976. Heavy metal contamination in the sea. In : Marine Pollution, Johnston, R., ed., Academic Press Inc. (London) Publ., pp. 185-302.
- Bryan, G.W. and Hummerstone, L.G. 1973. Brown seaweed as an indicator of heavy metals in estuaries in South-West England. **J. Mar. Biol. Ass. U.K.** 53 : 705-720.
- Bryan, G.W. 1983. Brown seaweed, *Fucus vesiculosus*, and the gastropod, *Littorina littoralis*, as indicators of trace metal availability in estuaries. **Sci. Total. Environ.** 28 : 91-104.
- Bryan, G.W., Langston, W.J., Hummerstone, L.G. and Burt, G.R. 1985. A guide to the assessment of heavy metal contamination in estuaries using biological indicators. **Occa. Publi. Mar. Biol. Ass. U.K.** 4 : 1-92.
- Burdin, K.S. and Bird, K.T. 1994. Heavy metal accumulation by carrageenan and agar producing algae. **Bot Mar.** 37 : 467-470.
- Burrows, E.M. 1971. Assessment of pollution effects by the use of algae. **Proc. R. Soc. Lond. (Ser. B)** 177 : 295-134.
- Cairns, Jr., J. and Niederlehner, B.R. 1987. Problems associated with selecting the most sensitive species for toxicity testing. **Hydrobiologia** 153 : 87-94.
- Cairns, Jr., J. and Niederlehner, B.R. 1992. Coping with the environmental effects of point-source discharges. **J. Environ. Sci.** 4 : 1-9.
- Cairns, Jr., J., McCormick, P.V. and Niederlehner, B.R. 1993. A proposed framework for developing indicators of ecosystem health. **Hydrobiologia** 263 : 1-44.
- Catsiki, V.A., Papathanassiou, E., Bei, F. 1991. Heavy metal levels in characteristic benthic flora and fauna in the Central Aegean Sea. **Mar. Pollut. Bull.** 22 : 566-569.
- Chaphekar, S.B. 1991. An overview on bioindicators. **J. Environ. Biol.** 12 : 163-168.
- Chung, I.K. and Brinkhuis, B.H. 1986. Cu effects in early stages of the kelp *Laminaria saccharina*. **Mar. Pollut. Bull.** 17 : 213-218.
- Craigie, J.S. 1990. Irish moss cultivation : some reflections. In : Economically important marine plants of the

Atlantic : their biology and cultivation (Yarish, C. et al. eds.), Marine Sciences Institute, University of Connecticut at Avery Point, Groton, pp. 37-52.

Cullinane, J.P., Doyle, T.M. and Whelan, P.M. 1987. Uses of seaweeds as biomonitors of zinc levels in Cork Harbour, Ireland. **Hyrobiologia** 151/152 : 285-290.

Denton, G.R.W. , Burdon-Jones, C. 1986. Trace metals in algae from the Great Barrier Reef. **Mar. Pollut. Bull.** 17 : 98-107.

Department of Environment (DOE), Malaysia. 1993. Environmental Quality Report 1992. Ministry of Science, Technology and the Environment, pp. 79.

Department of Environment (DOE), Malaysia. 1994. Environmental Quality Report 1993. Ministry of Science, Technology and the Environment, pp. 94.

Department of Environment (DOE), Malaysia. 1995. Environmental Quality Report 1994. Ministry of Science, Technology and the Environment, pp. 93.

Department of Environment (DOE), Malaysia. 1996. Environmental Quality Data 1992-1995. Ministry of Science, Technology and the Environment, pp. 140.

Donard, O.F.X., Short, F.T. and Weber, J.H. 1987. Regulation of tin and methyltin compounds by the green alga *Enteromorpha* under simulated estuarine conditions. **Can. J. Fish. Aquat. Sci.** 44 : 140-145.

Doust, J.L., Schmidt, M., Doust, L.L. 1994. Biological assessment of aquatic pollution : A review, with emphasis on plants as biomonitors. **Biol. Rev.** 69 : 147-186.

Eklund, B. Manual for the reproduction test using the marine red alga *Ceramium strictum*. ITM-rapport 41 (Edition 1), Institute of Applied Environmental Research, University of Stockholm, Sweden, pp. 1-16, 1995.

Eide, I. and Mykkestad, S. 1980. Long-term uptake and release of heavy metals by *Ascophyllum nodosum* (L.) Le Jol. (Phaeophyceae) *in situ*. **Environ. Pollut. Ser. A** 23 : 19-28.

Favero, N., Cattalini, F., Bertaggia, D. and Albergoni, V. 1996. Metal accumulation in a biological indicator (*Ulva rigida*) from the Lagoon of Venice (Italy). **Arch. Environ.**

Contam. Toxicol. 31 : 9-18.

Fletcher, R.L. 1991. Marine macroalgae as bioassay test organisms. In : *Ecotoxicology and the Marine Environment* (eds. Abel, P.D. and Axiak, V.), Ellis Horwood (London) Publ. 12 pp.

Foster, P. 1976. Concentrations and concentration factors of heavy metals in brown algae. **Environ. Pollut.** 10 : 45-53.

Freitas, A.C.S., Guimaraes, R.C.J., Gouvea, V.A. and Penna Franca, E. 1988. Strontium-85 bioaccumulation by *Sargassum* spp. (brown seaweed) and *Galaxaura marginata* (calcareous seaweed). **Sci. Total Environ.** 75 : 225-233.

Fuge, R. and James, K.H. 1973. Trace metal concentrations in brown seaweeds, Cardigan Bay, Wales. **Mar. Chem** 1 : 281-293.

Gadd, G.M. Accumulation of metals by microorganisms and algae. In : *Biotechnology - A Comprehensive Treatise* (Rehm, H.J (ed.)), Vol. 6b, VCH Verlagsgesellschaft, Weinheim, 1988, pp. 401.

Ganesan, M., Kannan, R., Rajendran, K., Govindasamy, C., Sampathkumar, P., Kannan, L. 1991. Trace metals distribution in seaweeds of the Gulf of Mannar, Bay of Bengal. **Mar. Pollut. Bull.** 22 : 205-207.

Geddie, J.L. and Sutherland, I.W. 1994. The effect of acetylation on cation binding by algal and bacterial alginates. **Biotech. Appl. Biochem.** 20 : 117-129.

Gekeler, W., Grill, E., Winnacker, E.L., Zenk, H. 1988. Algae sequester heavy metal via synthesis of phytochelatin complexes. **Arch. Microbiol.** 150 : 197-202.

George, S.G. In : *Physiological Mechanisms of Marine Pollutant Toxicity* (eds. Vernberg, W.B. et al.), Academic Press, New York, 1982, pp. 3-52.

Gledhill, M., Nimmo, M., Hill, S.J. and Brown, M.T. 1997. The toxicity of copper(II) species to marine algae, with particular reference to macroalgae. **J. Phycol.** 33 : 2-11.

Grasshoff, K. 1983. Methods of seawater analysis. Grasshoff, K. et al., (eds.), Verlag Chemie. Publi. 419 pp.

- Grill, E., Winnacker, E.L., Zenk, M.H. 1985. Phytochelatins : The principle heavy metal complexing peptides of higher plants. **Science** 230 : 674-676.
- Guilizzoni, P. 1991. The role of heavy metals and toxic materials in the physiological ecology of submersed macrophytes. **Aquatic Botany** 41 : 87-109.
- Gutknecht, J. 1961. Mechanism off radioactive Zn uptake by *Ulva lactuca*. **Limnol. Oceanogr.** 6 : 426-431.
- Gutknecht, J. 1963. Zn⁶⁵ uptake by benthic marine algae. **Limnol. Oceanogr.** 8 : 31-38.
- Gutknecht, J. 1965. Uptake and retention of Cesium 137 and Zinc 65 by seaweeds. **Limnol. Oceanogr.** 10 : 58-66.
- Haglund, K., Bjorklund, M., Gunnare, S., Sandberg, A., Olander, U., Pedersen, M. 1996. New method for toxicity assessment in marine and brackish environments using the macroalga *Gracilaria tenuistipitata* (Gracilariales, Rhodophyta). **Hydrobiologia** 326/327 : 317-325.
- Hall, A. 1980. Heavy metal co-tolerance in a Cu-tolerant population of the marine fouling alga *Ectocarpus siliculosus* (Dillw.) Lyngbye. **New Phytol.** 85 : 73.
- Hall, A. 1981. Cu accumulation in Cu-tolerant and non-tolerant populations of the marine fouling alga *E. siliculosus*. **Bot. Mar.** 29 : 223.
- Harrison, G.I., Campbell, P.G.C. and Tessier, A. 1986. Effects of pH changes on Zn uptake by *Chlamydomonas variabilis* grown in batch culture. **Ca. J. Fish. Aquat. Sci** 43 : 687-693.
- Haug, A. and Smidsrod, O. 1967. Strontium, Calcium and Magnesium in brown algae. **Nature** 215 : 1167-1168.
- Haug, A., Melsom, S., Omang, S. 1974. Estimation of hevay metal pollution in two Norwegian fjord areas by analysis of the brown alga *Ascophyllum nodosum*. **Environ. Pollut.** 7 : 179-192.
- Helawell, J.M. 1986. Biological indicators of freshwater pollution and environmental management. In : Pollution Monitoring Series, Elsevier Applied Science (London) Publ. 546 pp. 546.

- Hellenbrand, K. 1979. Effect of pulp mill effluent on productivity of seaweeds. In : Proc. 9th Int. Seaweed Symp., pp. 161-171.
- Ho, Y.B. 1987. Metals in 19 intertidal macroalgae in Hong Kong waters. **Mar. Pollut. Bull.** 18 : 564-566.
- Ho, Y.B. 1990. *Ulva lactuca* as bioindicator of metal contamination in intertidal waters in Hong Kong. **Hydrobiologia** 203 :73-81.
- Ho, Y.B. Seaweeds for monitoring eutrophication and heavy metal pollution. In : Pollution and Biomonitoring (ed. Rana, B.C.), Tata McGraw-Hill Publishing Company Limited, pp. 183-210, 1995.
- Ishio, S., Yano, T. and Nakagawa, H. 1972. Cancerous disease of *Porphyra tenera* and its causes. In : Proc. 7th Int. Seaweed Symp. (Nisizawa, K. et al., eds.), University Press, Tokyo, pp. 373-376.
- Ismail, A., Idris, B.A.G. and Sukal, R. 1989. Distribution of heavy metals in sediment of Port Klang. In : Proc. 12th Ann. seminar, Malaysian Society of Marine Sciences, November 1989. University of Malaya, pp. 279-282.
- Ismail, A. 1993. Heavy metal concentrations in sediments off Bintulu, Malaysia. **Mar. Pollut. Bull.** 26 : 706-707.
- Ismail, M. and Jamil, M.M. 1994. An assessment of trace metal pollution in the mudflats of Kuala Selangor and Batu Kawan, Malaysia. **Mar. Pollut. Bull.** 28 : 512-514.
- Jayasekera, R. and Rossbach, M. 1996. Use of seaweeds for monitoring trace elements in coastal waters. **Environ. Geochem. Health** 18 : 63-68.
- Jensen, A. 1984. Marine ecotoxicological tests with seaweeds. In : Ecotoxicological testing for the marine environment (Persoone, G. et al. (eds.), Vol I, State University of Ghent and Institute for Marine Scientific Research, Bredene, pp. 181-193.
- Johansen, P., Hansen, M.M., Asmund, G., Nielsen, P.O. 1991. Marine organisms as indicators of heavy metal pollution - Experience from 16 years of monitoring at a lead zinc mine in Greenland. **Chemistry and Ecology** 5 : 35-55.

- Kafanov, A.I. and Zhukov, V.E. 1988. Macrophytic algae from Vityaz bay, Sea of Japan : the abundance and diversity of species in heterogenous habitats. **Asian Mar. Biol.** : 53-64.
- Kangas, P. and Autio, H. 1986. Macroalgae as indicators of heavy metal pollution. Water Research Institute, Publication No. 68, National Board of Waters, Helsinki : 183-189.
- Karez, C.S., Magalhaes, V.F., Pfeiffer, W.C. , Amado Filho, G.M. 1994. Trace metal accumulation by algae in Sepetiba Bay, Brazil. **Environ. Pollut.** 83 : 351-356.
- Karez, C.S. and Pereira, R.C. 1995. Metal contents in polyphenolic fractions extracted from the brown alga *Padina gymnospora*. **Bot Mar.** 38 : 151-155.
- Kautsky, H., Kautsky, L., Kautsky, N., Kautsky, U. and Lindblad, C. 1992. Aspects of the *Fucus vesiculosus* community in the Baltic Sea. **Acta Phytogeogr. suec.** 78 : 33-48.
- Kenneth, W.B. and Roberts, P.F. 1979. Sampling and analytical methods for the determination of Cu, Cd, Zn and Ni at the nanogram per liter level in seawater. **Anal. Chim. Acta.** 105 : 233-245.
- Kesava Rao, Ch. and Indusekhar, V.K. 1986. Mn, Zn, Cu, Ni and Co contents in seawater and seaweeds from Saurashtra Coast. **Mahasagar-Bulletin of the National Institute of Oceanography** 19 : 129-136.
- Kesava Rao, Ch. and Indusekhar, V.K. 1987. Cr, Pb and Cd contents of certain seaweeds from Saurashtra Coast. **Phykos** 26 : 1-7.
- Kesava Rao, Ch. 1992. Elemental composition of Indian marine algae. **Indian J. Mar. Sci.** 21 : 167-177.
- Kim, G.H. and Fritz, L. 1993. A signal glycoprotein with alfa-D-mannosyl residues is involved in the wound healing response of *Antithamnion sparsum* (Ceramiales, Rhodophyta). **J. Phycol.** 29 : 85-90.
- Klumpp, D.W. 1980. Characteristics of As accumulation by the seaweeds *Fucus spiralis* and *Ascophyllum nodosum*. **Mar. Biol.** 58 : 257-264.

- Kovacs, M. and Podani, J. 1986. Bioindication : A short review on the use of plants as indicators of heavy metals. **Acta Biologica Hungarica** 37 : 19-29.
- Kureishy, T.W. 1991. Heavy metals in algae around the coast of Qatar. **Mar. Pollut. Mar.** 22 : 414-416.
- Kuyucak, N. and Volesky, B. 1989. Accumulation of Co by marine alga. **Biotechnol. Bioeng.** 33 : 809-814.
- Lange, C.R. and Lambert, K.E. 1994. Fate and effects of pollutants : Biomonitoring. **Water Environ. Res.** 66 : 642-651.
- Lignell, A., Roomans, G.M. and Pedersen, M. 1982. Localization of absorbed Cd in *Fucus vesiculosus* L. by X-ray microanalysis. **Z. Pfl. Physiol.** 105 : 103-109.
- Lignell, A. and Pedersen, M. 1989. Agar composition as a function of morphology and growth rate. Studies on some morphological strains of *Gracilaria secundata* and *G. verrucosa* (Rhodophyta). **Bot Mar.** 32 : 219-227.
- Liong, P.C. 1986. Heavy metals in shellfish from the northern part of Malacca Straits. In : Development and Management of Tropical Living Aquatic Resources, Chan, H.H. et al. (eds.), University Pertanian Malaysia (Publ.) : 219-224.
- Lobban, C.S., Harrison, P.J. and Duncan, M.J. 1985. The physiological ecology of seaweeds, Cambridge University Press, Cambridge.
- Luoma, S.N., Bryan, G.W., Langston, W.J. 1982. Scavenging of heavy metals from particulates by brown seaweed. **Mar. Pollut. Bull.** 13 : 394-396.
- Luoma, S.N. 1989. Can we determine the biological availability of sediment bound trace elements ? **Hydrobiologia** 176/177 : 379-396.
- Luoma, S.N. 1990. Processes affecting metal concentrations in estuarine and coastal marine sediments. In : Heavy metals in the Marine Environment (Furness, R.W. and Rainbow, P.S., eds.), Boca Raton, Florida, CRC Press Inc., 51-66.
- Maeda, S. , Sakaguchi, T. Accumulation and detoxification of toxic metal elements by algae. In : Introduction to Applied Phycology (Akatsuka, I., ed.), SPB Academic Publishing bv, Hague, pp. 109-136, 1990.

- Magalhaes, V.F., Karez, C.S., Pfeiffer, W.C., Guimaraes, J.R.D. 1994. Cr and Zn accumulation by *Padina gymnospora* (Phaeophyceae) from a contaminated tropical coastal area. **Fresenius Environ. Bull.** 3 : 300-305.
- Maltby, L. and Calow, P. 1989. The application of bioassays in the resolution of environmental problems : Past, present and future. **Hydrobiologia** 188/189 : 65-76.
- Matzku, S. and Broda, E. 1970. Die Zinkaufnahme in das Innere von *Chlorella*. **Planta** 92 : 29-40.
- McCormick, P.V. and Cairns, Jr., J. 1994. Algae as indicators of environmental change. **J. Appl. Phycol.** 6 : 509-526.
- McLean, M.W. and Williamson, F.B. 1977. Cd accumulation by the marine red alga *Porphyra umbilicalis*. **Physiol. Plant.** 41 : 268.
- Melhuus, A., Seip, K.L., Seip, H.M., Mykkestad, S. 1978. A preliminary study of the use of benthic algae as biological indicators of heavy metals pollution in Sørkjorden, Norway. **Environ. Pollut.** 15 : 101-107.
- Mhatre, G.N. 1991. Bioindicators and biomonitoring of heavy metals. **J. Environ. Biol.** , JEB Decade Commemoration Issue : 201-209.
- Morris, A.W and Bale, A.J. 1975. The accumulation of Cd, Cu, Mn and Zn by *Fucus vesiculosus* in the British Channel. **Estuar. Coast. Shelf Sci.** 3 : 153-163.
- Molloy, F.J. and Hills, J.M. 1996. Long term changes in heavy metal loadings of *Ascophyllum nodosum* from the Firth of Clyde, UK. **Hydrobiologia** 326/327 : 305-310.
- Munda, I.M. 1964. Water and electrolyte exchange in the brown algae *Ascophyllum nodosum* (L.) Le Jol., *Fucus vesiculosus* L. and *F. ceranoides* L. **Bot. Mar.** 6 : 159-188.
- Munda, I.M. 1979. Temperature dependent of Zn uptake in *Fucus virsoides* (Don.) J.Ag. and *Enteromorpha prolifera* (O. Mull.) J. Ag. from the Adriatic Sea. **Bot. Mar.** 22 : 149-152.
- Munda, I.M. 1982. The effect of different pollutants on benthic marine algae. VI^{es} Journees Etud. Pollutions, Cannes, C.I.E.S.M. : 721-726.

- Munda, I.M. 1984. Salinity dependent accumulation of Zn, Co and Mn in *Scytosiphon lomentaria* (Lyngb.) Link. and *Enteromorpha intestinalis* (L.) Link. **Bot Mar.** 27 : 371-376.
- Munda, I.M. 1986. Differences in heavy metal accumulation between vegetative parts of the thalli and receptacles in *Fucus spiralis* L. **Bot. Mar.** 29 : 341-349.
- Munda, I.M. and Hudnik, V. 1986. Growth response of *Fucus vesiculosus* to heavy metals, singly and in dual combinations, as related to accumulation. **Bot. Mar.** 29 : 401-412.
- Munda, I.M. and Hudnik, V. 1988. Effects of Zn, Mn and Co accumulation on growth and chemical composition of *Fucus vesiculosus* L. under different temperature and salinity conditions. **Mar. Ecol. (Wien)** 9 : 213-225.
- Munda, I.M., Hudnik, V. 1991. Trace metal content in some seaweeds from the Northern Adriatic. **Bot. Mar.** 34 : 241-249.
- Munda, I.M. and Veber, M. 1996. Simultaneous effects of trace metals and excess nutrients on the Adriatic seaweed *Fucus virsoides* (Don.) J. Ag. (Phaeophyceae, Fucales). **Bot Mar.** 39 : 297-309.
- Myklestad, S. and Eide, I. 1978. Exchange of heavy metals in *Ascophyllum nodosum* (L.) Le Jol. *in situ* by means of transplanting experiments. **Environ. Pollut.** 16 : 277-284.
- Myklestad, S. 1979. Ion exchange properties of sulphated polysaccharides in brown algae. **Proc. Int. Seaweed Symp.** 6 : 545-552.
- Nieboer, E. and Richardson, D.H.S. 1980. The replacement of the nondescript term 'heavy metals' by a biologically and chemically significant classification of metal ions. **Environ. Pollut.** B1 : 3-26.
- Norberg-King, T.J. 1993. A linear interpolation method for sublethal toxicity : The inhibition concentration (IC_p) approach (Version 2.0).
- North, W.J. and James, D.E. 1987. Use of *Cystoseira* and *Sargassum* embryonic sporophytes for testing toxicity effects. **Hydrobiologia** 151/152 : 417-423.

- Nyholm, N. 1985. Response variable in algal growth inhibition test- biomass or growth rate?. **Water Res.** 19 : 273-279.
- Pedersen, A. 1984. Studies on phenol content and heavy metal uptake in fucoids. **Hydrobiologia** 116/117 : 498-504.
- Percival, E. 1979. The polysaccharides of green, red and brown seaweeds : their basic structure, biosynthesis and function. **Br. Phycol. J.** 14 : 103-117.
- Peterson, H.G., Healey, F.P. and Wagemann, R. 1984. Metal toxicity to algae : a highly pH-dependent process. **Can. J. Fish. Aquat. Sci.** 41 : 974.
- Phillips, D.J.H. 1977. The use of biological indicator organisms to monitor trace metal pollution in marine and estuarine environments - A review. **Environ. Pollut.** 13 : 281-317.
- Phillips, D.J.H. 1980. Quantitative aquatic biological indicators : Their use to monitor trace metal and organochlorine Ragapollution. Applied Science Publishers, London.
- Phillips, D.J.H., Thompson, G.B., Gabuji, K.M. and Ho, C.T. 1982. trace metals of toxicological significance to man in Hong Kong seafood. **Environ. Pollut.** B3 : 27-45.
- Phillips, D.J.H., Rainbow, P.S. 1989. Strategies of trace metal sequestration in aquatic organisms. **Mar. Environ. Res.** 28 : 207-210.
- Phillips, D.J.H. Use of macroalgae and invertebrates as monitors of metal levels in estuaries and coastal waters. In : Heavy metals in the marine environment (eds. Furness, R.W. and Rainbow, P.S. CRC Press, Boca Raton, pp. 81-99, 1990.
- Phillips, D.J.H. 1990. Use of macroalgae and invertebrates as monitors of metal levels in estuaries and coastal waters. In : Heavy metals in the Marine Environment (ed. R.W. Furness and P.S. Rainbow), Boca Raton, Florida, CRC Press, Inc. pp. 81-99.
- Phillips, D.J.H. Macrophytes as biomonitors of trace metals. In : Biomonitoring of coastal waters and estuaries (ed. Kramer.K.J.M.), CRC Press, Inc., Boca Raton, pp. 85-103, 1994.

- Power, M.E. 1990. Effects of fish in river food webs. **Science** 250 : 811-814.
- Price, N.M. and Morel, F.M.M. 1990. Cd and Co substitution for Zn in a marine diatom. **Nature** 344 : 658-660.
- Ragan, M.A. 1976. Physodes and the phenolic compounds of brown algae. Composition and significance of physodes in vivo. **Bot. Mar.** 19 : 145-154.
- Ragan, M.A., Smidsrod, O. and Larsen, B. 1979. Chelation of divalent metal ions by brown algal polyphenols. **Mar. Chem.** 7 : 265-271.
- Ragan, M.A. and Jensen, A. 1979. Quantitative studies of brown algal phenols . III. Light-mediated exudation of polyphenols from *Ascophyllum nodosum* (L.) Le Jol. **J. Exp. Mar. Biol. Ecol.** 36 : 91-101.
- Ragan, M.A. and Glombitza, K.W. 1986. Phlorotannins, brown algae polyphenols. **Prog. Phycol. Res.** 4 : 129-241.
- Rai, L.C., Gaur, J.P. and Kumar, H.D. 1981. Phycology and heavy metal pollution. **Biol. Rev.** 56 : 51-99.
- Rainbow, P.S. and White, S.L. 1989. Comparative strategies of heavy metal accumulation by crustaceans : Zn, Cu and Cd in a decapod, an amphipod and a barnacle. *Hydrobiologia*, 174 : 245-262.
- Rainbow, P.S., Phillips, D.J.H., Depledge, M.H. 1990. The significance of trace metal concentrations in marine invertebrates. **Mar. Pollut. Bull.** 21 : 321-324.
- Rainbow, P.S. 1993. Biomonitoring of marine heavy metal pollution and its application in Hong Kong waters. In : Proceedings of First International Conference on the Marine Biology of Hong Kong and South China Sea (Morton, B., ed.), Hong Kong, pp. 235-250.
- Rainbow, P.S., Phillips, D.J.H. 1993. Cosmopolitan biomonitors of trace metals. **Mar. Pollut. Bull.** 26 : 593-601.
- Rainbow, P.S. and Dallinger, R. 1993. Metal uptake, regulation, and excretion in freshwater invertebrates. In : Ecotoxicology of metals in invertebrates (eds. Dallinger, R. and Rainbow, P.S.), Special Publication of SETAC, Lewis Publishers, pp. 119-131.

- Rajendran, K., Sampathkumar, P., Govindasamy, C., Ganesan, M., Kannan, R., Kannan, L. 1993. Levels of trace metals (Mn, Fe, Cu and Zn) in some Indian seaweeds. **Mar. Pollut. Bull.** 26 : 283-285.
- Ramirez, M., Gonzalez, H., Ablanedo, N. and Torres, I. 1990. Heavy metals in macroalgae of Havana's northern littoral, Cuba. **Chem. Ecol.** 4 : 49-55.
- Reed, R.H. and Darrig, S. Physiological responses of ship-fouling and non-fouling isolates of *Enteromorpha compressa* to Cu. In : Proc. Int. Conf. on Heavy Metals in the Environment, CEP Consultants, Edinburgh, 1983, pp. 322.
- Reed, R.H. and Gadd, G.M. Metal tolerance in eukaryotic and prokaryotic algae. In : Heavy metal tolerance in plants : Evolutionary aspects (Shaw, J.A. ed.), Boca Raton, Florida, CRC Press Inc., 1990, pp. 105-118.
- Rice, D.L. and Lapointe, B.E. 1981. Experimental outdoor studies with *Ulva fasciata* Delile. II. Trace metal chemistry. **J. Exp. Mar. Biol. Ecol.** 54 : 1-11.
- Rijstenbil, J.W., Haritonidis, S., van Drie, J., Malea, P., Wijnholds, J.A. 1993. Interactions of copper with trace metals and thiols in the macro-algae *Enteromorpha prolifera* (O.F. Miill) J.Ag., grown in water of the Scheldt Estuary (Belgium and S.W. Netherlands). **The Sci. Tot. Environ.**, Supplement 1993.
- Russell, G. and Morris, O.P. 1970. Cu tolerance in the marine fouling alga *Ectocarpus siliculosus*. **Nature Lond.** 228 : 288-289.
- Sanders, J.G. 1979. The concentration and speciation of As in marine macroalgae. **Estuar. Coast. Mar. Sci.** 9 : 95-99.
- Santelices, B. 1992. Strain selection of clonal seaweeds. In : Progress in phycological research (Round, F.E. et al. eds.), Vol. 8, Biopress Ltd., Bristol, pp. 85-116.
- Say, P.J., Burrows, I.G., Whitton, B.A. 1990. *Enteromorpha* sp. as a monitor of heavy metals in estuaries. **Hydrobiologia** 195 : 119-126.
- Seeliger, U. and Edwards, P. 1977. Correlation coefficients and concentration factors of copper and lead in seawater and

- farming. **Aquaculture** 20 : 291-303.
- Sivalingam, P.M., Yoshida, Y., Kojima, H. and Allapitchay, A. 1980. Trace metals biodeposition and its extent of pollution in coastal molluscs, sediment and seawater samples from the Island of Penang, Malaysia. In : Proc. 4th Symposium of the Cooperative Study of Kuroshio and its adjacent Regions, Tokyo, February 1979, pp. 532-544.
- Sivalingam, P.M. 1985. Impacts of domestic, industrial and agricultural waste disposal on the coastal zone environment of the Straits of Malacca. In : Proc. Symp. Environ. Res. Coast. Zone Management in the Straits of Malacca, Burbridge, P.R. et al. (eds.), 11-13 November, 1985, Medan, Indonesia : 179-207.
- Skipnes, O., Roald, T., Haug, A. 1975. Uptake of zinc and strontium by brown algae. **Physiol. Plant.** 34 : 314-320.
- Staples, L.S., Shacklock, P.F., Craigie, J.S. 1995. Rapid growth of clones of the red alga *Chondrus crispus* : Applications in assays of toxic substances and in physiological studies. **Marine Biology** 122 : 471-477.
- Steele, R.L. and Hanisak, M.D. 1979. Sensitivity of some brown algal reproductive stages to oil pollution. **Proc. Int. Seaweed Symp.** 9 : 181-190.
- Steele, R.L. and Thursby, G.B. 1983. A toxicity test using stages of *Champia parvula* (Rhodophyta). In : Aquatic toxicology and hazard assessment (Bishop, W.E. et al. eds.), 6th Symposium, ASTM STP 802, American Society for Testing Materials, Philadelphia, pp. 73-89.
- Strickland, J.D.H. and Parsons, T.R. 1968. A practical handbook of seawater analysis. **Bull. Fish. Res. Bd. Can.** 167 : 311-.
- Stromgren, T. 1980a. The effect of Pb, Cd and Hg on the increase in length of five intertidal Fucales. **J. Exp. Mar. Biol. Ecol.** 43 : 107-119.
- Stromgren, T. 1980b. The effect of dissolved Cu on the increase in the length of four species of intertidal fucoid algae. **Mar. Environ. Res.** 3 : 5-13.
- Sunda, W. and Guillard, R.R.L. 1976. The relationship between cupric ion activity and the toxicity of copper to

- phytoplankton. **J. Mar. Res.** 34 : 511.
- Swanson, S.M., Rickard, C.P., Freemark, K.E., MacQuarrie, P. Testing for pesticide toxicity to aquatic plants : recommendations for test species. In : *Plants for Toxicity Assessment : 2nd Volume*, ASTM STP 1115 (eds. Gorsuch, J.W. et al.), American Society for Testing and Materials, Philadelphia, 1991, pp. 77-100.
- Tariq, J., Jaffar, M., Ashraf, M., Moazzami, M. 1993. Heavy metal concentrations in fish, shrimp, seaweed, sediment and water from the Arabian Sea, Pakistan. **Mar. Pollut. Bull.** 26 : 644-647.
- Thursby, G.B. and Steele, R.L. 1984. Toxicity of Arsenite and Arsenate to the marine macroalga *Champia parvula* (Rhodophyta). **Envir. Toxic. Chem.** 3 : 391-397.
- Thursby, G.B. and Steele, R.L. 1986. Comparison of short and long term sexual reproduction tests with the marine red alga *Champia parvula* (Rhodophyta). **Envir. Toxic. Chem.** 5 : 1013-1018.
- Thursby, G.B., Steele, R.L. and Kane, M.E. 1985. Effect of organic chemicals on growth and reproduction in the marine red alga *Champia parvula* (Rhodophyta). **Envir. Toxic. Chem.** 4 : 797-805.
- Tropin, I.V., Zolutukhina, E.Y. 1994. The time course of heavy metal accumulation by brown and red macroalgae. **Russ. J. Pl. Physio.** 41 : 267-273.
- Van der Ben, D., Cogneau, M., Robbrecht, V., Nuyts, G., Bossus, A., Hurtgen, C. and Bonotto, S. 1990. Factors influencing the uptake of technetium by the brown alga *Fucus serratus*. **Mar. Pollut. Bull.** 21 : 84-86.
- Vasquez, J.A. and Guerra, N. 1996. The use of seaweeds as bioindicators of natural and anthropogenic contaminants in Northern Chile. **Hydrobiologia** 326/327 : 327-333.
- Waaland, S.D. 1975. Evidence for a species-specific cell fusion hormone in red algae. **Protoplasma** 86 : 253-261.
- Webster, E.A. and Gadd, G.M. 1996. Stimulation of respiration in *Ulva lactuca* by high concentrations of Cd and Zn : Evidence for an alternative respiratory pathway. **Environ. Toxicol. Water Quality** 11 : 7-12.

- Whyte, J.N.C. and Englar, J.R. 1983. Analysis of inorganic and organic-bound arsenic in marine brown algae. **Bot. Mar.** 26 : 159-164.
- Wilson, J.G. 1994. The role of bioindicators in estuarine management. **Estuaries** 17 : 94-101.
- Wong, M.H., Chan, K.Y., Kwan, S.H., Mo, C.F. 1979. Metal contents of the two marine algae found on iron ore tailings. **Mar. Pollut. Bull.** 10 : 56-59.
- Wong, S.L. Algal assay approaches to pollution studies in aquatic systems. In : Pollution and Biomonitoring (ed. Rana, B.C.), Tata McGraw-Hill Publishing Company Limited, pp. 26-50, 1995.
- Wood, J.M and Wang, H. 1983. Microbial resistance to heavy metals. **Environ. Sci. Technol.** 17 : 582A-590A.
- Wright, P.J. and Weber, J.H. 1991. Biosorption of inorganic tin and methylin compounds by estuarine macroalgae. **Environ. Sci. Technol.** 25 : 287-294.