



## **REFERENCES**

## REFERENCES

- Allan, J. David (1995). *Stream Ecology : Structure and functioning of running waters.* Chapman & Hall, London. 388pp.
- Anton, A. (1981). Water quality assessments of the Langat River, Selangor, using natural algal periphyton communities and laboratory bioassays of two *Chlorella* species. *Proceedings of the Symposium on the Culture and Use of Algae*, Iloilo, Philippines.
- Anton, A. and Abdullah, F. (1982). Effects of nitrate and phosphate enrichment on reservoir phytoplankton. *Proceedings of the Regional Conference and Workshop Limnology and Water Resources Management*, Kuala Lumpur, Malaysia.
- Anton, A. and Wan Othman, W.M. (1990). Water quality studies of a tropical river in Cameron Highlands, Malaysia : diatoms as indicators (submitted to *J. Water Poll. Cont. Fed.*).
- Anton, A. (1991). Algae in the conservation and management of freshwaters. In R. Kiew (ed.) *The State of Nature Conservation in Malaysia*. Malayan Nature Society, International Development and Research Centre of Canada : 203–208.
- Anvimelech, Y. (1971). Nitrate Transformation in peat. *Soil Science* 111: 113-118.
- American Public Health Association (1989). Standard Methods For the Examination of Water and Wastewater. 17<sup>th</sup> ed. Washington, D.C.
- Arumugam, P.T. and Furtado, J.I. (1980). Physico-chemistry, destratification and nutrient budget of a lowland eutrophicated Malaysian reservoir and its limnological implications. *Hydrobiologia* 70:11-24.
- Biggar, J.W. and Corey, R.B. (1969). Agricultural Drainage and Eutrophication. In Rohlich, J.A. (eds.). *Eutrophication : Causes, Consequences, Correctives.*

Proceedings of a Symposium. National Academy of Sciences, Washington, D.C.: 404-445.

Bowmer, K.H. (1981). Nutrient enrichment ; Eutrophication ; cause of the problem plant growth, possibilities for regulation. In : Sainty, G.R. and Jacobs, S.W.L. *Plants of New South Wales*. Water Resources Commission of NSW, Sydney.

Brinley, F.J. (1942). Biological Studies, Ohio River Pollution Survey II. Plankton Algae as Indicators of the Sanitary Condition of a Stream. *Sewage Ind. Wastes* 14, 152. In Thomas, William A, Wilcox, William H. and Goldstein, Gerald (eds.) *Biological Indicators of Environmental Quality. A Bibliography of Abstracts*. Ann Arbor Science Publisher Inc., Michigan : 196.

Broen, S.D. and Austin, P. (1973). Spatial and temporal variation in periphyton and physico-chemical conditions in the littoral of a lake. *Arch. Hydrobiol.* 71:183-232.

Brönmark, C. and Hansson, L.A. (1998). *The biology of lakes and ponds*. Oxford University Press.

Burford, J.R. and Bremner, J.M. (1975). Relationships between the denitrification capacities of soils and total, water-soluble and readily decomposable soil organic matter. *Soil Biol. Biochem* 7 : 389-394.

Burton, M.S.A. (1986). *Biological monitoring of environmental contaminants (Plants)*. Monitoring and Assessment Research Centre, London.

Cairns, John, Jr., Dickson, K.L., and Lanza, Guy. (1973). Rapid Biological Monitoring System for Determining Aquatic Community Structure in Receiving Systems. In : *Biological Methods for Assessment of Water Quality, ASTM STP 528*, American Society for Testing and Materials : 148-163.

Chuah, K.S. (1996). Penggunaan effluen kilang sawit (POME) di ladang FELDA. *Berita Plantations* 1/96 : 1-3.

Collar, N.J. and Andrew, P. (1988). Birds to Watch. The ICBP World Checklist of Threatened Birds. *ICBP Technical Publication No. 8.* ICBP, Cambridge, United Kingdom.

Cook, W.B. and Hirsch, A. (1958). Continuous sampling of trickling filter populations. II Populations. *Sewage and Ind. Wastes* 30 : 138-156.

Cooke, G.D., Welch, E.B., Peterson, S.A. and Newroth, P.R. (1986). *Lake and reservoir Restoration.* Butterworth Publications, Massachusetts.

Coste, M., Bosca, C., Dauta, A. (1991). Use of algae for monitoring rivers in France. In Whitton, B.A., Rott, E., Friedrich, G. (eds.) *Use of algae for monitoring rivers.* Austria : Institut für Botanik, Universität Innsbruck : 75-85.

Cox, Eileen J. (1991). What is the basis for using diatoms as monitors of river quality. In Whitton, B.A., Rott, E., Friedrich, G. (eds.) *Use of algae for monitoring rivers.* Austria : Institut für Botanik, Universität Innsbruck : 33-39.

Dowdell, R.J. and C.P. Webster (1976). *Denitrification and leaching of nitrogen fertilizers.* (Agriculture and Water Quality. Technical Bulletin 32. Paper 8) London : Ministry of Agriculture, Fisheries and Food.

Department of Environment (DOE), Malaysia. (1998). Environment management : Water quality monitoring , Biomonitoring of Sungai Langat : A case study.

Department of Wildlife and National Parks (1987). *Malaysian Wetland Directory.* Department of Wildlife and National Parks. Kuala Lumpur. 316pp.

Ecological Horticulture (1989). *Vegetation Design and Establishment Techniques for the Lilydale Lake Project,* Lilydale, Victoria, Melbourne Board of Works.

Edmonson, W.T. (1980). Secchi disk and chlorophyll. *Limnology and Oceanography,* 25 : 378-9.

- Gore, A.J.P. (ed.) (1983). *Ecosystems of the World, 4B Mires : Swamps, Bogs, Fen and Moor*. Elsevier Science Publishing Company. 440pp.
- Gruber, D. (1989). Biological monitoring and our water resources. *Endeavour, New Series* 13 : 135-141.
- Gulyás, P. (1983). KGST biológiai módszerek [COMECON biological methods]. *Vízügyi hydrobiológia 12.*, VÍZDOK Budapest. [In Hungarian].
- Hart, B.T. (1974). A compilation of Australian water quality criteria. *Australian Water Resources Council Technical Paper No. 7*. Australian Government Publishing Service, Canberra.
- Hasle, G.R. (1964). *Nitzschia and Fragilariopsis Species studied in the light and electron microscopes. I. Some marine species of the group Nitzchiella and Lanceolatae*. Oslo, Universitetsforlaget.
- Ho, S.C. (1970). *A Limnological and Productivity study of Ampang Impounding Reservoir, Kuala Lumpur*. Unpublished B. Sc. (Hons) Thesis, Universiti Malaya, Kuala Lumpur, Malaysia.
- Ho, S.C. (1973). *The Ecology of a Lowland Stream : Sungai Renggam with special reference to pollution*. M. Sc. Thesis, Universiti Malaya, Kuala Lumpur, Malaysia.
- Hooper, Frank F. (1969). Eutrophication Indices and their Relation to Other Indices of Ecosystem Change. In Rohlich, J.A. (ed.) *Eutrophication : Causes, Consequences, Correctives*. Proceedings of a Symposium. National Academy of Sciences, Washington, D.C. : 225-235.
- Horne, A.J. and Goldman, C.R. (1994). *Limnology* 2ed. McGraw Hill, Inc., United States of America. 576pp.
- Hughes, R.M., Whittier, T.R., Thiele, S.A., Pollard, E., Peck, D.V., Paulsen, S.G., McMullen, D., Lazorchak, J., Larsen, D.P., Kinney, W.L., Kaufmann, P.R., Hettke,

- S., Dixit, S.S., Collins, G. and Baker, J.R. (1992). Lake and stream indicators for the United States Environmental Protection Agency's Environmental Monitoring and Assessment Program. In McKenzie, Daniel H., Hyatt, D. Eric and McDonald, V. Janet (eds.), *Ecological Indicators : Vol 1*. Elsevier Science Publishers Ltd : 51-84.
- Hutchinson, G.E. (1967). *A Treatise on Limnology. Volume 2. Introduction of Lake Biology and the Limnoplankton*, John Wiley & Sons, New York.
- Hynes, H.B.N. (1960). *The biology of polluted water*. Liverpool, University Press Liverpool. 202pp.
- Hynes, H. B. N. (1969). The relationship between nutrients and protein production in submerged leaves. *Verh. Internat. Verein. Limnol.*, 17: 95-103
- Hynes, H.B.N. (1971). *The biology of running water*. Liverpool University Press, Liverpool.
- Ibrahim, A.B. (1998). *Pengurusan : Majalah Bulanan untuk Petugas Kumpulan FELDA*. Jilid 5, Bil 2 : 4-5.
- Ikusima, I. and Furtado, J.I. (1982). Primary production. In Furtado, J.I. and Mori, S. (eds.), *Tasek Bera, the Ecology of a Freshwater Swamp*. Dr W. Junk Publishers. The Hague-Boston-London : 191–278.
- Ikusima, I., Lim, R.P. and Furtado, J.I (1982). Environmental conditions. In Furtado, J.I. and Mori, S. (eds.), *Tasek Bera, the Ecology of a Freshwater Swamp*. Dr W. Junk Publishers. The Hague-Boston-London : 55–148.
- Irving, R. (1993). Too much of a Good Thing : Nutrient Enhancement in the UK's Inland and Coastal Waters. World Wide Fund for Nature, United Kingdom.
- IUCN (1988). 1988 IUCN Red List of Threatened Animals. *IUCN*. Gland, Switzerland and Cambridge, United Kingdom.

- Johnson, A. (1970). Blue-green algae in Malayan ricefields. *J. Singapore Nat. Acad. Science.* 1: 30-36.
- Johnson, D.S. (1967). Distributional Patterns of Malayan Freshwater Fish. *Ecology* 48(5) : 722-730
- Jongman, R.H.G., ter Braak, C.J.F., van Tongeren, O.F.R. (1987). *Data analysis in community and landscape ecology*. Pudoc Wageningen. 299pp.
- Jorgensen, S.E. (1992). Ecological Indicators and ecological modelling. In McKenzie, Daniel H., Hyatt, D. Eric and McDonald, V. Janet (eds.), *Ecological Indicators : Vol 1*. Elsevier Science Publishers Ltd : 51-84.
- Kelly, M.G., Penny, C.J. and Whitton, B.A. (1995). Comparative performance of benthic diatom indices used to assess river water quality. *Hydrobiologia* 303 : 179-199. [Rus]
- Klopatek, J.M. (1975). The role of emergent macrophytes in mineral cycling in a freshwater marsh. In Howell, F.G., Gentry, J.B. and Smith, M.H. (eds.) *Mineral Cycling in Southeastern Ecosystems*. ERDA Symposium Series, Conf. 740513 : 367-393.
- Levins, R. (1966). *American Scientist*, Vol 54, No. 4 : 421-431.
- Lewis, W. M. (1988). Primary production in the Orinoco River. *Ecology*, 69 : 679-692.
- Liau, S.S. and Ahmad, A. (1991). The control of *Oryctes rhinoceros* by clean clearing and its effect on early yield in palm-to-palm replants. In *Proc. 1991 PORIM Int. Palm Oil Conf.* Kuala Lumpur : 396-403.
- Liew, V.K. (1997). The need for an integrated approach for the control of *Oryctes rhinoceros*. *Kemajuan Penyelidikan* 29 : 20-22.

- Lim, R.P. (1974). *Limnological studies on a Malaysian freshwater swamp, Tasek Bera, Pahang.* M. Sc. Thesis. University of Malaya, K.L. Malaysia. 114pp.
- Lim, R. P., Furtado, J.I. and Morley, R.J. (1982). General description of Tasek Bera. In Furtado, J.I. and Mori, S. (eds.), *Tasek Bera, the Ecology of a Freshwater Swamp.* Dr W. Junk Publishers. The Hague-Boston-London : 7-54.
- Lind, O.J. (1979). *Handbook of common methods in Limnology.* 2<sup>nd</sup> ed. Mosby, St Louis, Missouri.
- Lowe, R. (1974). *Environment requirements and pollution tolerance of freshwater diatoms.* U.S. Environmental Protection Agency, Report EPA – 670/4/74/005.
- Lund, J.W.G. (1969). Phytoplankton. In Rolich, J.A. Eutrophication : Causes, Consequences, Correctives. Proceedings of a Symposium. National Academy of Sciences. Washington, D.C. : 306–331.
- Mansor, M. and Muthaiya, G. (1993). Notes on Montane Stream Algae of Sayap-Kinabalu Park, Sabah. In Ismail, Ghazally and Din, Laily bin (eds.) *A Scientific Journey through Borneo : Sayap-Kinabalu Park, Sabah.* Pelanduk Publications, Selangor, Malaysia : 123 –128.
- Margalef, R. (1961). Communication of structure in planktonic populations. *Limnol. Oceanog.* 6 : 124–128.
- Marvan, Petr. (1991). Use of algae as indicators for rivers in Czechoslovakia. In Whitton, B.A., Rott, E., Friedrich, G. (eds.) *Use of algae for monitoring rivers.* Austria : Institut für Botanik, Universität Innsbruck : 63–69.
- Mat Saat, M.H., Foong Sang Foo and Hashim, Ismail. (1997). Early comparison of oil palm yield on Sahabat series of soil with the use of different nitrogen sources. *Kemajuan Penyelidikan* 29 : 13-19.

- Maznah, W. and Mansor, M. (1999). Benthic diatoms in Pinang River (Malaysia) and its tributaries with emphasis on species diversity and water quality. *International Journal on Algae*, 1(4): 101-116.
- McCarthy, J.J. (1980). Nitrogen. In Morris, I. (ed.) *The Physiological Ecology of Phytoplankton*. Blackwell, Oxford : 191-233.
- Meyer, J.L. and Pulliam, W.M. (1992). Modification of terrestrial-aquatic interactions by changing climate. In Firth, P. and Fisher, S.G. (eds.) *Global Climate Change and Freshwater Ecosystems*. Springer-Verlag, New York : 177-191.
- Mizuno, N. and Furtado, J.I. (1982). Ecological notes on fishes. In Furtado, J.I. and Mori, S. (eds.), *Tasek Bera, the Ecology of a Freshwater Swamp*. Dr W. Junk Publishers. The Hague-Boston-London : 321-354.
- Mizuno, T. and Mori, S. (1970). Preliminary hydrobiological survey of some Southeast Asian inland waters. *Biol. J. Linn. Soc.*, 2 : 77-117.
- Moss, B. (1980). *Ecology of Fresh Waters : Man and Medium*. 2<sup>nd</sup> ed. Blackwell Scientific Publications. 557pp.
- Munawar, M. (1970) Limnological studies on freshwater ponds of Hyderabad, India. The Biocenose. Distribution of unicellular and colonial phytoplankton in polluted and unpolluted environments. *Hydrobiologia* 36 (1) : 105-128.
- Murphy, J. and Riley, J. (1962). A modified single solution method for the determination of phosphate in natural waters. *Anal. Chim. Acta* 27 : 31
- Nather Khan, I.S.A., Lim, R.P. and Furtado, J.I. (1986). Changes of river diatom community structure due to natural rubber effluent. *Malay. J. Sci.* 8: 85-89.
- Nather Khan, I.S.A. (1990). Assessment of Water pollution using Diatom Community Structure and Species Distribution : A case study in tropical river basin. *Int. Revue ges. Hydrobiol.* 75 : 1-22.

- Nather Khan, I.S.A., Hughes R., Said I.M., Sebastian A.C. and Hood Salleh (1991). *A Rapid Environmental Appraisal of a 275kV Power Transmission Lines through Tasek Bera Forest Reserve*. Asian Wetland Bureau, Kuala Lumpur.
- Nye, P. H. (1961). Organic matter and nutrient cycles under moist tropical forest. *Pl. Soil*, 13 : 333-346.
- Nygaard, G. (1949). Hydrobiological studies of some Danish ponds and lakes II. The quotient hypothesis and some new or little known phytoplankton organisms. *Kgl Danske viden skab. Selskab. Biol. Skrifter* 7(1). 293pp.
- Okina, T., Lim, R.P., Furtado, J.I. Kumano, S. and Mizuno, T. (1982). Phytoplankton. In Furtado, J.I. and Mori, S.(eds.), *Tasek Bera : The ecology of a freshwater swamp* Dr W Junk Publishers, The Hague-Boston-London : 204-248.
- Owens, M. (1976). Nutrient balances in rivers. (*Agriculture and Water Quality. Technical Bulletin 32. Paper 13*) London : Ministry of Agriculture, Fisheries and Food.
- Owens, O. V. H. and Esaias, W.E. (1976). Physiological responses of phytoplankton to major environmental factors. *Annual Review of Plant Physiology*, 27 : 461-483.
- Padisák, J., Ács, É., Rajczy, M., Kiss, K.T. (1991). Use of algae for monitoring in Hungary. In Whitton, B.A., Rott, E., Friedrich, G. (eds.) *Use of algae for monitoring rivers*. Austria : Institut für Botanik, Universität Innsbruck : 123-128.
- Palmer, C.M. (1969). A composite rating of algae toleration organic pollution. In Rosowski, J.R. and Parker, B.C. (eds). *Selected Papers In Phycology*. The Department of Botany, University of Nebraska, Lincoln, Nebraska : 78-82.
- Pantle, R. and Buck, H. (1955). Die biologische Überwachung der Gewässer und die Darstellung der Ergebnisse. *Gas- und Wasserfach*, 96. 604 pp.

- Patrick, R. (1936). A taxonomic and distributional study of some diatoms from Siam and the Federated Malay States. *Academy of Natural Sciences, Philadelphia, Proceedings* V. 88: 367–470.
- Patrick, R. (1948). Factors affecting the distribution of Diatoms. *Bot. Rev.* 14(8) : 473–524.
- Patrick, Ruth (1973). Use of Algae, especially Diatoms, in the Assessment of Water Quality. In John Cairns, Jr. and K.L. Dickson (eds.) *Biological Methods for the Assessment of Water Quality, ASTM STP 528*, American Society for Testing and Materials : 76-95.
- Pearsall, W.H. (1932). Phytoplankton in the English Lakes.2. The composition of the phytoplankton in relation to dissolved substances. *Journal of Ecology*, 20 : 241-262.
- Phang, S.M. and Leong, P. (1987). Freshwater algae from the UluEndau Area, Johore, Malaysia. *Malayan Nat. J.* 41 : 145-157.
- Phang, S. M. and Murugadas, T.L. (1997). *Phytoplankton and aquatic macrophytes in Tasek Bera*. Institute of Postgraduate Studies and Research, University of Malaya, Kuala Lumpur, Malaysia. 33pp.
- Philipose, M.T. (1960). Freshwater phytoplankton of inland fisheries. *Proc. Sym. Algology, ICAR, New Delhi* : 272 – 291.
- Phillips, G.L., Perrow, M.R. and Stansfield, J. (1996). *Aquatic predators and their prey*. Chapter 22. United Kingdom.
- Pierre, W.H. and Parker, F.W. (1927). Soil phosphorus studies. II. The concentration of organic and inorganic phosphorus in the soil solutions and soil extracts and the availability of the organic phosphorus to plants. *Soil Sci.* 24 : 119 – 128.

- Prentice, Crawford (1997). Tasek Bera - A Wetland of International Importance. *Wacana : The Official Bulletin of The Integrated Management of Tasek Bera*, 2 : 11-14.
- Prescott, G.W. (1978). *How to Know the Fresh Water Algae*. 3<sup>rd</sup> ed. Wm. C. Brown Co., Dubuque, Iowa.
- Prowse, G.A. (1957). An introduction to desmids of Malaya. *Malayan Naturalist Journal* 4 : 29-31.
- Prowse, G.A. (1958). The Eugleninae of Malaya. *Gards. Bull. Str. Settl.* 16 : 136-145.
- Prowse, G.A. (1960). New and Unusual Flagellata in Malaya. *Proc. Centenary and Bicentenary Congress of Biology*, Singapore : 292-298.
- Prowse, G.A. and Talling, J.F. (1958). The seasonal growth and succession of phytoplankton algae in the White Nile. *Limnology and Oceanography*, 3 : 222-238.
- Prowse, G.A. (1962). Furher Malayan freshwater Flagellata. *Gard. Bull. Sing.* 25 : 179-187.
- Raison, R.J. (1980). A review of the role of fire in nutrient cycling in Australia native forests, and of the methodology for studying the fire-nutrient interaction. *Australian Journal of Ecology* 5 : 15-21.
- Ratnasabapathy, M. (1972). Algae from Gunung Jerai (Kedah Peak), Malaysia. *Gard. Bull. Sing.* 26 : 95-110.
- Ratnasabapathy, M. (1977). Freshwater biology of Pulau Tioman. In Lee D.W., Stone B.C., Ranasabapathy, M. and Khoo, T.T (eds.) *The Natural History of Pulau Tioman*. Jensen Press, Malaysia.

- Ratnasabapathy, M., Kumano, S., Watanabe, T. and Mizuno, T. (1982). Algae. In Furtado, J.I. & Mori, S. (eds.) *Tasek Bera : The ecology of a freshwater swamp* Dr W. Junk Publishers, The Hague-Boston-London : 191-200.
- Redfield, A.C. (1958). The biological control of chemical factors in the environment. *Am. Sci.*, 46 : 205-221.
- Redfield, A.C., Ketchum, B.H. and Richards, F.A. (1963) The influence of organisms on the composition of sea water, in *The Sea, Volume 2*, (ed. M.N. Hill), Interscience, New York : 26-77.
- Reynolds, C.S. (1979). Eutrophication explained. *Salmon & Trout Magazine No 215* : 43-47.
- Reynolds, C.S. (1984). *The ecology of freshwater phytoplankton*. Cambridge University Press. 384pp.
- Reynolds, C.S. and Allen, S.E. (1968). Changes in the phytoplankton of Oak Mere following the introduction of base-rich water. *British Phycological Bulletin*, 3 : 451-462.
- Rigler, F.H. (1966). *Radiobiological analysis of inorganic phosphorus in lakewater*. *Verhandlungen der internationale Vereinigung für theoretische und angewandte Limnologie*, 16 : 465-470.
- Rohlich, J.A. (1969). *Eutrophication : Causes, Consequences, Correctives*. U.S. National Academy of Sciences, Washington. 661pp.
- Round, F.E. (1991). Use of diatoms for monitoring rivers. In Whitton, B.A., Rott, E., Friedrich, G. (eds.) *Use of algae for monitoring rivers*. Austria : Institut für Botanik, Universität Innsbruck : 25-32.
- Sands, W.N. (1934). The coloured scums of padi fields. *Malay. Agric. J.* 22 : 484.

- Saravanamuthu, J. and Lim, R. P. (1982). A preliminary limnological survey of a eutrophic pond, Taman Jaya Pond, Petaling Jaya. *Malay. Nat. J.* 35 : 83-97
- Schiefele, S. & Schreiner, C. (1991). Use of diatoms for monitoring nutrient enrichment, acidification and impact of salt in rivers in Germany and Austria. In Whitton, B.A., Rott, E., Friedrich, G. (eds.) *Use of algae for monitoring rivers* Austria : Institut für Botanik, Universität Innsbruck : 103-109.
- Schoeman, F. and Hawort, E. (1986) Diatoms as indicators of pollution. Report on a workshop. In Ricard, M. (ed.), *Proceedings of the 8<sup>th</sup> International Diatom Symposium*. Paris Aug 84., O. Koeltz Publications, Koenigstein : 757-759.
- Shamsudin, L. (1991). *Diatom Air Tawar : Morfologi dan taksonomi*. Dewan Bahasa dan Pustaka, Kementerian Pendidikan Malaysia, Kuala Lumpur. 299pp.
- Singh, V. P. (1960). Phytoplankton ecology of the inland waters of Uttar Pradesh. *Proc. Sym. Algol.* ICAR. New Delhi : 243 - 271.
- Solorzano, L.. (1969). Determination of ammonia in natural waters by the phonolhypochlorite method. *Limnol. Oceanogr.* 14 : 799-801.
- Sladecek, V. (1969) The measures of saprobity. *Verh. Int. Ver. Limnol.* 16 : 809-816.
- Smith, G.M. (1950). *The Freshwater Algae of the United States*. McGraw-Hill Book Company, Inc.
- Strickland, J.D.H. and Parsons, A.T.R. (1968). *Practical handbook of sea-water analysis*. Fish. Res. Bd. Can. Bull. 167. 311pp.
- Swale, E.M.F. (1968). The phytoplankton of Oak Mere, Cheshire, 1963-1966. *British Phycological Bulletin*, 3 : 441-449.
- Toetz, D.W. (1971). Diurnal Uptake of  $\text{NO}_3^-$  and  $\text{NH}_4^+$  by a *Ceratophyllum*-Periphyton Community. *Limnol. Oceanogr.*, 21 : 365-378.

Tubbing, D.M.J., Zwart, D. De and Burger-Wiersma, T. (1995). Phytoplankton Dynamics in the River Meuse as Affected by Pollution. In *The Netherlands Journal of Aquatic Ecology*, 29 (1) : 103-116.

van Cleemput, O, Patrick, W.H. Jr., and McILlhenng, R.C. (1975). Formation of chemical and biological denitrification products in flooded soil at controlled pH and redox potential. *Soil Biol. Biochem.* 7 : 329–332.

Vollenweider, R. A. (1968). *Scientific Fundamentals of the Eutrophication of Lakes and Flowing Waters, with Particular Reference to Nitrogen and Phosphorus as Factors in Eutrophication*. Paris : OECD.

Vollenweider, R.A. (1974). *A Manual on Methods for Measuring Primary Production in Aquatic Environments* (IBP Handbook 12). Oxford: Blackwell.

Wah, T.T. , Wee, Y.C. and Phang, S.M. (1987). Freshwater diatoms of the Ulu Endau, Johore, Malaysia. *Malayan Nat. J.* 41 : 159–172.

Wetzel, R.B. (1983). *Limnology*. 2nd ed. Saunders, Philadelphia. 743pp.

West, W. and West, G.S. (1971). *A Monograph of the British Desmidiaceae*. Volume 1 – 5. Johnson Reprint Corporation, London.

Wetlands International – Asia Pacific (1999a). *Tasek Bera Ramsar Site Integrated Management Plan – Summary*. Wetlands International – Asia Pacific, Kuala Lumpur. 37pp.

Wetlands International – Asia Pacific (1999b). *Tasek Bera Ramsar Site Integrated Management Plan (1999 – 2004)*. Volume 1. Wetlands International – Asia Pacific, Kuala Lumpur. 87pp.

Wilhm, J.L. (1970). *Journal of the Water Pollution Control Federation*, Vol. 42, No. 5 : 211 – 224.

- Wilhm, J. L. (1975). Biological indicators of pollution. In Whitton, B.A. (ed.) *River Ecology*. Blackwell, Oxford, U.K. : 375-402.
- Whitford, L.A. and Schumacher, G.J. (1973). *A Manual of Fresh-water Algae*. Sparks Press, Raleigh. 324pp.
- Whitton, B.A. (1984) Algae as monitors of heavy metals in freshwaters. In Schubert, L.E (ed.) *Algae as ecological indicators*. Academic Press, London : 257-280.
- Whitton, B.A. (1991). Aims of monitoring. In Whitton, B.A., Rott, E., Friedrich, G. (eds.) *Use of algae for monitoring rivers*. Austria : Institut für Botanik, Universität Innsbruck : 5-7.
- Whitton, B.A., Rott, E. and Friedrich, G. (eds.) (1991). *Use of algae for monitoring rivers*. University of Innsbruck, Austria.
- Williamson, David B. (1998). Desmids from Peninsular Malaysia. *Algological Studies* 90 : 45-77.
- Yamagishi, T. (1992). *Plankton Algae in Taiwan (Formosa)*. Uchida Rokakuho, Tokyo. 252pp.
- Yount, J.L. (1956). Factors that control species number in Silver Springs, Florida. *Limnol. Oceanog.* 1 : 286-295.
- Zafar, A.R. (1959). Two years' observation on the periodicity of Euglenineae in two fish-breeding ponds. *J. Indian Bot. Soc.* 34 : 430-450.
- Zafar, A.R. (1964). (i) On the ecology of algae in certain fish ponds of Hyderabad, India (ii) Distribution of unicellular and colonial forms. *Hydrobiologia* 24(4). 556pp.