

## REFERENCES

- Aagaard J. E., Vollmer, S. S., Sorensen, F. C., Strauss, S. H. (1995) Mitochondrial DNA products among RAPD profiles are frequent and strongly differentiated between races of Douglas-fir. **Mol. Ecol.** **4:** 441-447.
- Abbott, I. A. (1989) Marine algae of the northwest Hawaiian islands. **Pac. Sci.** **43:** 223-233.
- Adams, R. P., and Demeke, T. (1993) Systematic relationships in *Juniperus* based on random amplified polymorphic DNAs (RAPDs). **Taxon** **42:** 553-571.
- Agardh, C. A. (1820) **Species algarum rite cognitae, cum synonymis differentiis specificis et descriptionibus succinctis.** **1(1):** 1-168, Berling, Lund.
- Agardh, J. G. (1848) **Species, genera et ordines algarum I. Species genera et ordines fucoidearum. I. viii.** Gleerup, Lund.
- Agardh, J. (1889) Species *Sargassorum Australiae descriptae et dispositate.* **Kgl. Svenska Vet.-Akad. Handl.** **23:** 1-133, pls. 1-31.
- Ahmad, I. and Go, R. (1994) Distribution and diversity of seaweeds in Pulau Tioman. In: Phang, S.M., Lee, Y.K., Borowitzka, M.A. and Whitton, B.A. (eds.) **Algal Biotechnology in the Asia-Pasific Region: Proceedings of the First Asia-Pacific Conference on Algal Biotechnology**, Institute of Advanced Studies, University of Malaya, Kuala Lumpur. pp.268-273.
- Ahmad, I. and Hindun, M. (1991) Taburan makroalga marin di perairan Semenanjung Malaysia. **Prioriti Penyelidikan.** pp.624-630.
- Ajisaka, T., Phang, S. M., and Yoshida, T. (1998) Preliminary report of *Sargassum* species collected from Malaysian coasts. In: Abbott, S. A. and Norris, J. N. (eds.) **Taxonomy of Economic Seaweeds with Reference to Some Pacific Species.** Sea Grant College, University of California. La Jolla, Calif. 7 (In press).
- Alberto, F., Santos, R., and Leitão, J. M. (1997) DNA extraction and RAPD markers to assess the genetic similarity among *Gelidium sesquipedale* (Rhodophyta) populations. **J. Phycol** **33:** 706-710.
- Ang, P.O. Jr. (1984) Preliminary study on the alginate contents of *Sargassum* spp. in Balibago, Calatagan, Philippines. **Hydrobiologia.** **116/ 117:** 547-550.

- Ang, P.O. Jr. (1985) Phenology of *Sargassum siliquosum* J. Ag and *S. paniculatum* J. Ag. (Sargassaceae, Phaeophyta) in the reef flat of Balibago. **Proc. 5th. Coral Reef Congress.** 5: 51-57.
- Ang, P.O. Jr. and Trono, G. C. Jr. (1987) The genus *Sargassum* (Phaeophyta, Sargassaceae) from Balibago, Calatagan, Philippines. **Bot. Mar.** 30: 387-397.
- Aoki, Y. and H. Koshihara (1972) Inhibitory effects of acid polysaccharides from sea urchin embryos on RNA polymerase activity. **Biochim. Biophys. Acta** 272: 33-43.
- Appels R., and Honeycutt, R. L. (1986) In: Dutta S. K. (ed.) **DNA Systematics, rDNA: Evolution over a Billion Years.** Vol. II. Olants. CRC Press, Boca Raton Florida, pp. 81-135.
- Apt, K. E., Clendenen, S., Powers, D. and Grossman, A. R. (1993) The *Fcp* gene family from the brown algae *Macrocystis pyrifera*. **J. Phycol.** 29 (Suppl):7.
- Ariztia, E. V., Andersen, R. A., and Sogin, M. L. (1991) A new phylogeny for chromophyte algae using 16S-like rRNA sequences from *Mallomonas papillosa* (Synurophyceae) and *Tribonema aequale* (Xanthophyceae). **J. Phycol.** 27: 428-436.
- Assali, N. E., Mache, R., Loiseaux-de Zgoer, S. (1990) Evidence for a composite phylogenetic origin of the plastid genome of the brown alga *Phlaiella littoralis* (L.) Kjellm. **Plant Mol. Biol.** 15: 307-315.
- Assali, N. E., and de Goor, S. L. (1992) Sequence and phylogeny of the *psaB* gene of *Pylaiella littoralis* (Phaeophyta). **J. Phycol.** 28: 209-213.
- Avise, J. C. (1994) Molecular Markers. **Natural History and Evolution.** Chapman and Hall, New York. pp.551.
- Bakker, F. T., Olsen, J. L., and Stam, W. T. (1995) Global phylogeography in the cosmopolitan species *Cladophora vagabunda* (Chlorophyta) based on nuclear rDNA internal transcribed spacer sequence. **Eur. J. Phycol.** 30: 197-208.
- Bakker, F. T., Olsen, J. L., Stam, W. T., and van den Hoek, C. (1992) Nuclear ribosomal DNA internal transcribed spacer regions (ITS1 and ITS2) define discrete biogeographic groups in *Cladophora albida* (Chlorophyta). **J. Phycol.** 28: 839-845.

- Baldwin, B. G. (1992) Phylogenetic utility of the internal transcribed spacers of nuclear ribosomal DNA in plants: an example from the compositae. **Molecular Phylogenetics and Evolution** **1**: 3-16.
- Barid, E., Cooper-Bland, S., Powers, D. and Grossman, A. R. (1992) Molecular characterisation of inter-specific somatic hybrids of potato using randomly amplified polymorphic DNA (RAPD) markers. **Mol. Gen. Genet.** **223**: 469-475.
- Barns, S. M., Lane, D. J., Sogin, M. L., Bibeau, C., and Weisburg, W. G. (1991) Evolutionary relationships among pathogenic *Candida* species and relatives. **J. Bacteriology** **173**: 2250-2255.
- Baroin, A., Perasso, R., Qu, L-H., Brugerolle, G., Bachellerie, J. P., and Adoutte, A. (1988) Partial phylogeny of the unicellular eukaryotes based on rapid sequencing of a portion of 28S ribosomal RNA. **Proc. Nat. Acad. Sci. U. S. A.** **85**: 3474-3478.
- Barta, J. R., Jenkins, M. C., and Danforth, H. D. (1991) Evolutionary relationships of avian *Eimeria* species among other apicomplexan protozoa: monophyly of the Apicomplexa is supported. **Molecular Biology and Evolution**. **8**: 345-355.
- Berkaloff, C., Caron, L., and Rousseau, B. (1990) Subunit organization of PSI particles from brown algae and diatoms: polypeptide and pigment analysis. **Photosyn. Res.** **23**: 15-93.
- Bhattacharya, D. and Druehl, L. D. (1987) Molecular genetic analysis in *Costaria costata* (Turner) Saunders. **Hydrobiologia**. **151/152**: 63-67.
- Bhattacharya, D. and Druehl, L. D. (1988) Phylogenetic comparison of the small-subunit rDNA sequences of *Costaria costata* (Phaeophyta) with those of other algae, vascular plants and oomycetes. **J. Phycol.** **24**: 539-543.
- Bhattacharya, D. and Druehl, L. D. (1989) Morphological and DNA sequence variation in the kelp *Costaria costata* (Phaeophyta). **Mar. Biol.** **102**: 15-23.
- Bhattacharya, D., Elwood, H. J., Goff, L. J., and Sogin, M. L. (1990) Phylogeny of *Gracilaria lemaneiformis* (Rhodophyta) based on sequence analysis of ITS small subunit ribosomal RNA coding region. **J. Phycol.** **26**: 181-186.
- Bhattacharya, D., Mayes, C., and Druehl, L. D. (1991) Restriction endonuclease analysis of ribosomal DNA sequence variation in *Laminaria* (Phaeophyta). **J. Phycol.** **27**: 624-628.

- Bird, C. J., Rice, E. L., Murphy, C. A., Liu, Q. Y., and Ragan, M. A. (1990) Nucleotide sequences of 18S ribosomal RNA genes from the red algae *Gracilaria tikvahiae* McLachlan, *Gracilaria verrucosa* (Hudson) Papenfuss and *Gracilaropsis* sp. **Nucleic Acids Research** **18**: 4023-4024.
- Bird, C. J., Nelson, W. A., Rice, E. L., Ryan, K. G., and Villemur, R. (1990) A critical comparison of *Gracilaria chilensis* and *G. sordida* (Rhodophyta, Gracilariales). **J. Applied Phycol.** **2**: 375-382.
- Bird, C. J., and van der Meer, J. P. (1993) Systematics of economically important marine algae: a Canadian perspective. **Can. J. Bot.** **71**: 361-369.
- Bird, C. J., Rice, E. L., Murphy, C. A., Ragan, M. A. (1992) Phylogenetic relationships in the Gracilariales (Rhodophyta) as determined by 18S rDNA sequences. **Phycologia** **31(6)**: 510-522.
- Bird, C. J., Rice, E. L., Murphy, C. A., Rice, E. L., and Ragan, M. A. (1992) The 18S rRNA gene sequences of four commercially important seaweeds. **J. of Appl. Phycol.** **4**: 379-384.
- Bolch, C. J. S., Blackburn, S. I., Neilan, B. A. and Grewe, P. M. (1996) Genetic characterization of strains of Cyanobacteria using PCR-RFLP of the *cpcBA* intergenic spacer and flanking regions. **J. Phycol.** **32**: 445-451.
- Bot, P. V. M., Brussaard, C. P. D., Stam, W. T. and van den Hoek, C. (1991) Evolutionary relationships between four species of Cladophora (Cladophorales, Chlorophyta) based on DNA-DNA hybridization. **J. Phycol.** **27**: 617-623.
- Botstein, D., White, R. L., Skolnick, M. and Davis, R. W. (1980) Construction of a genetic linkage map in man using restriction fragment length polymorphisms. **Am. J. Hum. Genet.** **32**: 314-331.
- Brown, L. E., Sprecher, S. L. and Keller, L. R. (1991) Introduction of exogenous DNA into *Chlamydomonas reinhardtii* by electroporation. **Mol. Cell Biol.** **11**: 2328-2332.
- Brown, P.T.H., Lange, F.D., Kranz, E. and Lörz, H. (1993) Analysis of single protoplasts and regenerated plants by PCR and RAPD technology. **Mol. Gen. Genet.** **237**: 311-317.
- Brown, W. (1990) A new tree of life takes root. **New Sci.** **11**: 18.
- Brunel , D. (1992) An alternative rapid method of plant DNA extraction for PCR analysis. **Nucleic Acids Research** **20**: 4676.

- Buchheim, M. A. and Chapman, R. L. (1992) Phylogeny of *Carteria* (Chlorophyceae) inferred from molecular and organismal data. **J. Phycol.** **28:** 362-374.
- Buchheim, M. A., Turmel, M., Zimmer, E. A., and Chapman, R. L. (1990) Phylogeny of *Chlamydomonas* (Chlorophyta) based on cladistic analysis of nuclear 18S rRNA sequence data. **J. Phycol.** **26:** 689-699.
- Caetano-Anolles, G., Bassam, B. J., and Gresshoff, P. M. (1991a) DNA amplification fingerprinting using very short arbitrary oligonucleotide primers. **Bio/Technology** **9:** 553-557.
- Caetano-Anolles, G., Bassam, B. J., and Gresshoff, P. M. (1994) DNA amplification fingerprinting using arbitrary mini-Hairpin oligonucleotide primers. **Bio/Technology** **12:** 619-623.
- Carlson, J. E., Tulsiaram, L. K., Glaubitz, J. C., Luk, V. W. K., Kauffeldt, C. and Rutledge, R. (1991) Segregation of RAPD markers in F<sub>1</sub> progeny of conifers. **Theor. Appl. Genet.** **83:** 194-200.
- Cedergran, R., Gray, M. W., Abel, Y., and Sankoff, D. (1988) The evolutionary relationships among life forms. **J. Mol. Evol.** **28:** 98-112.
- Chalmers, K. J., Waugh, R., Sprent, J. I., Simone, A. J. and Powell, W. (1992) Detection of genetic variation between and within populations of *Gliricidia sepium* and *G. maculata* using RAPD markers. **Heredity** **69:** 465-472.
- Chapman, R. L. and Buchheim, M. A. (1991) Ribosomal RNA gene sequences: Analysis and significance in the phylogeny and taxonomy of green algae. **Plant Sciences** **10(4):** 343-368.
- Chaparro, J. X., Werner, D. J., O'Malley, D., and Sederoff, R. R. (1994) Targeted mapping and linkage analysis of morphological, isozyme and RAPD markers I peach. **Theor. Appl.** **87:** 805-815.
- Chauhan, V. D. (1970) Variations in alginic acid content with growth stages in two species of *Sargassum*. **Bot. Mar.** **8:** 57-58.
- Cheney, D. P. (1985) Electrophoresis. In: Littler, M. and Littler, D. (eds.) **Handbook of Phycological Methods: Ecological Field Methods: Macroalgae**. Cambridge University Press, Cambridge. pp. 87-119.
- Chennubhotla, V. S. K., Kaliaperumal, N., Kalimuthu, S., Selvaraj, M., Ramalingam, J.R. and Najmuddin, M. (1982) Seasonal changes in growth and alginic acid and mannitol contents in *Sargassum ilicifolium* (Turner) J. Agardh and *S. myriocystum* J. Agardh. **Indian J. Mar. Csi.** **11:** 195-196.

- Chevret, E., Lemaitre, G. and Katinka, M. D. (1995) Low concentrations of tetramethylammonium chloride increase yield and specificity of PCR. *Nucleic Acids Research* **23**(16): 3343-3344.
- Chiang, Y. M., Yoshida, T., Ajisaka, T., Trono, G. Jr., Tseng, C. K. and Lu, B. (1992) Distribution and variation in *Sargassum polycystum* C. A. Agardh (Fucales, Phaeophyta). In: Abbott, S. A. and Norris, J. N. (eds.) **Taxonomy of Economic Seaweeds with Reference to Some Pacific and Western Atlantic Species**. Sea Grant College, University of California. La Jolla, Calif. 3: 35-42.
- Chiavitti, A., Kraft, G. T., Saunders, G. W., Liao, M. L., and Bacic, A. (1995) A revision of the systematics of the Nizymeniaceae (Gigartinales, Rhodophyta) based on polysaccharides, anatomy, and nucleotide sequences. *J. Phycol.* **31**: 153-166.
- Clayton, M., and King, R. J. (eds.) (1981) **Marine Botany: An Australian Perspective**. Longman Cheshire, Melbourne, Australia. pp.468.
- Clegg, M. T. and Zurawski, G. (1992) Chloroplast DNA and the study of plant phylogeny: present status and future prospects. In: Soltis, P. S., Soltis, D. E. and Doyle, J. J. (eds.) **Molecular Systematics of Plants**. Chapman and Hall, New York. pp.1 - 13.
- Coleman, A. W. and Goff, L. J. (1991) DNA analysis of eukaryotic algal species. *J. Phycol.* **27**: 463-473.
- Collins, F. S., and Hervey, A. B. (1917) The algae of Bermuda. *Proc. Am. Acad. Arts Sci.* **53**: 1-195, pls. 1-6.
- Coyer, J. A., Steller, D. L., and Alberte, R. S. (1995) A field-compatible method for extraction of fingerprint-quality DNA from *Macrocystis pyrifera* (Phaeophyceae). *J. Phycol.* **31**: 177-180.
- Coyer, J. A., Olsen, J. L., and Stam, W. T. (1997) Genetic variability and spatial separation in the sea palm Kelp *Postelsia palmaeformis* (Phaeophyta) as assessed with M13 fingerprints and RAPDs. *J. Phycol.* **33**: 561-568.
- Crane, P. (1988) The marine Chlorophyceae and Phaeophyceae of Penang Island. *The Malay Nat. J.* **34**: 143-169.
- Crawford, D. J., Brauner, S., Cosner, M. B. and Stuessy, T. F. (1993) Use of RAPD markers to document the origin of the intergenic hybrid *xMargyracaena skottsbergii* (Rosaceae) on the Juan Fernandez Island. *Amer. J. Bot.* **80**: 89-92.

- Critchley, A. T. (1983a.) Experimental observations on variability of leaf and air vesicle shape of *Sargassum muticum*. **J. Mar. Biol. Assoc. U.K.** **63**: 825-831.
- Critchley, A. T. (1983c.) *Sargassum muticum*: A morphological description of European material. **J. Mar. Biol. Assoc. U.K.** **63**: 813-824.
- Daugbjerg, N., Moestrup, O., and Arctander, P. (1994) Phylogeny of the genus *Pyramimonas* (Prasinophyceae, Chlorophyta) inferred from the *rbcL* gene. **J. Phycol.** **30**: 991-999.
- Dawson, E. Y. (1954) Marine plants in the vicinity of Nha Trang. **Viet Nam. Pac. Sci.** **13(4)**: 373-470.
- Dawson, I. K., Chalmers, K. J., Waugh, R., and Powell, W. (1993) Detection and analysis of genetic variation in *Hordeum spontaneum* populations from Israel using RAPD markers. **Mol. Ecol.** **2**: 151-59.
- De Boer, S. H., Ward, L. J. and Chittaranjan, S. (1995) Attenuation of PCR inhibition in the presence of plant compounds by addition of BLOTO. **Nucleic Acids Research** **23(13)**: 2567-2568.
- Delidow, B. C., Lynch, J. P., Peluso, J. J. and White, B. A. (1993) Polymerase Chain Reaction. In: White, B. A. (ed.) **Methods in Molecular Biology- 15, PCR Protocols, Current Methods and Applications**. University of Connecticut Health Center, Farnabgtib, CT. Humana Press. Totowa, New Jersey. pp.1-29.
- Destombe, C., and Douglas, S. E. (1991) Rubisco spacer sequence divergence in the rhodophyta alga *Gracilaria verrucosa* and closely related species. **Current Genetics** **18**: 395-398.
- De Wreede, R. E., and Jones, E. C. (1973) New records of *Sargassum hawaiiensis* Doty et Newhouse (Sargassaceae, Phaeophyta), a deep water species. **Phycologia** **12**: 59-62.
- Dinesh, G. (1992) A simplified method for screening and characterization of plasmid DNA in cyanobacteria. **J. of Microbiological Methods** **15**: 7-15.
- Dinh, N. H., Nang, H. Q., But, T. N., and Tien, N. V. (1993) **Marine Algae of North Vietnam**. Ministry Educ. Youth, Trung-Tam Hoc-Lieu Xuat-Btan, Saigon. pp. 364.
- Doty, N. H., and Newhouse, J. (1966) Three new species of the Phaeophyta from Hawaii. **Occ. Pap. B. P. Bishop Mus.** **23**: 139-146.

- Douglas, S. E., and Durnford, D. G. (1989) The small subunit of ribulose-1,5-bisphosphate carboxylase is plastid-encoded in the chlorophyll *c*-containing alga *Cryptomonas*. **Plant Mol. Biol.** **13**: 13-20.
- Doyle, J. J. and Dickson, E. E. (1987) Preservation of plant samples for DNA restriction endonuclease analysis. **Taxon**. **36**: 715-722.
- Doyle, J. J. and Doyle, J. L. (1987) A rapid DNA isolation procedure for small quantities of fresh leaf tissue. **Phytochemical Bulletin** **19**(1): 11-15.
- Doyle, J. J. and Doyle, J. L. (1990) Isolation of plant DNA from fresh tissue. **Focus** **12**(1): 13-15.
- Druehl, L. D. (1990) Molecular evolution in the Laminariales: a review. In: Garbary D. J. and South G. R. (eds.) **Evolutionary Biogeography of the Marine Algae of the North Atlantic**. SpringerVerlag, Berlin. pp. 205-217.
- Dutcher, J. A. and Kapraun D. F. (1994) Random amplified polymorphic DNA (RAPD) identification of genetic variation in three species of *Porphyra* (Bangiales, Rhodophyta). **J. of Appl. Phycol.** **6**: 267-273.
- Dweikat, I., Mackenzie, S., Levy, M. and Ohm, H. (1993) Pedigree assessment using RAPD-DGGE in cereal crop species. **Theor. Appl. Genet.** **85**: 497-505.
- Earle, S. A. (1969) Phaeophyta of the eastern Gulf of Mexico. **Phycologia** **7**: 71-254.
- Echt, C. S., Erdahl, L. A. and McCoy, T. J. (1992) Genetic segregation of random amplified polymorphic DNA in diploid cultivated alfalfa. **Genome** **35**: 84-87.
- Erlich, H. A., Gelfand, D., and Sninsky, J. J. (1991) Recent advances in polymerase chain reaction. **Science (Wash. D. C.)** **252**: 1643-1651.
- Fain, S. R. and Druehl, L. D. (1984) Isolation and characterization of the chloroplast DNA of *Macrocystis intergrifolia*. **Hydrobiologia**. **116/117**: 603-605.
- Fain, S. R., Druehl, L. D., and Baillie, D. L. (1988) Repeat and single copy sequences are differentially conserved in the evolution of Kelp chloroplast DNA. **J. Phycol.** **24**: 292-302.
- Felsenstein, J. (1993) **PHYLIP: phylogenetic inference package**. Department of Genetics, University of Washington, Seattle.
- Felsenstein, J. (1989) **PHYLIP: phylogenetic inference package (version 3.2)**. **Cladistics** **5**: 164-166.

- Felsenstein, J. (1988) Phylogeny from molecular sequences: inference and reliability. *Annu. Rev. Genet.* **22**: 521-565.
- Felsenstein, J. (1985a) Confidence limits on phylogenies: an approach using bootstrap. *Evolution* **39**: 783-791.
- Felsenstein, J. (1985b) Confidence limits on phylogenies with a molecular clock. *Syst. Zool.* **34**: 152-161.
- Felsenstein, J. (1985c) Phylogenies from gene frequencies: a statistical problem. *Syst. Zool.* **34**: 300-311.
- Field, K. G., Olsen, G. J., Lane, D. J., Giovannoni, S. J., Ghiselin, M. T., Raff, E. C., Pace, N. R., and Raff, R. A. (1998) Molecular phylogeny of the animal kingdom. *Science* **239**: 748-753.
- Fish, L. E., Kück, U., and Bogorad, L. (1985) Two partially homologous adjacent light-inducible maize chloroplast genes encoding polypeptides of the P700 chlorophyll and protein complex of photosystem I. *J. Biol. Chem.* **260**: 1415-1421.
- Folkertsma, R. T., Rouppe van der Voort, N. A. M., de Groot, K. E., van Zandvoort, P. M., Schots, A., Gommers, F. J., Helder, J., and Bakker, J. (1996) Gene pool similarities of potato cyst nematode populations assessed by AFLP analysis. *Mol. Plant-Microbe Interact.* **9**: 47-54.
- Fong, G., Walker, M. A., Granett, J. (1995) RAPD assessment of California phylloxera diversity. *Mol. Ecol.* **4**: 459-464.
- Foolad, M. R., Jones, R. A. and Rodriguez, L. (1993) RAPD markers for constructing intraspecific tomato genetic maps. *Plant Cell Reports* **12**: 293-297.
- Freshwater, D. W., Fredericq, S., Hommersand, M. H. (1995) A molecular phylogeny of the Gelidiales (Rhodophyta) based on analysis of plastid *rbcL* nucleotide sequences. *J. Phycol.* **31**: 616-632.
- Friedl, T. (1995) Inferring taxonomic positions and testing genus level assignments in coccoid green lichen algae: A phylogenetic analysis of 18S ribosomal RNA sequences from *Dictyochloropsis reticulata* and from members of the genus *Myrmecia* (Chlorophyta, Trebouxiophyceae Cl. Nov.) *J. Phycol.* **31**: 632-639.
- Fujiwara, S., Iwahashi, H., Someya, J., Nishikawa, S., and Minaka, N. (1993) Structure and cotranscription of the plastid-encoded *rbcL* and *rbcS* genes of *Pleurochrysis carterae* (Prymnesiophyta) *J. Phycol.* **29**: 347-355.

- Fujiwara, S., Sawada, M., Someya, J., Minaka, N., Kawachi, M., and Inouye, I. (1994) Molecular phylogenetic analysis of *rbcL* in the Prymnesiophyta. *J. Phycol.* **30**: 863-871.
- Furukawa, K. and V. P. Bhavadna (1983) Influences of amniotic polysaccharides on DNA synthesis in isolated nuclei and by DNA polymerase: correlation of observed effects with properties of the polysaccharides. *Biochim. Biophys. Acta* **470**: 466-475.
- Garbary, D. J., Oliveira, J. C. Scagel, R. F., and Villeneuve, S. (1991) Notes and distribution records for the marine algae of Fiji. *Micronesia* **24**(2): 249-360.
- Gardes, M., White, T. J., Fortin, J. A., Bruns, T. D., and Taylor, J. W. (1991) Identification of indigenous and introduced symbiotic fungi in ectomycorrhizae by amplification of nuclear and mitochondrial ribosomal DNA. *Can. J. Bot.* **69**: 180-190.
- Garger, S. J., Griffith, O. M. and Grill, L. K. (1983) Rapid purification of plasmid DNA by a single centrifugation in a two-step cesium chloride-ethidium bromide gradient. *Biochemical and Biophysical Research Communications*. **117**(3): 835-842.
- Garrigue, C., and Tsuda (1988) Catalog of marine benthic algae from New Caledonia. *Micronesia* **21**(2): 53-70.
- Giese, H., Holm-Jensen, A. G., Mathiassen, H., Kjaer, B., Rasmussen, S. K., Bay, H., and Jensen, J. (1994) Distribution of RAPD markers on a linkage map of barley. *Hereditas* **120**: 267-273.
- Gerbi, S. (1985) Evolution of ribosomal DNA. In: MacIntyre R. (ed.) *Molecular Evolutionary Genetics*. Plenum Press, New York. pp. 416-517.
- Goff, L. J., and Coleman, A. W. (1988) The use of plastid DNA restriction endonucleases patterns in delineating red algal species and populations. *J. Phycol.* **24**: 357-368.
- Goff, L. J., and Moon, D. A. (1993) PCR amplification of nuclear and plastid genes from algal herbarium specimens and algal spores. *J. Phycol.* **29**: 381-384.
- Goldman, M. (1993) Statistical tests of models of DNA substitution. *J. Mol. Evol.* **36**: 182-198.
- Gonzales, I. L., Sylvester, J. E., Smith, T. F., Stambolian, D., and Schmickel, R. D. (1990) Ribosomal RNA gene sequences and hominoid phylogeny. *Mol. Biol. Evol.* **7**: 203-219.

- Grainger, J. and Madden, D. (1993) The polymerase chain reaction: turning needles into haystacks. *Biologists*. **40**: 197-200.
- Grunow, A. (1915) Additamenta ad cognitionem Sargassorum. *Verh. Zool. Bot. Ges. Wien* **65**: 329-448.
- Grunow, A. (1916a.) Additamenta ad cognitionem Sargassorum. *Verh. Zool. Bot. Ges. Wien* **66**: 1-48.
- Grunow, A. (1916b.) Additamenta ad cognitionem Sargassorum. *Verh. Zool. Bot. Ges. Wien* **66**: 136-185.
- Hadrys, H., Schierwater, B., Dellaporta, S. L., Desalle, R., and Buss, L. W. (1993) Determination of paternity in dragonflies by random amplified polymorphic DNA fingerprinting. *Mol. Ecol.* **2**: 79-87.
- Hanisak, M. D., and Kilar, J. A. (1990) Typification of *Sargassum filipendula* C. Agardh (Phaeophyta, Fucales, Sargassaceae) and the names of two varieties. *Taxon* (in press).
- Hardys, H., Balick, M. and Schierwater, B. (1992) Applications of random amplified polymorphic DNA (RAPD) in molecular ecology. *Mol. Ecol.* **1**: 55-63.
- Haring, M. A., Schuring, F., Urbanus, J., Musgrave, A., van den Ende, H., and Ferris, P. J. (1996) Random amplified polymorphic DNA markers (RAPDs) as tools for gene mapping in *Chlamydomonas eugametos* (Chlorophyta). *J. Phycol.* **32**: 1043-1048.
- Hendricks, L., De Baere, R., Van de Peer, Y., Neefs, J., Goris, A., De Wachter, R. (1991) The evolutionary position of the Rhodophyte *Porphyra umbilicalis* and the Basidiomycete *Leucosporidium scotti* among other eukaryotes as deduced from complete sequences of small ribosomal subunit RNA. *J. Mol. Evol.* **32**: 167-177.
- Heun, M., Murphy, J. P. and Philips, T. D. (1994) A comparison of RAPD and isoenzyme analysis for determining the genetic relationships among *Avena sterilis* L. accessions. *Theor. Appl. Genet.* **87**: 689-696.
- Hillis, D. M., and Davis, S. K. (1986) Evolution of rDNA: fifty million years of recorded history in the frog genus *Rana*. *Evolution* **40**: 1275-1288.
- Hillis, D. M., and Moritz, C. (1990) An overview of applications of molecular systematics. In: Hillis, D. M. and Moritz, C. (eds.) *Molecular Systematics*. Sinauer, Sunderland, Massachusetts. pp. 502-515.

- Jephson, N. A., and Gray, P. W. G. (1977) Aspects of the ecology of *Sargassum muticum* (Yendo) Fensholt, in the Solent region of the British Isles. I. The growth cycle and epiphytes. In: Keegan, K. F., Ceidigh, P. O., and Boaden, P. J. S., (eds.). Biology of benthic organisms. **Proceedings of the 11th European Symposium on Marine Biology, Galway, Ireland, 1976.** Pergamon Press, Elmsford, N. Y. pp. 367-375.
- Joël, F., Massiani, L., Guyader, O. and Mabeau, S. (1995) Use of enzymatic cell wall degradation for improvement of protein extraction from *Chondrus crispus*, *Gracilaria verrucosa* and *Palmaria palmata*. **J. Appl. Phycol.** **7:** 393-397.
- Jofuku, K. D. and Goldberg, R. (1981) Analysis of plant gene structure. In: Shaw, C. H. (ed.) **Plant Molecular Biology: A practical approach structure.** IRL Press. pp. 37-66.
- John, M. E. (1992) An efficient method for isolation of RNA and DNA from plants containing polyphenolics. **Nucleic Acids Research** **20:** 2381.
- Jørgensen, R. A., and Cluster, P. D. (1988) Modes and tempos in the evolution of nuclear ribosomal DNA: new characters for evolutionary studies and new markers for genetic and population studies. **Ann. Missouri Bot. Gard.** **75:** 1238-1247.
- Kantz, T. S., Theriot, E. C., Zimmer, E. A., and Chapman, R. L. (1990) The Pleurastrophyceae and Micromonadophyceae: a cladistic analysis of nuclear rRNA sequence data. **J. Phycol.** **26:** 711-721.
- Kapraun, D. F., Bailey, J. C. and Dutcher, J. A. (1994) Nuclear genome characterization of the carrageenophyte *Hypnea musciformis* (Rhodophyta). **J. of Appl. Phycol.** **6:** 7-12.
- Kapraun, D. F., Dutcher, J. A. and Freshwater, W. D. (1993b) Quantification and characterization of nuclear genomes in commercial red seaweeds: Gracilariales and Gelidiales. **Hydrobiologia.** **260/261 (Dev. Hydrobiol. 85):** 679-688.
- Kapraun, D. F., Dutcher, J. A. and Freshwater, W. D. (1993c) DNA base composition heterogeneity in some Rhodophyta. **J. Crypto. Bot.** **4:** 97-106.
- Kapraun, D. F., Juan, L. B., Trono, G. and Bird, K. T. (1996) DNA base composition heterogeneity in some agarophytes (Gracilariales, Rhodophyta) from Mexico and the Philippines. **J. of Appl. Phycol.** **8:** 229-237.
- Kapraun, D. F., Juan, L.-B., Trono, G. and Bird, K. T. (1996) Quantification and characterization of nuclear genomes in commercial red seaweeds (Gracilariales) from the Philippines. **J. of Appl. Phycol.** **8:** 125-130.

- Kawai, H., Muto, H., Fujii, T., and Kato A. (1995) A linked 5S rRNA gene in *Scytoniphon Lomentaria* (Scytoniphonales, Phaeophyceae). *J. Phycol.* **31**: 306-311.
- Kazan, K., Manners, J. M. and Cameron, D. F. (1993) Genetic variation in agronomically important species of *Stylosanthes* determined using random amplified polymorphic DNA markers. *Theor. Appl. Genet.* **85**: 882-888.
- Kessler, E. and Huss, V. A. R. (1992) Comparative physiology and biochemistry and taxonomic assignment of the *Chlorella* (Chlorophyceae) strains of the culture collection of the University of Texas at Austin. *J. Phycol.* **28**: 550-553.
- Khew, K. L. (1978) Marine algae. In: Chua, T. E. and Mathias, J. A. (eds.) **Coastal Resources of West Sabah. An Investigation into the Impact of Oil Spill.** Penerbit USM. pp. 109-115.
- Kianian, S. (1993) Applied Biostatistics computer programmes NTSYS-Pc. In: W. J. and Brown, M. B. (eds.). **Dixon.** University of California Press, Berkeley. pp. 623-552.
- Kilar, J. A. (1992) Seasonal and between plant variability in the morphology of *Sargassum mathiesonii* Sp. Nov. (Phaeophyta) from the Gulf of Mexico. *J. Phycol.* **28**: 114-126.
- Kilar, J. A. and Hanisak, M. D. (1988) Seasonal patterns of morphological variability in *Sargassum polyceratum* (Phaeophyta). *J. Phycol.* **24**: 466-473.
- Kilar, J. A. and Hanisak, M. D. (1989) Phenotypic variability in *Sargassum polyceratum* (Fucales, Phaeophyta) *Phycologia* **28**: 491-500.
- Kilar, J. A. and Hanisak, M. D. and Yoshida, T. (1992) On the expression of phenotypic variability: Why is *Sargassum* so taxonomically difficult? In: Abbott, S. A. and Norris, J. N. (eds.) **Taxonomy of Economic Seaweeds with Reference to Some Pacific and Western Atlantic Species.** Sea Grant College, University of California. La Jolla, Calif. 3: 95-118.
- Kim, Y. S., Oyaizu, K., Matsumoto, S., Watanabe, M. M., and Nozaki, H. (1994) Chloroplast small-subunit ribosomal RNA gene sequence from *Chlamydomonas parkeae* (Chlorophyta): molecular phylogeny of a green alga with a peculiar pigment composition. *Eur. J. Phycol.* **29**: 213-217.
- Kiss, G. B., Csanadi, G., Kälmänen, K., Kaló, p. and Ökresz, L. (1993) Construction of a basic genetic map for alfalfa using RFLP, RAPD, isoenzyme and morphological markers. *Mol. Gen. Genet.* **238**: 129-137.

- Klein-Lankhorst, R. M., Vermunt, A., Weide, R., Liharska, T. and Zabel, P. (1990) Isolation of molecular markers for tomato (*L. esculentum*) using random amplified polymorphic DNA (RAPD) *Theor. Appl. Genet.* **83**: 108-114.
- Koller, B., Lehmann, A., McDermott, J. M. and Gressler, C. (1993) Identification of apple cultivars using RAPD markers. *Theor. Appl. Genet.* **85**: 901-904.
- Kooistra, W. H. C. F., Olsen, J. L., Stam, W. T., and van den Hoek, C. (1993) Problems relating to species sampling in phylogenetic studies: an example of non-monophyly in *Cladophoropsis* and *Struvea* (Siphonocladales, Chlorophyta) *Phycologia* **32(6)**: 419-428.
- Kooistra, W. H. C. F., Stam, W. T., Olsen, J. L., and van den Hoek, C. (1992) Biogeography of *Cladophoropsis membranacea* (Chlorophyta) based on comparisons of nuclear rDNA ITS sequences. *J. Phycol.* **28**: 660-668.
- Kumar, S., Tamura, K. and Nei, M. (1993) **MEGA: molecular evolutionary genetics analysis**, Version 1.02. The Pennsylvania State University, University Park.
- Kwok, S., Kellogg, D. E., McKinney, N., Spasic, D., Goda, L., Levenson, C. and Sninsky, J. J. (1990) Effects of primer-template mismatches on the polymerase chain reaction: human immuno-deficiency virus 1 model studies. *Nucleic Acids Research* **18**: 999-1005.
- Lake, J. A. (1990) Origin of the Metazoa. *Proceedings of the National Academy of Science of the United States of America* **87**: 763-766.
- Leblanc, C., Kloareg, B., de Goer, S. L., and Boyen, C. (1995) DNA sequence, structure, and phylogenetic relationship of the mitochondrial small-subunit rRNA from the red algae *Chondrus crispus* (Gigartinales, Rhodophytes). *J. Mol. Evol.* **41**: 196-202.
- Lee, M. H. and Nicholson, P. (1997) Isolation of genomic DNA from plant tissues. *Nature Biotechnology* **15**: 805-806.
- Lee, S. B., and Taylor, J. W. (1992) Phylogeny of five fungus-like protocistan *Phytophthora* species, inferred from the internal transcribed spacers of ribosomal DNA. *Molecular Biology and Evolution* **9**: 636-653.
- Lee, W. J. and King, R. J. (1996) Molecular characteristics of five genera of Dictyotaceae (Phaeophyta) from Australia: based on DNA sequence of nuclear rDNA internal transcribed spacer (ITS) and 5.8S. *Algae. (The Korean J. Pycol.)* **11(4)**: 381-388.

- Levring, T. (1960) Contributions to marine algal flora of Chile. *Lunds Univ. Arsskr. N. F. Avd. 2, 56 (10)*: 83+2, figs. 1-22.
- Lew, K. A., and Manhart, J. R. (1993) The *rps12* gene in *Spirogyra maxima* (Chlorophyta) and ITS evolutionary significance. *J. Phycol.* **29**: 500-505.
- Lim, B. L., Kawai, H., Hori, H., and Osawa, S. (1986) Molecular evolution of 5S ribosomal RNA from red and brown algae. *Jpn. J. Genet.* **61**: 169-176.
- Lim, B. L., Kawai, H., Hori, H., and Osawa, S. (1983) The nucleotide sequences of 5S rRNAs from a multicellular green alga, *Ulva pertusa*, and two brown algae, *Eisenia bicyclis* and *Sargassum fulvellum*. *Nucleic Acids Research* **11(6)**: 1909-1912.
- Lin, J. J., and Kuo, J. (1995) A novel PCR-based assay for plant and bacterial DNA fingerprinting. *Focus* **17**: 66-70.
- Lin, J. J., Kuo, J., and Ma, J. (1996) A PCR-based DNA fingerprinting technique: AFLP for molecular typing of bacteria. *Nucleic Acids Research* **24(18)**: 3469-3650.
- Lin, J. J., Kuo, J., Ma, J., Saunders, J. A., Beard, H. S., MacDonald, M. H., Kenworthy, W., Ude, G. N., and Matthews, B. F. (1996) Identification of molecular markers in soybean comparing RFLP, RAPD and AFLP DNA mapping techniques. *Plant Mol. Bio. Reporter* **14(2)**: 156-169.
- Lindstrom, S. C., and Cole, K. M. (1990a) An evaluation of species relationships in the *Porphyra perforata* complex (Bangiales, Rhodophyta) using starch gel electrophoresis. *Hydrobiologia* **204/205**: 179-183.
- Lindstrom, S. C., and Cole, K. M. (1990b) *Porphyra fallax*, a new species of Rhodophyta from British Columbia and northern Washington. *Jpn. J. Phycol.* **38**: 371-376.
- Lindstrom, S. C., and Cole, K. M. (1992a) The *Porphyra lanceolata* - *P. pseudolanceolata* (Bangiales, Rhodophyta) complex unmasked: recognition of new species based on isozymes, morphology, chromosomes and distributions. *Phycologia* **31**: 431-438.
- Lindstrom, S. C., and Cole, K. M. (1992b) Relationships between some North Atlantic and North Pacific species of *Porphyra* (Bangiales, Rhodophyta): evidence from electrophoresis, morphology, and chromosomes. *Can. J. Bot.* **70**: 1355-1363.

- Lindstrom, S. C., and Cole, K. M. (1992c) A revision of the species of *Porphyra* (Rhodophyta: Bangiales) occurring in British Columbia and adjacent waters. *Can. J. Bot.* **10**: 2066-2075.
- Lindstrom, S. C., Olsen, J. L., and Stam, W. T. (1996) Recent radiation of the Palmariaceae (Rhodophyta). *J. Phycol.* **32**: 457-468.
- Linz, U., Delling, U. and Rübsamen W. H. (1990) Systematic studies on parameters influencing the performance of the polymerase chain reaction. *J. Clin. Chem. Clin. Biochem.* **28**: 5-13.
- Liu, Y. S., Thomas, R. J. S. and Phillips, W. A. (1995) Single-step direct PCR amplification from solid tissues. *Nucleic Acids Research* **23**(9): 1640.
- Lucas, A. H. S. (1935) The marine algae of Lord Howe Island. *Proc. Linn. Soc. N. S. W.* **60**: 194-232.
- Maggs, C. A., and Guiry, M. D. (1987) Environmental control of macroalgal phenology. In: Crawford, R. M. (ed.) **Plant Life in Aquatic and Amphibious Habitats**. Brit. Ecol. Soc. Spec. Publ. 5. Blackwell Scientific Publishers, Cambridge, Mass. pp. 359-373.
- Maggs, C. A., Doughlas, S. E., Fenety, J., and Bird, C. J. (1992) A molecular and morphological analysis of the *Gymnogongrus devoniensis* (Rhodophyta) complex in the North Atlantic. *J. Phycol.* **28**: 214-232.
- Magruder, W. H. (1988) *Sargassum* (Phaeophyta, Fucales, Sargassaceae) in the Hawaiian Island. In: Abbott, I. A. (ed.) **Taxonomy of Economic Seaweeds: with Reference to Some Pacific and Caribbean Species, vol. 2**. California Sea Grant Colledge Program, University of California, La Jolla, Calif., pp. 65-87, figs. 1-61.
- Magruder, W. H. (1992) *Sargassum* (Phaeophyta, Fucales, Sargassaceae) in the Hawaiian Island. In: Abbott, I. A. and Norris, J. N. (eds.) **Taxonomy of Economic Seaweeds with Reference to Some Pacific and Western Atlantic Species**. Sea Grant College, University of California. La Jolla, Calif 3: 65-87.
- Mailer, R. J., Scarth, R. and Fristensky, B. (1994) Discrimination among cultivars of rapeseed (*Brassica napus* L.) using DNA polymorphisms amplified from arbitrary primers. *Theor. Appl. Genet.* **87**: 697-704.
- Manhart, J. R. and McCourt, R. M. (1992) Molecular data and species concepts in the algae. *J. Phycol.* **28**: 730-737.

- Martin, G. B., Williams, J. G. K. and Tanksley, S. D. (1991) Rapid identification of markers linked to a *Pseudomonas* resistance gene in tomato by using random primers and near-isogenic lines. *Proc. Natl. Acad. Sci. USA.* **88**: 2336-2340.
- Martin, W., Somerville, C. C. and Loiseaux-de Goer, S. (1992) Molecular phylogenies of plastid origins and algal evolution. *J. Mol. Evol.* **35**: 385-404.
- Martin, W. R., Jouannic, S. and Loiseau-de Goer, S. (1993) Molecular phylogeny of the *atpB* and *atpE* genes of the brown algae *Phylaiella littoralis*. *Eur. J. Phycol.* **28**: 111-113.
- Mattaj, I. W., Tollervey, D. and Seraphin, B. (1993) Small RNAs in messenger RNA and ribosomal RNA processing. *FASEB J.* **7**: 47-53.
- Mayes, C., Saunders, G. W., Tan, I. H. and Druehl, L. D. (1992) DNA extraction methods for kelp (Laminariales) tissue. *J. Phycol.* **28**: 712-716.
- McCarrol, R., Olsen, G.J., Stahl, Y. D., Woese, C. R., and Sogin, M. L. (1983) Nucleotide sequence of *Dictyostelium discoideum* small-subunit ribosomal ribonucleic acid inferred from the gene sequence: evolutionary implications. *Biochemistry* **22**: 5868-5868.
- McCourt, R. M., Helfgott, D. M. and Hoshaw, R. W. (1992) Using random amplified polymorphic DNA (RAPD) fragments to detect polyploid species complexes in *Spirogyra* (Zygnematales, Chlorophyta). *J. Phycol.* **28 (Suppl.) 4**: 7.
- McCourt, R. M., Gilder, J. Y., Helfgott, D. M., and Hoshaw, R. W. (1993a.) Restriction analysis of *rbcL* gene in *Spirogyra* (Zygnematales, Chlorophyta). *J. Phycol.* **29 (Suppl.)**: 11.
- McCourt, R. M., Robinson, M., and Hoshaw, R. W. (1993b.) Restriction analysis of *rbcL* gene in polyploid complex of *Spirogyra*. *J. Phycol.* **29 (Suppl.)**: 11.
- Medlin, L., Elwood, H. J., Stickel, S., and Sogin, M. L. (1988) The characterization of enzymatically amplified eukaryotic 16S-like rRNA-coding regions. *Gene* **71**: 491-499.
- Meneses, I. (1996) Assessment of populations of *Gracilaria chilensis* (Gracilariales, Rhodophyta) utilizing RAPDs. *J. of Appl. Phycology* **8**: 185-192.
- Michaels, S. D., John, M. C. and Amasino, R.M. (1994) Removal of polysaccharides from plant DNA by ethanol precipitation. *Biotechniques* **17(2)**: 274-276.

- Michelmore, R. W., Paran, I. and Kesseli, R. V. (1991) Identification of markers linked to disease-resistance genes by bulked segregant analysis: a rapid method to detect markers in specific genomic regions by using segregating populations. *Proc. Natl. Acad. Sci. USA.* **88:** 9828-9832.
- Millam, S. (1992) Problems and advances in plant DNA isolation techniques and applications. *Agro-Food-Industry-Hi-Tech.* pp. 16-18.
- Mindell, D. P. and Honeycutt, R. L. (1990) Ribosomal RNA in vertebrates: evolution and phylogenetic applications. *Annu. Rev. Ecol. Syst.* **21:** 541-566.
- Miziorka H. M., and Lorimer G. H. (1983) *Annu. Rev. Biochem.* **52:** 507-535.
- Moller, E. M., Bahnweg, G., Sandermann, H. and Geiger, H. H. (1992) A simple and efficient protocol for isolation of high molecular weight DNA from filamentous fungi, fruit bodies and infected plant tissues. *Nucleic Acids Research* **22:** 6115-6116.
- Moritz, C. and D. M. Hillis (1990) Molecular systematics: Context and controversies, In: D. M. Hillis and C. Moritz (eds.), *Molecular Systematics*, Sinauer Associates, Inc., Sunderland, Massachusetts, U. S. A., pp. 1-10.
- Morris, J. (1973) In: *An Introduction to the Algae*. Hutchinson University Library, London, p. 161.
- Mueller, U. G., Lipari, S. E., and Milgroom, M. G. (1996) Amplified fragment length polymorphism (AFLP) fingerprinting of symbiotic fungi cultured by the fungus-growing ant *Cyphomyrmex minutus*. *Mol. Ecol.* **5:** 119-122.
- Murray, M. G. and Thompson, W. F. (1980) Rapid isolation of high molecular weight plant DNA. *Nucleic Acids Research* **8:** 43-47.
- Nakamura, Y., Leppert, M., O'connell, P., Wolff, R., Holm, T., Culver, M., Martin, C., Fujimoto, E., Hoff, M., Kanlin, E. and White, R. (1987) DNA amplification fingerprinting using arbitrary mini-hairpin oligonucleotide primers. *Science* **235:** 1616-1622.
- Nei, M. and Li, W. H. (1979) Mathematical model for study genetic variation in terms of restriction endonucleases. *Proc. Natl. Acad. Sci. USA.* **74:** 5267-5273.
- Noro, T., Ajisaka, T., and Yoshida, T. (1994) Species of *Sargassum* (Fucales) with compressed primary branches. In: *Tax. Econ. Seaweeds* **4**, pp. 23-31.

- Novy, R. G., Kobak, C., Goffreda, J., and Vorsa, N. (1994) RAPDs identify carietal misclassification and regional divergence in cranberry [*Vaccinium macrocarpon* (ait.) Pursh] **Theor. appl. Genet.** **88**: 1004-1010.
- Olsen, J. L. (1990) Nucleic acids in algal systematics. **J. Phycol.** **26**: 209-214.
- Olsen, J. L., Stam, W. T., Berger, S., and Menzel, D. (1994) 18S rDNA and evolution in the Dasycladales (Chlorophyta): Modern living fossils<sup>1</sup>. **J. Phycol.** **30**: 729-744.
- O'Neill, N. R., van Berkum, P., Lin, J. J., Kuo, J., Ude, G. N., Kenworthy, W., and Saunders, J. A. (1997) Application of Amplified Restriction Fragment Length Polymorphism for genetic characterization of *Colletotrichum* pathogens of alfalfa. **Phytopathology** **87**(7): 745-750.
- Ou, C. Y. (1993) PCR and its applications. **Genetic Engineering and Biotechnology Monitor**. UNIDO, Austria. pp. 96-112.
- Palmer, J. D. (1985) Evolution of chloroplast and mitochondrial DNA in plants and algae. In: MacIntyre, R. J. (ed.) **Monographs in Evolutionary Biology: Molecular Evolutionary Genetics**. Plenum Press, New York, pp. 131-240.
- Palmer, J. D. (1988) Isolation and structural analysis of chloroplast DNA. In: Weissbach, A. and Weissbach, H. (eds.) **Methods for Plant Molecular Biology**. Academic press Inc. Harcourt Brace Jovanovich Publishers. pp. 105-113.
- Palmer, J. D. (1992) Mitochondrial DNA in plant systematics: applications and limitations. In: Soltis, P. S., Soltis, D. E. and Doyle, J. J. (eds.). **Molecular Systematics of Plants**. Chapman and Hall, New York. 36-49.
- Panaccio, M., Georgesz, M., Hollywell, C. and Lew, A. (1993) Direct PCR from solid tissues without DNA extraction. **Nucleic Acids Research** **21**(19): 4656.
- Paran, I., Kessell, R. and Michelmore, R. (1991) Identification of restriction fragment length polymorphism and random amplified polymorphic DNA markers linked to downy mildew resistance gene in lettuce, using near-isogenic lines. **Genome** **34**: 1021-1027.
- Paran, I. and Michelmore, R. W. (1993) Development of reliable PCR-based markers linked to downy mildew resistance genes in lettuce. **Theor. Appl. Genet.** **85**: 985-993.
- Parr, A. E. (1939) Quantitative observations on the pelagic *Sargassum* vegetation of the western North Atlantic. **Bull. Bingham Oceanogr. Coll.** **6**: 1-94.

- Parsons, T. J., Maggs, C. A. and Douglas, S. E. (1990) Plastid DNA restriction analysis links the heteromorphic phases of an apomictic red algal life history. *J. Phycol.* **26**: 495-500.
- Patwary, M. U., Mackay, R. M. and van der Meer, J. P. (1994) Application of RAPD markers in an examination of heterosis in *Gelidium vagum* (Rhodophyta). *J. Phycol.* **30**: 91-97.
- Patwary, M. U., Mackay, R. M. and van der Meer, J. P. (1993) Revealing genetic markers in *Gelidium vagum* (Rhodophyta) through the RAPD technique. *J. Phycol.* **29**: 216-222.
- Paula, E. J., and Oliveira, E. C. (1982) Wave exposure and ecotypical differentiation in *Sargassum cymosum* (Phaeophyta-Fucales). *Phycologia* **21**: 145-153.
- Payri, C. E., and Naim, O. (1982) Variations entre 1971 et 1980 de la biomasse et de la composition des populations de macroalgues sur le récif corallien de Taihura (Illi de Moorea, Polynésie). *Crypto. Algol.* **3(3)**: 141-149.
- Payri, C. E. (1987) Zonation and seasonal variation of the commonest algae on Taihura Reef (Moorea Island, French Polynesia). *Bot. Mar.* **30**: 141-149.
- Penner, G. A., Bush, A., Wise, R., Kim, W., Donies, L., Kasha, K., Lavoche, A., Scoles, G., Molnar, S. J. and Fedak, G. (1993a) Reproducibility of random amplified polymorphic DNA (RAPD) analysis among laboratories. In: *PCR Methods Applic.* **2**: 341-345.
- Penner, G. A., Chong, J., Lévesque-Lemay, M., Molnar, S. J. and Fedak, G. (1993b) Identification of a RAPD marker linked to the oat stem rust gene Pg3. *Theor. Appl. Genet.* **85**: 702-705.
- Penny, D. and O'Kelly, C. (1991) Seeds of a universal tree. *Nature (Lond.)* **350**: 106-107.
- Perasso, R., Baroin, A., Qu, L. H., Bachelleri, J. P. and Adoutte, A. (1989) Origin of the algae. *Nature (Lond.)* **339**: 142-144.
- Peters, A. F., van Oppen, M. J. H., Wiencke, C., Stam, W. T., and Olsen, J. L. (1997) Phylogeny and historical ecology of the Desmarestiaceae (Phaeophyceae) support a southern hemisphere origin. *J. Phycol.* **33**: 294-309.
- Pfenninger, M., Frye, M., Bahl, A., and Streit, B. (1995) Discrimination of three conchologically similar *Helicellinae* (*Helicella*, *Gastropoda*) species using RAPD-fingerprinting. *Molec. Ecol.* **4**: 521-522.

- Phang, S. M. (1995) Distribution and abundance of marine algae on the coral reef flats at Cape Rachado, Port Dickson, Peninsular Malaysia. **Malaysian Journal of Science** **16A**: 23-32.
- Phang, S. M. (1984) Seaweed resources of Malaysian. **Wallaceana** **33**: 3-8.
- Phang, S. M. and Yoshida, T. (1997) *S. stolonifolium* Phang et Yoshida Sp. Nov. from Penang Island, Peninsular Malaysia. In: Abbott, S. A. and Norris, J. N. (eds.) **Taxonomy of Economic Seaweeds with Reference to Some Pacific Species**. Sea Grant College, University of California. La Jolla, Calif. 6: 61-73.
- Phang, S. M. and Vellupillai, M. (1989) Phycocolloid content of some Malaysian seaweeds. **Proc. 12th. Annual Seminar of the Malaysian Society of Marine Sciences**. pp. 65-67.
- Phang, S. M. and Wee, Y. C. (1991) Benthic marine algae. In: Kiew, R. (ed.) State of nature conservation in the Malaysia. Chapter 5. **Malaysian Nature Society Publication**. pp. 51-61.
- Pleyte, K. A., Duncan, S. D. and Phillips, R. B. (1992) Evolutionary relationships of the salmonid fish genus *Salvelinus* inferred from DNA sequences of the first internal transcribed spacer (ITS1) of ribosomal DNA. **Mol. Phylogen. Evol.** **1**: 223-230.
- Phillips R. B., and Pleyte, K. A. (1991) Nuclear DNA and salmonid phylogenetics. **J. Fish Bio.** **39 (Suppl. A)**: 259-275.
- Rausch, H., Larsen, N. and Schmitt, R. (1989) Phylogenetic relationships of the green alga *Volvox carteri* deduced from small-subunit ribosomal RNA comparisons. **J. Mol. Evol.** **29**: 255-265.
- Reinbold, M. T. H. (1913) *Sargassum*. In : van Bosse, W., ed. List des algues du Siboga. I. *Myxophyceae*, *Chlorophyceae*, *Phaeophyceae*. **Siboga Expeditie Monograph 59A**. E. J. Brill, Leiden, pp. 150-163.
- Reith, M., and Cattolico, R. A. (1986) Inverted repeat of *Olisthodiscus luteus* chloroplast DNA contains genes for both subunits of ribulose-1,5-biphosphate and the 32,000 dalton Q<sub>8</sub> protein: phylogenetic implications. **Proc Natl Acad Sci USA** **83**: 8599-8603.
- Renn, D. W. (1990) Seaweeds and biotechnology- inseparable companions. **Hydrobiologia**. **204/205**: 7-13.

- Rice, E. L., and Crowden, R. K. (1987) An improved method for the extraction and electrophoresis of proteins and active enzymes from fucalean macroalgae (Phaeophyta). **Phycologia**. **26**: 235-246.
- Rice, E. L., and Bird, C. J. (1990) Relationships among geographically distant populations of *Gracilaria verrucosa* (Gracilariales, Rhodophyta) and related species. **Phycologia**. **29**: 501-510.
- Richard, E. (1987) Preparation of genomic DNA from plant tissue. In: Ausubel, F. M., Brent, R., Kingston, R. E., Moore, D. D., Seidman, J. G. , Smith, J. A. and Struhal, K. (eds.). **Current Protocols in Molecular Biology**: Greene Publishing Associates and Wiley-Interscience, John Wiley and Sons, New York. pp. 2.3.1-3.
- Richard, E. (1988) Preparation of genomic DNA from plant tissue. In: Ausubel, F. M., Brent, R., Kingston, R. E., Moore, D. D., Seidman, J. G. , Smith, J. A. and Struhal, K. (eds.). **Current Protocols in Molecular Biology**. John Wiley and Sons, New York. pp. 2.3.1-2.3.3.
- Roell, M. K. and Morse, D. E. (1991) Fractionation of nuclear, chloroplast, and mitochondrial DNA from *Polysiphonia boldii* (Rhodophyta) using a RAPD and simple method for the simultaneous isolation of RNA and DNA. **J. Phycol.** **27**: 229-305.
- Rogers, S. O. and Bendich, A. J. (1994) Extraction of total cellular DNA from plants, algae and fungi. **Plant Mol. Bio. Manual D1**: 1-8.
- Rogers, S. O., Rehner, S., Bledsoe, C., Mueller, G. J. and Ammirati, J. F. (1989) Extraction of DNA from milligram amounts of fresh herbarium and mummified plant tissues. **Plant Mol. Biol.** **5**: 69-76.
- Saiki, R. L., Gelfand, D. H., Stoffel, S., Scharf, S. J., Higuchi, R., Horn, G. T., and Erlich, H. A. (1988) Primer-directed enzymatic amplification of DNA with a thermostable DNA polymerase. **Science (Wash. D. C.)** **239**: 487-491.
- Saitou, N. and Nei, M. (1987) The neighbour-joining method: a new method for reconstructing phylogenetic trees. **Mol. Biol. Evol.** **4**: 406-425.
- Sambrook, J., Fritsch, E. F. and Maniatis, T. (1989) **Molecular Cloning: A Laboratory Manual**. Cold Spring Harbor Lab, Cold Spring Harbor, New York.
- Sastray, V. M. V. S. and Roa, G. R. K. (1995) Dioctyl phthalate, and antibacterial compound from the marine brown alga - *Sargassum wightii*. **J. of Appl. Phycol.** **7**: 185-186.

- Saunders, G. W. and Druehl, L. D. (1992) Nucleotide sequences of the small-subunit ribosomal RNA genes from selected Laminariales (Phaeophyta): Implications for Kelp evolution. *J. Phycol.* **28**: 544-549.
- Saunders, G. W. (1993) Gel purification of red algal genomic DNA: An inexpensive and rapid method for the isolation of polymerase chain reaction-friendly DNA. *J. Phycol.* **29**: 251-254.
- Saunders, G. W. and Druehl, L. D. (1993) Nucleotide sequences of the internal transcribed spacers and 5.8S rRNA genes from *Alaria marginata* and *Postelsia palmaeformis* (Phaeophyta, Laminariales). *Mar. Biol. (Berl.)* **115**: 347-352.
- Saunders, G. W. and Kraft, G. T. (1993) Morphological and molecular investigation of the Gigartinalean sphaerococcaceae, phacelocarpaceae and nizymeniaceae: Evidence for a taxonomic reunion. *J. Phycol.* **29** (Suppl.): 7.
- Saunders, G. W. and Kraft, G. T. (1995) The phylogenetic affinities of *Notheia anomala* (Fucales, Phaeophyceae) as determined from partial small-subunit rRNA gene sequences. *Phycologia* **34**: 383-389.
- Saunders, G. W., Bird, C. J., Ragan, M. A., and Rice, E. L. (1995) Phylogenetic relationships of species of uncertain taxonomic position within the Acrochaetales-Palmariales complex (Rhodophyta): Inferences from phenotypic and 18S rDNA sequence data. *J. Phycol.* **31**: 601-611.
- Schierwater, B. and Ender, A. (1993) Different thermostable DNA polymerases may amplify different RAPD products. *Nucleic Acids Research* **21**(19): 4647-4648.
- Schofield, C. I., Gacesa, P., Price, J. H., Russel, S. J., and Bhoday, R. (1991) Restriction fragment length polymorphisms of enzymically-amplified small-subunit rRNA-coding regions from *Gracilaria* and *Gracilariaopsis* (Rhodophyta) - a rapid method for assessing 'species' limits. *J. of Appl. Phycol.* **3**: 329-334.
- Scholin, C. A. (1996) LSU rDNA-based RFLP assays for discriminating species and strains of *Alexandrium* (Dinophyceae). *J. Phycol.* **32**: 1022-1035.
- Scholin, C. A., and Anderson, D. M. (1994) Identification of group- and strain-specific genetic markers for globally distributed *Alexandrium* (Dinophyceae). I. RFLP analysis of SSU rRNA genes. *J. Phycol.* **30**: 744-754.

- Scholin, C. A., and Anderson, D. M. (1996) LSU rDNA-based RFLP assays for discriminating species and strains of *Alexandrium* (Dinophyceae). **J. Phycol.** **32**: 1022-1035.
- Sekimoto, H., Sone, Y., and Fujii, T. (1995) Biochemical, physiological, and molecular analysis of sexual isolation in the species complex *Closterium peracerosum-strigosum-littorale* (Chlorophyta). **J. Phycol.** **31**: 611-615.
- Setchell, W. A. (1924) American Samoa. **Carnegie Inst. Wash.** **20**: 1-272 pls. 1-37.
- Setchell, W. A., and Parks, H. E. (1926) Tahitian Fungi. **Univ. Calif. Pub. Bot.** **12(4)**: 1-110, pls. 1-22.
- Setchell, W. A. (1931) Hong Kong Seaweeds, II. **Hong Kong Nat.** **2**: 237-253.
- Setchell, W. A. (1933) Hong Kong Seaweeds, III. **Hong Kong Nat. Suppl.** **2**: 33-49.
- Setchell, W. A. (1935) Hong Kong Seaweeds, IV. **Hong Kong Nat.** **4**: 1-24.
- Setchell, W. A. (1936) Hong Kong Seaweeds, V. **Hong Kong Nat.** **5**: 1-20.
- Sheila, D. R., Phang, S. M., and Thong, S. L. (1994) Heavy metal content of some Malaysian seaweeds. In: Phang, S. M., Lee, Y. K., Borowitzka, M. A., and Whitton, B. A. (eds.) Algal biotechnology in the Asia-Pacific region: **Proceedings of the First Asia-Pacific Conference on Algal Biotechnology**, Institute of Advanced Studies, University of Malaya, Kuala Lumpur. pp. 339-343.
- Shepard, S. A., and Womersley, H. B. S. (1971) Pearson Island Expedition 1969-1970: the subtidal ecology of benthic algae. **Trans. R. Soc. S. Aust.** **95(3)**: 155-167.
- Shiota, M. and K. Marakami-Muofushi (1987) Selective inhibition of DNA polymerase by a polysaccharide purified from slime of *Phsarium polyccephalum*. **Biochem. Biophys. Research Commun.** **146**: 61-66.
- Silva, P. C., Menex, E. G., and Moe, R. L. (1987) Catalog of the benthic algae of the Philippines. **Smithsonian Contrib. Mar. Sci.** **27**: 1-179.
- Silveira, M. H. and Orgel, L. E. (1995) PCR with detachable primers. **Nucleic Acids Research** **23(6)**: 1083-1084.
- Singsit, C. and Ozias-Akins (1993) Genetic variation in monoploids of diploid potatoes and detection of clone-amplified polymorphic DNA markers. **Plant Cell Reports** **12**: 144-148.

- Smith, J. J., Scott-Craig, J. S., Leadbetter, J. R., Bush, G. L., Roberts, D. L., and Fulbright, D. W. (1994) Characterization of random amplified polymorphic DNA (RAPD) products from *Xanthomonas campestris* and some comments on the use of RAPD products in phylogenetic analysis. **Mol. Phylogen. Evol.** **3**: 135-145.
- Smith, L. L., Dhar, A. K., Gilehrist, J. L., and Yong, Y. L. (1973) Sterols of the brown alga *Sargassum fluitans*. **Phytochemistry.** **12**: 2727-2732.
- Sobral, B. W. S. and Honeycutt, R. J. (1994) Genetics, plants, and the polymerase chain reaction. In: Mullis, K. B., Ferre, F. and Gibbs, R. A.(eds.) **The Polymerase Chain Reaction**. Birkhauser Boston. pp. 304-318.
- Sobral, B. W. S. and Honeycutt, R. J. (1993) High output genetic mapping of polypliods using PCR-generated markers. **Theor. Appl. Genet.** **86**: 105-112.
- Soe-Htun, U., and Yoshida, T. (1986) Studies on morphological variations in *Sargassum cristaefolium* C. Agardh (Phaeophyta, Fucales). **Jpn. J. Phycol.** **34**: 275-281.
- Sogin, M. L., Elwood, H. J., and Gunderson, J. H. (1986) Evolutionary diversity of eukaryotic small-subunit rRNA genes. **Proc. Nat. Acad. Sci. U. S. A.** **83**: 1383-1387.
- Sogin, M. L., Edman, U. and Elwood, H. J. (1989) A single kingdom of eukaryotes. In: B. Fernholm, K. Bremer and H. Jörnvall (eds.) **The hierarchy of Life. Molecules and Morphology in Phylogenetic Analysis**. Elsevier Science Publishers B. V. (Biomedical Division), Amsterdam. pp. 133-143.
- Sokal, R. R. and Michener, C. D. (1958) Statistical test of molecular phylogenies. **Sci. Bull.** **28**: 1409-1438.
- Soltis, P. and Kuzoff, R. K. (1993) ITS sequence variation within and among populations of *Lomatium grayi* and *L. laevigatum* (Umbelliferae). **Mol. Phylogen. Evol.** **2**: 166-170.
- Sosa, P. A. and Garcia-Reina, G. (1992) Genetic variability and differentiation of sporophytes in populations of *Gelidium arbuscula* (Gelidiaceae: Rhodophyta) determined by isozyme electrophoresis. **Mar. Biol.** **113**: 679-688.
- South, G. R., and Kasahara, H. (1982) A preliminary checklist of the benthic algae of the Fijian Islands, south Pacific. **Micronesia** **25(1)**: 41-70.
- Stam, W. T., Lewin, R. A. and Cheng, L. (1989) DNA conservation for taxonomic studies. **J. Phycol.** **25**: 758-762.

- Steane, D. A., McCleure, B., Clarke, A. E., and Kraft, G. T. (1991) Amplification of the polymorphic 5.8S rRNA gene from selected Australian Gigartinalean species (Rhodophyta) by polymerase chain reaction. *J. Phycol.* **27**: 758-762.
- Steiner, J. J., Poklemba, C. J., Fjellstrom, R. G. and Elliott, L. F. (1995) A rapid one-tube genomic DNA extraction process for PCR and RAPD analyses. *Nucleic Acids Research* **23**(13): 2569-2570.
- Steven, D. R. and Purton, S. (1997) Genetic engineering of eukaryotic algae: progress and prospects. *J. Phycol.* **33**: 713-722.
- Stiller, J. W. and Waaland, J. R. (1993) Molecular analysis reveals cryptic diversity in *Porphyra* (Rhodophyta) by PCR. *J. Phycol.* **29**: 506-517.
- Stiles, J. I., Lemme, C., Sondur, S., Morshidi, M. B. and Mansharde, R. (1993) Using random amplified polymorphic DNA for evaluating genetic relationships among papaya cultivars. *Theor. Appl. Genet.* **85**: 697-701.
- Swofford, D. L. (1993) PAUP: phylogenetic analysis using parsimony, Version 3.1.1 Illinois Natural History Survey, Champaign.
- Tan, I. H. and Druehl, L. D. (1993) Phylogeny of the Northeast Pacific brown algal (Phaeophyceae) orders as inferred from 18S rRNA gene sequences. *Hydrobiologia* **260/261**: 699-704.
- Tan, I. H. and Druehl, L. D. (1994) A molecular analysis of *Analipus* and *Raalfsia* (Phaeophyceae) suggests the order Ectocarpales is polyphyletic. *J. Phycol.* **30**: 721-729.
- Tan, I. H. and Druehl, L. D. (1996) A ribosomal DNA phylogeny supports the close evolutionary relationships among the Sporochnales, Desmarestiales, and Laminariales (Phaeophyceae). *J. Phycol.* **32**: 112-118.
- Tanksley, S. D., Young, N. D., Paterson, A. H., and Bonierbale, M. W. (1989) RFLP mapping in plant breeding: New tools for an old science. *Bio/Technology* **7**: 257-265.
- Taylor, W. R. (1960) **Marine Algae of the Eastern Tropical and Subtropical Coasts of the Americas**. Univ. Michigan Press, Ann Arbor. pp. 870.
- Taylor, W. R. (1973) Marine algae of the Smithsonian-Bredin expedition to Society and Tuamotu islands. *Pac. Sci* **27**(1): 37-43.
- Teo, L. W. and Wee, Y. C. (1983) **Seaweeds of Singapore**. Singapore University Press. National University of Singapore.

- Thornber, J. P. (1986) Biochemical characterization and structure of pigment proteins of photosynthetic organisms. In Staehelin, L. A. and Arntzen, C. J. (eds.) **Encyclopedia of Plant Physiology, Photosynthesis III**. Springer-Berlag, Berlin. pp. 98-142.
- Thorpe, R. S., McGregor, D. P., Cumming, A. M., and Jordan, W. C. (1994) DNA evolution and colonization sequence of island lizards in relation to geological history: MtDNA RFLP, cytochrome B, cytochrome oxidase, 12S rRNA sequence and nuclear RAPD analysis. **Evolution** 48: 230-240.
- Trono, G. C. Jr. (1992) The genus *Sargassum* in the Philippines. In: Abbott, S. A. and Norris, J. N. (eds.) **Taxonomy of Economic Seaweeds with Reference to Some Pacific and Western Atlantic Species**. Sea Grant College, University of California. La Jolla, Calif. 3: 43-94.
- Trono, G. C. Jr. (1992) The genus *Sargassum* in the Philippines. In: Abbott, S. A. and Norris, J. N. (eds.) **Taxonomy of Economic Seaweeds with Reference to Some Pacific and Western Atlantic Species**. Sea Grant College, University of California. La Jolla, Calif. 3: 43-94.
- Trono, G. C. Jr. (1994) New species of *Sargassum* in the Philippines. In: Abbott, S. A. and Norris, J. N. (eds.) **Taxonomy of Economic Seaweeds with Reference to Some Pacific and Western Atlantic Species**. Sea Grant College, University of California. La Jolla, Calif. 3: 3-7.
- Tseng, C. K. (1984) Phycological research in the development of the Chineses seaweed industry. **Hydrobiologia**. 116/117: 7-8.
- Tseng, C. K. and Chang, C. F. (1984) Chinese seaweeds in herbal medicine. **Hydrobiologia**. 116/117: 152-154.
- Tseng, C. K., Yoshida, T. and Chiang, Y. M. (1985) East Asiatic species of *Sargassum* subgenus Bactrophucus J. Agardh (Sargassaceae, Fucales), with keys to the sections and species. In: Abbott, S. A. (ed.) **Taxonomy of Economic Seaweeds with Reference to Some Pacific and Caribbean Species**. Sea Grant College, University of California. La Jolla, Calif. 1: 1-14.
- Tseng, C. K. and Lu, Baoren (1988) Studies on Chinese species of Zygocarpic *Sargassum*. In: Abbott, S. A. and Norris, J. N. (eds.) **Taxonomy of Economic Seaweeds with Reference to Some Pacific and Caribbean Species**. Sea Grant College, University of California. La Jolla, Calif. 2: 23-54.

- Tseng, C. K. and Lu, Baoren (1992a.) Studies on the malacocarpic *Sargassum* of China: I. Fruticuliferae J. Agardh. In: Abbott, S. A. and Norris, J. N. (eds.) **Taxonomy of Economic Seaweeds with Reference to Some Pacific and Western Atlantic Species.** Sea Grant College, University of California. La Jolla, Calif. 3: 5-10.
- Tseng, C. K. and Lu, Baoren (1992b.) Studies on the malacarpic *Sargassum* of China: II. Racemosae. J. Agardh. In: Abbott, S. A. and Norris, J. N. (eds.) **Taxonomy of Economic Seaweeds with Reference to Some Pacific and Western Atlantic Species.** Sea Grant College, University of California. La Jolla, Calif. 3: 11-34.
- Tseng, C. K., Yoshida, T., and Chiang Y. M. (1985) East Asiatic species of *Sargassum* subgenus *Bactrophycus* J. Agardh (Sargassaceae, Fucales), with keys to the sections and species. In: Abbott, S. A. and Norris, J. N. (eds.) **Taxonomy of Economic Seaweeds with Reference to Some Pacific and Caribbean Species.** Sea Grant College, University of California. La Jolla, Calif. 1: 1-14.
- Tsuda, R. T. (1965) Marine algae from Layson Island with additional notes on their vascular flora. **Atoll Res. Bull.** 110: 31, figs. 1-13.
- Tsuda, R. T. (1966) Marine benthic algae from the leeward Hawaiian group. **Atoll Res. Bull.** 115: 1-13.
- Tsuda, R. T. (1968) Some marine benthic algae from the Marcus Island, Bonin Islands. **Micronesia** 4(2): 207-212.
- Tsuda, R. T. (1972a.) Some marine benthic algae from the Truk and Kuop, Carolinelislands. **Atoll Res. Bull.** 115: 1-10.
- Tsuda, R. T. (1972b.) Marine benthic algae of Guam. **Micronesia**. 8(1-2): 87-115.
- Tsuda, R. T. and Belk, M. S. (1972) Additional records of marine benthic algae from Yap, Western Caroline Islands. **Atoll Res. Bull.** 156: 1-5.
- Tsuda, R. T. (1976) Occurrence of the genus *Sargassum* (Phaeophyta) on two Pacific atolls. **Micronesia** 12(2): 279-282.
- Tsuda, R. T. and Tobias, W. J. (1977) Marine benthic algae from the Mariana Islands, Chlorophyta and Phaeophyta. **Bull. Jpn. Soc. Phycol.** 25(2): 19-24.
- Tsuda, R. T. and Wray, F. O. (1977) Bibliography of marine benthic algae in Micronesia. **Micronesia** 13(1): 85-120.

- Tsuda, R. T. (1981) Bibliography of marine benthic algae of Micronesia: addendum. *Micronesia* 12(2): 279-282.
- Tsuda, R. T. (1988) *Sargassum* from Micronesia. In: Abbott, S. A. (ed.) **Taxonomy of Economic Seaweeds with Reference to Some Pacific and Caribbean Species**. Sea Grant College, University of California. La Jolla, Calif. 2: 59-63.
- Umezaki, I. (1974) Ecological studies of *Sargassum thunbergii* (Mertens) O. Kuntze in Maizuru Bay, **Japan Sea. Bot. Mag. Tokyo** 87: 285-292.
- Umezaki, I. (1984) Ecological studies of *Sargassum hemiphyllum* C. Agardh in Obama Bay, **Japan Sea. Bull. Jpn. Soc. Sci. Fish.** 50: 1677-1683.
- Umezaki, I. (1986) Growth of the primary laterals in *Sargassum ringgoldianum* Harv. subsp. *coreanum* (J. Ag.) Yoshida in Obama Bay, **Japan. Bull. Jpn. soc. Sci. Fish.** 52: 957-963.
- Valentin, K., and Zetsche, K. (1990) Rubisco genes indicate a close phylogenetic relation between the plastids of Chromophyta and Rhodophyta. **Plant Mol. Bio.** 15: 575-584.
- Valentin, K., and Zetsche, K. (1989) The genes of both subunits of ribulose-1,5-bisphosphate carboxylase constitute an operon on the plastome of a red alga. **Curr. Genet.** 16: 203-209.
- van Buren, R., Harper, K. T., Anderson, W. R., Stanron, D. J., Seyoum, S. and England, J. L. (1994) Evaluating the relationship of autumn buttercup (*Ranunculus acriformis* var *aestivalis*) to some close congeners using random amplified polymorphic DNA. **American Journal of Botany** 81: 514-519.
- van Heusden, A. W., and Bachmann, K. (1992) Genotype relationships in *Microseris elegans* (Asteraceae, Lactuceae) revealed by DNA amplification from arbitrary primers (RAPDs). **Pl. Syst. Evol.** 179: 221-233.
- van Nues, R. W., Rientjes, J. M. J., van der Sande, C. A. F. M., Zerp, S. F., Sluiter, C., Venema, J., Planta, R. J. and Raue, H. A. (1994) Separate structural elements within internal transcribed spacer 1 of *Saccharomyces cerevisiae* precursor ribosomal RNA direct the formation of 17S and 26S rRNA. **Nucleic Acids Research**, 22: 913-919.
- van Oppen, M. J. H., Olsen, J. L., and Stam, W. T. (1993) Evidence for independent acquisition of Group I introns in green algae. **Mol. Bio. Evol.**, 10: 1317-1326.

- van Oppen, M. J. H., Diekmann, O. E., Wiencke, C., Stam, W. T., and Olsen, J. L. (1994) Tracking dispersal routes: phylogeography of the Arctic-Antarctic disjunct seaweed *Acrosiphonia arcta* (Chlorophyta). *J. Phycol.* **30**: 67-80.
- van Oppen, M. J. H., Olsen, J. L., and Stam, W. T. (1995) Genetic variation within and among North Atlantic and Baltic populations of the benthic alga *Phycodrys rubens* (Rhodophyta) *Eur. J. Phycol.* **30**: 251-260.
- van Oppen, M. J. H., Klerk, H., de Graaf, M., Stam, W. T., and Olsen, J. L. (1996) Assessing the limits of random amplified polymorphic DNAs (RAPDs) in seaweed biogeography. *J. Phycol.* **32**: 433-444.
- Vashishta, B. R. (1973) **Botany for degree students**. Part 1. Algae. S. Chand and Co. (Pvt.) Ltd. pp. 383-396.
- Velasquez, G. T., and Lewmanomont, K. (1975) A checklist on the study of the benthic marine algae of Thailand. *Kasetsart Univ. Fish. Bull.* **8**: 1-25.
- Venkateswarlu, K., and Nazar, R. (1991) A conserved core structure in the 18-25S rRNA intergenic region from tobacco, *Nicotiana rustica*. *Plant Mol. Biol.* **17**: 189-94.
- Voleshy, B., Zajic, J. E. and Knettig, E. (1970) Algal products. In: Zajic, J. E. (ed.) **Properties and products of algae**. Plenum Press. New York. London. pp. 49-82.
- Vos, R., Hogers, M., Bleeker, M., Van de Lee Reijans, T., Homes, M., Fritters, A., Pot, J., Peleman, J., Kuiper, M., and Zabeau, M. (1995) AFLP: A new concept for DNA fingerprinting. *Nucleic Acids Research* **23**: 4407-4414.
- Vosberg, H. P. (1989) The PCR: an improved method for the analysis of nucleic acids. *Hum. Genet.* **83**: 1-15.
- Waara, S., Wallin, A., and Eriksson, T. (1991) Production and analysis of intraspecific somatic hybrids of potato (*Solanum tuberosum* L.). *Plant Science* **75**: 107-115.
- Wei, T. L., and Chin, W. Y. (1983) **Seaweeds of Singapore**. Singapore University Press, Singapore.
- Welsh, J. and McClelland, M. (1990) Fingerprinting genomes using PCR with arbitrary primers. *Nucleic Acids Research* **18**: 7213-7218.
- Welsh, J., Honeycutt, R. J., McClelland, M., and Sobral, B. W. S. (1991) Parentage determination in maize hybrids using the arbitrarily primed polymerase chain reaction (AP-PCR). *Theor. Appl. Genet.* **82**: 473-476.

- White, T. J., Arnheim, N. and Erlich, H. A. (1989) The PCR. *Trends in Genetics* **6**: 185-188.
- Wilcox, L. W., Lewis, L. A., Fuerst, P. A. and Floyd, G. L. (1992) Group I introns within the nuclear-encoded small-subunit rRNA gene of three green algae. *Mol. Biol. Evol.* **9**: 1103-1118.
- Wilde, J., Waugh, R. and Powell, W. (1992) Genetic fingerprinting of *Theobroma* clones using randomly amplified polymorphic DNA markers. *Theor. Appl. Genet.* **83**: 871-877.
- Wilkerson, R. C., Parsons, T. J., Albright, D. G., Klein, T. A., and Braun, M. J. (1993) Random amplified polymorphic DNA (RAPD) markers readily distinguish cryptic mosquito species (Diptera: Culicidae: *Anopheles*). *Insect Mol. Biol.* **1**: 205-211.
- Williams, J. G. K., Kubelik, A. R., Livak, K. J., Rafalski, J. A. and Tingey, S. (1990) DNA polymorphisms amplified by arbitrary primers are useful as genetic markers. *Nucleic Acids Research* **18**: 6531-6535.
- Wilson, F. D., Hommersand, M. H., and Chase, M. W. (1992) Molecular systematics of the Gelidiales (Rhodophyta) based upon *rbcL* sequence analysis. *J. Phycol.* **28 (Suppl.)**: 4.
- Woese, C. R. (1987) Bacterial evolution. *Microbiol. Rev.* **51**: 221-271.
- Wolff, K., Schoen, E. D., Riju, J. P. V. (1993) Optimizing the generation of random amplified polymorphic DNAs in chrysanthemum. *Theor. Appl. Genet.* **86**: 1033-1037.
- Wollman, F. A. (1986) Photosystem I proteins. In Staehelin L. A. and Arntzen C. J. (Eds..) *Encyclopedia of Plant Physiology, Photosynthesis III*. Springer-Verlag, Berlin. pp. 487-495.
- Womersley, H. B. S. (1954) Australian species of *Sargassum*, subgenus *Phyllotricha*. *Aust. J. Bot.* **2(3)**: 337-354.
- Womersley, H. B. S. (1959) The marine algae of Australia. *Bot. Review.* **25(4)**: 545-614.
- Womersley, H. B. S. (1966) Port Philip Survey 1957-1963: algae. *Mem. Nat. Mus. Vict.* **27**: 133-384.
- Womersley, H. B. S. (1967) A critical review of the marine algae of southern Australia. *Aust. J. Bot.* **15**: 189-270.

- Womersley, H. B. S. (1987) **Marine Benthic Flora of Southern Australia: Part II.** South Australian Government Printing Division, Adelaide. pp. 484.
- Womersley, H. B. S., and Bailey, A. (1969) The marine algae of the Solomon Islands and their place in biotic reefs. **Phil. Trans. R. Soc. B.** **255:** 433-442.
- Womersley, H. B. S., and Bailey, A. (1970) Marine algae of the Solomon Islands. **Phil. Trans. R. Soc. B.** **259:** 257-352.
- Woodward, S. R., Sudweeks, J., and Teuscher, C. (1992) Random sequence oligonucleotide primers detect polymorphic DNA products which segregate in inbred strains of mice. **Mamm. Genome** **3:** 73-78.
- Xu, Y. S., Clarke, M. S. and Pebu, E. (1993) Use of RAPD markers to screen somatic hybrids between *Solanum tuberosum* and *S. brevidens*. **Plant Cell Reports.** **12:** 107-109.
- Yang, X. and Ouiros, C. (1993) Identification and classification of celery cultivars with RAPD markers. **Theor. Appl. Genet.** **86:** 205-212.
- Yokota, Y., Kawata, T., Iida, Y., Kato, A., and Tanifuji, S. (1989) Nucleotide sequences of the 5.8S rRNA gene and internal transcribed spacer region in carrot and broad bean ribosomal DNA. **J. Mol. Evol.** **29:** 294-301.
- Yoshida, T. (1983) Japanese species of *Sargassum* subgenus *Bactrophycus* (Phaeophyta, Fucales). **Journ. Fac. Sci., Hokkaido Univ. Ser. V (Botany),** **13(2):** 2-246.
- Yoshida, T. (1988a) Introduction. In: Abbott, I. A. and Norris, J. N. (eds.) **Taxonomy of Economic Seaweeds with Reference to Some Pacific and Caribbean Species.** Sea Grant College, University of California. La Jolla, Calif. 2: 1-4.
- Yoshida, T. (1988b) Japanese and Taiwanese species of *Sargassum* subgenus Sargassum. In: Abbott, I. A. and Norris, J. N. (eds.). **Taxonomy of Economic Seaweeds with Reference to Some Pacific and Caribbean Species.** Sea Grant College, University of California. La Jolla, Calif. 2: 5-22.
- Yu, L.-X. and Nguyen, H. T. (1994) Genetic variation detected with RAPD markers among upland and low land rice cultivars (*Oryza sativa* L.). **Theor. Appl. Genet.** **87:** 668-672.
- Zechman, F. W., Theriot, E. C., Zimmer, E. A., and Chapman, R. L. (1990) Phylogeny of the Ulvophyceae (Chlorophyta): Cladistic analysis of nuclear-encoded rRNA sequence data. **J. Phycol.** **26:** 700-710.

- Zimmer, E. A., Hamby, R. K., Arnold, M. L., Leblanc, D. A., and Theriot, E. C. (1989) Ribosomal RNA phylogenies and flowering plant evolution. In: Fernholm, B., Bremer, K. and Jornvall, H. (eds.) *The Hierarchy of Life. Proceedings of the Nobel Symposium*, Elsevier, Amsterdam 70: 205-14.