

CONTENTS

Abstract.....	ii
Abstrak.....	iv
Acknowledgements.....	vi
Dedication.....	vii
List of Figures.....	x
1. Introduction.....	1
2. The Standard $SU(2) \times U(1)$ Weinberg-Salam Model	7
2.1. Introduction.....	7
2.2. The Standard $SU(2) \times U(1)$ Weinberg-Salam Model for Quarks and Leptons	7
2.3. Lagrangian and Feynman Rules in the 't Hooft-Feynman Gauge.....	14
3. The Flavour-Changing $Zs\bar{d}$ Vertex	19
3.1. Introduction.....	19
3.2. Unrenormalized Loop-Induced $Zs\bar{d}$ Vertex Function.....	19
3.3. Renormalization of the $Zs\bar{d}$ Vertex Function	29
3.4. The On-Shell Vertex Function.....	35
4. The $Zs\bar{d}$ Vertex Form Factors.....	38
4.1. Introduction.....	38
4.2. Numerical Evaluation of the Form Factors.....	39
4.3. Behaviour of the Form Factors.....	48
5. Application.....	56
5.1. Introduction.....	56

4.2.	Numerical Evaluation of the Form Factors.....	39
4.3.	Behaviour of the Form Factors.....	48
5.	Application	56
5.1.	Introduction.....	56
5.2.	Decay Rates and Asymmetry Parameters for $q_1 \rightarrow q_2 Z^*$	56
5.3.	Analysis and Result of the Decay Rates and Asymmetry Parameters for $q_1 \rightarrow q_2 Z^*$	64
5.4.	Flavour-Changing Decay of $Z \rightarrow q_2 \bar{q}_1$	84
6.	Conclusions	98
7.	Appendix: Dimensional Regularization	102
	References	

4.2.	Numerical Evaluation of the Form Factors.....	39
4.3.	Behaviour of the Form Factors.....	48
5.	Application	56
5.1.	Introduction.....	56
5.2.	Decay Rates and Asymmetry Parameters for $q_1 \rightarrow q_2 Z^*$	56
5.3.	Analysis and Result of the Decay Rates and Asymmetry Parameters for $q_1 \rightarrow q_2 Z^*$	64
5.4.	Flavour-Changing Decay of $Z \rightarrow q_2 \bar{q}_1$	84
6.	Conclusions	98
7.	Appendix: Dimensional Regularization	102
	References	

LIST OF FIGURES

- Figure 3.1 The one-loop diagrams contributing to the induced $Zs\bar{d}$ vertex in 't Hooft-Feynman gauge. Diagrams (a) and (c) involve only W (wavy line) in the loop; whereas diagrams (b), (d), (e) and (f) are supplementary diagrams which involve the unphysical scalar ϕ (dashed line).
- Figure 3.2 One-particle reducible diagrams involving flavour-changing self-energy.
- Figure 3.3 The renormalization prescription of Chia and Chong.
- Figure 4.1 Real parts of the dominant form factors $\text{Re} A_u$, $\text{Re} A_c$, $\text{Re} A_t$, $\text{Re} B_t$ and $\text{Re} C_t$ for the $Zs\bar{d}$ vertex versus invariant mass k of the virtual Z boson.
- Figure 4.2 Real parts of the less dominant form factors $\text{Re} B_u$, $\text{Re} B_c$, $\text{Re} C_u$ and $\text{Re} C_c$ for the $Zs\bar{d}$ vertex versus invariant mass k of the virtual Z boson.
- Figure 4.3 Imaginary parts of the form factors for the $Zs\bar{d}$ vertex versus invariant mass k of the virtual Z boson. Here $\text{Im} A_u$ is dominant.
- Figure 4.4 Real parts of the dominant form factors $\text{Re} A_u$, $\text{Re} A_c$, $\text{Re} A_t$, $\text{Re} B_t$ and $\text{Re} C_t$ for the $Zb\bar{d}$ vertex versus invariant mass k of the virtual Z boson.
- Figure 4.5 Real parts of the less dominant form factors $\text{Re} B_u$, $\text{Re} B_c$, $\text{Re} C_u$ and $\text{Re} C_c$ for the $Zb\bar{d}$ vertex versus invariant mass k of the virtual Z boson.

- Figure 4.6 Imaginary parts of the form factors for $Z b \bar{d}$ vertex versus invariant mass k of the virtual Z boson. Here $\text{Im } A_u$ and $\text{Im } A_c$ are dominant.
- Figure 5.1 Decay rate Γ versus invariant mass k of the virtual Z boson for $s \rightarrow d Z^*$.
- Figure 5.2 Asymmetry parameter a versus invariant mass k of the virtual Z boson for $s \rightarrow d Z^*$.
- Figure 5.3 Decay rate Γ versus $|\lambda_c|^2$ for $s \rightarrow d Z^*$ at $k^2 = (0.1\text{GeV})^2$.
- Figure 5.4 Asymmetry parameter a versus $|\lambda_c|^2$ for $s \rightarrow d Z^*$ at $k^2 = (0.1\text{GeV})^2$.
- Figure 5.5 Decay rate Γ versus invariant mass k of the virtual Z boson for $b \rightarrow s Z^*$.
- Figure 5.6 Asymmetry parameter a versus invariant mass k of the virtual Z boson for $b \rightarrow s Z^*$.
- Figure 5.7 Decay rate Γ versus invariant mass k of the virtual Z boson for $b \rightarrow d Z^*$.
- Figure 5.8 Asymmetry parameter a versus invariant mass k of the virtual Z boson for $b \rightarrow d Z^*$.
- Figure 5.9 Decay rate Γ versus $|\lambda_c|^2$ for $b \rightarrow d Z^*$ at $k^2 = (2.0\text{GeV})^2$.

Figure 5.10 Asymmetry parameter a versus $|\lambda_c|^2$ for $b \rightarrow d Z^*$ at $k^2 = (2.0\text{GeV})^2$.

Figure 5.11 Decay rate Γ versus $\text{Re}(\lambda_u \lambda_c^*)$ for $b \rightarrow d Z^*$ at $k^2 = (2.0\text{GeV})^2$.

Figure 5.12 Asymmetry parameter a versus $\text{Re}(\lambda_u \lambda_c^*)$ for $b \rightarrow d Z^*$ at $k^2 = (2.0\text{GeV})^2$.

Figure 5.13 Decay rate Γ versus $|\lambda_c|^2$ for $Z^0 \rightarrow s\bar{d}, \bar{s}d$.

Figure 5.14 Asymmetry parameter a versus $|\lambda_c|^2$ for $Z^0 \rightarrow s\bar{d}, \bar{s}d$.

Figure 5.15 Decay rate Γ versus $|\lambda_c|^2$ for $Z^0 \rightarrow b\bar{d}, \bar{b}d$.

Figure 5.16 Asymmetry parameter a versus $|\lambda_c|^2$ for $Z^0 \rightarrow b\bar{d}, \bar{b}d$.

Figure 5.17 Decay rate Γ versus $\text{Re}(\lambda_u \lambda_c^*)$ for $Z^0 \rightarrow b\bar{d}, \bar{b}d$.

Figure 5.18 Asymmetry parameter a versus $\text{Re}(\lambda_u \lambda_c^*)$ for $Z^0 \rightarrow b\bar{d}, \bar{b}d$.