

REFERENCES

- Allendorf, F. W. (1986). Genetic drift and the loss of alleles versus heterozygosity. *Zoo. Biol.* **5**. 181-190.
- Amos, W., Sawcer, S. J., Feakes, R. W. & Rubinsztein, D. C. (1996). Microsatellites show mutational bias and heterozygote instability. *Nat. Genet.* **13**. 390-391.
- Anon. (1996). ADB-NACA study follow ups in India, Malaysia and Vietnam. *NACA Newsletter*. **13**. 1.
- Anon. (1998a). Production of ornamental fish by state, 1998. In *Annual Fisheries Statistics. Vol 2*. p 175. Department of Fisheries, Malaysia.
- Anon. (1998b). Production value of ornamental fish by state, 1998. In *Annual Fisheries Statistics. Vol 2*. p 176. Department of Fisheries, Malaysia.
- Anon. (1998c). Export and import of fishery commodities, 1998. In *Annual Fisheries Statistics. Vol 2*. p 38. Department of Fisheries, Malaysia.
- Anon. (1999). Ornamental aquatic life: what's FAO got to do with it? FAO News Highlights. <http://www.fao.org/NEWS/1999/990901-e.htm>.
- Anon. (2001). Export and import of fishery commodities, 1997. Fishery In *Statistical Bulletin for the South China Sea Area 1997*. p 124-141. Southeast Asia Fisheries Department Centre.
- Anon. (2002). FAO Year Book of Fishery Statistic. Rome: FAO.
- Aquadro, C. F. & Greenberg, B. D. 1983. Human mitochondrial DNA variation and evolution: Analysis of nucleotide sequences from seven individuals. *Genetics*. **103**. 287-312.
- Asahida, T., Kobayashi, T., Saitoh, K. & Nakayama, I. (1996). Tissue preservation and total DNA extraction from fish at ambient temperature using buffers containing high concentration of urea. *Fish. Sci.* **62**. 727-730.
- Awise, J. C. (1986). Mitochondrial DNA and the evolutionary genetics of higher animals. *Phil. Trans. R. Soc.* **312B**. 325-342.
- Awise, J. C. (1989). Gene trees and organismal histories: a phylogenetic approach to population biology. *Evolution*. **43**: 1192-1208.
- Awise, J. C. (1994). *Molecular Markers, Natural History and Evolution*. New York: Chapman and Hall.

Awise, J. C., Arnold, J., Ball, R. M. Bermingham, E., Lamb, T., Neigel, J. E., Reeb, C. A. & Saunders, N. C. (1987). Intraspecific phylogeography: the mitochondrial DNA bridge between population genetics and systematics. *A. Rev. Ecol. Syst.* **18**. 489-522.

Awise, J. C., Walker, D. & Johns, G. C. (1998). Speciation durations and Pleistocene effects on vertebrate phylogeography. *Pro. R. Soc. Lond. Ser. B. Biol. Sci.* **256**. 1707-1712.

Bardakci, F. & Skibinski, D. O. F. (1994). Application of the RAPD technique in tilapia fish: species and subspecies identification. *Heredity*. **73**. 117-123.

Beckmann, J. S. & Weber, J. L. (1992). Survey of human and rat microsatellites. *Genomics*. **12**. 627-631.

Bentzen, P., Taggart, C. T., Ruzzante, D. E. & Cook, D. (1996). Microsatellite polymorphism and the population structure of Atlantic cod (*Gadus morhua*) in the Northwest Atlantic. *Can. J. Fish. Aquat. Sci.* **53**. 2706-2721.

Bermingham, E. & Awise, J. C. (1986). Molecular zoogeography of freshwater fishes in the southeastern United States. *Genetics*. **113**. 939-965.

Bermingham, E., McCafferty, S., Martin, A. (1997). Fish biogeography and molecular clocks: perspectives from the Panamanian Isthmus. In *Molecular Systematics of Fishes*. (Kocher, T. & Stepien, C., ed.), p 113-126. New York: Academic Press.

Bichara, M., Schmacher, S. & Fuchs, R. P. P. (1995). Genetic instability within monotonous runs of CpG sequences in *Escherichia coli*. *Genetics*. **140**. 897-907.

Bonde, N. (1979). Paleoenvironment in the "North Sea" as indicated by the fish bearing Mo-clay deposit (Paleocene/Eocene) of Denmark. *Medd. Werkgr. Ter. Kavart. Geol.* **16**. 3-16.

Bowcock, A. M., Ruiz-Linares, A., Tomfohrde, J., Minch, E., Kidd, J. R. & Cavalli-Sforza, L. L. (1994). High resolution of human evolutionary trees with polymorphic microsatellites. *Nature*. **368**. 455-457.

Briscoe, D. A., Malpica, J. M., Robertson, A., Smith, G. J., Frakham, R., Banks, R. G. & Barker, J. S. F. (1992). Rapid loss of genetic variation in large captive population of *Drosophila* flies: implications for genetic management of captive populations. *Conserv. Biol.* **6**. 416-425.

Britten, R. J. & Kohne, D. E. (1968). Repeated sequences in DNA. *Science*. **161**. 529-540.

Brooker, A. L., Cook, D., Bentzen, P., Wright, J. M. & Doyle, R. W. (1994). Organization of microsatellites differs between mammals and cold-water teleost fishes. *Can. J. Fish. Aquat. Sci.* **51**. 1959-1966.

Brown, W. M., Prager, E. M., Wang, A. & Wilson, A. C. (1982). Mitochondrial DNA sequences of primates: tempo and mode of evolution. *J. Mol. Evol.* **18**. 225-239.

Brutlag, D. L. (1980). Molecular arrangement and evolution of heterochromatic DNA. *Ann. Rev. Genet.* **14**. 121-144.

Budowle, B. & Morretti, T. R. (1999). Forensics: analysis of short tandem repeat loci by multiples PCR and real-time fluorescence detection during capillary electrophoresis. In *Methods and Tools in Biosciences and Medicine. DNA Profiling and DNA Fingerprinting* (Epplen, J. T. & Lubjuhn, T., ed.), p. 101-115. Birkhäuser Verlag Basel, Switzerland.

Callen, D. F., Thompson, A. D., Shen, Y., Phillips, H. A., Richards, R. I., Mulley, J. C. & Sutherland, G. R. (1993). Incidence and origin of null alleles in the (AC)_n microsatellite markers. *Am. J. Hum. Genet.* **52**. 922-927.

Carvalho, G. R. (1993). Evolutionary aspects of fish distribution: genetic variability and adaptation. *J. Fish Biol.* **43(A)**. 53-73.

Carvajal-Carmona, L. G. Soto, I. D., Pineda, N., Ortiz-Barrientos, D., Duque, C., Ospina-Duque, J., McCarthy, M., Montoya, P., Alrarez, V. M., Bedoya, G. & Ruiz-Linares, A. (2000). Strong Amerind/white sex bias and a possible Sephardic contribution among the founders of a population in Northwest Colombia. *Am. J. Hum. Genet.* **67**. 1287-1295.

Chakraborty, R., Kimmel, M., Stivers, D. N., Davison, L. J. & Deka, R. (1997). Relative mutation rates at di-, tri-, and tetranucleotide microsatellite loci. *Proc. Natl. Acad. Sci. USA*. **94**. 1041-1046.

Chambers, G. K. & MacAvoy, E. S. (2000). Microsatellite: consensus and controversy. *Comp. Biochem. Physiol. B. Biochem. Mol. Biol.* **126**. 455-476.

Chapman, R. W., Sedberry, G. R., Koenig, C. C. & Eleby, B. M. (1999). Stock identification of gag, *Mycteroperca microlepis*, along the southeast coast of the United States. *Mar. Biotechnol.* **1**. 137-146.

Charlesworth, B., Sniegowski, P. & Stephan, W. (1994). The evolutionary dynamic of repetitive DNA in eukaryotes. *Nature*. **371**. 215-220.

Chong, L. K., Tan, S. G., Siraj, S. S., Christianus, A. & Yusoff, K. (1999). Mendelian inheritance of Random Amplified Polymorphic DNA (RAPD) markers in the river catfish, *Mystus nemurus*. *Malays. Appl. Biol.* **28**. 81-87.

Clark, A. G. & Lanigan, C. M. S. (1993). Prospects for estimating dinucleotide divergence with RAPDs. *Mol. Bio. Evol.* **10**. 1096-1111.

Cornuet, J. M. & Luikart, G. (1996). Description and power analysis of two tests for detecting recent population bottlenecks from allele frequency data. *Genetics*. **144**. 2001-2014.

Coughlan, J. P., Imsland, A. K., Galvin, P. T., Fitzgerald, R. D., Naevdal, G. & Gross, T. F. (1998). Microsatellite DNA variation in wild populations and farmed strains of turbot from Ireland and Norway: a preliminary study. *J. Fish Biol.* **52**. 916-922.

Crandall, K. A. & Fitzpatrick JR., J. F. (1996). Crayfish molecular systematics: using a combination of procedures to estimate phylogeny. *Syst. Bio.* **45**. 1-26.

Cross, T. F. Bailey, J., Friars, G. & O'Flynn, F. (1993). Maintenance of genetic variability in reared Atlantic salmon (*Salmo salar*) stocks. In *Salmon in the sea and new enhancement strategies*. Fishing News Books (Mills, D., ed.), Oxford: Blackwell Science.

Crow, J. F. & Kimura, M. (1970). *An introduction to population genetics theory*. New York: Harper and Row.

Crozier, R. H., Kaufmann, B., Carew, M. E. & Crozier, Y. C. (1999). Mutability of microsatellites developed for the ant *Camponotus consobrinus*. *Mol. Ecol.* **8**. 271-276.

Cruzan, M. B. & Templeton, A. R. (2000). Paleocology and coalescence: phylogeographic analysis of hypotheses from the fossil record. *Trends Ecol. Evol.* **14**. 491-496.

Dallas, J. F. (1992). Estimation of microsatellite mutation rates in recombinant inbred strains of mouse. *Mamm. Genome*. **3**. 452-456.

Dawes, J., Lim, L.C. & Cheong, L. (1999). *The Dragon Fish*. England: Kingdom Books.

Desvignes, J. F., Laroche, J., Durand, J. D. & Bouvet, Y. (2001). Genetic variability in reared stocks of common carp (*Cypinus carpio* L.) based on allozymes and microsatellites. *Aquaculture*. **194**. 291-301.

DeWoody, J. A. & Avise, J. C. (2000). Microsatellite variation in marine, freshwater and anadromous fishes compared with other animals. *J. Fish. Biol.* **56**. 461-473.

Dinesh, K. R., Lim, T. M. Chua, K. L., Chan, W. K. & Phang, V. P. E. (1993). RAPD analysis: An efficient method of DNA fingerprinting in fishes. *Zool. Sci.* **10**. 849-854.

Di Rienzo, A., Peterson, A. C., Garza, J. C., Valdes, A. M., Slatkin, M. & Freimer, N. B. (1994). Mutational processes of simple-sequence repeat loci in human populations. *Proc. Natl. Acad. Sci. USA*. **91**. 3166-3170.

Dodson, J. J., Colombani, F. & Ng, P. K. L. (1995). Phylogeographic structure in mitochondrial DNA of a South-east Asian freshwater fish, *Hemibagrus nemurus*

(Siluroidei; Bagridae) and Pleistocene sea-level change on the Sunda shelf. *Mol. Ecol.* **4** 331-346.

Eckert, K. A. & Kunkel, T. A. (1990). High fidelity DNA synthesis by the *Thermus aquaticus* DNA polymerase. *Nuc. Acids Res.* **18**. 3739-3744.

Ede, A. J. & Crawford. (1995). Mutations in the sequence flanking the microsatellite at the *KAP8* locus prevent the amplification of some alleles. *Anim. Genet.* **26**. 43-44.

Edwards, A., Hammond, H. A., Jin, L., Caskey, C. T. & Chakraborty, R. (1992). Genetic variation at five trimeric and tetrameric tandem repeat loci in four human population groups. *Genomics.* **12**. 241-253.

Ellegren, H. (1995). Mutation rates at porcine microsatellite loci. *Mamm. Genome.* **6**. 376-377.

Ellegren, H. (2000). Microsatellite mutations in the germline; implications for evolutionary inference. *Trends in Genet.* **16**. 551-558.

Elliott, N. G. & Reilly, A. (2003). Likelihood of bottleneck event in the history of the Australian population of Atlantic salmon (*Salmo salar* L.). *Aquaculture.* **215**. 31-44.

Engstrom, T. N. , Shaffer, H. B. & McCord, W. P. (2002). Phylogenetic diversity of endangered and critically endangered southeast Asian softshell turtles (Trionychidae: *Chitra*). *Biol. Conservation.* **104**. 173-179.

Estoup, A., Presa, P., Krieg, F., Vaiman, D. & Guyomard, R. (1993). (CT)_n and (GT)_n microsatellite: a new class of genetic markers for *Salmo trutta* L. (brown trout). *Heredity.* **71**. 488-496.

Estoup, A., Tailliez, C, Cornuet, J-M. & Solignac, M. (1995). Size homoplasmy and mutational processes of interrupted microsatellites in two bee species, *Apis mellifera* and *Bombus terrestris* (Apidae). *Mol. Biol. Evol.* **12**. 1074-1084.

Estoup, A. & Cornuet, J-M. (1999). Microsatellite evolution: inference from population data. In *Microsatellites: Evolution and Applications* (Goldstein, D. B., Schlötter, C., ed.), p. 49-65. Oxford: Oxford University Press.

Excoffier, L., Smouse, P. E. & Quattro, J. M. (1992). Analysis of molecular variance inferred from metric distances among DNA haplotypes: application to human mitochondrial DNA restriction data. *Genetics.* **131**. 479-491.

Fajen, A. & Breden, F. (1992). Mitochondrial DNA sequence variation among natural population of the Trinidad guppy, *Poecilia reticulata*. *Evolution.* **46**. 1457-1465.

Falush, D. & Iwasa, Y. (1999). Size dependent mutability and microsatellite constraints. *Mol. Biol. Evol.* **16**. 960-966.

Fernando, A. A., Lim, L. C., Jeyaseelan, K., Teng, S. W., Liang, M. C. & Yeo, C. K. (1997). DNA fingerprinting: application to conservation of the CITES-listed dragon fish, *Scleropages formosus* (Osteoglossidae). *Aquarium Science and Conservation*. **1**. 91-104.

Fisher, R. A. (1958). *The Genetical Theory of Natural Selection* 2nd edn. New York: Dover.

Fisher, R. A. (1970). *Statistical Methods for Research Workers*, 14 edn. Edinburgh: Oliver and Boyd.

FitzSimmons, N. N., Moritz, C. & Moore, S. S. (1995). Conservation and dynamics of microsatellite loci over 300 million years of marine turtle evolution. *Mol. Biol. Evol.* **12**. 432-440.

Frankham, R. (1995). Inbreeding depression: a threshold effect. *Conserv. Biol.* **9**. 792-799.

Garcia de Leon, F. J., Dallas, J. F., Chatain, B., Canonne, M., Versini, J. J. & Bonhomme, F. (1995). Development and use of microsatellite markers in sea bass, *Dicentrarchus labrax* (Linnaeus, 1758) (Perciformes: Serranidae). *Mol. Mar. Biol. Biotech.* **4**. 62-68.

Garza, J. C., Slatkin, M. & Freimer, N. B. (1995). Microsatellite allele frequencies in humans and chimpanzees, with implications for constraints on allele size. *Mol. Biol. Evol.* **12**. 594-603.

Gibson, T., Higgins, D., Thompson, J. (1996). ClustalW, EMBL, Heidelberg, Germany and EMBL/EBI, Hixton, UK.

Gissi, C., Gullberg, A. & Arnason, U. (1998). The complete mitochondrial DNA sequence of the rabbit *Oryctolagus cuniculus*. *Genomics*. **50**. 161-169.

Gjedrem, T. (1992). Breeding plans for rainbow trout. *Aquaculture*. **100**. 1-10.

Goff, D. J., Galvin, K., Katz, H., Westerfield, M., Lander, E. S. & Tabin, C. J. (1992). Identification of polymorphic simple sequence repeats in the genome of the zebrafish. *Genomics*. **14**. 200-202.

Goh, W. & Chua, J. (1999). *The Asian arowana*. Singapore: Dragon Fish Industry.

Goldstein, D. B., Ruiz-Linares, A., Cavalli-Sforza, L. L. & Feldman, M. W. (1995a). An evaluation of genetic distances for use with microsatellite loci. *Genetics*. **139**. 463-471.

Goldstein, D. B., Ruiz Linares, A., Cavalli-Sforza, L. L. & Feldman, M. W. (1995b). Genetic absolute dating based upon microsatellites and the origin of modern humans. *Proc. Natl. Acad. Sci. USA*. **92**. 6723-6727.

Grimaldi, M-C & Crouau-Roy, B. (1997). Microsatellite allelic homoplasy due to variable flanking sequences. *J. Mol. Evol.* **44**. 336-340.

Guo, S. W. & Thompson, E. A. (1992). Performing the exact test of Hardy-Weinberg proportions for multiple alleles. *Biometrics*. **48**. 361-372.

Gyllenstein, U. B. & Wilson, A. C. (1987). Mitochondrial DNA in salmonids: inter- and intraspecific variability detected with restriction enzymes. In *Population genetics and fisheries management*. (Ryman, N. & Utter, F. M., ed.), p 301-317. Seattle: University of Washington Press.

Harris, H. (1966). Enzyme polymorphisms in man. *Pro. R. Soc. Lond. Ser. B. Biol. Sci.* **164**. 298-310.

Hansen, M. M., Mensberg, K. L. D., Ramussen, G. & Simonsen, V. (1997). Genetic variation within and among Danish brown trout (*Salmo trutta* L.) hatchery strains, assessed by PCR-RFLP analysis of mitochondrial DNA segments. *Aquaculture*. **153**. 15-29.

Hauge, X. Y. & Litt, M. (1993). A study of the origin of 'shadow bands' seen when typing dinucleotide repeat polymorphisms by the PCR. *Hum. Mol. Gen.* **2**. 411-415.

Hedrick, P. W. (1999). Perspective: Highly variable loci and their interpretation in evolution and conservation. *Evolution*. **53**. 313-318.

Heaney, L. R. (1985). Zoogeographic evidence for middle and late Pleistocene land bridges to the Philippine Islands. In *Modern quaternary Research in South-East Asia*, 9. (Bartstra, G. & Casparie, W. A., ed.), p 127-143. Rotterdam: A. A. Balkema.

Hite, J. M., Eckert, K. A. and Cheng, K. C. (1995). Factors affecting fidelity of DNA synthesis during PCR amplification of d(C-A)_n microsatellite repeats. *Nuc. Acids Res.* **24**. 2429-2435.

Holloway, J. D. (1998). SE Asian geology and biogeography: an introduction. In *Biogeography and geological evolution of SE Asia* (Hall, R & Holloway, J. D., ed.), p 1-23. Leiden, The Netherlands: Backhuys Publishers.

Hurst, C. D., Bartlett, S. E., Davidson, W. S. & Bruce, I. J. (1999). The complete mitochondrial DNA sequence of the Atlantic salmon, *Salmo salar*. *Gene*. **239**. 237-242.

Hurwood, D. A. & Hughes, J. M. (1998). Phylogeography of the freshwater fish, *Mogurnda adspersa*, in streams of northeastern Queensland, Australia: evidence for altered drainage patterns. *Mol. Ecol.* **7**. 1507-1517.

Husband, B. C. & Barrett, S. C. H. (1991). Colonization history and population-genetic structure of *Eichornia paniculata* in Jamaica. *Heredity*. **66**. 287-296.

Hutchison, C. S. (1989). *Geological Evolution of South-East Asia*. Oxford Monographs on Geology and Geophysics. Oxford: Clarendon Press.

Hutchison, C. S. (1993). Gondwana and Cathaysian blocks, Palaeotethys sutures and Cenozoic tectonics in South-east Asia. *Geologische Rundschau*. **82**. 388-405.

Irwin, D. M., Kocher, T. D. & Wilson, A. C. (1991). Evolution of the cytochrome b gene of mammals. *J. Mol. Evol.* **32**. 128-144.

Jarne, P. & Lagoda, J. L. (1996). Microsatellites, from molecules to populations and back. *Trends Ecol. Evol.* **11**. 424-429.

Johnson, C. N. (1989). Dispersal and philopatry in the Macropods. In *Kangaroos, Wallabies and Rat-kangaroos*, Vol. 2 (Grigg, G., Jarman, P. & Hume, I. ed), p 593-601. New South Wales: Surrey Beatty & Sons Pty Ltd.

Jones, A. G., Stockwell, C. A., Walker, D. and Avise, J. C. (1998). The molecular basis of a microsatellite null allele from the white sands pupfish. *J. Hered.* **89**. 339-342.

Jurka, J. & Pethiyagoda, C. (1995). Simple repetitive DNA sequences from primates: Comilation and analysis. *J. Mol. Evol.* **40**. 120-126.

Khan, M. S., Lee, P. K. Y., Cramphorn, J. & Zakaria-Ismail, M. 1996. *Freshwater fishes of the Pahang River Basin, Malaysia*. Kuala Lumpur: Wetlands International-Asia Pacific.

Kimura, M. & Crow, J. F. (1964). The number of alleles that can be maintained in a finite population. *Genetics*. **49**. 725-738.

Kirchman, J. J., Whittingham, L. A. & Sheldon, F. H. (2000). Relationships among cave swallow populations (*Petrochelidon fulva*) determined by comparisons of microsatellite and cytochrome b data. *Mol. Phylo. Evol.* **14**. 107-121.

Kitaura, J., Wada, K. & Nishida, M. (1998). Molecular phylogeny and evolution of unique mud-using territorial behavior in ocypodid crabs (Crustacea: Brachyura: Ocypodidae). *Mol. Biol. Evol.* **15**. 626-637.

Klicka, J & Zink, R. M. (1997). The importance of recent ice ages in speciation: a failed paradigm. *Science*. **227**. 1666-1669.

Kocher, T. D., Thomas, W. K., Meyer, A., Edwards, S. V., Paabo, S., Villablanca, F. X. & Wilson, A. C. (1989). Dynamics of mitochondrial DNA evolution in animals: amplification and sequencing with conserved primers. *Proc. Nat. Acad. Sci. USA*. **86**. 6196-6200.

Koh, T. L., Khoo, G., Fan, L. Q. & Phang, V. P. E. (1999). Genetic diversity among wild forms and cultivated varieties of *Discus* (*Symphysodon spp.*) as revealed by

Random Amplified Polymorphic DNA (RAPD) fingerprinting. *Aquaculture* **173**. 485-497.

Kornfield, I. & Carpenter, K. E. (1984). The cyprinids of Lake Lanao, Philippines: taxonomic validity, evolutionary rates and speciation scenarios. In *Evolution of Fish Species Flock*. (Echelle, A. A. & Kornfield, I., ed.), p. 69-84. Orono: University of Maine Press.

Kuhner, M. K., Yamato, J. & Felsenstein, J. (1998). Maximum likelihood estimation of population growth rates based on the coalescent. *Genetics*. **149**. 429-434.

Kumar, S., Tamura, K., Nei, M. (2001). MEGA. Molecular Evolutionary Genetics Analysis Version 2.1. The Pennsylvanian State University, University Park, PA.

Kumazawa, Y. & Nishida, M. (2000). Molecular phylogeny of Osteoglossoids: a new model for Gondwanian origin and plate tectonic transportation of the Asian arowana. *Mol. Biol. Evol.* **17**. 1869-1878.

Lagercrantz, U., Ellegren, H. & Andersson, L. (1993). The abundance of various polymorphic microsatellite motif differs between plants and vertebrates. *Nuc. Acids Res* **21**. 1111-1115.

Lande, R. (1994). Risk of population extinction from fixation of new deleterious mutations. *Evolution*. **48**. 1460-1469.

Lansman, R. A., Avise, J. C., Aquadro, C. F., Shapira, J. F. & Daniel, S. W. (1983). Extensive genetic variation in mitochondrial DNAs among geographic populations of the deer mouse, *Peromyscus maniculatus*. *Evolution*. **37**. 1-16.

Latta, R. G. & Mitton, J. B. (1997). A comparison of population differentiation across four classes of gene markers in limber pine (*Pinus flexilis* James). *Genetics*. **146**. 1153-1163.

Lee, J. S., Miya, M. Lee, Y. S., Kim, C. G., Park, E. H., Aoki, Y. & Nishida, M. (2001). The complete DNA sequence of the mitochondrial genome of the self-fertilizing fish *Rivulus marmoratus* (Cyprinodontiformes, Rivulidae) and the first description of duplication of a control region in fish. *Gene*. **280**. 1-7.

Lehmann, T., Hawley, W. A. & Collins F. H. (1996). An evaluation of evolutionary constraints on microsatellite loci using null alleles. *Genetic*. **144**. 1155-1163.

Levinson, G. & Gutman, G. A. (1987). Slipped-strand mispairing: a major mechanism for DNA sequence evolution. *Mol. Biol. Evol.* **4**. 203-221.

Lewontin, R. C. & Hubby, J. L., (1966). A molecular approach to the study of genic heterozygosity in natural population. II. Amount of variation and degree of heterozygosity in natural population of *Drosophila pseudoobscura*. *Genetics*. **54**. 595-609.

Li, G. Q. & Wilson, M. V. H. (1996). Phylogeny of Osteoglossomorpha. In *Interrelationships of Fishes* (Stiassny, M. L. J. Parenti, L. R. & Johnson, G. D., ed.), p 163-174. San Diego: Academic Press.

Li, W. H., Wu, C. I. & Lou, C. C. (1984). Non randomness of point mutations reflected in nucleotide substitutions in pseudogenes and its evolutionary implications. *J. Mol. Evol.* **21**:58-71.

Lim, K. T. & Gopinath, N. (1989). The status of the aquarium fish industry in the state of Johore. In *The Proceeding of Aquarium Fish Industry - A New Frontier* (Yusoff, E. M. & Siow K, T., eds), p 17-21. Johor Bahru: Malaysia Fisheries Society.

Liu, A., Tan, G., Kucuktas, H., Li, P., Karsa, A., Yarst, D. R. & Dunham, R. A. (1999). High levels of conservation at microsatellite loci among ictalurid catfishes. *J. Hered.* **90**. 307-312.

Ludwig, A. & Kirschbaum, F. (1998). Comparison of mitochondrial DNA sequences between the Europe and the Adriatic sturgeon. *J. Fish Biol.* **52**. 1289-1291.

Luikart, G. & Cornett, J. M., (1998). Empirical evaluation of a test for identifying recently bottlenecked populations from allele frequency data. *Conserv. Biol.* **12**. 228-237.

MacRae, A. F. & Anderson, W. W. (1988). Evidence for non-neutrality of mitochondrial DNA haplotypes in *Drosophila pseudoobscura*. *Genetics*. **120**. 485-494.

Martin, A. P., Pardini, A. T., Noble, L. R. & Jones, C. S. (2002). Conservation of a dinucleotide simple sequence repeat locus in sharks. *Mol. Phylo. Evol.* **23**. 205-213.

Maruyama, T. & Fuerst, P. A. (1985). Population bottlenecks and non equilibrium models in population genetics II. Number of alleles in a small population that was formed by a recent bottleneck. *Genetics*. **111**. 675-689.

Mayr, E. (1963). *Animal species and evolution*. Cambridge, MA: Harvard University Press.

McCune, A. R. (1997). How fast do fishes speciate? Molecular, geological, and phylogenetic evidence from adaptive radiation in fishes. In *Molecular evolution and adaptive radiation* (Givnish, T. J. & Sytsma, K. J., ed), p 585-610. Cambridge: Cambridge University Press.

McCune, A. R. & Lovejoy, N. R. (1998). The relative rate of sympatric and allopatric speciation in fishes. In *Endless forms: species and speciation* (Howard, D. J. & Berlocher, S. H., ed), p 172-185. New York: Oxford University Press.

McDoland, D. B. & Potts, W. K. (1997). DNA microsatellites as genetic markers at several scales. In *Avian Molecular Evolution and Systematics* (Mindell, D. P., ed.), p 30-50. San Diego: Academic Press.

Metcalf, I. (1990). Allochthonous terrane processes in South-east Asia. *Philos. Trans. R. Soc. Lond. A*. **331**. 625-640.

Metcalf, I. (1998). Palaeozoic and Mesozoic geological evolution of the SE Asian region: multidisciplinary constraints and implications for biogeography. In *Biogeography and Geological Evolution of SE Asia* (Hall, R. & Holloway, J. D., ed), p 25-41. Leiden: Buckhuys Publishers.

Metcalf, I. (1999). Gondwana dispersion and Asian accretion: an overview. In *Gondwana dispersion and Asian accretion* (Metcalf, I., ed), p. 9-28. Rotterdam: A. A. Balkema.

Mills, S. L. & Smouse, P. E. (1994). Demographic consequences of inbreeding in remnant populations. *Am. Nat.* **144**. 412-431.

Neff, B. D., Fu, P. & Gross, M. R. (1999). Microsatellite evolution in sunfish (Centrarchidae). *Can. J. Fish. Aquat. Sci.* **56**. 1198-1205.

Nei, M. (1978). Estimation of average heterozygosity and genetic distance from a small number of individuals. *Genetics*. **89**. 583-590.

Nei, M., Maruyama, T. & Chakraborty, R. (1975). The bottleneck effect and genetic variability in populations. *Evolution*. **29**. 1-10.

Nei, M. & Roychoudhury, A. K. (1974). Sampling variances of heterozygosity and genetic distance. *Genetics*. **76**. 379-390.

Nelson, J. S. (1994). *Fishes of the world*. 3rd. Edn. New York: John Wiley and Sons.

Nigro, L. & Prout, T. (1990). Is there selection on RFLP differences in mitochondrial DNA? *Genetics*. **123**. 551-555.

Nishibori, M., Hayashi, T., Tsudzuki, M., Yamamoto, Y. & Yasue, H. (2001). Complete sequence of the Japanese quail (*Coturnix japonica*) mitochondrial genome and its genetic relationship with related species. *Anim. Genet.* **32**. 380-385.

Norris, A. T., Bradley, D. G. & Cunningham, E. P. (1999). Microsatellite genetic variation between and within farmed and wild Atlantic salmon (*Salmo salar*) populations. *Aquaculture*. **180**. 247-264.

O'Connell, M. & Wright, J. M. (1997). Microsatellite DNA in fishes. *Rev. Fish Biol. Fish.* **7**. 331-363.

Ohta, T. & Kimura, M. (1973). The model of mutation appropriate to estimate the number of electrophoretically detectable alleles in a genetic population. *Genet. Res.* **22**, 201-201.

Ohno, S. (1974). Chordata 1: Protochordata, Cyclostomata and Pisces. *Animal Cytogenetics*. **4**, 1-92.

Ortí, G., Pearse, D. E. & Avise, J. C. (1997). Phylogenetic assessment of length variation at a microsatellite locus. *Proc. Natl. Acad. Sci. USA*. **94**, 10745-10749.

Ovenden, J. R. (1990). Mitochondrial DNA and marine stock assessment: a review. *Aust. J. mar. Freshwat. Res.* **41**, 835-853.

Paetkau, D. & Strobeck, C. (1995). The molecular basis and evolutionary history of a microsatellite null allele in bears. *Mol. Ecol.* **4**, 519-520

Palumbi, S. R. & Benzie, J. (1991). Large mitochondrial DNA differences between morphologically similar penaeid shrimp. *Mol. Mar. Biol. Biotech.* **1**, 27-34.

Park, L. K., Brainard, M. A. & Dightman, D. A. (1993). Low levels of intraspecific variation in the mitochondrial DNA of chum salmon (*Oncorhynchus keta*). *Mol. Mar. Biol. Biotech.* **2**, 362-370.

Park, L. K. & Moran, P. (1994). Developments in molecular genetic techniques in fisheries. *Rev. Fish Biol. Fish.* **4**, 272-299.

Patarnello, T., Bargelloni, L., Caldara, F. & Colombo, L. (1994). Cytochrome b and 16S rRNA sequence variation in the *Salmo trutta* (Salmonidae, Teleostei) species complex. *Mol. Phylo. Evol.* **3**, 69-74.

Pimm, S. L., Gittleman, J. L., McCracken, G. F. & Gilpin, M. E. (1989). Plausible alternatives to bottlenecks to explain reduced genetic diversity. *Trends Ecol. Evol.* **4**, 176-178.

Pouyaud, L., Sudarto, & Teugels, G. G. (2003). The different colour varieties of the Asia arowana *Scleropages formosus* (Osteoglossidae) are distinct species: morphologic and genetic evidences. *Cybium*. **27**, 287-305.

Prentice, M. L. & Denton, G. H. (1988). Deep-sea oxygen isotope record, the global ice sheet system, and hominid evolution. In *The evolutionary history of the robust Australopithecines*. (Grine, F., ed.), p 383-403. New York: De Gruyter.

Primmer, C. R., Ellegren, H., Saino, N. & Møller, A. P. (1996). Directional evolution in germline microsatellite mutations. *Nat. Genet.* **13**, 391-393.

Primmer, C. R., Saino, N., Møller, A. P. & Ellegren, H. (1998). Unraveling the processes of microsatellite evolution through analysis of germline mutations in barn swallows *Hirundo rustica*. *Mol. Biol. Evol.* **15**, 1047-1054.

Queller, D. C., Strassmann, J. E. & Hughes, C. R. (1993). Microsatellites and kinship. *Trends Ecol. Evol.* **8**. 285.

Raymond, M. & Rousset, F. (1995). GENEPOP (v. 3.1c): A population genetics software for exact tests and ecumenicism. *J. Hered.* **86**. 248-249.

Reed, D. H. & Frankham, R. (2001). How closely correlated are molecular and quantitative measures of genetic variation? A meta-analysis. *Evolution*. **55**(6). 1095-1103.

Reilly, A., Elliott, N. G., Grewe, P. M., Clabby, C., Powell, R. & Ward, R. D. (1999). Genetic differentiation between Tasmanian cultured Atlantic salmon (*Salmo salar* L.) and their ancestral Canadian population: comparison of microsatellite DNA and allozyme and mitochondrial DNA variation. *Aquaculture*. **173**. 459-469.

Rice, R. W. (1989). Analyzing tables of statistical tests. *Evolution*. **43**. 249-252.

Rico, C., Rico, I. And Hewitt G. (1996). 470 million years of conservation of microsatellite loci among fish species. *Pro. R. Soc. Lond. Ser. B. Biol. Sci.* **263**. 549-557.

Saitoh, K., Hayashizaki, K., Yokoyama, Y., Asahida, T., Toyohara, H. & Yamashita, Y. (2000). Complete nucleotide sequence of Japanese flounder (*Paralichthys olivaceus*) mitochondrial genome: structural properties and clue for resolving teleostean relationships. *J. Hered.* **91**. 271-278

Saitou, N. & Nei, M. (1987). The neighbor-joining method: a new method of reconstructing phylogenetic trees. *Mol. Biol. Evol.* **4**. 406-425.

Schneider, S., Kueffer, J. M., Roessli, D., Excoffier, L. (2001). ARLEQUIN (version 2.000) - A Software for Population Genetic Data Analysis. Genetics and Biometry Laboratory, University of Geneva, Switzerland.

Schüß, M. D., Mackay, T. F. C. & Aquadro, C. F. (1997). Low mutation rates of microsatellite loci in *Drosophila melanogaster*. *Nat. Genet.* **15**. 99-102.

Schlötterer, C., Ritter, R., Harr, B & Brem, G. (1998). High mutation rate of along microsatellite allele in *Drosophila melanogaster* provides evidence for allele-specific mutation rates. *Mol. Biol. Evol.* **15**. 1269-1274.

Schlötterer, C. and Zangerl, B. (1999). The use of imperfect microsatellites for DNA fingerprinting and population genetics. In *Methods and Tools in Biosciences and Medicine. DNA Profiling and DNA Fingerprinting* (Epplen, J. T. & Lubjuhn, T., ed), p. 153-166. Basel: Birkhäuser Verlag.

Scribner, K. T., Gust, J. R. & Fields, R. L. (1996). Isolation and characterization of novel salmon microsatellite loci: cross-species amplification and population genetic applications. *Can. J. Fish. Aquat. Sci.* **53**. 833-841.

- Sick, K. (1961). Haemoglobin polymorphism in fishes. *Nature, Lond.* **192**. 897-896.
- Sivananthan, J. (2003). Isolation and characterization of microsatellites in the Asian arowana (*Scleropages formosus*). Master thesis. University of Malaya.
- Sivasundar, A., Bermingham, E. & Orti, G. (2001). Population structure and biogeography of migratory freshwater fishes (Prochilodus: Characiformes) in major South America rivers. *Mol. Ecol.* **10**. 407-418.
- Sjogren, P. & Wyoni, P. (1994). Conservation genetics and detection of rare alleles in finite populations. *Conserv. Biol.* **8**(1). 267-270.
- Skinner, D. M. (1977). Satellite DNAs. *Bioscience.* **27**. 790-796.
- Slatkin, M. (1995). A measure of population subdivision based on microsatellite allele frequencies. *Genetics.* **139**. 457-562.
- Slettan, A., Olsaker, I. & Lie, O. (1995a). Atlantic salmon, *Salmo salar*, microsatellites at the Ssosl25, Ssosl85, Ssosl311, Ssosl417 loci. *Anim. Genet.* **26**. 281-282.
- Slettan, A., Olsaker, I. And Lie, O. (1995b). A polymorphic dinucleotide repeat microsatellite in Atlantic salmon, *Salmo salar* (SSOSL436). *Anim. Genet.* **26**. 368.
- Stallings, R. L. (1992). CpG suppression in vertebrate genomes does not account for the rarity of (CpG) microsatellite repeats. *Genomics.* **17**. 890-891.
- Suleiman, M. Z. (1999). *Pembiakan Ikan Arowana Scleropages formosus*. Melaka: Pusat Penyelidikan Perikanan Airtawar.
- Sun, G. L., Diaz, O., Salomon, B. & von Bothmer, R. (1999). Genetic diversity in *Elymus caninus* as revealed by isozyme, RAPD and microsatellite markers. *Genome.* **42**. 420-441.
- Sunnucks, P. (2000). Efficient genetic markers for population biology. *Trends Ecol. Evol.* **15**. 199-203.
- Sutherland, G. R. & Richards, R. I. (1995). Simple tandem DNA repeats and human genetic disease. *Proc. Natl. Acad. Sci. USA.* **92**. 3636-3641.
- Taberlet, P., Griffin, S., Goossens, B., Questiau, S., Manceau, V., Escaravage, N., Waits, L. P. & Bouvet, J. (1996). Reliable genotyping of samples with very low DNA quantities using PCR. *Nuc. Acids Res.* **24**. 3189-3194.
- Tamura, T. & Nei, M. (1993). Estimation of the number of nucleotide substitutions in the control region of mitochondrial DNA in humans and chimpanzees. *Mol. Biol. Evol.* **10**. 512-526.

Taylor, E. B. & Dodson, J. J. (1994). A molecular analysis of relationships and biogeography within a species complex of holarctic fish (genus *Osmerus*). *Mol. Ecol.* **3**. 235-248.

Tougaard, C. (2001). Biogeography and migration routes of large mammal faunas in South-East Asia during the Late Middle Pleistocene: focus on the fossil and extant fauna from Thailand. *Paleogeography, Palaeoclimatology, Palaeoecology*. **168**. 337-358.

Usmani, S., Tan, S. G., Siraj, S. S. & Yusoff, K. (2001). Isolation and characterization of microsatellites in the Southeast Asia river catfish *Mytus nemurus*. *Mol. Ecol. Notes*. **1**. 264-266.

Valdes, A. M., Slatkin, M. & Freimer, N. B. (1993). Allele frequencies at microsatellite loci: the stepwise mutation model revised. *Genetics*. **133**. 737-749.

Van Oppen, M. J. H., Rico, C., Turner, G. F. & Hewit, G. M. (2000). Extensive homoplasy, nonstepwise mutations, and shared ancestral polymorphism at a complex microsatellite locus in Lake Malawi cichlids. *Mol. Biol. Evol.* **17**. 489-498.

Vawter, L. & Brown, W. M. (1986). Nuclear and mitochondrial DNA comparisons reveal extreme rate variation in the molecular clock. *Science*. **234**. 194-196.

Verstappen, H. T. H. (1975). On paleo climates and landform development in Malesia. *Modern Quaternary Research in Southeast Asia*. **1**. 3-35.

Viard, E., Bremond, P., Labbo, R., Justy, F., Delay, B., Jarne, P. (1996). Microsatellites and the genetics of highly selfing populations in the freshwater snails *Bulimus truncatus*. *Genetics*. **142**. 1237-1247.

Viard, F., Frank, P., Dubois, M-P, Estoup, A. & Jarne, P. (1998). Variation of microsatellite size homoplasy across electromorphs, loci, and populations in three invertebrate species. *L. Mol. Evol.* **47**. 42-51.

Voris, H. K. (2000). Maps of Pleistocene sea levels in Southeast Asia: shorelines, river systems and time durations. *J. Biogeo.* **27**. 1153-1167.

Vuorinen, J., Naesje, T. F. & Sandlund, O. T. (1991). Genetic changes in a vendace *Coregonus albula* (L.) population, 92 years after introduction. *J. Fish Biol.* **39(A)**. 193-201.

Wakeley, J. (1996). The excess of transitions among nucleotide substitutions: new methods of estimating transition bias underscore its significance. *Trends Ecol. Evol.* **11**. 158-163.

Ward, R. D. & Grewe, P. M. (1994). Appraisal of molecular genetic techniques in fisheries. *Rev. Fish Biol. Fish.* **4**. 300-325.

- Was, A. & Wenne, R. (2002). Genetic differentiation in hatchery and wild sea trout (*Salmo trutta*) in the Southern Baltic at microsatellite loci. *Aquaculture*. **204**. 493-506.
- Weber, J. L. (1990). Informativeness of human (dC - dA)_n and (dG - dT)_n polymorphisms. *Genomics*. **7**. 524-530.
- Weber, J. L. & Wong, C. (1993). Mutation of human short tandem repeats. *Hum. Mol. Genet.* **2**, 1123-1125.
- Weir, B. S. & Cockerham, C. C. (1984). Estimating *F*-statistics for the analysis of population structure. *Evolution*. **38**. 1358-1370.
- Welsh, J. & McClellan, M. (1990). Fingerprinting genomes using PCR with arbitrary primers. *Nuc. Acids Res.* **18**. 7213-7218.
- Winkler, F. M., Bartley, D. & Diaz, N. F. (1999). Genetic differences among year classes in a hatchery population of coho salmon (*Oncorhynchus kisutch* (Walbaum, 1972) in Chile. *Aquaculture*. **173**. 425-433.
- Wright, J. M. (1993). DNA fingerprinting in fishes. In *Biochemistry and Molecular Biology of Fishes*, Vol. 2 (Hochachka, P. W. & Mommsen, T., ed), p. 57-91. Amsterdam: Elsevier Press.
- Yue, G. H., Li, Y., Lim, L. C. & Orban, L. (2004). Monitoring the genetic diversity of three Asian arowana (*Scleropages formosus*) captive stocks using AFLP and microsatellites. *Aquaculture*. **237**. 89-102.
- Yue, G. H., Chen, F. & Orban, L. (1999). Rapid isolation and characterization of microsatellites from genome of Asian Arowana (*Scleropages formosus* Osteoglossidae, Pisces). *Mol. Ecol.* **9**. 1007-1009.
- Zhu, D., Jamieson, B. G. M., Hugall, A. & Moritz, C. (1994). Sequence evolution and phylogenetic signal in control-region and cytochrome b sequences of rainbow fishes (Melanotaeniidae). *Mol. Biol. Evol.* **11**. 672-683.