

BIBLIOGRAFI

- Abdullah, H. (1998). Aktiviti sel dan pembunganan *Petunia hybrida* Vilm. var. 'White Innocence' dalam sistem kultur tisu. MSc. Thesis. Universiti Malaya, Kuala Lumpur.
- Abu Shah, N. and Taha, R. M. (1994). Studies on cellular behaviour in roots of *Psophocarpus tetragonolobus* (L.) DC. *in vivo* and *in vitro*. **Asia Pasific J. Mol. Biol. Biotech.** 2: 316-326.
- Alissa, A., Jonard, R., Serieys, H. and Vincourt, P. (1986). La culture d'embryons isoles *in vitro* dans un programme d'amelioration du tournesol. **C. R. Acad. Sc. Paris, Serie III** 302: 161-164.
- Anderson, W. C. (1975). Propagation of rhododendrons by tissue culture. I. Development of a culture medium for multiplication of shoots. **Proc. Int. Plant Prop. Soc.** 25: 129.
- Applegren, M. and Heide, O. (1972). Regeneration in *Streptocarpus* leaf discs and its regulation by temperature and growth substances. **Physiol. Plant.** 27: 417.
- Arditti, J and Ernst, R. (1993). **Micropropagation of Orchids**. John Wiley & Sons, Inc., New York : 1-23.

Bajaj, Y. P. S. and Pierik, R. L. M. (1974). Vegetative propagation of *Fressia* through callus cultures. *Neth. J. Agric. Sci.* **22**: 153.

Banergee, S. and Gupta, S. (1976). Embryogenesis and differentiation in *Nigella sativa* leaf callus *in vitro*. *Physiol. Plant.* **38**: 115.

Banks, M. S., Christensen, M. R. and Hackett, W. P. (1979). Callus and shoot formation in organ and tissue cultures of *Hedera helix* L., English Ivy. *Planta* **145**: 205.

Bapat, V. A. and Rao, P. S. (1977). Shoot apical meristem culture of *Pharbitis nil*. *Plant Sci. Lett.* **10**: 327.

Barlow, P. W. (1969). Phases of the cell cycle in the root meristem of *Zea mays*. In W. J. Whittington (ed.), **Root growth**. Plenum Press, New York : 7-10.

Bayliss, M. W. (1980). Chromosomal variation in plant tissues in cultures. *Int. Rev. Cytol.*, **Suppl. 11A**: 113-114.

Bayliss, M. W. and Gould, A. R. (1974). Studies on the growth in culture of plant cells. XVIII. Nuclear cytology of *Acer pseudoplatanus* suspension cultures. *J. Exp. Bot.* **25**: 772-783.

Ben-Jaacov, J. and Langhans, R. W. (1972). Rapid multiplication of *Chrysanthemum* plants by stem tip proliferation. **Hort. Sci.** 7: 289.

Benson, L. (1976). **Plant Classification**. New Delhi: Oxford & IBH Publishing Co. : 250-301.

Bhattacharya, P., Dey, S., Das, N. and Bhattacharya B. C. (1990). Rapid mass propagation of *Chrysanthemum morifolium* by callus derived from stem and leaf explants. **Plant Cell Rep.** 9: 439-442.

Bonneau, L., Beranger-Novat, N. and Monin, J. (1994). Somatic embryogenesis and plant regeneration in a woody species: the European Spindle Tree (*Euonymos europaeus* L.). **Plant Cell Rep.** 13: 135-138.

Borejsza-Wysocki, W. and Hrazdin, G. (1994). Establishment of callus and cell suspension cultures of raspberry (*Rubus idaeus* cv. Royalty). **Plant Cell Tiss. Org. Cult.** 37: 213-216.

Boxus, PH., Quoirin, M. and Laine, J. M. (1977). Large scale propagation of strawberry plants from tissue culture. In : **Applied and Fundamental Aspects of Plant Cell, Tissue and Organ Culture**. Reinert, J. and Bajaj, Y. P. S. (eds.). Springer-Verlag, Berlin: 130-134.

Bressan, P. H., Kim, Y. J. and Hasegawa, P. M. (1980). Plant regeneration from cultured rose shoot tips. **Hort. Sci.** **15**: 432.

Bressan, P. H., Kim, Y. J., Hyndman, S. E., Hasegawa, P. M. and Bressan, R. A. (1982). Factors affecting *in vitro* propagation of rose. **J. Am. Soc. Hort. Sci.** **107**: 979-990.

Brossard, D. (1979). Microspectrophotometric and ultrastructural analyses of a case of cell differentiation without endopolyploidisation: the pith of *Crepis capillaris* (L.) Wallr. **Protoplasma** **93**: 369-380.

Bryant, T. R. (1969). Synthesis and cell division in germinating onion. I. Onset of DNA synthesis and mitosis. **Caryologia**. **22**: 127-137.

Burger, D W., Liu, L., Zary, K. W. and Lee, C. I. (1990). Organogenesis and plant regeneration from immature embryos of *Rosa hybrida* L. **Plant Cell, Tiss. Org. Cult.** **21**: 147-152.

Buyss, C., Poortmans, P. and Rudele, M. (1966). Serienmassige meristemkulturen und auswahl virus-freier nelken im grossem. **Gartenwelt** **66**: 305.

Byrne, J. M. and Heimsch, C. M. (1970). The root apex of *Malva syvestris*. II. The quiescent center. **Amer. J. Bot.** **57**: 1179-1184.

Carew, D. P. and Staba, E. J. (1965). Plant tissue culture: its fundamentals, applications and relationship to medicinal plant studies. **Lloydia** **28**: 1-3.

Chen, H. R. and Galston, A. W. (1967). Growth and development of *Pelargonium* pith cells *in vitro*. II. Initiation of organized development. **Physiol. Plant.** **20**: 533.

Cheng, T. Y. (1975). Adventitious bud formation in culture of Douglas fir (*Pseudotsuga menziesii* (Mirb.) Franco). **Plant Sci. Lett.** **9**: 179.

Cheng, T. Y. and Smith, H. H. (1975). Organogenesis from callus culture of *Hordeum vulgare*. **Planta** **123** : 307-308.

Chernova, L. K., Prokhorov, M. N. and Fillin-Koldakov, B. V. (1975). Comparison of the dedifferentiating effects of 2,4-D and 4-amin-3,5,6-Trichloropicolonic acid on tissues of legumes and cereals. **Sov. Plant Physiol.** **22**: 138.

Clowes, F. A. L. (1958). Development of quiescent centres in root meristems. **New Phytol.** **57** : 85-88.

Clowes, F. A. L. (1961). Duration of the mitotic cycle in a meristem. **J. Exp. Bot.** **12**: 283-293.

Clowes, F. A. L. (1965). The duration of the G1 phase of the mitotic cycle and its relation to radiosensitivity. **New Phytol.** **64** : 355-359.

- Clowes, F. A. L. (1968). The DNA content of the cells of the quiescent centre and root cap of *Zea mays*. **New Phytol.** 67 : 631-639.
- Collins, J. B. (1979). Nicotiana Procedures for Experimental Use. In : R. D. Durbin (ed.), **USDA Technical Bulletin 1586**: 17.
- Conger, B. V. (1981). **Cloning Agricultural Plants via In Vitro Techniques**. CRC Press, Inc., Boca Raton, Florida: 11-22.
- D' Amato, F. (1975). The problem of genetic stability in plant tissue and cell cultures. In: Frankel, O. and Hawkes, J. G. (eds.), **Crop genetic resources for today and tomorrow**. Univ. Press, Cambridge : 333-348.
- D' Amato, F. (1975a). Significato teorico e pratico delle culture *in vitro* di tessuti e cellule vegetali. **Accad. Naz. Lincei. Probl. Att. Sci. Cultura** 173 : 55.
- D' Amato, F. (1977). Cytogenetics of differentiation in tissue and cell cultures. In : **Applied and Fundamental Aspects of Plant Cell, Tissue and Organ Culture**. Reinert, J. and Bajaj, Y. P. S. (eds.). Springer-Verlag, Berlin: 343-357.
- Danckwardt-Lilliestrom, C. (1957). Kinetin induced shoot formation from isolated roots of *Isatis tinctoria*. **Physiol. Plant.** 10: 794.

Das, P., Rout, G. R. and Samantaray, S. (1995). An *in vitro* study on organogenesis in *Trema orientalis* (Blume) Linn. **Plant Sci.** **105**: 87-94.

Davies, D. R. (1980). Rapid propagation of rose *in vitro*. **Sci. Hortic.** **13**: 385-389.

Davies, P. A., Pallotta, M. A., Ryan, S. A., Scowcroft, W. R. and Larkin, P. J. (1986). Somaclonal variation in wheat: genetic and cytogenetic characterization of alcohol dehydrogenase I mutants. **Theor. Appl. Genet.** **72**: 644-653.

Deeley, E. M., Davies, H. G. and Chayen, J. (1957). The DNA content of cells in the root of *Vicia faba*. **Exp. Cell Res.** **12** : 582 - 591.

Das, N. K., Patau, K. and Skoog, F. (1958). Autoradiographic and microspectrophotometric studies of DNA synthesis in excised tobacco pith tissue. **Chromosoma.** **9**: 606-617.

De Vries D. P. and Du Bois L. A. M. (1988). The effect of BAP and IBA on sprouting and adventitious root formation of 'Amanda' rose single node softwood cuttings. **Sci. Hortic.** **34**: 115-121.

Dewey, D. L. and Howard, A. (1963). Cell dynamics in the bean root tip. **Rad. Bot.** **3** : 259 - 263.

De Wit, J. C., Esendam, H. F., Honkanen, J. J. and Tuominen, U. (1990). Somatic embryogenesis and regeneration of flowering plants in rose. **Plant Cell Rep.** **9**: 456-458.

Debergh, P. C. and Zimmerman, R. H. (eds.) (1990). **Micropropagation : Technology Application**. Kluwer, Dordrecht.

Doerschug, M. R. and Miller, C. O. (1967). Chemical control of adventitious organ formation in *Lactuca sativa* explants. **Am. J. Bot.** **54**: 410-413.

Druart, P. (1980). Plantlet regeneration from root callus of different *Prunus* species. **Sci. Hortic.** **12**: 339-342.

Dubois, T., Guedira, M., Dubois, J. and Vasseur, J. (1991). Direct somatic embryogenesis in leaves of *Cichorium*. **Protoplasma** **162**: 120-127.

Durzan, D. J. and Campbell, R. A. (1974). Prospects for the mass production of improved stock of forest trees by cell and tissue culture. **Can. J. For. Res.** **4**: 151-174.

Earle, E. D. (1974). Propagation of *Chrysanthemum* *in vitro*. II. Production, growth and flowering of plantlets from tissue culture. **J. Am. Soc. Hortic. Sci.** **99**: 352.

Earle, E. D. and Langhans, R. W. (1974). Propagation of *Chrysanthemum* *in vitro* : II. Production, growth and flowering of plantlets from tissue cultures. *J. Am. Soc. Hort. Sci.* **99**: 352-358.

Espinasse, A. and Lay, C. (1989). Shoot regeneration of callus derived from globular to torpedo embryos from 59 sunflower genotypes. *Crop. Sci.* **29**: 201-205.

Evans, D. A. and Reed, S. M. (1981). Cytogenetic Techniques. In: **Plant Tissue Culture. Methods and Applications in Agriculture**. Thorpe, T. A. (ed.), Academic Press, London : 213-215.

Evans, H. J. and Savage, J. R. K. (1959). The effect of temperature on mitosis and on the action of colchicine in root meristem cell of *Vicia faba*. *Exp. Cell Res.* **18** : 51 - 61.

Evans, L. S. and Van't Hof, J. (1974). Is the nuclear DNA content of mature root cells prescribed in the root meristem ? *Am. J. Bot.* **61** : 1104 - 1111.

Evans, D. A., Sharp, W. R. and Flick, C. E. (1981). Growth and Behaviour of Cell Cultures : Embryogenesis and Organogenesis. In: **Plant Tissue Culture. Methods and Applications in Agriculture**. Thorpe, T. A. (ed.), Academic Press, London : 45-93.

Evans, H. J., Neary, G. J. and Tonkinson, S. M. (1957). The use of colchicine as an indicator of mitotic rate in broad bean root meristems. **J. Genet.** **55**: 487-502.

Finer, J. J. (1987). Direct somatic embryogenesis and plant regeneration from immature embryos of hybrid sunflower (*Helianthus annuus* L.) on a high sucrose containing medium. **Plant Cell Rep.** **6**: 372-374.

Fiore, M. C., Trabace, T. and Sunseri, F. (1997). High frequency of plant regeneration in sunflower from cotyledons *via* somatic embryogenesis. **Plant Cell Rep.** **16**: 295-298.

Fitch, M. M. M. and Moore, P. H. (1990). Comparison of 2,4-D and Picloram for selection of long term totipotent green callus cultures of sugarcane. **Plant Cell Tiss. Org. Cult.** **20**: 157-163.

Gamborg, O. L., Miller, R. A. and Ojima, K. (1968). Nutrient requirements of suspension cultures of soybean root cells. **Exp. Cell Res.** **50**: 151.

Gamborg, O. L., Murashige, T., Thorpe, T. A. and Vasil, I. K. (1976). Plant tissue culture media. **In vitro** **12**: 473.

Gautheret, R. (1956). Sur les phenomenes d'histogenese dans des cultures de tissus de *Pinus strobus* L. **C. R. Acad. Sci.** **242**: 3108-3110.

Gautheret, R. J. (1969). Investigations on the root formation in the tissues of *Helianthus tuberosus* cultured *in vitro*. **Am. J. Bot.** **56**: 702.

Genders, R. (1965). **The Rose: A Complete Handbook**. Bobbs Merrill Company Inc., Indianapolis: 1-75.

George, E. F. and Sherrington, P. D. (1984). **Plant Propagation by Tissue Culture**. Exegetics Ltd., Westbury : 25-71.

Goloff, A. A., Black, D. G., Romono, J. B. and Lawrence, R. H. (1979). Selective induction of adventive shoot and/or root morphogenesis in cultured lettuce leaf explants. **In vitro** **15**: 263.

Gonzalez-Benito, M. E., Tapia, J., Rodriguez, N. and Iriondo, J. M. (1996). Micropagation of commercial and wild genotypes of snapdragon (*Antirrhinum* spp.). **J. Hort. Sci.** **71(1)**: 11-15.

Greco, B., Tanzarella, O. A., Carrozza, G. and Blanco, B. (1984). Callus induction and shoot regeneration in sunflower (*Helianthus annuus* L.). **Plant Sci. Lett.** **36**: 73-77.

Grewal, S dan Sharma, K. (1978). Clonal multiplication of medicinal plants by tissue growth, Pyrethrum plant (*Chrysanthemum cinerariaefolium* Vis.) regeneration from shoot tip culture. **Indian J. Exp. Biol.** **16**: 1119.

Hackett, W. P. and Anderson, J. M. (1967). Aseptic multiplication and maintenance of differentiated carnation shoot tissue derived from shoot apices. **Proc. Am. Soc. Hort. Sci.** **90**: 365-369.

Halevy, A. H. (1985). **CRC Handbook Of Flowering Vol. IV**. CRC Press, United States : 547-551.

Hartman, H. T., Kester, D. E. and Davies, F. T. Jr. (1990). **Plant Propagation**. Principles and Practices. 5th Edition. Prentice Hall International, Inc., London : 104-107.

Hasegawa, P. M. (1979). *In vitro* propagation of rose. **Hort. Sci.** **14**: 610-612.

Hasegawa, P. M. (1980). Factors affecting shoot and root initiation from cultured rose shoot tips. **J. Am. Soc. Hort. Sci.** **105**(2): 216-220.

Hasegawa, P. W., Murashige, T. and Takatori, F. H. (1973). Propagation of *Asparagus* through shoot apex culture. II. Light and temperature requirements, transplantability of plants and cytological characteristics. **J. Am. Soc. Hortic. Sci.** **98**: 143.

Hasek, R. F. (1980). Roses. In: **Introduction to Floriculture**. Larson, R. A. (ed.), Academic Press, New York : 83-90.

Heide, O. M. (1965a). Effects of 6-benzylaminopurine and 1-naphthaleneacetic acid on the epiphyllous bud formation in *Bryophyllum*. *Planta* **67**: 281.

Heide, O. M. (1965b). Photoperiodic effects on the regeneration ability of *Begonia* leaf cuttings. *Physiol. Plant.* **18**: 185.

Heide, O. M. and Skoog, G. (1967). Cytokinin activity in *Begonia* and *Bryophyllum*. *Physiol. Plant.* **20**: 771.

Heinz, D. J. and Mee, G. W. P. (1971). Morphologic, cytogenetic and enzymatic variation in *Saccharum* species hybrid clones, derived from callus tissue. *Am. J. Bot.* **58** : 257-262.

Heinz, D. J., Mee G. W. P. and Nickell, L. G. (1969). Chromosome numbers of some *Saccharum* species hybrids and their cell suspension cultures. *Am. J. Bot.* **56** : 450-454.

Heinz, D. J., Krishnamurthi, M., Nickell, L. G. and Maretzki, A. (1977). Cell, Tissue and Organ Culture in Sugarcane Improvement. In: *Plant Cell Tiss. Org. Cult.* Reinert, J and Bajaj, Y. P. S. (eds.), Springer-Verlag, Berlin : 3.

Hejnowicz, Z. (1959). Growth and cell division in the apical meristem of wheat roots. *Physiol. Plant.* **12** : 124 – 138.

Hilding, A. and Welander, T. (1976). Effect of some factors on propagation of *Begonia x Hiemalis* *in vitro*. **Swed. J. Agric. Res.** **6**: 191.

Hill, G. P. (1967). Morphogenesis in stem-callus cultures of *Convolvulus arvensis* L.. **Ann. Bot. (London)** **31**: 437.

Howard, A. and Pelc, S. (1953). Synthesis of deoxyribonucleic acid in normal and irradiated cells and its relation to chromosome breakage. **Heredity** **6 (suppl.)**: 261-273.

Hsia, C. and Korban, S. S. (1996). Organogenesis and somatic embryogenesis in callus cultures of *Rosa hybrida* and *Rosa chinensis minima*. **Plant Cell Tiss. Org. Cult.** **44**: 1-6.

Hu, C. Y. and Sussex, I. M. (1971). *In vitro* development of embryooids on cotyledons of *Ilex aquifolium*. **Phytomorphology** **21**: 103.

Hughes, K. W. (1981). Ornamental species. In: **Cloning Agricultural Plants via In Vitro Techniques**. Conger, B. V. (ed.), CRC Press Inc., Florida : 11-18.

Hussey, G. (1975). Totipotency in tissue explants of some members of the Liliaceae, Iridaceae and Amaryllidaceae. **J. Exp. Bot.** **26**: 253.

Hussey, G. (1976). Propagation of Dutch iris by tissue culture. **Sci. Hortic.** **4**: 163.

Hyndman, S. E., Hasegawa, P. M. and Bressan, R. A. (1982). Stimulation of root initiation from cultured rose shoots through the use of reduced concentrations of mineral salts. **Hort. Sci.** **17**: 82-84.

Ishioka, N and Tanimoto, S. (1990). Plant regeneration from Bulgarian rose callus. **Plant Cell Tiss. Org. Cult.** **22**: 197-199.

Ismail, S. (1993). **Bunga-bungaan di Malaysia**. Dewan Bahasa dan Pustaka, Kuala Lumpur : 61.

Jacobs, G., Allan, P. and Bornman, C. H. (1970a). Tissue culture studies on rose: use of shoot tip explants. II. Cytokinin: gibberellin effects. **Agroplanta** **2**: 25-28.

Jakob, K. M. and Bovey, F. (1969). Early nucleic acid and protein syntheses and mitoses in the primary root tips of germinating *Vicia faba*. **Exp. Cell Res.** **54**: 118-126.

James, D. J. and Newton, B. (1977). Auxin: cytokinin interactions in the *in vitro* microppropagation of strawberry plants. **Acta Hortic.** **78**: 321.

Jones, O. P., Gayner, J. A. and Watkins, R. (1984). Plant regeneration from callus cultures of the cherry rootstock Colt (*Prunus avium* x *Prunus pseudocerasus*) and the apple rootstock M.25 (*Malus plumilla*). **J. Hort. Sci.** **59**: 463-467.

Jones, S. B. Jr. and Luchsinger A. E. (1986). **Plant Systematics**. McGraw-Hill Book Company, New York : 354-356.

Jordan, E. G., Hide, P. and Philips, R. (1987). Patterns of nuclear and nucleolar growth in synchronously dividing explants from tubers of *Helianthus tuberosus* L. **Ann. Bot.** **59**: 525-532.

Jouanneau, J. P. (1975). Protein synthesis requirement for the cytokinin effect upon tobacco cell division. **Exp. Cell Res.** **91**: 184.

Jouanneau, J. P. and Tandeu de Marsac, N. (1973). Stepwise effects of cytokinin activity and DNA synthesis upon mitotic cycle events in partially synchronized tobacco cells. **Exp. Cell Res.** **77**: 167.

Kato, Y. (1978). The involvement of photosynthesis in inducing bud formation on excised leaf segments of *Heloniopsis orientalis* (Liliaceae). **Plant Cell Physiol.** **19**: 791.

Kaul, K. and Sabharwal, P. S. (1972). Morphogenetic studies on *Haworthia*: Establishment of tissue culture and control of differentiation. **Am. J. Bot.** **59**: 377.

Kaul, V., Miller, R. M., Hutchinson, J. F. and Richards, D. (1990). Shoot regeneration from stem and leaf explants of *Dendranthema grandiflora* Tzvelez (Syn. *Chrysanthemum morifolium* Ramat.), **Plant Cell Tiss. Org. Cult.** **21**: 21-30.

Keng, H. (1986). **Order dan Famili Tumbuhan Berbiji di Tanah Melayu**. Terjemahan oleh Mahmud, A. Dewan Bahasa dan Pustaka, Kuala Lumpur : 74-80, 353-357.

Khafiah, R. (1992). Strategi Pemasaran Bagi Meningkatkan Penggunaan Bunga Keratan Segar di Pasaran Tempatan. In: **Seminar On Export Marketing of Cut Flowers**. Hotel Rosa Pasadena, Cameron Highlands, Malaysia. 13-14 August 1992.

Khosh-Khui, M. and Sink, K. C. (1982). Rooting enhancement of *Rosa hybrida* for tissue culture propagation. **Scientia Hort.** **17**: 361-370.

Khosh-Khui, M. and Sink, K. C. (1982a). Micropagation of new and old world rose species. **J. Hortic. Sci.** **57(3)**: 315-319.

Kigel, J. and Galili, G. (1995). **Seed Development and Germination**. Marcel Dekker, Inc., USA : 1-38.

Kirby, E. G. (1982). The use of *in vitro* techniques for genetic modification of forest trees. In J. M. Bonga and D. J. Durzan (eds.), **Tissue culture in forestry**. Martinus Nijhoff / Dr W. Junk Publishers, The Hague: 369-386.

Knittel, N., Escandon, A. S. dan Hahne, G. (1991). Plant regeneration at high frequency from mature sunflower cotyledons. **Plant Sci.** **73**: 219-226.

Konar, R. N. and Oberoi, Y. P. (1965). *In vitro* development of embryoids on cotyledons of *Biota orientalis*. **Phytomorphology** 15: 137.

Konar, R. N. and Nagmani, R. (1972). Chromosome number in callus cultures of *Pinus gerardiana*. **Wall. Curr. Sci.** 41: 714-715.

Krauter, R., Steinmetz, A. and Friedt, W. (1991). Efficient interspecific hybridization in the genus *Helianthus* via 'embryo rescue' and characterization of the hybrid. **Theor. Appl. Genet.** 82: 521-525.

Krishnamurthi, M. and Tlaskal, J. (1974). Fiji disease resistant *Saccharum officinarum* var. Pindar subclones from tissue culture. **Proc. Intern. Soc. Sugarcane Technologist Vol. XV**: 130 – 137.

Lammerts, W. E. (1976). Use of embryo culture in rose breeding. **Plants and Gardens** 21(2): 77-78.

Larkin, P. J. and Scowcroft, W. R. (1981). Somaclonal variation – a novel source of variability from cell cultures for plant improvement. **Theor. Appl. Genet.** 60: 197-214.

Le Grice, E. B. (1971). **Rose Growing Complete**. Faber and Faber Ltd., London : 226.

Leffering, L. and Kok, E. (1990). Regeneration of rose via leaf segments. **Prophyta** 8: 245.

Leroux, R. (1971). Contribution à l'étude de la rhizogenèse de fragments de tiges de pois (*Pisum sativum* L.) cultivés *in vitro*. **These**. Université de Paris; Paris.

Lloyd, D., Roberts, A. V. and Short, K. C. (1988). The induction *in vitro* of adventitious shoots in *Rosa*. **Euphytica** 37: 31-36.

Lyndon, R. F. (1990). **Plant Development: The Cellular Basis**. Unwin Hyman, London : 4.

Malnassy, P. and Ellison, J. H. (1970). Asparagus tetraploids from callus tissue. **Hort. Sci.** 5: 444-445.

Matthysse, A. G. and Torrey, J. G. (1967). Nutritional requirements for polyploid mitoses in cultured pea root segments. **Physiol. Plant.** 20: 661-672.

Mehra, A. and Mehra P. N. (1974). Organogenesis and plantlet formation *in vitro* in Almond. **Bot. Gaz.** 135(1): 61-73.

Mellor, F. C. and Stace-Smith, R. (1977). Virus-free potatoes by tissue culture. In: **Applied and Fundamental Aspects of Plant Cell, Tissue and Organ Culture**. Reinert, J. dan Bajaj, Y. P. S. (eds.), Springer-Verlag, Berlin : 616-617.

Miller, C. O. and Skoog, F. (1953). Chemical control of bud formation in tobacco stem segments. *Am. J. Bot.* **40**: 768.

Minocha, S. C. (1979). Abscisic acid promotion of cell division and DNA synthesis in Jerusalem artichoke *Helianthus tuberosus* tuber tissue cultured *in vitro*. *Zeitschrift für Pflanzenphysiologie* **92**: 327-340.

Moody, M. (1992). **What Rose Is That?**. Weldon Publishing, Sydney : 8-13.

Morel, G. M. (1964). Tissue culture - A new means of clonal propagation of orchids. *Amer. Orchid Soc. Bul.* **31**: 473-477.

Mujib, A. and Pal, A. K. (1995). Inter-varietal variation in responses *in vitro* cloning of carnation. *Crop. Res.* **10(2)**: 190-194.

Murashige, T. (1974) Plant propagation through tissue cultures. *Annu. Rev. Plant Physiol.* **25**: 135-166.

Murashige, T. (1978). **Frontiers of Plant Tissue Culture**. Thorpe, T. A. (ed.), Univ. Calgary Press, Calgary : 15.

Murashige, T. and Nakano, R. (1968). The light requirement for shoot initiation in tobacco callus cultures. *Am. J. Bot.* **55**: 710.

Murashige, T. and Skoog, F. (1962). A revised medium for rapid growth and bioassays with tobacco callus. **Physiol. Plant.** **15**: 473-497.

Murashige, T., Nakano, R. and Tucker, D. P. H. (1967). Histogenesis and rate of nuclear change in *Citrus limon* tissue *in vitro*. **Phytomorphology** **17**: 469-476.

Murashige, T., Serpa, M. and Jones, J. B. (1974). Clonal multiplication of Gerbera through tissue culture. **Hort. Sci.** **9** : 175-180.

Murashige, T., Shabde, M. N., Hasegawa, P. M., Takatori, F. H. and Jones, J. B. (1972). Propagation of Asparagus through shoot apex culture. I. Nutrient medium for formation of plantlets. **J. Am. Soc. Hort. Sci.** **97** : 158-161.

Nagl, W. (1974). DNA synthesis in tissue and cell cultures. In: H. E. Street (ed.), **Tissue Culture and Plant Science**. Academic Press, New York: 19-42.

Nickkell, L. G. and Heinz, D. J. (1973). Potentials of cell and tissue culture techniques as aids in economic plant improvement. In: SRB, A. (ed.), **Genes enzymes and populations**. Plenum, New York : 109-128.

Nitsch, J. P. (1969). Experimental androgenesis in *Nicotiana*. **Phytomorphology** **19**: 389.

Norauni, H. (1996). Tinjauan industri bunga-bungaan di Malaysia. Dalam: **Potensi Industri Bunga-bungaan di Malaysia**. MARDI, Kuala Lumpur : 1-11.

Noriega, C. and Sondahl, M. R. (1991). Somatic embryogenesis in hybrid tea roses. **Biotechnology** 9: 991-993.

Nuti Ronchi, V., Nozzolini, M. and Avanzi, L. (1981). Chromosomal variation in plants regenerated from two *Nicotiana* spp. **Protoplasma** 100: 433-444.

Orton, T. J. and Steidl, R. P. (1980). Cytogenetic analysis of plants regenerated from colchicine-treated callus cultures of an interspecific *Hordeum* hybrid. **Theor. Appl. Genet.** 57: 89-95.

Partanen, C. R. (1963). Plant tissue culture in relation to developmental cytology. **Int. Rev. Cytol.** 15: 215-243.

Patel., K. R. and Berlyn, G. P. (1982). Genetic instability of multiple buds of *Pinus coulteri* regenerated from tissue culture. **Can. J. For. Res.** 12: 93-101.

Paterson, K. E. and Everett, N. P. (1985). Regeneration of *Helianthus annuus* inbred plants from callus. **Plant Sci.** 42: 125-132.

Pearson, A. E. (1979). Effects of auxin and cytokinins on morphogenesis of three varieties of *Episcia*. **M.S. thesis**, The University of Tennessee, Knoxville.

Pearson, C. A. (1964). **Pearson's Encyclopaedia of Roses**. C.A.Pearson, London : 156.

Petru, E. and Landa, Z. (1974). Organogenesis in isolated carnation plant callus tissue cultivated *in vitro*. **Biol. Plant.** **16**: 450.

Phillips, H. L., Jr. and Torrey, J. G. (1972). Duration of cell cycles in cultured roots of convolvulus. **Amer. J. Bot.** **59(2)** : 183-188.

Pierik, R. L. M. and Steegmans, H. H. M. (1975). Analysis of adventitious root formation in isolated stem explants of *Rhododendron*. **Sci. Hortic.** **3**: 1.

— Pierik, R. L. M. and Steegmans, H. H. M. (1976). Vegetative propagation of *Anthurium scherzerianum* shoot through callus cultures. **Sci. Hortic.** **4**: 291.

Pierik, R. L. M., Steegmans, H. H. M. and Van Der Meys, J. A. J. (1974). Plantlet formation in callus tissue of *Anthurium andraeanum* Lind. **Sci. Hortic.** **2**: 193.

Pillai, S. K. and Hildebrandt, A. C. (1969). Induced differentiation of geranium plants from undifferentiated callus *in vitro*. **Am. J. Bot.** **56**: 52.

Porter, C. L. (1967). **Taxonomy of Flowering Plants**. W. H. Freeman and Company, San Francisco : 282-290.

Power, C. J. (1987). Organogenesis from *Helianthus annuus* inbred and hybrids from the cotyledons of zygotic embryos. **Am. J. Bot.** **74**: 497-503.

Puchan, Z. and Martin, S. M. (1971). The industrial potential of plant cell culture. **Prog. Ind. Microbiol.** **9**: 13.

Pugliesi, C., Cecconi, F., Mandolfo, A. and Baroncelli, S. (1991). Plant regeneration and genetic variability from tissue cultures of sunflower (*Helianthus annuus* L.). **Plant Breeding** **106**: 114-121.

Pugliesi, C., Megale, P., Cecconi, F. and Baroncelli, S. (1993). Organogenesis and embryogenesis in *Helianthus tuberosus* and in the interspecific hybrid *Helianthus annuus* x *Helianthus tuberosus*. **Plant Cell Tiss. Org. Cult.** **33**: 187-193.

Rao, A. N. (1977). Tissue culture in the orchid industry. In: **Applied and Fundamental Aspects of Plant Cell, Tissue and Organ Culture**. Reinert, J. dan Bajaj, Y. P. S. (ed.), Springer-Verlag, Berlin : 59-60.

Rao, P. S., Bapat, V. A. and Harada, H. (1976). Gamma radiation and hormonal factors controlling morphogenesis in organ cultures of *Antirrhinum majus* L. cv. Red Majestic. **Pflanzenphysiol.** **80**: 144.

Rao, P. S., Handro, W. and Harada, H. (1973). Hormonal control and differentiation of shoots, roots and embryos in leaf and stem cultures of *Petunia inflata* and *Petunia hybrida*. **Physiol. Plant.** 28: 458.

Reinert, J and Bajaj, Y. P. S. (1977). **Applied and Fundamentals Aspects of Plant Cell, Tissue and Organ Culture**. Springer-Verlag, Berlin : 10-17.

Reinert, J. and Backs, D. (1968). Control of totipotency in plant cells growing *in vitro*. **Nature (London)** 220: 1340.

Rendle, A. B. (1959). **The Classification of Flowering Plants Vol. II: Dicotyledons**. University Press, Cambridge : 335-348.

Renfroe, M. H. and Graeme, P. B. (1984). Stability of nuclear DNA content during adventitious shoot formation in *Pinus taeda* L. tissue culture. **Amer. J. Bot.** 71(2): 268-272.

Reynoard, J. P., Chriqui, D., Noin, M., Brown, S. and Marie, D. (1993). Plant regeneration from *in vitro* leaf culture of several *Gerbera* species. **Plant Cell Tiss. Org. Cult.** 33: 203-210.

Robinson, K.E.P. and E. Firoozabady (1993). Transformation of Floriculture Crops. Scientia Hort. 55 : 83-99.

Rout, G. R., Debata, B. K. and Das P. (1991). Somatic embryogenesis in callus cultures of *Rosa hybrida* L. cv Landora. **Plant Cell, Tiss. and Org. Cult.** **27**: 65-69.

Rout, G. R., Debata, B. K. and Das, P. (1992). *In vitro* regeneration of shoots from callus cultures of *Rosa hybrida* L. cv. Landora. **Indian J. Exp. Biol.** **30**: 15-18.

Sala, O. (1991). The World's Best Roses. **Prentice Hall Gardening**, New York : 7-9.

Salisbury, F. B. and Ross C. W. (1992) **Fisiologi Tumbuhan**. Penterjemah Rukayah, A., Hasnah, M. dan Normah, M. N. Dewan Bahasa dan Pustaka, Kuala Lumpur : 444-462.

Salmia, M. A. (1975). Cytological studies on tissue culture of *Pinus cembra*. **Physiol. Plant.** **33**: 58-61.

Sankhla, D., Davis, T. D., Sankhla, N. and Upadhyaya, A. (1995). *In vitro* regeneration of the heat-tolerant 'German Red' Carnation through organogenesis and somatic embryogenesis. **Gartenbauwissenschaft** **60(5)**: 228-233.

Schenk, R. U. And Hildebrandt, A. C. (1972). Medium and techniques for induction and growth of monocotyledonous and dicotyledonous plant cell cultures. **Can. J. Bot.** **50**: 199.

Scorza, R. and Janick, J. (1979). Flowering from *Passiflora suberosa* leaf discs *in vitro*. In: **Propagation of higher plants through tissue culture: A bridge between research and application**. Conf. No. 7804111, Hughes, K., Henke, R. and Constantin, M. (eds.), Technical Information Service, US Department of Commerce, Springfield, Va.: 249.

Scowcroft, W. R. and Larkin, P. J. (1982). **Somaclonal variation: A new option for plant improvement**. edited by Vasil, I. K., Scowcrofts W. R. dan Frey, K. J., Academic Press Inc., New York : 159.

Seabrook, J. E. A. and Cumming, B. G. (1978). Propagation of *Narcissus* (daffodil) through tissue culture. **In Vitro** **14**: 356.

Seabrook, J. E. A., Cumming, B. G. and Dionne L. A. (1976). The *in vitro* induction of adventitious shoot and root apices on *Narcissus* (daffodil and narcissus) cultivar tissue. **Can. J. Bot.** **54**: 814.

Sebanek, J. (1992). **Plant Physiology**. Elsevier Science Publishing Company, Inc., New York : 215-227.

Sharma, K. K., Bhojwani, S. S. and Thorpe, T. A. (1990). Factors affecting high frequency differentiation of shoots and roots from cotyledon explants of *Brassica juncea* (L) Czern. **Plant Sci.** **66**: 247-253.

Sheridan, W. W. (1974). Plant regeneration and chromosomal stability in tissue cultures. In: **Genetic Manipulation with Plant Material**. Ledoux, L., (ed.), Plenum, New York: 263.

Seyed Mozafari, F. D. and Gahan, P. B. (1978). Chromosome aberrations and ageing root meristems. **Ann. Bot.** **42**: 1161 - 1170.

Simonsen, J. and Hildebrandt, A. C. (1971). *In vitro* growth and differentiation of *Gladiolus* plants from callus cultures. **Can. J. Bot.** **49**: 1817.

Sironval, C. (1965). Action of day length upon the formation of adventitious buds in *Bryophyllum tubiflorum* Harv. **Nature (London)** **178**: 1357.

Skirvin, R. M. (1978). Natural and induced variation in tissue culture. **Euphytica** **27**: 241.

Skirvin, R. M. (1981). Fruit crops. In: **Cloning Agricultural Plants via In Vitro Techniques**. Conger, B. V. (ed.), CRC Press, Inc., Florida : 52-61.

Skirvin, R. M. and Chu, M. C. (1979). *In vitro* propagation of 'Forever Yours' rose. **Hort. Sci.** **14(5)**: 608-610.

Skoog, F. and Miller, C. O. (1957). Chemical regulation of growth and organ formation in plant tissues grown *in vitro*. **Symp. Soc. Exp. Biol.** **11**: 118.

Spiegel-Roy P., Sahar, N., Baron, J. and Lavi, U. (1985). *In vitro* culture and plant formation from grape cultivars with abortive ovules and seeds. **J. Am. Soc. Hortic. Sci.** **110**(1): 109-112.

Squire, D. (1991). **The Gardener's Guide**. Salamander Books Ltd., London : 189.

Sriskandarajah, S., Goodwin, P. B. and Speirs, J. (1994). Genetic transformation of the apple scion cultivar 'Delicious' via *Agrobacterium tumefaciens*. **Plant Cell Tiss. Org. Cult.** **36**: 317-329.

Staba, E. J. (1980). **Plant Tissue Culture as a Source of Biochemicals**. CRC Press, Florida : 2-17.

Staba, E. J., Laursen, P. and Buchner, S. (1965). Medicinal plant tissue cultures. In: **Int. Conf. on Plant Tissue Culture**. White, P. R. and Grove, A. R., (ed.), McCutchan, Berkeley: 191.

Stebbins, G. L. (1958). The inviability, weakness and sterility of mutaspecific hybrids. **Adv. Genet.** **9**: 147-215.

Street, H. E. (1979). Embryogenesis and chemically induced organogenesis. In: **Plant Cell and Tissue Culture: Principles and Applications**. Sharp, W. R., Larsen, P. O., Paddock, E. F. and Raghavan, V. (ed.), Ohio State University Press, Columbus: 123.

Sunderland, N. (1977). Nuclear cytology. In: H. E. Street (ed.), **Plant Tissue and Cell Culture**. 2nd edition. University of California Press, Berkeley : 177-205.

Swartz, H. J. (1991). Post culture behaviour : genetic and epigenetic effects and related problems. In : **Micropropagation. Technology and Application**. Debergh, P. C. and Zimmermann, R. H. (ed.). Kluwer Academic Publishers : 95-121.

Swift, H. (1950). The constancy of deoxyribose nucleic acid in plant nuclei. **Genetics** **36**: 643-654.

Tabaeenezadeh, Z. and Khosh-Khui, M. (1981). Anther cultur of *Rosa*. **Sci. Hortic.** **15**: 61-66.

Taha, R. M. (1989). Studies on the cellular behaviour of roots of *Vicia faba* L. *in vivo* and *in vitro*. PhD. Thesis. The University of Wales.

Takayama, S. and Misawa, M. (1979). Differentiation in *Lilium* bulbscales grown *in vitro* - effect of various cultural conditions. **Physiol. Plant.** **46**: 184.

Tanaka, M. and Sakanishi, Y. (1978). Factors affecting the growth of *in vitro* cultured lateral buds from *Phalaenopsis* flower stalks. **Sci. Hortic.** **8**: 169.

Teo, C. K. H. (1992). **Pengenalan Teknologi Kultur Tisu Tumbuhan**. Penerbit USM, Pulau Pinang : 3-12.

Terry-Lewandowski, V. M., Bauchan, G. R. and Stimart, D. P. (1984). Cytology and breeding behaviour of interspecific hybrids and induced amphiploids of *Zinnia elegans* and *Zinnia angustifolia*. **Canad. J. Genet. Cytol.** **26**: 40-45.

Thomas, J. E. and Davidson, D. (1980). Effect of ambient water volume on root growth, cell cycle duration and mitotic synchrony during germination and seedling growth of *Vicia faba*. **Canad. J. Bot.** **59**: 1301-1306.

Thorpe, T. T. (1974). Carbohydrate availability and shoot formation in tobacco callus culture. **Physiol. Plant.** **30**: 77.

Thorpe, T. T. and Meier, D. D. (1972). Starch metabolism, respiration and shoot formation in tobacco callus cultures. **Physiol. Plant.** **27**: 365.

Thorpe, T. T. and Murashige, T. (1970). Some histochemical changes underlying shoot initiation in tobacco callus cultures. **Can. J. Bot.** **48**: 277.

Tisserat, B. (1985). Embryogenesis, organogenesis and plant regeneration. In: R. A. Dixon (ed.), **Plant Cell Culture: A Practical Approach**. IRL Press, Oxford: 79-104.

Tlaskal, J. and Hutchinson, P. B. (1974). An objective method for counting chromosomes in sugarcane root meristems. **Proc. Intern. Soc. Sugarcane Technologists** **15** : 168-176.

Torres, A. M. (1963). Taxonomy of *Zinnia*. **Brittonia** **15**: 1-25.

Torrey, J. G. (1961). Kinetin as trigger for mitosis in mature endomitotic plant cells. **Exp. Cell Res.** **23**: 281-299.

Torrey, J. G. (1965). Cytological evidence of cell selection by plant tissue culture media. In: P. R. White and A. R. Grove (eds.), **Proc. Int. Conf. Plant Tissue Culture**. McCutchan Publ. Corp., Berkeley: 473-484.

Torrey, J. G. and Fosket, D. E. (1970). Cell division in relation to cytodifferentiation in cultured pea root segments. **Amer. J. Bot.** **57**: 1072-1080.

Tran Thanh Van, K. (1977). Regulation of morphogenesis. In: **Plant Tissue Culture and Its Bio-Technological Application: Proceedings**. Barz, W., Reinhard, E. dan Zenk, M. H., (ed.), Springer-Verlag, New York: 367.

Valles, M. and Boxus P. H. (1987). Regeneration from *Rosa* callus. **Acta Hortic.** **212**: 691-696.

Van Der Salm, T. P. M., Van Der Toorn, C. J. G., Hanisch Ten Cate, C. H. and Dons, H. J. M. (1996). Somatic embryogenesis and shoot regeneration from excised adventitious roots of the rootstock *Rosa hybrida* L. 'Moneyway'. **Plant Cell Rep.** **15**: 522-526.

Van't Hof, J. (1985). Control points within the cell cycle. In : **The Cell Division Cycle In Plants.** Bryant, J. A. and Francis, D. (eds.), Cambridge University Press, London. New York. New Rochelle-Melbourne-Sydney : 1-13.

Vasil, I. K. (1986). **Cell culture and somatic cell genetics of plants, vol. 3. Plant regeneration and genetic variability.** Academic Press, New York.

Vasil, I. K., Hildebrandt, A. C. and Riker, A. J. (1964). Endive plantlets from freely suspended cells and cell groups grown *in vitro*. **Science** **146**: 76.

Wang, P. J. and Hu, C. Y. (1980). Regeneration of virus free plants through in vitro culture. In: **Advances in Biochemical Engineering.** (Vol. 18). Fiechter, A., (eds.), Springer-Verlag, Berlin : 61-69.

Webb, D. T. and Torres, L. D. (1984). Interactions of growth regulators, explant age and culture environment controlling organogenesis from lettuce cotyledons *in vitro*. **Can. J. Bot.** **62**: 586-590.

Weiler, J. and Emershad, R. (1977). Tissue culture for iris hybridizers. **Bull. Am. Iris. Soc.** **58**: 36.

Welander, T. (1978). *In vitro* propagation of clones from different cultivars of *Begonia x Hiemalis*. **Swed. J. Agric. Res.** **8**: 181.

- Westcott, C. (1965). **Anyone Can Grow Roses**. Collier Books, New York : 51.
- Whelan, E. D. P. (1978). Hybridization between annual and perennial diploid species of *Helianthus*. **Can. J. Genet. Cytol.** **20**: 523-530.
- White, P. R. (1963). **The Cultivation of Animal and Plant Cells**. 2nd ed., Ronald Press, New York.
- Wilcox McCann, A., Cooley, G. and Van Dreser, J. (1988). A system for routine regeneration of sunflower (*Helianthus annuus* L.) from immature embryo-derived callus. **Plant Cell Tiss. Org. Cult.** **14**: 104-110.
- Wilmar, C. and Hellendorf, M. (1968). Growth and morphogenesis of *Asparagus* cells cultured *in vitro*. **Nature** **217** : 369-370.
- Wochok, Z. S. and Wetherell, D. F. (1972). Restoration of declining morphogenetic capacity in long term cultures of *Daucus carota* by kinetin. **Experientia** **28**: 104.
- Woodard, J., Rasch, E. and Swift, H. (1961). Nucleic acid and protein metabolism during the mitotic cycle in *Vicia faba*. **J. Biophys. Biochem. Cytol.** **9** : 445 – 462.
- Wright, J. W. (1976). **Introduction to forest genetics**. Academic Press, New York: 201-202.

Wright, K. and Northcote, D. H. (1973). Differences in ploidy and degree of intercellular contact in differentiating and non-differentiating sycamore calluses. **J. Cell Sci.** **12**: 37-53.

Yalles, M. and Boxus, P. (1987). Regeneration from *Rosa* callus. **Acta Hort.** **212**: 691-696.

Yeoman, M. M. and Mitchell, J. P. (1970). Changes accompanying the addition of 2, 4-D to excised Jerusalem artichoke tuber tissue. **Ann. Bot. (London)** **34**: 799-810.

Ziv, M., Halevy, A. H. and Shilo, R. (1970). Organs and plantlets regeneration of *Gladiolus* through tissue culture. **Ann. Bot. (London)** **34**: 671-672.