

## REFERENCES

- Abel, P.D., 1989. *Water Pollution Biology*. Ellis Horwood Ltd. Publishers, Chichester, England.
- Adams, S.M., 1990. Status and use of biological indicators for evaluating the effect of stress in fish. In: *Biological Indicators of Stress in Fish*. Adams, S.M. (Ed.), American Fisheries Society, Bethesda, MD, pp. 1–8.
- Admiraal, W., Barranguet, C., van Beusekom, S.A.M., Bleeker, E.A.J., van den Ende, F.P., van der Geest, H.G., Groenendijk, D., Ivorra, N., Kraak, M.H.S. and Stuijzand, S.C., 2000. Linking ecological and ecotoxicological techniques to support river rehabilitation. *Chemosphere*. **41**:289–95.
- Allard, M. and Moreau, G., 1987. Effects of experimental acidification on a lotic macroinvertebrate community. *Hydrobiologia* **144**: 37-49.
- Alloway, B.J. and Ayres, D.C., 1993. *Chemical Principles of Environmental Pollution*. Blackie Academic & Professional, London.
- Anderson, B. S., Phillips, B.M., Hunt, J.W., Connor, V., Richard, N. and Tjeerdema, R.S., 2006. Identifying primary stressors impacting macroinvertebrates in the Salinas River (California, USA): Relative effects of pesticides and suspended particles. *Environmental Pollution* **141**: 402-408.
- Andres, S., Ribeyre, F., and Boudou, A., 1998. Experimental study of cadmium transfers between natural contaminated sediments and burrowing mayfly nymphs (*Hexagenia rigida*); Effects of temperature and exposure duration. *Arch. Environ. Contam. Toxicol.* **35**: 1-8.
- Australian Pesticides and Veterinary Medicines Authority (APVMA), 2004. *The*

*reconsideration of approvals of the active constituent fenitrothion, registrations of products containing fenitrothion and their associated labels.*

Canberra, Australia.

Azrina, M.Z., Yap, C.K., Rahim Ismaila, A., Ismaila, A. and Tana, S.G., 2006.

Anthropogenic impacts on the distribution and biodiversity of benthic macroinvertebrates and water quality of the Langat River, Peninsular Malaysia.

*Ecotoxicology and Environmental Safety* **64**(3): 337-347.

Barbour, M.T., J. Gerritsen, B.D. Snyder, and J.B. Stribling., 1999. Rapid

Bioassessment Protocols for Use in Streams and Wadeable Rivers: Periphyton,

Benthic Macroinvertebrates and Fish, Second Edition. EPA 841-B-99-002.

U.S. *Environmental Protection Agency*; Office of Water; Washington, D.C.

Bell, H. L., 1971. Effects of low pH on the survival and emergence of aquatic insects,

*Water Res.* **5**: 313.

Bennett, S.M., 2001. *Dichlorvos*. Oregon University and World Health Organisation.

Bishop, J.E., 1973. *Limnology of a small Malayan river Sungai Gombak*. The Hague,

Junk.

Blat, A., Almar, M.M. and Romero, F.J., 1988. The effect of two sulphur containing

pesticides, fenitrothion and endosulfan, on glutathione (GSH) content and on

GSH S-transferase and g-glutamyltranspeptidase activities in midgut gland of

the American red crayfish *Procambarus clarkii*. *Drug Metab. Drug Interact.* **6**:

383-394.

- Boryslawskyj, M., Garrod, A.C., Pearson, J.T. and Woodhead, D., 1988. Elevation of glutathione S-transferase activity as a stress response to organochlorine compounds in the freshwater mussel, *Sphaerium corneum*. *Mar. Environ. Res.* **24**:101–104.
- Brinkman, S. F. and Johnston, W. D., 2007. Acute Toxicity of Aqueous Copper, Cadmium, and Zinc to the Mayfly *Rhithrogena hageni*. *Arch. Environ. Contam. Toxicol.* Springer Science and Business Media. pp.466-472.
- Burton, G. A., 1992. *Sediment toxicity assessment*. Lewis Publishers, Inc.
- Cain, D.J., Luoma, S.N. and Carter, J.L., 1992. Aquatic insects as bioindicators of trace-element contamination in cobble-bottom rivers and streams. *Can J Fish Aquat Sci* **49**(10): 2141–54.
- Cairns, Jr. J. and Neiderlehner, B.R. (Eds.), 1985. *Ecological Toxicity Testing*. Lewis Publishers, Boca Raton, FL.
- Callaghan, A., Fisher, T., Grosso, A., Holloway, G.J. and Crane, M., 2002. Effect of temperature and pirimiphos methyl on biochemical biomarkers in *Chironomus riparius* Meigen. *Ecotoxicol. Environ. Saf.* **52**: 128–133.
- Calow, P. (Ed.), 1994. *Handbook of Ecotoxicology*. Vol. 2. Blackwell Scientific Publications, London.
- Carey, J.R., 2001. Insects biodemography. *Ann. Rev. Entomol.* **46**: 79-110.
- Carpenter, F.M., 1992. *Treatise on Invertebrate Paleontology, Part R, Arthropoda 4, vol. 3*. The Geological Society of America, Inc. and the University of Kansas, Boulder, CO.
- Clark, A., Shamaan, N., Sinclair, M. and Dauterman, W., 1986. Insecticide metabolism by multiple glutathione S-transferase in two strains of the house fly *Musca*

- domestics* (L.). *Pestic. Biochem. Physiol.* **25**: 169–175.
- Copeland, R. A., Lombardo, D., Giannaras, J. and Decicco, C. P., 1995. Estimating Ki Values for Tight Binding Inhibitors from Doseresponse Pilots. *Bioorganic & Medicinal Chemistry Letters* **5**(17):1947-1952.
- Crane, M., Delaney, P., Watson, S., Parker, P. and Walker, C., 1995. The effect of malathion 60 on *Gammarus pulex* (L.) below watercress beds. *Environ. Toxicol. Chem.* **14**: 1181–1187.
- Crane, M., Sildanchandra, W., Kheir, R. and Callaghan, A., 2002. Relationship between biomarker activity and developmental endpoints in *Chironomus riparius* Meigen exposed to an organophosphate insecticide. *Ecotoxicology and Environmental Safety* **53**: 361–369.
- Das, K. and Mukherjee, A. K., 2006. Assessment of mosquito larviadal potency of cyclic lipopeptides produced by *Bacillus subtilis* strains. *Acta Tropica* **97**(2): 168-173.
- Dellali, M., Gnassia-Barelli, M., Romeo and M., Aissa, P., 2001. The use of acetylcholinesterase activity in *Ruditapes decussatus*, *Mytilus galloprovincialis* in the biomonitoring of Bizerta lagoon. *Comp. Biochem. Physiol.* **130C**: 227–235.
- Department of Environment Malaysia (DOE). 1994. *Classification of Malaysian Rivers-Methodology & Classification of ten rivers*. Ministry of Science, Technology and Environment, Malaysia **2**:4.101-4.104.
- Department of Environment Malaysia (DOE). 2001. *Malaysia Environmental Quality Report 2000*. Department of Environment, Ministry of Science, Technology and Environment Malaysia. Maskha Sdn. Bhd. Kuala Lumpur.

- Depledge, M.H., Weeks, J.M. and Bjerregaard, P., 1994. Heavy metals. In: *Handbook of Ecotoxicology*. Vol. 2. Calow, P. (Ed.). Blackwell Scientific Publications, London. pp. 79-105.
- Edmunds, G.F., Jr., 1982. *Ephemeroptera*. McGraw Hill Synopsis & Classification of Living Organisms. McGraw-Hill Book Company, Inc.
- Edmunds, G.F., Jr., Jensen, S.L. and Berner, L., 1976. *The Mayflies of North and Central America*. University of Minnesota Press, Minneapolis.
- Eidt, D.C. and Sundaram, K.M., 1975. The insecticide fenitrothion in headwaters stream from large-scale forest spraying. *Can. Entomol.* **115**: 735-742.
- Elliott, J.M. and Humpesch U.H., 1983. *A Key to the Adults of the British Ephemeroptera*. Freshwater Biological Association, Cumbria.
- Encyclopedia Britannica, Inc., 2008. *Life cycle of mayfly*, USA
- Engel, D.W. and Vaughan, D.S., 1996. Biomarkers, natural variability and risk assessment: Can they co-exist? *Hum. Ecol. Risk Assess.* **2**: 257–262.
- Extension Toxicology Network (EXTOXNET), 1995. *A Pesticide Information Project of Cooperative Extension Offices of Cornell University, Oregon State University, the University of Idaho, and the University of California at Davis and the Institute for Environmental Toxicology, Michigan State University*.
- Fenton, C.L. and Fenton, M.A., 1989. *The Fossil Book*. Doubleday, New York.
- Fialkowski, W. and Rainbow, P.S., 2006. The discriminatory power of two biomonitors of trace metal bioavailabilities in freshwater streams. *Water Research* **40**: 1805-1810.
- Fialkowski W., Klonowska-Olejnik M, Smith B.D. and Rainbow P.S., 2003. Mayfly larvae (*Baetis rhodani* and *B. vernus*) as biomonitors of trace metal pollution in

- streams of a catchment draining a zinc and lead mining area Upper Silesia, Poland. *Environ Pollut.* **121**: 253–67.
- Fiance, S.B., 1978. Effects of pH on the biology and distribution of *Ephemerella funeralis* (Ephemeroptera). *Oikos*, **31**: 332-339.
- Finch, C., 1990. *Longevity, Senescence & the Genome*. University of Chicago Press, Chicago.
- Fourcy, D., Jumel, A., Heydorff, M. and Lagadic, L., 2002. Esterases as biomarkers in *Nereis* (Hediste) *diversicolor* exposed to temephos and *Bacillus thuringiensis* var. *israelensis* used for mosquito control in coastal wetlands of Morbihan (Brittany, France). *Mar. Environ. Res.* **54**: 755–759.
- Fournier, D. and Mutero, A. 1994. Modification of acetylcholinesterase as a mechanism of resistance to insecticides. *Comparative Biochemistry and Physiology* **108C**: 19-31.
- Fremling, C.R., 1989. *Hexagenia* mayflies: biological monitors of water quality in the upper Mississippi River. *J. Minn. Acad. Sci.* **55**: 139-143.
- Gaufin, A.R., 1973. Use of aquatic invertebrates in the assessment of water quality. In: *Biological Methods for the Assessment of Water Quality*, J.J. Cairns and K.L. Dickson (Eds), STP 528, American Society for Testing and Materials, Philadelphia, pp. 96–116.
- Gerhardt, A., 1990. Effects on subacute doses of cadmium on pH-stressed *Leptophlebia marginata* (L.) and *Baetis rhodani* Pictet (Insecta: Ephemeroptera). *Environ. Pollut.* **67**: 29-43.
- Gerhardt, A., 1994. Short term toxicity of iron (Fe) and lead (Pb) to the mayfly *Leptophlebia marginata* (L.) (Insecta) in relation to freshwater acidification.

- Hydrobiologia* **284**: 157-168.
- Gerhardt, A. and Palmer, C., 1998. Copper tolerances of *Adenophlebia auriculata* Eaton. 1884 Insecta: Ephemeroptera and *Burnupia stenochorias* Cawston 1932 Gastropoda: Ancyliidae in indoor artificial streams. *The Science of the Total Environment* **215**: 217-229.
- Giesy, J. P., Rosieu, C. J., Graney, R. L. and Henry, M. G., 1990. Benthic Invertebrates Bioassays with Toxic Sediment and Pore Water. *Environ. Toxicol. Chem.* **9**: 233-248.
- Goodyear, K.L., McNeil, S., 1999. Bioaccumulation of heavy metals by aquatic macroinvertebrates of different feeding guilds: A review. *The Science of the Total Environment* **229**: 1-19.
- Gower, A.M., Myers, G., Kent, M. and Foulkes, M.E., 1994. Relationships between macroinvertebrate communities and environmental variables in metal-contaminated streams in south-west England. *Freshwater Biology* **32**: 199–221.
- Habig, C. and DiGiulio, T., 1991. Biochemical characteristics of cholinesterase in aquatic organisms. In: *Cholinesterase Inhibiting Insecticides: Their Impact on Wildlife and the Environment*, Mineau, P. (Ed.). Elsevier Science, Amsterdam, pp. 19–33.
- Habig, W. H., Pabst, M. J., and Jakoby, W. B., 1974. Glutathione S-transferases the first enzymatic step in mercapturic acid formation. *The Journal of Biological Chemistry* **249**(22–25): 7130–7139.
- Hanazato, T., 2001. Review: Pesticide effects on freshwater zooplankton: an ecological perspective. *Environmental Pollution* **112**: 1-10.

- Hare, L., 1992. Aquatic insects and trace metals: bioavailability, bioaccumulation and toxicity. *Crit. Rev. Toxicol.* **22**(5/6): 327-369.
- Hare, L., Saouter, E., Campbell, P.G.C., Tessier, A., Ribeyre, F. and Boudou, A., 1991. Dynamics of cadmium, lead and zinc exchange between nymphs of the burrowing mayfly *Hexagenia limbata* and the environment. *Can J Fish Aquat Sci* **48**: 39-47
- Harker, J., 1989. *Mayflies*. Richmond Publishing Co. Ltd., England.
- Harte, J., Holdren, C., Schneider, R., and Shirley, C., 1991. *Toxics A to Z--a guide to everyday pollution hazards*: Berkeley, Calif., University of California Press.
- Hatakeyama, S., Shiraishi, H. and Kobayashi, N., 1990. Effects of aerial spraying of insecticides on non-target macrobenthos in a mountain stream. *Ecotoxicology and Environmental Safety* **19**: 254-270.
- Hatakayama, S., Shiraishi, H. and Sugaya, Y., 1991. Monitoring of the overall pesticide toxicity of river water to aquatic organisms using a freshwater shrimp, *Paratya compressa improvisa*. *Chemosphere* **22**: 229- 235.
- Hatakayama, S., Fukushima, S., Kasai, F. and Shiraishi, H., 1994. Assessment of herbicide effects on algal production in the Kokai River (Japan) using model stream and *Selenastrum* bioassay. *Ecotoxicology* **3**: 143-156.
- Hawkes, H.A., 1979. Invertebrates as indicators of river water quality. In: *Biological Indicators of Water Quality*, James, A. and Evison, L. (Eds). Wiley, Chichester.
- Hayes, W.J., 1975. *Toxicology of pesticides*. The Williams and Wilkins, Baltimore, pp. 37-106.
- Heath, A.G., 1987. *Water Pollution and Fish Physiology*. CRC Press, Boca Raton.

- Helgen, J.C., Larson, N.J. and Anderson, R.L., 1988. Response of zooplankton and Chaoborus to temephos in a natural pond and in the laboratory. *Archives of Environmental Contamination and Toxicology* **17**: 459-471.
- Heliövaara, K. and Väisänen, R., 1993. *Insects and Pollution*. CRC Press, Florida.
- Hellawell, J.M., 1986. *Biological Indicators of Freshwater Pollution and Environmental Management*. London. Elsevier Applied Science Publisher.
- Hem, J.D., 1985. Study and interpretation of the chemical characteristics of natural water: *U.S. Geological Survey Water-Supply Paper* **2254**: 263.
- Hsu, J. C., Wu, W. J., Haymer, D.S., Liao, H. Y. and Feng, H. T., 2008. Alterations of the acetylcholinesterase enzyme in the oriental fruit fly *Bactrocera dorsalis* are correlated with resistance to the organophosphate insecticide fenitrothion. *Insect Biochemistry and Molecular Biology* **38**: 146–154.
- Hubbard, M.D. and Kukolova-Peck, J., 1980. Permian Mayfly Nymphs: New Taxa and Systematic Characters. In: *Advances in Ephemeroptera Biology*, Flanagan, J.F. and Marshall, K.E. (Eds.) Plenum Press, New York. pp. 18-31
- Hyne, R.V and Maher, W. A., 2003. Review: Invertebrate biomarkers: links to toxicosis that predict population decline. *Ecotoxicology and Environmental Safety* **54**: 366–374.
- Inza, B., Rouleau, C., Tjälve, H., Ribeyre, F., Campbell, P. G. C., Pelletier, E., and Boudou, A., 2001. Fine-Scale Tissue Distribution of Cadmium, Inorganic Mercury, and Methylmercury in Nymphs of the Burrowing Mayfly *Hexagenia rigida* Studied by Whole-Body Autoradiography. *Environmental Research Section A* **85**: 265-271.

- Jell, P. A. and Duncan, P. M. 1986. Invertebrates, mainly insects, from the freshwater, Lower Cretaceous, Koonwarra Fossil Bed (Korumburra Group), South Gippsland, Victoria. *Memoirs of the Association of Australasian Palaeontologists* **3**: 111–205.
- Jørgensen, S. E., Nielsen, S. N. and Jørgensen, L. A., 1991. *Handbook of ecological parameters and ecotoxicology*. Elsevier, Amsterdam.
- Kamsia, B., Amran, A. and Noraini, A. 2007. Correlation analysis on water quality parameter with aquatic insects abundance in Telipok river, Sabah, Malaysia, *Proceedings of the 12th WSEAS International Conference on Applied Mathematics Table of contents*. World Scientific and Engineering Academy and Society (WSEAS), Wisconsin, USA.
- Kennedy, S., 1991. The mechanism of organophosphate inhibition of cholinesterase—proposal for new approach to measuring inhibition. In: *Cholinesterase Inhibiting Insecticides: Their Impact on Wildlife and the Environment*, Mineau, P. (Ed.). Elsevier Science, Amsterdam, pp. 74–87.
- Khoo, S.G., 2004. Insecta: Ephemeroptera. In: *Freshwater invertebrates of the Malaysian region*, Yule, C.M. & Yong, H. S. (Eds.) Kuala Lumpur: Academy of Sciences Malaysia. pp. 394-408.
- Kolar, C. S. and Rahel, F. J., 1993. Interaction of a biotic factor (predator presence) and an abiotic factor (low oxygen) as an influence on benthic invertebrate communities. *Oecologia* **95**: 210–219.
- Krenkel, P. and Novotny, V., 1980. *Water quality management*: Orlando, Fla., Academic Press.

- Lagadic, L., Caquet, T. and Ramade, F., 1994. The role of biomarkers in environmental assessment (5). Invertebrate populations and communities. *Ecotoxicology* **3**(3): 193–208.
- Lagadic, L., Cuany, A., Berge, J.B. and Echaubard, M., 1993. Purification and partial characterization of glutathione S-transferases from insecticide-resistant and lindane-induced susceptible *Spodoptera littoralis* (Boisd.) larvae. *Insect Biochemistry and Molecular Biology* **23**: 467-474.
- Lau, S., Mohamed, M., Yen, A.T.C., and Su'ut, S., 1998. Accumulation of heavy metals in freshwater mollusks: *Science of the Total Environment* **214**: 113-121.
- Litwack, G., 1960. *Experimental biochemistry: A laboratory manual*. John Wiley, New York.
- Lloyd, H., Zar, J.H., and Karr, J.R., 1968. On the calculation of information - theoretical measures of diversity. *Am. Mid Nat.* **79**: 257-272.
- Lowry, O.H., Rosebrough, N.J., Farr, A.L. and Randall, R. J., 1951. Protein measurement with the Folin-Phenol reagents. *J. Biol. Chem.* **193**: 265-275.
- Main, A.R. and Iverson, F., 1966. Measurement of the affinity and phosphorylation constants governing irreversible inhibition of cholinesterase by di-isopropyl phosphorofluoridate. *Biochem J.* **100**: 525-531.
- Malueg, K. W., Schuytema, G. S., Krawczyk, D. F. and Gakstatter, J. H., 1984a. Laboratory Sediment Toxicity Tests, Sediment Chemistry and Distribution of benthic Macroinvertebrates in Sediments from the Keweenaw waterway, Michigan. *Environ. Toxicol. Chem.* **3**: 233-242.
- Malueg, K. W., Schuytema, G. S., Krawczyk, D. F. and Gakstatter, J. H., 1984b. Sediments from Three Metal-Contaminated Areas. *Environ. Toxicol. Chem.* **3**:

279-291.

- Manahan, S. E., 1991. *Environmental Chemistry*. Lewis Publisher. Michigan.
- Marcotrigiano, G.O. and Storelli, M.M., 2003. Heavy Metal, Polychlorinated Biphenyl and Organochlorine Pesticide Residues in Marine Organisms: Risk Evaluation for Consumers. *Veterinary Research Communications* **27**(1): 183–195.
- Margalef, R., 1972. Homage to Evelyn Hutchinson or why is there an upper limit to diversity. *Trans, Connect, Acad. Arst Sci* **44**: 211-235.
- Marshall, A.G., 1970. The life cycle of *Basilina hispida* Theodor 1967 (Diptera: Nycteribiidae) in Malaysia. *Parasitology* **61**: 1-18.
- Mason, C.F., 1996. *Biology of Freshwater Pollution*. New York, Longman
- Matsumura, F., 1975. *Toxicology of insecticides*. Plenum press: New york.
- May, R. M., 1975. Patterns of Species Abundance and Diversity: In *Ecology and Evolution Communities*. Cody, M. L. and Diamond, J. M (Eds), Harvard University Press, Cambridge, MA., pp. 61-129.
- McCafferty, W. P., 1990. Order Ephemeroptera. In *Insects from the Santana Formation, Lower Cretaceous, of Brazil*. Grimaldi, D. A. (Eds), *Bulletin of the American Museum of Natural History* **195**: 20–50.
- McCafferty, W. P. 1997. Discovery and analysis of the oldest mayflies (Insecta, Ephemeroptera) known from amber. *Bulletin de la Socié'te' d'Histoire Naturelle de Toulouse* **133**: 77–82.
- McCarthy, J. and Shugart, L., 1990. Biological markers of environmental contamination. In: *Biomarkers of Environmental Contamination*. McCarthy, J., Shugart, L. (Eds.), Lewis Publishers, Boca Raton, FL, pp. 3–14.

- McCarty, L.S. and Munkittrick, K.R., 1996. Environmental biomarkers in aquatic toxicology: friction, fantasy, or functional? *Hum. Ecol. Risk Assess.* **2**: 268–274.
- McCafferty, W. P. and Wang, T.Q., 2000. Phylogenetic Systematics of the Major Lineages of Pannota Mayflies. *Transactions of the American Entomological Society* **126**(1): 30-40.
- McPherson, A. K., Abrahamsen, T. A. and Journey, C.A., 2002. *Investigation of Water Quality and Aquatic-Community Structure in Village and Valley Creeks, City of Birmingham, Jefferson County, Alabama, 2000 – 01*. Water-Resources Investigations Report 02 :pp. 4182-4202.
- Medway, L., 1983. The wild mammals of Malaya (Peninsular Malaya) and Singapore. 2<sup>nd</sup> ed. Oxford University Press, Kuala Lumpur, Malaysia. pp. 131.
- Menzie, C. M., 1980. *Metabolism of Pesticides. Update III*. Special Scientific Report, Wildlife No. 232. U.S. Department of Interior, Fish and Wildlife Service, Washington, DC. pp. 5-29.
- Merritt, R.W., Cummins, K.W. and Burton, T.M., 1984. The role of aquatic insects in the processing and cycling of nutrients. In: The ecology of aquatic insects. Resh V.H. and Rosenberg D.M., (Eds.), New York: Praeger; pp. 134–63.
- Moody, K., Al-Saman, S., Carrington, D., Curry, J., Grant, H., Hill, D., Kathan, K., Lee,B., Lewis,D., Meehan,M., Pope, A., Roberge, L., Robert, W., Roth, J., Veralli, A., Yunker, C., Stepanenko, V., Hill, A. and Preziosa, D, 2000. *A Census of Stream Macroinvertebrates on the Mount Holyoke College Campus*. Accessed on 20 March, 2006 from <http://www.mtholyoke.edu.htm>.
- Moore, J.W. and Ramamoorthy, S., 1984. *Heavy Metals in Natural Waters. Applied*

- Monitoring and Impact Assessment*. Springer-Verlag, New York. pp. 58-76.
- Motoyama, N. and Dauterman, W., 1977. Purification and properties of housefly glutathione S-transferase. *Insect Biochem.* **7**: 361–369.
- Munawar, M., Hänninen, O., Roy, S., Munawar, N., Kärenlampi, L. and Brown, D. (Eds.), 1995. *Bioindicators of Environmental health*. SPB Academic Publishing bv. Amsterdam.
- Nelson, D. and Cox, M., 2000. *Lehninger Principles of Biochemistry*, 3rd Edition. Worth Publishers, New York, USA.
- NRC, 1987. Committee on Biological Markers of the National Research Council (NRC), Biological markers in environmental health research. *Environ. Health Perspect.* **74**: 3-9.
- O' Brien, R.D., 1967. *Insecticides. Action and metabolism*. Academic Press, Inc.: New York.
- Odin, M., Feurtet-Mazel, A., Ribeyre, F. and Boudou, A., 1994. Actions and interactions of temperature, pH and photoperiod on mercury bioaccumulation by nymphs of the burrowing mayfly *Hexagenia rigida*, from the sediment contamination source. *Environ. Toxicol. Chem.* **13**: 1291-1302.
- Odin, M., Feurtet-Mazel, A., Ribeyre, F. and Boudou, A., 1995a. Inorganic mercury and methylmercury bioaccumulation by nymphs of the burrowing mayfly *Hexagenia rigida* from the water column as the initial contamination source-Quantification of the actions and interactions with temperature, pH and photoperiod. *Toxicol. Environ. Chem.* **48**: 213-244.
- Odin, M., Ribeyre, F. and Boudou, A., 1995b. Cadmium and Methylmercury bioaccumulation by nymphs of the burrowing mayfly *Hexagenia rigida* from

the water column and sediment. *Environ. Sci. Pollut. Res.* **2**(3):145-152.

- Omar, R., Ali Rahman, Z., Latif, M.T., Lihan, T. and Adam J.H. (Eds.) 2002. *Proceedings of the Regional Symposium on Environment and Natural Resources 10-11th April 2002, Hotel Renaissance Kuala Lumpur, Malaysia*. **1**: 464-471.
- Peakall, D.B. and Shugart, L.R., 1993. *Biomarkers: Research and Application in the Assessment of Environmental Health*. Springer-Verlag, Berlin, Germany.
- Peet, R. K., 1974. The measurement of species diversity. *Annual. Rev. Ecol. Syst.* **5**:285-307.
- Phillips, D.J.H, Rainbow, P.S., 1993. *Biomonitoring of Trace Aquatic Contaminants*. Elsevier Science, London.
- Rand, G.M., and Petrocelli, S.R., 1985. *Fundamentals of aquatic toxicology methods and applications*. New York, Hemisphere Publishing Corp.
- Rehfeldt, G. and Söchtig, W., 1991. Heavy metal accumulation by *Baetis rhodani* and macrobenthic community structure in running waters of the N' Harz mountains (Lower Saxony/FRG) (Ephemeroptera: Baetidae). *Entomologia Generalis* **16**: 31-37.
- Riek, E. F., 1973. The Classification of the Ephemeroptera. In Peters, W. L and Peters, J. G (eds.), *Proceedings of the First International Conference on Ephemeroptera*. E. J. Brill, Leiden. pp. 160-178.
- Rosenberg, D.M. and Resh V.H., 1992. *Introduction to Freshwater Biomonitoring and Benthic Macroinvertebrates in Freshwater Biomonitoring and Benthic Macroinvertebrates*. Rosenberg, D. M and Resh, V. H. (Eds.). Chapman Hall, New York.

- Samways, M. J., Osborn R. and Van Heerden, I., 1996. Distribution of benthic invertebrates at different depths in a shallow reservoir in the KwaZulu-Natal Midlands – Koedoe, **39**: 69–76.
- Sanders, H. L., 1978. Marine Benthic Diversity: A comparative study. *Amnat*, **2**: 243-282.
- Saouter, E., Ribeyre, F., Boudou, A., and Maury-brachet, R., 1991a. *Hexagenia rigida* (Ephemeroptera) as a biological model in aquatic ecotoxicology: Experimental studies on mercury transfer from sediment. *Environ. Pollut.* **69**: 51-67.
- Saouter, E., Ribeyre, F. and Boudou, A., 1991b. Synthesis of mercury contamination mechanisms of a burrowing mayfly *Hexagenia rigida*: methodological bases and principal results. *In Heavy Metals in the Environment*. Vernet, J.P. (Ed.), Elsevier, Amsterdam, pp. 175-190.
- Saouter, A., Hare, L., Campbell, P. G. C., Boudou, A., and Ribeyre, F., 1993. Mercury accumulation in the burrowing mayfly *Hexagenia rigida* (Ephemeroptera) exposed to CH<sub>3</sub>HgCl or HgCl<sub>2</sub> in water and sediment. *Wat. Res.* **27**: 1041-1048.
- Schriever, C.A, Callaghan, A., Biggs, J.P. and Liess, M. (2008). *Freshwater biological indicators of pesticide contamination*. Bristol: Environment Agency.
- Schwartz, P.J., Blundon, J.A. and Adler, E.M., 2007. A Biochemical Assay for AChE Activity in PC12 Cells. *Sci. STKE 2007* **394**: 100-105.
- Shabdin, M. L. and Abang, F. 1999. *The Benthic Invertebrate Community of Rivers in Bario, Kelabit Highlands, Sarawak*. ASEAN Review of Biodiversity and Environmental Conservation (ARBEC) September-October 1999.
- Shabdin, M. L., Fatimah, A. and Khairul Adha, A. R. 2002. *The Macroinvertebrate*

*Community of the Fast Flowing Rivers in the Crocker Range National Park, Sabah, Malaysia.* ASEAN Review of Biodiversity and Environmental Conservation (ARBEC) July-September 2002.

Sibley, P. K., Chappel, M. J., George, T. K., Solomon, K. R. and Liber, K., 2000. Integrating effects of stressors across levels of biological organization: examples using organophosphorus insecticide mixtures in field-level exposures. *Journal of Aquatic Ecosystem Stress and Recovery (formerly Journal of Aquatic Ecosystem Health)* **7** (2): 117-130.

Sinitshenkova, N. D. 1990. The mayflies. Ephemera. In *Late Mesozoic insects from eastern Transbaikalia* (ed. Rasnitsyn, A. P.). *Transactions of the Paleontological Institute, Academy of Sciences of the USSR* **239**: 13–20.

Sinitshenkova, N. D., 1991. New Mesozoic Mayflies (Ephemera) from Mongolia. *Paleontological Journal* **25**(1): 116-125.

Smith, M. E., Driscoll, C.T., Wyskowski, B.J., Brooks, C.M. and Cosentini, C.C., 1991. Modification of stream ecosystem structure and function by beaver (*Castor canadensis*) in the Adirondack Mountains, New York. *Can. J. Zool./ J. Can. Zool.* **69**(1): 55-61.

Statistica, 1997. *Statistica statsoft Inc.* release 5.1, Tulsa, OK, USA.

Stone, J. E. and Pence, D. B., 1978, Ecology of helminth parasitism in the bobcat from West Texas. *J. Parasitol.*, **64**(2): 295-302.

Sutcliffe, D.W. and Carrick, T.R., 1973. Studies on mountain streams in the English Lake District. 1. pH, calcium and the distribution of invertebrates in the river Duddon, *Freshwater Biol.* **3**: 437-462.

Teles, L.F.O., 1994. A new methodology for biological water quality assessment, *Int.*

- Assoc. Theoret. Appl. Limnol. **25**:1942–1944.
- Thompson, H., 1991. Serum ‘‘B’’ esterases as indicators of exposure to pesticides. In: *Cholinesterase Inhibiting Insecticides: Their Impact on Wildlife and the Environment*. Mineau, P. (Ed.), Elsevier, Amsterdam, pp. 109–125.
- Timmermans, K.R., 1993. *Accumulation and effects of trace metals in Freshwater Invertebrates*. Dallinger, R. and Rainbow P.S. (Eds.). Lewis Publishers, USA.
- Triebskorn, R., Adam, S., Casper, H., Honnen, W., Schramm, M. and Schwaiger, J., 2002. Biomarkers as diagnostic tools for evaluating effects of unknown past water quality conditions on stream organisms. *Ecotoxicology* **11**: 451–65.
- Usui, K., Fukami, J. and Shishido, T., 1977. Insect glutathione S-transferase: separation of transferases from fat bodies of American cockroaches active on organophosphorus triesters. *Pestic. Biochem. Physiol.* **7**: 249–260.
- Usui, K., Fukami, J. and Shishido, T., 1997. Separation of transferases from fat bodies of American cockroaches active on organophosphorus triesters. *Pesticide Biochemistry and Physiology* **7**: 249-260.
- Van Wijngaarden, R., 1993. Comparison of response of the mayfly *Cloeon dipterum* to chlorpyrifos in a single species toxicity test, laboratory microcosms, outdoor ponds and experimental ditches. *Sci Total Environ.* **1**:1037–1046.
- Wang, J.Y., McCommas, S. and Syvanen, M., 1991. Molecular cloning of a glutathione S-transferase overproduced in an insecticide-resistant strain of the housefly (*Musca domestica*). *Molecular and General Genetics MGG* **227** (2): 260-266.
- Ward, J. V., 1992. *Aquatic insect ecology 1. Biology and habitat*. John Willey & Sons, New York, pp. 438.
- Wielgolaski, F.E., 1975. Biological indicators on pollution. *Urban Ecol.* **1**: 63–79.

- Willoughby, L., Chung, H., Lumb, C., Robin, C., Batterham, P. and Daborn, P. J., 2006. A comparison of *Drosophila melanogaster* detoxification gene induction responses for six insecticides, caffeine and phenobarbital. *Insect Biochemistry and Molecular Biology* **36**: 934-942.
- World Health Organisation (WHO), 1984. *Guidelines for Drinking Water Quality*, Vol. 1, Health Criteria and other Supporting Information. Geneva.
- Yanez, D. M. and Canaris, A. C., 1988, Metazoan parasite community composition and structure of Migrating Wilson's Phalarope, *Steganopus tricolor* Viellot, 1819 (Aves), from El Paso county, Texas. *J. Parasitol.*, **74**: 754-762.
- Yap, C.K., Rahim Ismail, A., Ismail, A. and Tan, S.G., 2003. Species Diversity of Macrobenthic Invertebrates in the Semenyih River, Peninsular Malaysia, *Pertanika J. Agric. Sci.* **26**: 139-146.