REFERENCES

Abia, A. A. and Igwe, J. C. (2005). Sorption kinetics and intraparticle diffusivities of Cd, Pb and Zn ions on maize Cob. *African Journal of Biotechnology*, **4**(6):509-512

Acharya, J., Meikap, B.C., Mohanty, C.R. and Sahu, J.N. (2009). Removal of lead(II) from wastewater by activated carbon developed from Tamarind wood by zinc chloride activation, *Chemical Engineering Journal*, **149**: 249–262.

Ahmed, A. A., Hameed, B. H. and Aziz, N. (2007). Adsorption of direct dye on palm ash: kinetic and equilibrium modeling. *Journal of Hazardous Material*, **141**: 70-76.

An, H.K., Park, B.Y. and Kim, D.S. (2001). Crab shell for the removal of heavy metals from aqueous solution, Water Research, **35**: 3551–3556. Ansari, M. H., Deshkar, A.M., Kelkar, P.S.D.M., Dharmadhikari, M.Z., Hasan, R., (1999). Param. Water Science and Technology, **40**: 09-119

Atkinson, B. W., Bux, F. and Kasan, H. C. (1998). Considerations for application of biosorptioa technology to remedicrte metal-contaminated industrial effluents. *Water of South Africa*, **24**: 129-135.

Atun, G., Hisarli, G., Sheldrick, W. S. and Muhlerler, M. (2003). Adsorptive removal of methylene blue from colored effluents on fuller,s earth. *Journal of Colloid and Interface Science*, **261**: 32-39.

Aubert, M., Bittel, R., Laumond, F., Barelli, M. and Gauthier, M. (1975). Use of a benthic trpcdynarnic chain to study metallic pollutant transfers. *Rev. int. Oceanogr. Med*, **39**: 117 - . 151.

Beszedits, S. (1983). Heavy metals removal from wastewaters. Engineering Digest, March, 18-25.

Brown, B. and Ahsanullah, M. (1971). Effect of heavy metals on mortality and growth. *Marine Poll Bull*, **2**: 182-187.

Bunzi, K., Schimdt, W. F. and Sansoni, B. (1976). Kinetics of ion exchange in soft organic matter, IV. Adsorption and desorption of Pb, Cu, Cd, Zn, and Ca by peat. *Soi1 Science*, **27**:32 - 41.

Carpenter, K. E. (1925). On the biological factors involved in the destruction of nverfishenes by pollution due to Iead-rnining. *Annals of Applied Biology*, **XII**(1): 1-1 3.

Coupd, B. and Lalancette, J. (1976). The treatment of wastewater with peat moss. *Water Research*, **10**:1071 - 1076.

Crini, G. (2006). Kinitic and equilibrium studies on the removal cationic dyes from aqueous solution by adsorption onto a cyclodextrin polymer. *Beiresource Tachnology*, **97**:1061-1085.

Crini.G.(2008), selectivity preconcentration/separation of Copper(II),Iron(III), and Lead(II) as their N-N₁N-Diisobutylthiourea chelates on Amberlite XAD-16 Resin. *Dyes and pigements*, **77**: 415-426.

Deans, J.nR. and Dixon, B. G. (1992). Uptake of Pb^{2+} and Cu^{2+} by novel biopolymers. *Water Research*, **26**: 469-472.

Driheyer, J.E. and Odum, W. E. (1975). Lead, zinc and mganese in dredge-spoil pond ecosystems. *Environmental Conservation*, **2**: 39-45.

Hall, K. R., Egleton, L. C., Acrivos, A. and Vemeulen, T. (1966). Pore and solid diffusion kinetics in fixed bed adsorption under constant pattern conditions. *Industrial and Engineering Chemistry Fundamentals*, **5**: 212-223.

Hameed, B. H. (2007). Equilibrium and kinetics studies of 2,4,6-trichlorophenol adsorption into activated clay. Colloids and Surfaces A: *Physicochemical and Engineering Aspects*, **307**: 45-52.

Hasan, M., Ahmed, A. L. and Hameed, B. H. (2008). Adsorption of reactive dye onto cross-linked chitosan\oil palm ash composite beads. *Chemical Engineering Journal*, **136**: 164-172.

HMSO (Her Majesty's Stationery Office) 1974. Lead in the environment and its significance to man, A report of an Inter-departmental Working Group on Heavy Metals Pollution. Pap. No. 2 47 pp.

Ho, Y.S. and McKay, G. (1999). Pseudo-second order model for sorption process, *Process Biochemistry*. 34: 451–465.

Ho, Y. S. and McKay, G. (1999). The sorption of lead (II) ions on peat, *Water Research*, **33**: 578-584.

Ho, Y.S. and McKay, G. (2000). Correlative biosorption equilibrium model for a binary batch system. *Chemical Engineering Science*, **55**: 817–825.

Huang, Chihpin and Huang, C.P. (1996). Application of Aspergillus Oryzae and Rhisopus Oryzae for Cu (II) removai. *Water Research*, **30**: 1985-1990.

Kuyucak, N. (1997). Feasibility of biosocbents application. In: Biosorption of Heavy Metals, eds. Volesky, B., CRC Press, Boca Raton, pp. 371-378.

Langmuir, I. (1818). Adsorption of gases on plain surfaces of glass mica platinum. *Journal of the Ammerican Chemical Society*, **40**: 1361-1403.

Lee, M., Lee, S., Shin, H., Kajiuchi, T., and Yang, J. (1998). Characteristics of lead removal by crab shell particles. *Process Biochemistry*, **33**: 749-753.

Leland, H.V., Shukla, S. and Shimp, N.F. (1973). Factors affecting distribution of lead and other trace elements in sediments of southern Lake Michigan. In Trace metal and metalorganic interactions in natural waters. Edited by P.C. Singer. Am Arbor Science Publishers, Ann Arbor, Michigan. pp. 89-129.

Lo, W., Chua, H., Lam K H. and Bi, S. P. (1999). A comparative investigation on the biosorption of lead by filamentous fungal biomass. *Chemosphere*. **39**: 2723-36

Matheickal, J. T., Yu, Q. and Feltharn, J. (1996). "Cu(II) binding by E. Radiata biomaterial." *Environmental Technology*, **18**: 25-34.

McLellan, J. K, and Rock, C. A. (1988). Pretreating landfill leachate with peat to remove metals. *Water, Air and Soil Pollution*, **37**: 203 - 215.

Metcaif and Eddy (1991). Wastewater Engineering: Treatment, Disposal, and Reuse, 3d edition, McGraw-Hill, Inc., Singapore, pp. 68-88.

Mohan, D., Singh, K.P., (2002). Single- and multi-component adsorption of cadmium and zinc using activated carbon derived from bagasse-an agricultural waste. *Water Research*. **36**: 2304-18.

Namasivayam and Sangeetha, 2006 C. Namasivayam and D. Sangeetha, Recycling of agricultural solid waste, coir pith: Removal of anions, heavy metals, organics and dyes from water by adsorption onto zncl2 activated coir pith carbon, J Haz Mat 135, pp. 449–452.

Navrot, J., AmieI, A.J. and Kronfeld, J. (1974). Patella vulgata: a biological monitor of coastal metal pollution. *Environ Pollution*, **7**: 303-308.

National research Council Canada (1973). Lead in the Canadian environment-Report National Research Council of Canada 13682, Ottawa, Canada.

Netzer, A, and Hughes, D. E. (1984). Adsorption of copper leas and cobalt by activated carbon. *Water Research*, **18**: 927 - 933.

Nriagu, J. 0. and Pacyna, J. M. (1988). Quantitative assessmeni of worldwide contamination of air, water and soils by trace metals. *Nature*, **333**: 134 - 139.

Ozcan, A. S. and Ozcan, A. (2004). Adsorption of acid dyes from aqueous solutions onto acid-activated bentonite. *Journal of Colloid and Interface Science*, **276**: 39–46.

Pringle, B.H., Hissong, D.E., Katz, E.L. and Mulawka, S.T. (1968). Trace metal accumulation by estuarine mollusks. J-Sanit. Eng. Div., Proc. Am. Soc. *Civil Engineering*. **5970**: 456 - 475.

Reed, B. E., and Amnachalam, S. (1994). Removal of lead and cadmium from aqueous waste streams using granular activated carbon (GAC) columns. *Environmental Progress*, **13**: 60 - 64.

Reddad, Z., Gerente, C., Andres, Y. and Le Cloirec, P. (2002). *Environmental Science & and Technology*, **36**: 2067-2073.

Schulz-Baldes, M. (1972). Toxicity and accumulation of lead in the common mussel Mytilus edulis in laboratory experiments. *Marine Biology*, **26**: 226-229.

Smith, E. F., Maccarthy, P., Yu, T. C., and Mark, H. B. (1977) Sulfhic acid treatment of peat for cation exchange. *Journal of Water Pollution Control Federation*, **49**: 633 - 638.

Tan, T. C. and Teo, W. K. (1987). Combined effect of carbon dossage and initial adsorbate concentration on the adsorption of heavy metais on activated carbon. *Water Research*, **21**: 1183 - 1188.

Taylor, R. M., and Kuennen, R. W. (1994). Removing lead in drinking water with activated carbon. *Environmental Progress*, **13**: 65 - 7 1.

Yoshihiro S., Kametani, T., Maruyama, T., (2005). Removal of heavy metals from aqueous solution by nonliving Ulva seaweed as biosorbent. Water Research, **39**: 1803-1808.

Weber, W. J. Jr. and DiGiano, F. A. (1996). Process Dynamics in EnvironmentaL Systems. John Wiley & sons Inc., New York.

Wilczak, A. and Keinath, T. M. (1993). Kinetics of sorption and desorption of copper (II) and Iead (II) on activated carbon. *Water Environmental Research*, **65**: 238 - 244.

Wolf, A., Bunzl, K., Dietl, F. and Schmidt, W. F. (1972). Effects of Ca²⁺ ions on the absorption of Pb²⁺, Cu²⁺, Cd²⁺, and Zn²⁺ by humic substances. *Chemocphere*. **5**: 207 - 213.

Zacar, M. O. and engil, I. A. S. (2005) Adsorption of metal complex dyes from aqueous solutions by pine sawdust, *Bioresour Technolog*, **96**: 791–795.

Zhipei, Z., Jimlu, Y., Zanghui, W., and Piya, C. (1984). A preliminary study for the removal of Pb, Cd, Zn, Ni, and Cr from wastewater with several Chinese peats. Proceedings Sixth International Peat Congr., Dublin, Irelandn pp. 147 - 152.