

## **RUJUKAN**

## **RUJUKAN**

- Agarwal, S. S. and D. N. Saskena. (1978). Length-weight relationship in *Catla catla*. Geobios, 6: 129 - 132.
- Alfred, E. R. (1964). Notes on a collection of freshwater fishes from Penang. Bull. Nat. Mus. Singapore 32: 143 - 154.
- Alfred, E. R. (1966). The freshwater fishes of Singapore. Zool. Verh. 78: 1 - 68.
- Alfred, E. R. (1969). Conserving Malayan freshwater fishes. Malay. Nat. J. 22: 69 - 74.
- Ambak, M. A. and A. K. Mohsin. (1980). Population study, length-weight relationship, size and movement of *Acrossocheilus deauratus* in two Malaysian streams. Pertanika, 3(2): 142 - 147.
- Bagenal, T. (1990). Kaedah menilai pengeluaran ikan air tawar. Terjemahan Dewan Bahasa dan Pustaka. Kementerian Pendidikan Malaysia, Kuala Lumpur. 434 pp.
- Barila, T. V., R. D. Williams and J. R. Stauffer, Jr. (1981). The influence of stream order and selected stream bed parameters on stream diversity in Raystown Branch, Susquehanna River Drainage, Pennsylvania. Applied Ecology J. 18: 125 - 131.
- Bayne, B. L. (1985). Responses to Environmental Stress: Tolerance, Resistance and Adaptation. 331 - 349 pp. In: Marine biology of polar regions and effects of stress on marine organisms. J. S. Gray and M. E. Christiansen (eds.) Wiley, New York.
- Bishop, J. E. (1973). Limnology of a small Malayan river, Sungai Gombak. Dr. W. Junk B. V. Publisher, The Hague. 485 pp.
- Boyd, C. (1990). Mutu air kolam ikan di kawasan beriklim panas. Terjemahan Dewan Bahasa dan Pustaka. Kementerian Pendidikan Malaysia, Kuala Lumpur. 434 pp.
- Buck, D. (1956). Effects of turbidity on fish and fishing. 21st. N. Amer. Wildl. Conf., 249 - 261 pp.
- Carl, E. B. (1979). Biology of fishes. Philadelphia, W. B. Saunders Company. 512 pp.

- Chapman, D. W. (1962). Effects of logging upon fish resources of the west coast. J. For. 60: 533 - 744.
- Cheng, T. L. (1977). The Sungai Langat - special reference to pollution. Unpublished B. Sc. Thesis, University of Malaya, Kuala Lumpur. 138 pp.
- Coe, M. J. (1966). The biology of *Tilapia grahami* Boulenger in L. Magadi, Kenya. Acta trop. 23 (2): 146 - 177.
- Eigenmann, C. H. (1912). The freshwater fishes of British Guiana, including a study of the ecological grouping of species and the relation of the fauna of the plateau to that of the lowlands. Mem. Carneg. Mus. 5 (67): 1 - 578.
- Everhart, W. H. (1975). Principles of Fisheries Science. Ithaca: Comstock Pub. Associates. 288 pp.
- Geisler, R. G. W., W. S. Gottfried and S. Satcha. (1979). Diversity and Biomass of fishes in three typical streams of Thailand. Ecology 5: 673 - 697.
- Gorman, O. T. and J. R. Karr. (1978). Habitat structure and stream fish communities. Ecology 59: 507 - 515.
- Harrel, R.C., B. J. Davis and T. C. Dorris. (1967). Stream order and species diversity of fishes in an intermittent Oklahoma stream, American Midland Naturalist 78: 428 - 436.
- Ho, S. C. (1973). The ecology of the lowland stream: Sungai Renggam, with special reference to pollution. Unpubl. M. Sc. Thesis, University of Malaya, Kuala Lumpur.
- Hora, S. L. (1944). On the Malayan affinities of the freshwater fish fauna of Peninsular India, and its bearing on the probable age of the Garo-Rajmahal gap. Proc. Natl. Inst. Sci. India, 10 (4): 423 - 439.
- Huet, M. (1959). Profiles and biology of Western European streams as related to fish management. Trans. Amer. Fish. Soc. 88: 155 - 163.
- Illies, J and L. Botosaneanu. (1963). Problèmes et méthodes de la classification et de la zonation écologique des eaux courantes, considérées surtout du point de vue faunistique. Mitt. int. Verein. theor. angew. Limnol. 12: 57 pp. (abstrak sahaja).
- Inger, R. F. and P. K. Chin. (1962). The freshwater fishes of North Borneo. Fieldiana, Zool., 45: 1 - 268.

- Johnson, D. S. (1967a). Distributional pattern of Malayan Freshwater fish. Ecology, Vol. 48 (5): 722 - 730.
- Johnson, D. S. (1967b). On the chemistry of freshwaters in Southern Malaya and Singapore. Arch. Hydrobiol. 68: 447 - 496.
- Johnson, D. S. (1968). Malayan Blackwaters. in R. Misra & Gopal (eds.), Proc. Symp. Recent Adv. Trop. Ecol., Int. Soc. Trop. Ecol., Varanasi: 303 - 310.
- Jones, J. R. E. (1964). Fish and Pollution. Butterworths and Co. Ltd. 203 pp.
- Kottelat, M. (1990). Indochinese nemacheilines. A revision of nemacheiline loaches (Pisces: Cypriniformes) of Thailand, Burma, Laos, Cambodia and Southern Viet Nam. Verlag Dr Friedrich Pfeil, Munich. 262 pp.
- Kottelat, M. and K. K. P. Lim. (1992). A synopsis of the Malayan species of *Lepidocephalichthys*, with descriptions of two new species (Teleostei: Cobitidae). Raffles Bull. Zool. 40: 201 - 220.
- Krempf, A. and P. Chevey. (1933). The Continental Shelf of French Indo-China and the relationship which formerly existed between Indo-China and the East Indies. Proc. Fifth Pacific. Sci. Congr., 894 - 852.
- Kuehne, R. A. (1962). A classification of stream, illustrated by fish distribution in an Eastern Kentucky Creek. Ecology, Vol 43 (4): 608 - 614.
- Lamb, J. C. (1985). Water quality and its control. John Wiley & sons. 384 pp.
- Le Cren, E. D. (1951). The length-weight relationship and seasonal cycle in gonad weight and condition in the perch (*Perca fluviatilis*). Ecology 53: 201 - 219.
- Lim, R. P., I. Ikusima and J. I. Furtado. (1982). Environmental conditions. In: J. I. Furtado and S. Mori (eds.). The ecology of a tropical freshwater swamp, Tasek Bera. Dr.W. Junk. Publisher, The Hague. 55 - 148.
- Lowe-McConell, R. H. (1955). New species of *Tilapia* (Pisces: Cichlidae) from Lake Jipe and Pangani River, East Afrca. Bull. Br. Mus. Nat. Hist. (Zool.), 2 (12): 349 - 368.
- Lowe-McConell, R. H. (1969). Speciation in tropical freshwater fishes. Ecology 1: 51 - 75.
- Lowe-McConell, R. H. (1975). Fish communities in Tropical freshwater. London and New York. Longman. 337 pp.

- Mac-Arthur, R. H. (1965). Patterns of species diversity. Biol. Rev. 40: 510 - 533.
- Matthews, W. J. and J. T. Styron, Jr. (1981). Tolerance of headwater versus mainstream fishes for abrupt physicochemical changes. Amer. Midl. Nat. 105: 149 - 158.
- Meffe, G. K. and A. L. Sheldon. (1988). The influence of habitat structure of fish assemblage composition in Southern Blackwater streams. Amer. Midl. Nat. 120 (2): 225 - 239.
- Meffe, G. K. and T. M. Berra. (1988). Temporal characteristics of fish assemblage structure in an Ohio stream. Copeia 3: 684 - 690.
- Minckley, W. L. (1963). The ecology of a stream Doe Run, Meade County, Kentucky. Wildl. Monogr. Chestertown, II. 124 pp.
- Mohsin, A. K. M. and A. Ambak. (1983). Freshwater fishes of Peninsular Malaysia. Penerbit Universiti Pertanian Malaysia. 284 pp.
- Moyle, P. B. and B. Vondracek. (1985). Persistence and structure of the fish assemblage in a small California stream. Ecology 66 (1): 1 - 13.
- Myers, G. S. (1949). Usage of anadromous, catadromous and allied terms for migratory fishes. Copeia 2: 89 - 97.
- Nather-Khan, (1993). Proceeding of an Inception Workshop on Conservation and management of freshwater fish and their habitat in Peninsular Malaysia. The IPT - AWB Collaborative Programme, Institute of Advance Studies, University of Malaya, Kuala Lumpur. 18 - 20 June, 1992.
- Nelson, J. S. (1984). Fishes of the world. 2nd. edition John Wiley, New York. xv + 523 pp.
- Ng, P. K. L. and K. K. P. Lim. (1993). The Southeast Asian catfish genus Encheloclarias (Teleostei: Clariidae), with description of four new species. Ichthyol. Explor. Freshwater 4: 21 - 37.
- Ng, P. K. L., J. B. Tay and K. K. P. Lim. (1991). On the status and conservation of blackwater fishes in Peninsular Malaysia, with emphasis on the ichthyofauna of the north Selangor peat swamp forest. Regional seminar on Ecology and Conservation of Southeast Asian Marine and Freshwater Environments including Wetlands. University of Malaya, Kuala Lumpur. 4 - 6 November, 1991.

- Ng, P. K. L., J. B. Tay, K. K. P. Lim and C. M. Yang. (1992). The conservation of the fish and other aquatic fauna of the North Selangor peat swamp forest and adjacent areas. AWB Kuala Lumpur, AWB Publication 81: 90 pp.
- Odum, E. P. (1959). Fundamentals of ecology. W. B. Saunders Co., Philadelphia. 546 pp.
- Pethiyagoda, R. (1991). Freshwater fishes of Sri Lanka. Wildlife Heritage Trust, Colombo. 362 pp.
- Platts, W. S. (1966). Sand and Silt = Death! Idaho. Wildl. Rev. March - April: 3 - 7.
- Platts, W. S. (1979). Relationship among stream order, fish populations and aquatic geomorphology in an Idaho river drainage. Fisheries, 4 (2): 5.
- Rainboth, W. J. (1991). Cyprinids of Southeast Asia. In: Cyprinid fishes: systematics, biology and exploitation (eds. I. J. Winfield and J. S. Nelson). London, Chapman and Hall. 156 - 210.
- Reash, J. A. and T. M. Berra. (1978). Incidence of black spot disease in fishes in Cedar Fork Creek, Ohio. Ohio Journal Sci. 78: 318 - 322.
- Roberts, T. R. (1989). The freshwater fishes of Western Borneo (Kalimantan Barat, Indonesia). Mem. California Acad. Sci. 14: 1 - 210.
- Ross, S. T., W. J. Matthews and A. A. Echelle. (1985). Persistence of stream fish assemblages: effects of environmental change. Amer. Natur. 126: 24 - 40.
- Sarah, M. (1985). Kepelbagaian dan biomassa ikan di Sungai Gombak. Unpublished B. Sc. Thesis. Jabatan Zoologi, Universiti Malaya. 137 pp.
- Schlosser, I. J. (1982). Fish community structure and function along two habitat gradients in a headwater stream. Ecological Monogr. 52: 395 - 414.
- Schoener, T. W. (1968). The *Anolis* lizards of Bimini: resource partitioning in a complex fauna. Ecology 49: 704 - 716.
- Shaw, P. A. and J. A. Maga. (1943). The effect of mining silt on the yield of fry from salmon spawning beds. Calif. Fish and Game 29: 29 - 41.
- Sheldon, A. L. (1968). Species diversity and longitudinal succession in stream fishes. Ecology 57: 193 - 198.

- Shelford, V. E. (1911). Ecological succession I. Stream fishes and the method of physiographic analysis. Biol. Bull. mar. biol. Lab., Woods Hole 21: 9 - 35, 383 - 385.
- Sheridan, E. C. and W. J. McNeil. (1968). Some effects of logging on two salmon streams in Alaska. J. Forestry 66: 128 - 133.
- Smith, H. M. (1945). The freshwater fishes of Siamese, or Thailand. Bull. U. S. Nat. Mus., 188: xi + 404 pp.
- Sterba, G. (1962). Freshwater fishes of the world. Vista Books London. 878 pp.
- Sterba, G. (1973). Sterba's freshwater fishes of the world. T. H. F. Publications, Inc. New Jersey. 1- 456; 2: 457 - 877.
- Strahler, A. N. (1957). Quantitative analysis of watershed geomorphology. Trans. Am. Geophys. Union, 38: 913 - 920.
- Taki, Y. (1974). Fishes of the Lao Mekong basin. Vientiene, USAID Mission to Laos, Agri. Division.
- Tan, E. S. P. (1982). The influence of environmental degradation on riverine fishes in Peninsular Malaysia. In: Development and Environmental Crisis, Penang. 16 - 20 Sept. 1978.
- Tebo, L. B. (1955). Effects of siltation, resulting from improper logging, on the bottom fauna of a small trout stream in the Southern Appalachians. Progr. Fish Cult. 17: 64 - 70.
- Thompson, D. H. and F. D. Hunt. (1930). The fishes of Champaign County: a study of the distribution and abundance of fishes in small streams. Illinois Nat. Hist. Survey Bull. 19: 1 - 101.
- Trewavas, E. (1962). Fishes of the Crater Lakes of the Northwestern Cameroons. Bonn. Zool. Beitr. 1/3 : 146 - 192.
- Tweedie, M. W. F. (1954). Malayan Animal Life. Longman. 237 pp.
- Washington, H. G. (1984). Review diversity, biotic and similarity indices. Water Res. 18 (6): 653 - 694.

- Wedemeyer, G. A., D. J. McLeay and C. P. Goodyear. (1984). Assessing the tolerance of fish and fish populations to environmental stress: the problems and methods of monitoring. 163 - 195 pp. In: Contaminants effects on fisheries. V. W. Cairns, P. V. Hodson and J. O. Nriagu. (eds.), Wiley, New York.
- Welcomme, R. L. (1969). The biology and ecology of the fishes of a small tropical stream. *J. Zool.* 158: 485 - 529.
- Wetzel, R. G. and G. E. Likens (1979). Limnological analysis. W. B. Saunders Company. 357 pp.
- Zakaria-Ismail, M. (1987a). The fish fauna of the Ulu Endau river system, Johore, Malaysia. Malayan Nat. J., 41: 403 - 411.
- Zakaria-Ismail, M. (1987b). Zoogeography of certain primary freshwater fishes in south and Southeast Asia. Wallaceana, 47: 6 - 9.
- Zakaria-Ismail, M. (1989a). Systematics, Zoogeography and Conservation, of the freshwater fishes of Peninsular Malaysia. Unpublished Ph. D. dissertation, Colorado State University, Fort Collins, U. S. A. 473 pp.
- Zakaria-Ismail, M. (1989b). An updated look at species composition and distribution of the freshwater fishes of Peninsular Malaysia. Abstract, American Society of Ichthyologists and Herpetologists. June 1989, San Francisco, 164 pp.
- Zakaria-Ismail, M. (1991a). Freshwater fishes in Peninsular Malaysia. In the state of nature conservation in Malaysia. Malaysian Nat. Soc.: 115 - 120.
- Zakaria-Ismail, M. (1991b). Zoogeography and biodiversity of freshwater fishes in Southeast Asia. Regional seminar on the "Ecology and Conservation of Southeast Asian Marine and Freshwater Environment including wetlands". University of Malaya, Kuala Lumpur, 4 - 6 November, 1991.
- Zakaria-Ismail, M. (1992). Marine and freshwater fisheries. A background Paper for the National Conservation Strategy. WWF Malaysia. 60 pp.
- Zakaria-Ismail, M. (1994). Zoogeography and biodiversity of the freshwater fishes of Southeast Asia. Hydrobiologia 285: 41 - 48.
- Zakaria-Ismail, M. dan Z. Siti-Baizura. (1992). Keanikaan ikan di Sungai Jerneh, Selangor. Simposium Sumber Alam Keb. Pertama, FSSA, UKM Kampus Sabah, Kota Kinabalu: 234 - 248.

- Zakaria-Ismail, M. and B. Sabariah. (1994). Ecological study of fishes in a small tropical stream (Sungai Kanching, Selangor, Peninsular Malaysia) and its tributaries. Malaysian Journal of Science 15 A: 3 - 7.
- Zakaria-Ismail, M. and B. Sabariah. (1995). Lake and river quality as determinants of fish abundance at Temenggor, Hulu Perak, Malaysia. Malayan Nature Journal 48: 333 - 345.
- Zakaria-Ismail, M. (1997). Siri Alam Haiwan - Ikan. Penerbit Dewan Bahasa dan Pustaka. (dalam percetakan).