

## TABLE OF CONTENTS

<b>DECLARATION</b>	i
<b>ACKNOWLEDGEMENT</b>	ii
<b>ABSTRACT</b>	iii
<b>TABLE OF CONTENT</b>	vi
<b>LIST OF FIGURES</b>	xiii
<b>LIST OF TABLES</b>	xvi
<b>NOMENCLATURE</b>	xviii
<b>CHAPTER 1. INTRODUCTION</b>	1
<b>CHAPTER 2. LITERATURE REVIEW</b>	7
2.1 Natural rubber latex	7
2.1.1 Rubber particle and molecular weight distribution	8
2.2. 2 Natural rubber hydrocarbon	8
2.2 Synthetic latex	10
2.3 The need to concentrate natural rubber latex	10
2.3.1 Method of concentrating natural rubber latex	11
2.4 Characterization of latex concentrate	13
2.4.1 Latex testing parameters	13
2.4.2 Sampling technique	13
2.4.3 Dry rubber content (DRC)	14
2.4.4 Total solids content (TSC)	14
2.4.5 Alkalinity	15

2.4.6 Mechanical stability test	15
2.4.7 Volatile fatty acid number (VFA)	16
2.4.8 Potassium hydroxide number	16
2.4.9 Coagulum content	17
2.4.10 Sludge content	17
2.4.11 Determination of copper and manganese	17
2.4.12 Viscosity	18
2.4.13 pH	18
2.5 Physico-chemical properties of latex concentrate	19
2.6 Natural rubber stability	20
2.7 Latex concentrate preservation system	22
2.7.1 Normal preservation system	22
2.7.2 Composite preservation system	23
2.7.3 Preparation of composite preservation system	23
2.8 The need for alternative method of natural rubber latex concentration	25
2.8.1 Concentration by centrifugation is non-environment friendly	25
2.8.2 Pharmaceutical raw material from natural rubber latex	26
2.8.3 Suitable processing technology to achieve zero discharge	26
2.9 Membrane separation technology	27
2.10 Terminology in membrane separation process	29
2.11 Cross-flow filtration system	30
2.12 Membrane material	31

2.12.1 Surface modified membrane	33
2.12.2 Suitable membrane material for NRL concentration	34
2.13 Concentration polarization	35
2.14 Module design and membrane configuration	36
2.14.1 Hollow fiber	37
2.14.2 Tubular devices	38
2.14.3 Plate-and-frame	40
2.14.4 Spiral wound	41
2.15 Models for predicting flux	42
2.15.1 Hagen-Poiseuille equation	43
2.15.2 Pressure dependent region	44
2.15.3 Mass transfer (film theory) model (pressure independent region)	46
2.16 Design factors to improve flux	48
2.17 Membrane fouling	50
2.17.1 Characteristics of fouling	52
2.17.2 Factors affecting fouling	53
2.18 Membrane cleaning	53
2.18.1 Chemical cleaning	54
2.18.2 Physical method	54
2.19 Previous applications of ultrafiltration on concentrating of lattices	56
2.19.1 Studies on the ENR latex concentrations by UF	56
2.19.2 PVC latex concentration	58

2.19.3 Removing protein from HDPNR latex by rotary disk membrane module	59
2.19.4 Cross flow filtration of latex emulsion on a pilot scale using organic and inorganic membranes with different cut- values off	61
<b>CHAPTER 3. EXPERIMENTAL STUDIES</b>	<b>62</b>
3.1 Objective of research	62
3.2 Research methodology	63
3.3 Feed material	65
3.3.1 Feed material for laboratory scale experiment	65
3.3.2 Feed material for ultrafiltration runs	65
3.4 Composite preservation system	66
3.4.1 Preservation system 1 (PS 1)	66
3.4.2 Preservation system 2 (PS 2)	67
3.5 Physical and chemical characterization	67
3.5.1 Analytical methods	67
3.5.1.1 Dry rubber content (DRC)	67
3.5.1.2 Determination of total solid contents (TSC)	68
3.5.1.3 Viscosity	69
3.5.1.4 pH determination	70
3.5.2 Laboratory scale experiments	71
3.5.2.1 Particle size	71
3.5.2.2 Zeta potential	72
3.5.2.3 Scanning electron microscope analysis of latex	

particle distribution	73
3.6 Design of the experimental set-up	74
3.6.1 Experimental apparatus	74
3.6.1.1 Piping	74
3.6.1.2 Feed pump	74
3.6.1.3 Tanks	74
3.6.1.4 Membrane module	75
3.6.1.5 Valves	75
3.6.1.6 Pre-filter	76
3.6.1.7 Pressure gauges	76
3.6.2 Choice of feed pump	77
3.6.3 Choice of membrane module and material	78
3.6.3.1 Membrane storage	78
3.6.3.2 Analysis of membrane by SEM	79
3.7 Experimental Procedure	80
3.7.1 Sample preparation	80
3.7.2 Water flux test	80
3.7.2 Cleaning of membrane system	81
3.8 Ultrafiltration Experiment	82
3.8.1 Experiment to identify a suitable preservation system between two available options (UF1)	82
3.8.2 Experiment to study effects of feed flow rate and TMP on permeate flux characteristics (UF2)	83
3.8.3 Experiment to identify optimum TMP for concentration	

process	84
3.9 Chemical analysis for retentate and permeate	86
3.9.1 Determination of total protein content of the permeate	87
<b>CHAPTER 4. RESULTS AND DISCUSSION</b>	<b>89</b>
4.1 Physical and chemical chracterization of commercial feed material	89
4.1.1 Results of chemical and physical characterization of feed material	90
4.1.1.1 Particle size	90
4.1.1.2 Zeta potential	94
4.1.1.3 Viscosity	95
4.2 Protein analysis	97
4.3 Scanning electron microscope (SEM) analysis	98
4.3.1 SEM Micrograph of PS 1 preserved latex	98
4.3.2 SEM analysis of membrane surface morphology	99
4.4 Hydraulic resistance of the membrane $R_m$	100
4.5 Evaluation of suitable preservation system	101
4.5.1 Evaluation of preservation system PS 1	101
4.5.2 Evaluation of preservation system PS 2	102
4.5.3 Selection of preservation system	108
4.6 Effect of feed flow rate and TMP on permeate flux	109
4.7 Optimum TMP for Concentration Process	112
4.8 Degree of concentration achievable	115
4.9 Water flux test results	119

4.10 Flux Recovery	125
<b>CHAPTER 5. CONCLUSIONS</b>	<b>126</b>
<b>CHAPTER 6. RECOMMENDATION FOR FUTURE WORK</b>	<b>129</b>
<b>REFERENCES</b>	<b>132</b>
<b>APPENDIX</b>	<b>138</b>
<b>LIST OF PAPERS PUBLISHED</b>	<b>150</b>