

REFERENCES

- Abou-Nemeh, I., & Van Peteghem, A. P. (1992). Kinetic study of the emulsion breakage during metals extraction by liquid surfactant membranes (LSM) from simulated and industrial effluents. *Journal of Membrane Science*, 70(1), 65-73.
- Christopher, A. J., Earle, M. J., Robert, G., & Seddon, K. R. (1998). Friedel–Crafts reactions in room temperature ionic liquids. *Chem. Commun.*, 19, 2097-2098.
- Kumbasar, A. (2009). Extraction of chromium (VI) from multicomponent acidic solutions by emulsion liquid membranes using TOPO as extractant. *Journal of Hazardous Materials*, 167(1-3), 1141-1147.
- Anderson, J. L., Pino, V., Hagberg, E. C., Sheares, V. V., & Armstrong, D. W. (2003). Surfactant solvation effects and micelle formation in ionic liquids. *Chemical Communications*, (19), 2444-2445.
- Arslan, G., Tor, A., Muslu, H., Ozmen, M., Akin, I., Cengeloglu, Y. (2009). Facilitated transport of Cr(VI) through a novel activated composite membrane containing Cyanex 923 as a carrier. *Journal of Membrane Science*, 337(1-2), 224-231.
- Barnhart, J. (1997). Occurrences, Uses, and Properties of Chromium. *Regulatory Toxicology and Pharmacology*, 26(1), S3-S7.
- Behera, K., Kumar, V., & Pandey, S. (2010). Role of the Surfactant Structure in the Behavior of Hydrophobic Ionic Liquids within Aqueous Micellar Solutions. *ChemPhysChem*, 11(5), 1044-1052.
- Behera, K., Malek, N. I., & Pandey, S. (2009). Visual Evidence for Formation of Water-in-Ionic Liquid Microemulsions. *ChemPhysChem*, 10(18), 3204-3208.
- Bhowal, A., & Datta, S. (2001). Studies on transport mechanism of Cr(VI) extraction from an acidic solution using liquid surfactant membranes. *Journal of Membrane Science*, 188(1), 1-8.
- Binks, B. P. (1998). *Modern aspects of emulsion science*. Cambridge, UK : Royal Society of Chemistry.
- Binks, B. P., Clint, J. H., Fletcher, P. D. I., Rippon, S., Lubetkin, S. D., & Mulqueen, P. J. (1999). Kinetics of Swelling of Oil-in-Water Emulsions Stabilized by Different Surfactants. *Langmuir*, 15(13), 4495-4501.
- Binks, B. P., Dyab, A. K. F., & Fletcher, P. D. I. (2003). Novel emulsions of ionic liquids stabilised solely by silica nanoparticles. *Chemical Communications*, 20, 2540-2541.
- Bismarck, A., Ikem, V. O., Menner, A., & (2008). High Internal Phase Emulsions Stabilized Solely by Functionalized Silica Particles. *Angew. Chem. Int. Ed.*, 47, 8277-8279.

- Blesic, M., Marques, M. H., Plechkova, N. V., Seddon, K. R., Rebelo, L. P. N., & Lopes, A. (2007). Self-aggregation of ionic liquids: micelle formation in aqueous solution. *Green Chemistry*, 9(5), 481-490.
- Branco, L. C., Crespo, J. G., & Afonso, C. A. M. (2002). High selective transport of organic compounds by using supported liquid membranes based on ionic liquids. *Angew. Chem. Int. Ed.*, 41, 2771-2773.
- Calabrese, R. V., Chang, T. P. K., & Dang, P. T. (1986). Drop breakup in turbulent stirred-tank contactors. Part I: Effect of dispersed-phase viscosity. *AIChE Journal*, 32(4), 657-666.
- Chakrabarty, K., Saha, P., & Ghoshal, A. K. (2010). Separation of lignosulfonate from its aqueous solution using emulsion liquid membrane. *Journal of Membrane Science*, 360(1-2), 34-39.
- Cheng, S., Zhang, J., Zhang, Z., & Han, B. (2007). Novel microemulsions: ionic liquid-in-ionic liquid. *Chemical Communications*(24), 2497-2499.
- Chiha, M., Samar, M. H., & Hamdaoui, O. (2006). Extraction of chromium (VI) from sulphuric acid aqueous solutions by a liquid surfactant membrane (LSM). *Desalination*, 194(1-3), 69-80.
- Colinart, P., Delepine, S., Trouve, G., & Renon, H. (1984). Water transfer in emulsified liquid membrane processes. *Journal of Membrane Science*, 20 (2), 167-187.
- Correia, P. F. M. M., & Carvalho, J. M. R. d. (2000). Recovery of 2-chlorophenol from aqueous solutions by emulsion liquid membranes: batch experimental studies and modelling. *Journal of Membrane Science*, 179 (1-2), 175-183.
- Dai, S., Ju, Y. H., & Barnes, C. E. (1999). Solvent extraction of strontium nitrate by a crown ether using room temperature ionic liquids. *J. Chem. Soc. Dalton Trans.*, 1201-1202.
- de los Rios, A. P., Hernandez-Fernandez, F. J., Lozano, L. J., Sanchez, S. S., I., M. J., Godnez, C. (2010). Removal of Metal Ions from Aqueous Solutions by Extraction with Ionic Liquids. *J. Chem. Eng. Data* 55, 605-608.
- De Smet, Y., Deriemaeker, L., & Finsy, R. (1999). Ostwald Ripening of Alkane Emulsions in the Presence of Surfactant Micelles. *Langmuir*, 15(20), 6745-6754.
- Devulapalli, R., & Jones, F. (1999). Separation of aniline from aqueous solutions using emulsion liquid membranes. *Journal of Hazardous Materials*, 70(3), 157-170.
- Draxler, J., & Marr, R. (1986). Emulsion liquid membranes part I: Phenomenon and industrial application. *Chemical Engineering and Processing: Process Intensification*, 20(6), 319-329.

- Dyson, P. J., Ellis, D. J., Parker, D. C., & Welton, T. (1999). Arene hydrogenation in a room-temperature ionic liquid using a ruthenium cluster catalyst. *Chem. Commun.*, 1, 25-26.
- Earle, M. J., R., S. K., & (2000). Ionic liquids.Green solvents for the future. *Pure Appl. Chem.*, 72 (7), 1391–1398.
- Evans, K. O. (2006). Room-temperature ionic liquid cations act as short-chain surfactants and disintegrate a phospholipid bilayer. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 274(1-3), 11-17.
- Fadeev, A. G., & Meagher, M. M. (2001). Opportunities for ionic liquids in recovery of biofuels. *Chem. Commun.*, 3, 295-296.
- Frankenfeld, J. W., Cahn, R. P., & Li, N. N. (1981). Extraction of Copper by Liquid Membranes. *Separation Science and Technology*, 16(4), 385 - 402.
- Freemantle, M. (2001). New horizons for ionic liquids. *Chem. Eng. News*, 79, 21–25.
- Gallego-Lizon, T., & Pácrez de Ortiz, E. S. (2000). Drop Sizes in Liquid Membrane Dispersions. *Industrial & Engineering Chemistry Research*, 39(12), 5020-5028.
- Gao, H., Li, J., Han, B., Chen, W., Zhang, J., Zhang, R. (2004). Microemulsions with ionic liquid polar domains. *Physical Chemistry Chemical Physics*, 6(11), 2914-2916.
- Gao, S. Y., Zhang, H. J., Wang, X. M., Mai, W. P., Peng, C. Y., & Ge, L. H. (2005). Palladium nanowires stabilized by thiol-functionalized ionic liquid: seed-mediated synthesis and heterogeneous catalyst for Sonogashira coupling reaction. *Nanotechnology*, 16(8), 1234-1237.
- Garti, N., Magdassi, S., & Whitehill, D. (1985). Transfer phenomena across the oil phase in water-oil-water multiple emulsions evaluated by Coulter counter : 1. Effect of emulsifier 1 on water permeability. *Journal of Colloid and Interface Science*, 104(2), 587-591.
- Giusti, L., & Barakat, S. (2005). The Monitoring of Cr(III) and Cr(VI) in Natural Water and Synthetic Solutions: An Assessment of the Performance of the Dgt and Dpc Methods. *Water, Air, and amp; Soil Pollution*, 161(1), 313-334.
- Hanna, G. J., & Larson, K. M. (1985). Influence of preparation parameters on internal droplet size distribution of emulsion liquid membranes. *Industrial & Engineering Chemistry Product Research and Development*, 24(2), 269-274.
- Ho, W. S., Hatton, T. A., Lightfoot, E. N., & Li, N. N. (1982). Batch extraction with liquid surfactant membranes: A diffusion controlled model. *AIChE Journal*, 28(4), 662-670.

- Ho, W. S. W., & Sirkar, K. (1992). *Membrane Handbook*. New York: Chapman & Hall.
- Hoang, T. K. N., La, V. B., Deriemaeker, L., & Finsy, R. (2001). Ostwald Ripening of Alkane Emulsions Stabilized by Polyethylene Glycol Monolaurate. *Langmuir*, *17*(17), 5166-5168.
- Holbrey, J. D., Seddon, K. R., (1999). Ionic Liquids. *Clean Products and Processes*, *1*, 223-237.
- Hsu, E. C., & Li, N. N. (1985). Membrane recovery in liquid membrane separation processes. *Sep. Sci. Technol.*, *20* (2-3), 115-130.
- Huddleston, J. G., Visser, A. E., Reichert, W. M., Willauer, H. D., Broker, G. A., & Rogers, R. D. (2001). Characterization and comparison of hydrophilic and hydrophobic room temperature ionic liquids incorporating the imidazolium cation. *Green Chem.*, *3*, 156 – 164.
- Itoh, H., Thien, M. P., Hatton, T. A., & Wang, D. I. C. (1990). Water transport mechanism in liquid emulsion membrane process for the separation of amino acids. *Journal of Membrane Science*, *51*(3), 309-322.
- Jiao, J., & Burgess, D. J. (2003). Ostwald ripening of water-in-hydrocarbon emulsions. *Journal of Colloid and Interface Science*, *264*(2), 509-516.
- Kargari, A., Kaghazchi, T., Sohrabi, M., & Soleimani, M. (2004). Batch extraction of gold(III) ions from aqueous solutions using emulsion liquid membrane via facilitated carrier transport. *Journal of Membrane Science*, *233*(1-2), 1-10.
- Kargari, A., Kaghazchi, T., & Soleimani, M. (2004). Role of emulsifier in the extraction of gold (III) ions from aqueous solutions using the emulsion liquid membrane technique. *Desalination*, *162*, 237-247.
- Kinugasa, T., Watanabe, K., & Takeuchi, H. (1989). Effect of Organic Solvents on Stability of Liquid Surfactant Membranes. *J. Chem. Eng. Japan*, *22*, 593-597.
- Kristo, E., Biliaderis, C. G., & Tzanetakis, N. (2003). Modelling of the acidification process and rheological properties of milk fermented with a yogurt starter culture using response surface methodology. *Food Chemistry*, *83*(3), 437-446.
- Kulkarni, P. S., & Mahajani, V. V. (2002). Application of liquid emulsion membrane (LEM) process for enrichment of molybdenum from aqueous solutions. *Journal of Membrane Science*, *201*(1-2), 123-135.
- Kulkarni, P. S., Mukhopadhyay, S., Bellary, M. P., & Ghosh, S. K. (2002). Studies on membrane stability and recovery of uranium (VI) from aqueous solutions using a liquid emulsion membrane process. *Hydrometallurgy*, *64*(1), 49-58.

- Kumbasar, R. A. (2008). Selective separation of chromium (VI) from acidic solutions containing various metal ions through emulsion liquid membrane using trioctylamine as extractant. *Separation and Purification Technology*, 64(1), 56-62.
- Kumbasar, R. A., & Sahin, I. (2008). Separation and concentration of cobalt from ammoniacal solutions containing cobalt and nickel by emulsion liquid membranes using 5,7-dibromo-8-hydroxyquinoline (DBHQ). *Journal of Membrane Science*, 325(2), 712-718.
- Lai, L.-S. T., Pan, C.-C., & Tzeng, B.-K. (2003). The influence of medium design on lovastatin production and pellet formation with a high-producing mutant of *Aspergillus terreus* in submerged cultures. *Process Biochemistry*, 38(9), 1317-1326.
- Lee, S. H., Doan, T. T. N., Ha, S. H., & Koo, Y.-M. (2007). Using ionic liquids to stabilize lipase within sol-gel derived silica. *Journal of Molecular Catalysis B: Enzymatic*, 45(1-2), 57-61.
- Lepercq-Bost, É., Giorgi, M.-L., Isambert, A., & Arnaud, C. (2010). Estimating the risk of coalescence in membrane emulsification. *Journal of Membrane Science*, 357(1-2), 36-46.
- Li, N. N. (1968). Separating Hydrocarbons with Liquid Membranes. *U.S. Patent 3,410,794*.
- Li, N. N. (1978). Facilitated transport through liquid membranes -- an extended abstract. *Journal of Membrane Science*, 3(2), 265-269.
- Lin, C. C., & Long, R. L. (1997). Removal of nitric acid by emulsion liquid membrane : experimental results and model prediction. *J. Membr. Sci*, 134, 33-45.
- Mannan, S., Fakhru'l-Razi, A., & Alam, M. Z. (2007). Optimization of process parameters for the bioconversion of activated sludge by *Penicillium corylophilum*, using response surface methodology. *Journal of Environmental Sciences*, 19(1), 23-28.
- Merrigan, T. L., Bates, E. D., Dorman, S. C., & Davis Jr, J. H. (2000). New fluorosurfactants function as surfactants in conventional room-temperature ionic liquids. *Chemical Communications*, 20, 2051-2052.
- Mikami, K. (2005). *Green Reaction media in organic synthesis* (first ed.). UK: Blackwell.
- Mok, Y. S., Lee, K. H., & Lee, W. K. (1996). Control of swelling in liquid emulsion membranes employed for lactic acid separation. *Journal of Chemical Technology & Biotechnology*, 65(4), 309-316.
- Mok, Y. S., Lee, K. H., & Lee, W. K., (1996). Control of Swelling in Liquid Emulsion Membranes Employed for Lactic Acid Separation. *J. Chem. Tech. Biotechnol.*, 65, 309-316.

- Moniruzzaman, M., Kamiya, N., Nakashima, K., & Goto, M. (2008). Formation of Reverse Micelles in a Room-Temperature Ionic Liquid. *ChemPhysChem*, 9(5), 689-692.
- Mortaheb, H. R., Kosuge, H., Mokhtarani, B., Amini, M. H., & Banihashemi, H. R. (2009). Study on removal of cadmium from wastewater by emulsion liquid membrane. *Journal of Hazardous Materials*, 165(1-3), 630-636.
- Muller, H. E., Walther, A., & Hoffmann, M. (2008). Emulsion Polymerization Using Janus Particles as Stabilizers. *Angew. Chem. Int. Ed.*, 47, 711-714.
- Nakashio, F., Goto, M., Matsumoto, M., Irie, J., & Kondo, K. (1988). Role of surfactants in the behavior of emulsion liquid membranes -- development of new surfactants. *Journal of Membrane Science*, 38(3), 249-260.
- Neogi, P., & Narsimhan, G. (2001). Ostwald ripening of oil drops in a micellar solution. *Chemical Engineering Science*, 56(14), 4225-4231.
- Nosrati, S., Jayakumar, N. S., & Hashim, M. A. (2010). Extraction performance of chromium (VI) with emulsion liquid membrane by Cyanex 923 as carrier using response surface methodology. *Desalination*, 266(1-3), 286-290.
- Park, Y., Skelland, A. H. P., Forney, L. J., & Kim, J. H. (2006). Removal of phenol and substituted phenols by newly developed emulsion liquid membrane process. *Water Research*, 40(9), 1763-1772.
- Raghuraman, B., Tirmizi, N., & Wienczek, J. (1994). Emulsion Liquid Membranes for Wastewater Treatment: Equilibrium Models for Some Typical Metal-Extractant Systems. *Environmental Science & Technology*, 28(6), 1090-1098.
- Rajasimman, M., & Sangeetha, R. (2009). Optimization of process parameters for the extraction of chromium (VI) by emulsion liquid membrane using response surface methodology. *Journal of Hazardous Materials*, 168(1), 291-297.
- Rajasimman, M., Sangeetha, R., & Karthik, P. (2009). Statistical optimization of process parameters for the extraction of chromium(VI) from pharmaceutical wastewater by emulsion liquid membrane. *Chemical Engineering Journal*, 150(2-3), 275-279.
- Sahoo, G. C., & Dutta, N. N. (1998). Studies on emulsion liquid membrane extraction of cephalixin. *Journal of Membrane Science*, 145(1), 15-26.
- Shen, J.-Q., Yin, W.-P., Zhao, Y.-X., & Yu, L.-J. (1996). Extraction of alanine using emulsion liquid membranes featuring a cationic carrier. *Journal of Membrane Science*, 120(1), 45-53.
- Shiau, C. Y., & Jung, S. W. (1993). Selective extraction of metal ions through liquid surfactant membranes. *J. Chem. Technol. Biotechnol.*, 56 (1), 27-33.

- Skelland, A. H. P., & Lee, J. M. (1981). Drop size and continuous-phase mass transfer in agitated vessels. *AIChE Journal*, 27(1), 99-111.
- Skelland, A. H. P., & Meng, X. (1996). A new solution to emulsion liquid membrane problems by non-Newtonian conversion. *AIChE Journal*, 42(2), 547-561.
- Skelland, A. H. P., & Meng, X. (1999). Non-Newtonian conversion solves problems of stability, permeability, and swelling in emulsion liquid membranes. *Journal of Membrane Science*, 158(1-2), 1-15.
- Song, C. E., & Roh, E. J. (2000). Practical method to recycle a chiral (salen)Mn epoxidation catalyst by using an ionic liquid. *Chem. Commun.*, 10, 837-838.
- Soo, E. L., Salleh, A. B., Basri, M., Rahman, R. N. Z. A., & Kamaruddin, K. (2004). Response surface methodological study on lipase-catalyzed synthesis of amino acid surfactants. *Process Biochemistry*, 39(11), 1511-1518.
- Stroeve, P., & Varanasi, P. P. (1984). An experimental study on double emulsion drop breakup in uniform shear flow. *Journal of Colloid and Interface Science*, 99(2), 360-373.
- Strzelbicki, J., Charewicz, W. A., & Mackiewicz, A. (1984). Permeation of Chromium(VI) and Rhenium(VII) Oxyanions through Liquid Organic Membranes Facilitated by Quaternary Ammonium Chlorides. *Separation Science and Technology*, 19(4), 321 - 336.
- Sun, I. W., & Hussey, C. L. (1989). Electrochemistry of niobium chloride and oxide chloride complexes in the basic aluminum chloride-1-methyl-3-ethylimidazolium chloride room-temperature ionic liquid. *Inorg. Chem.*, 28, 2731-2737.
- Taylor, P. (1995). Ostwald ripening in emulsions. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 99(2-3), 175-185.
- Taylor, P. (2003). Ostwald ripening in emulsions: estimation of solution thermodynamics of the disperse phase. *Advances in Colloid and Interface Science*, 106(1-3), 261-285.
- Terry, R. E., Li, N. N., & Ho, W. S. (1982). Extraction of phenolic compounds and organic acids by liquid membranes. *Journal of Membrane Science*, 10(2-3), 305-323.
- United States Environmental Protection Agency. (1998). *Toxicological review of hexavalent chromium*. Las Vegas, NV: USA.
- Venkatesan, S., & Meera Sheriffa Begum, K. M. (2009). Emulsion liquid membrane pertraction of benzimidazole using a room temperature ionic liquid (RTIL) carrier. *Chemical Engineering Journal*, 148(2-3), 254-262.
- Visser, A. E., Swatloski, R. P., Reichert, W. M., Griffin, S. T., Rogers, R. D., (2000). Traditional extractants in nontraditional solvents: group 1 and 2 extraction by

- crown ethers in room-temperature ionic liquids. *Ind. Eng. Chem. Res.*, *39*(10), 3596-3604.
- Visser, A. E., Swatloski, R. P., Reichert, W. M., Mayton, R., Sheff, S., Wierzbicki, A. (2001). Task-specific ionic liquids for the extraction of metal ions from aqueous solutions. *Chem. Commun.*, *1*, 135-136.
- Wasserscheid, P., & Welton, T. (2008). *Ionic Liquids in Synthesis* (Second ed. Vol. 2). Weinheim: WILEY-VCH.
- Weingrtnr, H. (2008). Understanding Ionic Liquids at the Molecular Level: Facts, Problems, and Controversies. *Angew. Chem. Int. Ed.*, *47*, 654 – 670.
- Welton, T., (1999). Room-Temperature Ionic Liquids. Solvents for Synthesis and Catalysis. *Chem. Rev.*, *99*, 2071-2083.
- Williams, J. M. (1991). High internal phase water-in-oil emulsions: influence of surfactants and cosurfactants on emulsion stability and foam quality. *Langmuir*, *7*(7), 1370-1377.
- Yan, J., & Pal, R. (2001). Osmotic swelling behavior of globules of W/O/W emulsion liquid membranes. *Journal of Membrane Science*, *190*(1), 79-91.
- Yan, N., Shi, Y., & Su, Y. F. (1992). A mass transfer model for type I facilitated transport in liquid membranes. *Chemical Engineering Science*, *47*(17-18), 4365-4371.
- Zech, O., Thomaier, S., Bauduin, P., Ruřck, T., Touraud, D., & Kunz, W. (2008). Microemulsions with an Ionic Liquid Surfactant and Room Temperature Ionic Liquids As Polar Pseudo-Phase. *The Journal of Physical Chemistry B*, *113*(2), 465-473.
- Zhao, X. Q., & Bai, F. W. (2009). Yeast flocculation: New story in fuel ethanol production. [doi: DOI: 10.1016/j.biotechadv.2009.06.006]. *Biotechnology Advances*, *27*(6), 849-856.
- Zouhri, A., Ernst, B., & Burgard, M. (1999). Bulk Liquid Membrane for the Recovery of Chromium(VI) from a Hydrochloric Acid Medium Using Dicyclohexano-18-crown-6 as Extractant-Carrier. *Separation Science and Technology*, *34*(9), 1891-1905.

PUBLICATIONS

1. Rahul Kumar Goyal, N'S. Jayakumar, Mohd. Ali Hashim “Emulsion stabilization using ionic liquid [BMIM]⁺[NTf₂]⁻ and performance evaluation on the extraction of chromium” *Journal of Hazardous material* (ACCEPTED).
2. Rahul Kumar Goyal, N'S. Jayakumar, Mohd. Ali Hashim “Chromium removal by emulsion liquid membrane using [BMIM]⁺[NTf₂]⁻ as stabilizer and TOMAC as extractant” *Desalination* (under review).
3. Rahul Kumar Goyal, N'S. Jayakumar, Mohd. Ali Hashim “A comparative study of experimental optimization and Response Surface optimization of Cr removal by Emulsion Ionic Liquid Membrane” *Journal of Hazardous material* (under review).