

---

## References

- Acosta J. L., Morales E., **Structural, morphological and electrical characterization of polymer electrolytes based on PEO/PPO blends**, *Solid State Ionics* 85 (1996) 85-90
- Ali A. M. M., Mohamed N. S., Arof A. K., **Polyethylene oxide (PEO)–ammonium sulfate ((NH<sub>4</sub>)<sub>2</sub>SO<sub>4</sub>) complexes and electrochemical cell performance**, *Journal of Power Sources* 74 (1998) 135-141
- Ali A. M. M., Yahya M. Z. A., Bahron H., Subban R. H. Y., Harun M. K., Atan I., **Impedance studies on plasticized PMMA-LiX [X: CF<sub>3</sub>SO<sub>3</sub><sup>-</sup>, N(CF<sub>3</sub>SO<sub>2</sub>)<sub>2</sub><sup>-</sup>] polymer electrolytes**, *Materials Letters* 61 (2007) 2026–2029
- Andrade J. R., Raphael E., Pawlicka A., **Plasticized pectin-based gel electrolytes**, *Electrochimica Acta* 54 (2009) 6479–6483
- Andreev Y. G., Bruce P. G., **Polymer electrolyte structure and its implications**, *Electrochimica Acta* 45 (2000) 1417-1423
- Arulepp M., Permann L., Leis J., Perkson A., Rumma K., Jänes A., Lust E., **Influence of the solvent properties on the characteristics of a double layer capacitor**, *Journal of Power Sources* 133 (2004) 320-328
- Awadhia A., Agrawal S. L., **Structural, thermal and electrical characterizations of PVA:DMSO:NH<sub>4</sub>SCN gel electrolytes**, *Solid State Ionics* 178 (2007) 951-958
- Awadhia A., Patel S. K., Agrawal S. L., **Dielectric investigations in PVA based gel electrolytes**, *Progress in Crystal Growth and Characterization of Materials* 52 (2006) 61-68
- Awwad A. M., Al-Dujaili A. A., Salman H. E., **Relative permittivities, densities, and refractive indices of the binary mixtures of sulfolane with ethylene glycol, diethylene glycol, and poly(ethylene glycol) at 303.15 K**, *J. Chem. Eng. Data* 47 (2002) 421-424
- Ayranci E., Tunc S., **Cellulose-based edible films and their effects on fresh beans and strawberries**, *Z. Lebensm Unters Forsch A* (1997) 205: 470- 473
- Ayranci E., Sahin M., **Interactions of polyethylene glycols with water studied by measurements of density and sound velocity**, *J. Chem. Thermodynamics* 40 (2008) 1200-1207
- Babu V. R., Sairam M., Hosamani K. M., Aminabhavi T. M., **Preparation of sodium alginate–methylcellulose blend microspheres for controlled release of nifedipine**, *Carbohydrate Polymers* 69 (2007) 241–250
- Bamford D., Dlubek G., Reiche A., Alam M. A., Meyer W., Galvosas P., Rittig F., **The local free volume, glass transition, and ionic conductivity in a polymer electrolyte: A positron lifetime study**, *Journal of Chemical Physics* 115 (2001) 7260-7270

- Bandara L. R. A. K., Dissanayake M. A. K. L., Mellander B. E., **Ionic conductivity of plasticized (PEO)-LiCF<sub>3</sub>SO<sub>3</sub> electrolytes**, *Electrochim. Acta* 43 (1998) 1447-1451
- Baril D., Michot C., Arman M., **Electrochemistry of liquids vs. solids: polymer electrolytes**, *Solid State Ionics*, 94 (1997) 35–47.
- Baskaran R., Selvasekarapandian S., Hirankumar G., Bhuvanewari M. S., **Vibrational, ac impedance and dielectric spectroscopic studies of poly(vinylacetate)-N,N-dimethylformamide-LiClO<sub>4</sub> polymer gel electrolytes**, *Journal of Power Sources* 134 (2004) 235-240
- BeMiller J. N., *Encyclopedia of Polymer Science and Engineering*, Vol. 7. New York: Wiley, (1986) 601
- Binesh N., Bhat S.V., **Concentration-dependent NMR and conductivity studies of (PEG)<sub>x</sub>NH<sub>4</sub>ClO<sub>4</sub>**, *Solid State Ionics* 92 (1996) 261-264
- Bishop A. G., MacFarlane D. R., McNaughton D., Forsyth M., **Triflate ion association in plasticized polymer electrolytes**, *Solid State Ionics* 85 (1996) 129-135
- Blomgren G. E., **Liquid electrolytes for lithium and lithium-ion batteries**, *Journal of Power Sources* 119-121 (2003) 326-329
- Borchardt J. K., **Viscosity behavior and oil-recovery properties of interacting polymers**, *ACS Symposium Series*, 467 (1991) 446-453
- Boskovic B. O., Golovko V. B., Cantoro M., Kleinsorge B., Chuang A. T. H., Ducati C., Hofmann S., Robertson J., Johnson B. F. G., **Low temperature synthesis of carbon nanofibres on carbon fibre matrices**, *Carbon* 43 (2005) 2643–2648
- Bozkurt A., Meyer W. H., **Proton conducting blends of poly(4-vinylimidazole) with phosphoric acid**, *Solid State Ionics* 138 (2001) 259-265
- Brandt L., Cellulose ethers. In E. S. Wilks, *Industrial polymers handbook*, New York: Wiley, 3 (2001) 1569-1613
- Brown W. H., Foote C. S., Iverson B. L., Anslyn E. V., *Organic Chemistry*. Cengage Learning (2009)
- Buraidah M. H., Teo L. P., Majid S. R., Arof A. K., **Ionic conductivity by correlated barrier hopping in NH<sub>4</sub>I doped chitosan solid electrolyte**, *Physica B* 404 (2009) 1373–1379
- Chanda M., Roy S. K., (2<sup>nd</sup> Eds.), *Plastics Technology Handbook*, MARCEL DEKKEL, Inc., United States of America (1993)

- Chandrasekaran R., Soneda Y., Yamashita J., Kodama M., Hatori H., **Preparation and electrochemical performance of activated carbon thin films with polyethylene oxide-salt addition for electrochemical capacitor applications**, *J. Solid State Electrochem* 12 (2008) 1349-1355
- Chattopadhyay D., Mandal B. M., **Methyl Cellulose Stabilized Polyaniline Dispersions**, *Mandal Langmuir* 12 (1996) 1585-1588
- Chen J., Spear S. K., Huddleston J. G., Holbrey J. H., Swatloski R. P., Rogers R. D., **Application of poly(ethylene glycol)-based aqueous biphasic systems as reaction and reactive extraction media**, *Ind. Eng. Chem. Res.* 43 (2004) 5358–5364.
- Chintapalli S., Zea C., French R., **Characterization studies on high molecular weight PEO-ammonium triflate complexes**, *Solid State Ionics* 92 (1996) 205-212
- Choi B.-K., Park S.-H., Joo S.-W., Gong M.-S., **Electrical and thermal properties of poly(vinylidene fluoride-hexafluoropropylene)-based proton conducting gel-electrolytes**, *Electrochimica Acta* 50 (2004) 649-652
- Choudhury N.A., Sahai Y., Buchheit R. G., **Chitosan chemical hydrogel electrode binder for direct borohydride fuel cells**, *Electrochemistry Communications* 13 (2011) 1–4
- Deepa M., Sharma N., Agnihotry S. A., Singh S., Lal T., Chandra R., **Conductivity and viscosity of liquid and gel electrolytes based on LiClO<sub>4</sub>, LiN(CF<sub>3</sub>SO<sub>2</sub>)<sub>2</sub> and PMMA**, *Solid State Ionics* 152–153 (2002) 253– 258
- Desbrières J., Hirrien M., Ross-Murphy S. B., **Thermogelation of methylcellulose: Rheological considerations**, *Polymer* 41 (2000) 2451–2461
- Du J. F., Bai Y., Chu W. Y., Qiao L. J., **The microstructure and performance of solid-state hydrogen sensor using CH<sub>3</sub>COONH<sub>4</sub>-doped chitosan as electrolyte**, *J. Appl. Electrochem.* 41 (2011) 183–187
- El-Anwar I. M., El-Nabawy O. M., El-Hennwii S. A., Salama A. H., **Dielectric properties of polyacrylamide and its utilization as a hydrogel**, *Chaos, Solitons and Fractals* 11 (2000) 1303-1311
- Eliasson H., Albinsson I., Mellander B.-E., **Conductivity and dielectric properties of AgCF<sub>3</sub>SO<sub>3</sub>-PPG**, *Materials Research Bulletin* 35 (2000) 1053-1065
- Every H., Forsyth M., MacFarlane. D. R., **Plasticized single conducting polyelectrolytes based on poly(AMPS)**, *Ionics* 2 (1996) 53-62
- Fang C., Bhattarai N., Sun C., Zhang M., **Functionalized nanoparticles with long-term stability in biological media**, *Small.* 5 (14) (2009) 1637-1641

- Filho G. R., de Assuncao R. M. N., Viera J. G., Meireles C. da S., Cerqueira D. A., Barud H. da S., Ribeiro S. J. L., Messaddeq Y., **Characterization of methylcellulose produced from sugar cane bagasse cellulose: crystallinity and thermal properties**, *Polymer Degradation and Stability* 92 (2007) 205-210
- Ford J. L., **Thermal analysis of hydroxypropylmethylcellulose and methylcellulose: powders, gels and matrix tablets**, *International Journal of Pharmaceutics* 179 (1999) 209-228.
- Forsyth M., Jiazeng S., MacFarlane D. R., **Novel high salt content polymer electrolytes based on high  $T_g$  polymers**, *Electrochim. Acta* 45 (2000) 1249-1254
- Frackowiak E., Béguin F., **Carbon materials for the electrochemical storage of energy in capacitors**, *Carbon* 39 (2001) 937-950
- Fried J. L., (2<sup>nd</sup> Eds.), *Polymer Science & Technology*, Pearson Education, Inc., Prentice Hall Professional Technical Reference, United States of America (2003)
- Fu X., Chung D. D. L., **Effect of MethylCellulose Admixture on the Mechanical Properties of Cement**, *Cement and Concrete research*, 26 (1996) 535-538
- Furlani M., Kailnga Bandara L.R.A., Mellander B.E., **Ionic conductivity and plasticizing effect in the system poly(ethyleneoxide)<sub>9</sub>Li(CF<sub>3</sub>SO<sub>3</sub>) poly(perfluoroethylmethyloxide)**, *Electrochimica Acta* (43) (10-11) (1998) 1517-1523
- Gadjourova Z., Andreev Y. G., Tunstall D. P., Bruce P. G., **Ionic conductivity in crystalline polymer electrolytes**, *Nature* 412 (2001) 520-523
- Ganesh B., Kalpana D., Renganathan N. G., **Acrylamide based proton conducting polymer gel electrolyte for electric double layer capacitors**, *Ionics* 14 (2008) 339-343
- García M. A., Ferrero C., Campana A., Bertola N., Martino M., Zaritzky N., **Methyl Cellulose coating applied to reduce oil uptake in fried products**, *Food Science and Technology International*. 10 (5) (2004) 339-346
- García M. A., Pinotti A., Martino M., Zaritzky N., **Electrically treated composite FILMS based on chitosan and methylcellulose blends**, *Food Hydrocolloids* 23 (2009) 722-728
- Geiculescu O. E., Yang J., Blau H., Bailey-Walsh R., Creager S. E., Pennington W. T., DesMarteau D. D., **Solid polymer electrolytes from dilithium salts based on new bis[(perfluoroalkyl)sulfonyl] diimide dianions. Preparation and electrical characterization**, *Solid State Ionics* 148 (2002) 173-183
- Gogulamurali N., Suthanthiraraj S. A., Maruthamuthu P., **Impedance spectroscopic analysis of crystalline solid electrolytes in the mixed system (CuI)<sub>100-x</sub>(Ag<sub>4</sub>P<sub>2</sub>O<sub>7</sub>)<sub>x</sub> (0 ≤ x ≤ 60)**, *Solid state Ionics* 86-88 (1996) 1403-1407

Gogulamurali N., Suthanthiraraj S. A., Maruthamuthu P., In: Solid State Ionics: Materials and Applications, (Eds.) Chowdari, B.V.R., Chandra, S., Singh, S., Srivastava, P. C., World Scientific, Singapore (1992) 373-377

Gómez-Carracedo A., Alvarez-Lorenzo C., Gómez-Amoza J. L., Concheiro A., **Chemical structure and glass transition temperature of non-ionic cellulose ethers DSC, TMDSC<sup>®</sup> Oscillatory rheometry study**, Journal of Thermal Analysis and Calorimetry, 73 (2003) 587-596

Gotoh Y., Fujimura K., Ohkoshi Y., Nagura M., Akamatsu K., Shigehito D., **Preparation of transparent alumina film and fiber from a composite of aluminum polynuclear complex/methyl cellulose**, Materials Chemistry and Physics 83 (2004) 54-59

Gotoh Y., Fujimura K., Koike M., Ohkoshi Y., Nagura M., Akamatsu K., Deki S., **Synthesis of titanium carbide from a composite of TiO<sub>2</sub> nanoparticles/methyl cellulose by carbothermal reduction**, Materials Research Bulletin 36 (2001) 2263-2275

Gualous H., Bouquain D., Berthon A., Kauffmann J. M., **Experimental study of supercapacitor serial resistance and capacitance variations with temperature**, Journal of Power Sources 123 (2003) 86-93

Guilherme L. A., Borges R. S., Moraes E. M. S., Silva G. G., Pimenta M. A., Marletta A., Silva R. A., **Ionic conductivity in polyethylene-b-poly(ethylene oxide)/lithium perchlorate solid polymer electrolytes**, Electrochimica Acta 53 (2007) 1503-1511

Gunawan R., Zhang D., **Thermal stability and kinetics of decomposition of ammonium nitrate in the presence of pyrite**, Journal of Hazardous Materials 165 (2009) 751-7558

Halper M. S., Ellenbogen J. C., Supercapacitors: A Brief Overview, (2006) <http://www.mitre.org/tech/nanotech>

Hashmi S. A., Kumar A., Tripathi S. K., **Experimental studies on poly methyl methacrylate based gel polymer electrolytes for application in electrical double layer capacitors**, J. Phys. D: Appl. Phys. 40 (2007) 6527-6534

Hashmi S. A., Kumar A., Tripathi S. K., **Investigations on electrochemical supercapacitors using polypyrrole redox electrodes and PMMA based gel electrolytes**, European Polymer Journal 41 (2005) 1373-1379

Hashmi S. A., Kumar A., Maurya K. K., Chandra S., **Proton-conducting polymer electrolyte. I. the polyethylene oxide + NH<sub>4</sub>ClO<sub>4</sub> system**, J Phys D:Appl Phys 23 (1990) 1307-1314

Hatakeyama H., Hatakeyama T., **Interaction between water and hydrophilic polymers<sup>1</sup>**, Thermochimica Acta 308 (1998) 3-22

Hema M., Selvasekarapandian S., Nithya H., Sakunthala A., Arunkumar D., **Structural and ionic conductivity studies on proton conducting polymer electrolyte based on polyvinyl alcohol**, Ionics 15 (2009) 487-491

Hema, M., Selvasekerapandian, S., Sakunthala, A., Arunkumar, D., Nithya, H., **Structural, vibrational and electrical characterization of PVA-NH<sub>4</sub>Br polymer electrolyte system**, Physica B 403 (2008) 2740-2747

Hirankumar G., Selvasekarapandian S., Kuwata N., Kawamura J., Hattori T, **Thermal, electrical and optical studies on the poly (vinyl alcohol) based polymer electrolytes**, Journal of Power Sources 144 (2005) 262–267

Hirankumar G., Selvasekarapandian S., Bhuvaneshwari M. S., Baskaran R., Vijayakumar M., **AC Impedance Studies on Proton Conducting Polymer Electrolyte Complexes (PVA+CH<sub>3</sub>COONH<sub>4</sub>)**, Ionics 10 (2004) 135-138

Hodge R. M., Edward G. H., Simon G. P., **Water absorption and states of water in semicrystalline poly(vinyl alcohol) films**, Polymer 37 (1996) 1371-1376.

Hsieh C. -T., Teng H., **Influence of oxygen treatment on electric double-layer capacitance of activated carbon fabrics**, Carbon 40 (2002) 667-674

Hou M., Liang S., Zhang Z., Song J., Jiang T., Han B., **Determination and modeling of solubility of CO<sub>2</sub> in PEG200 + 1-pentanol and PEG200 + 1-octanol mixtures**, Fluid Phase Equilibria 258 (2007) 108–114

**Activated carbon for supercapacitor.** <http://www.kuraraychemical.com>

Huang J., Xu Z., Zhao S., Li S., Feng X., Wang P., Zhang Z., **Study on carrier mobility measurement using electroluminescence in frequency domain and electrochemical impedance spectroscopy**, Measurement 43 (2010) 295-298

Idris R., Glasse M. D., Latham R. J., Linford R. G., Schlindwein W. S., **Polymer electrolytes based on modified natural rubber for use in rechargeable lithium batteries**, Journal of Power Sources 94 (2001) 206-211

Ishikawa M., Ihara M., Morita M., Matsuda Y., **Electric double layer capacitors with new gel electrolytes**, Electrochim. Acta 40 (1995) 2217–2222

Johansson A., Gogoll A., Tegenfeldt I., **Diffusion and ionic conductivity in Li(CF<sub>3</sub>SO<sub>3</sub>) PEG<sub>10</sub> and LiN(CF<sub>3</sub>SO<sub>2</sub>)<sub>2</sub> PEG<sub>10</sub>**, Polymer 37 (1996) 1387-1393

Kadir M. F. Z., Majid S. R., Arof A. K., **Plasticized chitosan–PVA blend polymer electrolyte based proton battery**, Electrochimica Acta 55 (2010) 1475-1482

Kaneko H., Sekine K., Takamura T., **Power capability improvement of LiBOB/PC electrolyte for Li-ion batteries**, Journal of Power Sources 146 (2005) 142–145

Karan N. K., Pradhan D. K., Thomas R., Natesan B., Katiyar R. S., **Solid Polymer Electrolytes Based on Polyethylene Oxide and Lithium trifluoro-methane sulfonate (PEO-LiCF<sub>3</sub>SO<sub>3</sub>): Ionic Conductivity and Dielectric Relaxation**, Solid State Ionics 179 (2008) 689-696

- Karthikeyan A., Vinatier P., Levasseur A., **Study of lithium glassy solid electrolyte/electrode interface by impedance analysis**, Bull. Mater. Sci., 23 (2000) 3: 179–183
- Kato Y., Hasumi K., Yokoyama S., Yabe T., Ikut H., Uchimoto Y., Wakihara M., **Polymer electrolyte plasticized with PEG-borate ester having high ionic conductivity and thermal stability**, Solid State Ionics 150 (2002) 355–361.
- Khalid M. N., Agnely F., Yagoubi N., Grosiord J. L., Couarroze G., **Water state characterization, swelling behavior, thermal and mechanical properties of chitosan based networks**, Eur. J. Pharm. Sci. 15 (2002) 425
- Khair A. S. A., **Plasticized and filler doped chitosan-ammonium triflate ionic conducting membranes for electrochemical systems**, (2006) PhD Thesis University of Malaya
- Khair A. S. A., Puteh R., Arof A. K., **Conductivity Studies of Chitosan-Based Polymer Electrolyte**, Physica B: Condensed Matter 373 (2006) 23-27
- Khomenko V., Raymundo-Piñero E., Béguin F., **High-energy density graphite/AC capacitor in organic electrolyte**, Journal of Power Sources 177 (2008) 643–651
- Kim Y. W., Lee W., Choi B. K., **Relation between glass transition and melting of PEO–salt complexes**, Electrochim. Acta 45 (2000) 1473-1477
- Kinart C. M., Klimczak M., Cwilinska A., Kinart W. J., **Relative permittivity of the binary mixtures of 2-methoxyethanol with diethylene glycol, triethylene glycol, tetraethylene glycol, and polyethylene glycol 200 at various temperatures**, J. Chem. Thermodynamics 39 (2007) 822-826
- Kolhe P., Kannan R. M., **Improvement in ductility of chitosan through blending and copolymerization with PEG:FTIR investigation of molecular interactions**, Biomacromolecules 4 (2003) 173-180
- Kötz R., Carlen M., **Principles and applications of electrochemical capacitors**, Electrochimica Acta 45 (2000) 2483-2498
- Kumar G. V., Chandramani R., **Doping and Irradiation Dependence of Electrical Conductivity of Fe<sub>3</sub><sup>+</sup> and Ni<sub>2</sub><sup>+</sup> Doped Polyvinyl Alcohol Films**, ACTA PHYSICA POLONICA A 117, 6 (2010) 917-920
- Kumar M. S., Bhat D. K., **Polyvinyl alcohol–polystyrene sulphonic acid blend electrolyte for supercapacitor application**, Phys B 404 (2009) 1143–1147
- Kumar M., Sekhon S.S., **Role of plasticizer’s dielectric constant on conductivity modification of PEO–NH<sub>4</sub>F polymer electrolytes European**, Polymer Journal 38 (2002) 1297–1304

- Kundu P. P., Kundu M., **Effect of salts and surfactant and their doses on the gelation of extremely dilute solutions of methyl cellulose**, *Polymer* 42 (2001) 2015-2020
- Kundu P. P., Kundu M., Sinha M., Choe S. and Chattopadhyay D., **Effect of alcoholic, glycolic, and polyester resin additives on the gelation of dilute solution (1%) of methyl cellulose**, *Carbohydrate Polymers*, 51 (1) (2003) 57-61
- Lakshmi N., Chandra S., **Rechargeable solid-state battery using a proton-conducting composite as electrolyte**, *Journal of Power Sources* 108 (2002) 256-260
- Lassègues J.-C., Grondin J., Becker T., Servant L., Hernandez M., **Supercapacitor using a proton conducting polymer electrolyte**, *Solid State Ionics* 77 (1995) 311-317
- Lassègues J. C., Grondin J., Hernandez M., Marèe B., **Proton conducting polymer blends and hybrid organic inorganic materials**, *Solid State Ionics* 145 (2001) 37-45
- Latham R. J., Rowlands S. E., Schlindwein W. S., **Supercapacitors using polymer electrolytes based on poly (urethane)**, *Solid State Ionics* 147 (2002) 243– 248
- Lee Y. M., Ko D.-H., Lee J. Y., Park J.-K., **Highly ion-conductive solid polymer electrolytes based on polyethylene non-woven matrix**, *Electrochimica Acta* 52 (2006) 1582–1587
- Leininger N. F., Gainer J. L., Kirwan D. J., **Effect of Aqueous PEG or PPG Solvents on Reaction Selectivity and Gibbs Energies**, *AIChE J.* 50 (2004) 511–517.
- Lewandowski A., Galiski M., Krzyzanowski M., **New polymer electrolyte poly(acrylonitrile)-sulpholane-(C<sub>2</sub>H<sub>5</sub>)<sub>4</sub>NBF<sub>4</sub> for chemical capacitors**, *Solid State Ionics* 158 (2003) 367-373
- Li Q.-Y., Wang H.-Q., Dai Q.- F., Yang J.-H., Zhong Y.-L., **Novel activated carbons as electrode materials for electrochemical capacitors from a series of starch**, *Solid State Ionics* 179 (2008) 269-273
- Liang Y.-H., Wang C.-C., Chen C.-Y., **Conductivity and characterization of plasticized polymer electrolyte based on (polyacrylonitrile-b-polyethylene glycol) copolymer**, *Journal of Power Sources* 172 (2007) 886-892
- Lin, C., White, R.E., Ploehn, H.J., **Modeling the Effects of Ion Association on Direct-Current Polarization of Solid Polymer Electrolytes**, *Journal of the Electrochemical Society* 147 (3) (2000) 936-944
- Lin S. Y., Wang S. L., Wei Y. S., Li M. J., **Temperature effect on water desorption from methylcellulose films studied by thermal FT-IR microspectroscopy**, *Surface Science* 601 (2007) 781-785
- Liu W., Zhang B., Lu W. W., Li X., Zhu D., Yao K. D., Wang Q., Zhao C., Wang C., **A rapid temperature-responsive sol-gel reversible poly (N-isopropylacrylamide)-g-methylcellulose copolymer hydrogel**, *Biomaterials* 25 (2004) 3005–3012



- Liu X., Momma I., Osaka T., **All-solid state electric double layer capacitor using polymer electrolyte and isotropic high density graphite electrodes**, Chem. Lett. 25 (1996) 625-626
- Luccia B. H. D., Kunkel M. E., **In vitro availability of calcium from sources of cellulose, methylcellulose, and psyllium**, Food Chemistry 77 (2002) 139-146
- Lufrano F., Staiti P., **Performance improvement of Nafion based solid state electrochemical supercapacitor**, Electrochimica Acta 49 (2004) 2683-2689
- Lust E., Jänes A., Arulepp M., **Influence of solvent nature on the electrochemical parameters of electrical double layer capacitors**, Journal of Electroanalytical Chemistry 562 (2004) 33-42
- Macdonald D. D., **Reflections on the history of electrochemical impedance spectroscopy**, Electrochimica Acta 51 (2006) 1376-1388
- Majid S. R., Arof A. K., **Proton-conducting polymer electrolyte films based on chitosan acetate complexed with  $\text{NH}_4\text{NO}_3$  salt**, Physica B 355 (2005) 78-82
- Majid S. R., **High Molecular weight chitosan as polymer electrolyte for electrochemical devices** (2007) PhD Thesis University of Malaya
- Mansur H. S., Oréface R. L., Mansur A. A. P., **Characterization of poly(vinyl alcohol)/poly(ethylene glycol) hydrogels and PVA-derived hybrids by small-angle X-ray scattering and FTIR spectroscopy**, Polymer 45 (2004) 7193-7202.
- Matsuda A., Honjo H., K. Hirata, M. Tatsumisago, T. Minami, **Electric double-layer capacitor using composites composed of phosphoric acid-doped silica gel and styrene-ethylene-butylene-styrene elastomer as a solid electrolyte**, Journal of Power Sources 77 (1999) 12-16
- Maurya K. K., Hashmi S. A., Chandra S., in: B. V. R. Chowdari, S. Chandra, S. Singh, P. C. Srivastava (Eds.), Solid State Ionics: Materials and Applications, World Scientific, Singapore (1992) 573-577
- Mellander B. E., Albinsson I., Electrical and dielectric properties of polymer electrolyte. In Chowdari B. V. R., Dissanayake M. A. K. L. and Careem M. A. (Eds.), Solid State Ionics: New Developments, World Scientific, Singapore (1996) 83-96
- Missan H. P. S. , Chu P P., Sekhon S. S., **Ion conduction mechanism in non-aqueous polymer electrolytes based on oxalic acid: Effect of plasticizer and polymer**, Journal of Power Sources 158 (2006) 1472-1479
- Mitra S., Shukla A. K., Sampath S., **Electrochemical capacitors with plasticized gel-polymer electrolytes**, J. Power Sources 101 (2001) 213-218
- Mohamed N. S., Subban R. H. Y., Arof A. K., **Polymer batteries fabricated from lithium complexed acetylated chitosan**, Journal of Power Sources 56 (1995) 153-156

- Morita M., Qiao J. L., Yoshimoto N., Ishikawa M., **Application of proton conducting polymeric electrolytes to electrochemical capacitors**, *Electrochimica Acta* 50 (2004) 837-841.
- Münchow V., Noto V. D., Tondello E., **Poly[(oligoethylene glycol) dihydroxytitanate] as organic-inorganic polymer-electrolytes**, *Electrochimica Acta* 45 (2000) 1211-1221
- Naik S. D., Doraiswamy L. K., **Phase Transfer Catalysis: Chemistry and Engineering**, *AIChE J.* 44 (1998) 612-646.
- Ng L.S., Mohamad A. A., **Effect of temperature on the performance of proton batteries based on chitosan-NH<sub>4</sub>NO<sub>3</sub>-EC membrane**, *Journal of Membrane Science* 325 (2008) 653-657
- Niu J., Pell W. G., Conway B. E., **Requirements for performance characterization of C double-layer supercapacitors: Applications to a high specific-area C-cloth material**, *J. Power Sources* 156 (2006) 725-740
- Núñez L., Gómez-Barreiro S., Gracia-Fernández C. A., Núñez M. R., **Expression and location of mRNAs encoding multiple forms of secretory phospholipase A2 in the rat retina**, *Polymer* 45 (2004) 1167-1175
- Obreja V. V. N., **On the performance of supercapacitors with electrodes based on carbon nanotubes and carbon activated material—A review**, *Physica E* 40 (2008) 2596-2605
- Oommen C., Jain S. R., **Ammonium nitrate: a promising rocket propellant oxidizer**, *Journal of Hazardous Materials A67* (1999) 253-281
- Osman Z., Arof A. K., **FTIR studies of chitosan acetate based polymer electrolytes**, *Electrochimica Acta* 48 (2003) 993-999.
- Osman Z., Ibrahim Z. A., Arof A. K., **Conductivity enhancement due to ion dissociation in plasticized chitosan based polymer electrolytes**, *Carbohydrate polymers* 44 9 (2001) 167-173
- Ozeki T., Yuasa H., Okada H., **Controlled release of drug via methylcellulose-carboxyvinylpolymer interpolymer complex solid dispersion**, *AAPS PharmSciTech* 6 (2) (2005) E231-E236
- Pandey G. P., Hashmi S. A., Kumar Y., **Multiwalled carbon nanotube electrodes for electrical double layer capacitors with ionic liquid based gel polymer electrolytes**, *Journal of Electrochemical Society*, 157 (2010) A105-A114
- Pandolfo A. G., Hollenkamp A. F., **Carbon properties and their role in supercapacitors**, *J. Power Sources* 157 (2006) 11-27
- Park J. S., Park J. W., Ruckenstein E., **Thermal and dynamic mechanical analysis of PVA/MC blend hydrogels**, *Polymer* 42 (2001) 4271-4280

- Park J. S., Ruckestein E., **Viscoelastic properties of plasticized methylcellulose and chemically crosslinked methylcellulose**, Carbohydrate Polymers 46 (2001) 373-381
- Park M. K., Kim H. S., An J. H., Kim J., **New oligomeric ether plasticizers for solid polymer electrolytes: Synthesis and electrical properties of oligomeric PEO having bis(five-membered cyclic carbonate)s at chain ends**, J. Ind. Eng. Chem. 11 (2005) 222-227
- Pavlov G. M., Kolbina G. F., Shtennikova I. N., Michailova N. A., Korneeva E. V., **Dynamo-optical properties of methylcellulose solutions and the optical anisotropy of glucopyranose ring**, European Polymer Journal 37 (2001) 1219-1225
- Periasammmy P., Tatsumi K., Shikano M., Fujieda T., Saito Y., Sakai T., Mizuhata M., Kajinami A., Deki S., **Studies on PVdF-Based Gel Electrolytes**, Journal of Power Sources 88 (2000) 269-273
- Petit S., Righi D., Madejová J., **Infrared spectroscopy of  $\text{NH}_4^+$  bearing and saturated clay minerals: A review of the study of layer charge**, Applied Clay Science 34 (2006) 22-30
- Pichon B., Andrieu X., Barusseau S., Danel V., Flipo J.-P., **Supercapacitor having a non-aqueous electrolyte and an active carbon electrode**, US Patent No. 6356432 (2002)
- Pinotti A., García M. A., Martino M. N., Zaritzky N. E., **Study on microstructure and physical properties of composite films based on chitosan and methylcellulose**, Food Hydrocolloids 21 (2007) 66-72
- Pouplin M., Redl A., Agric G. N. J., **Glass Transition of Wheat Gluten Plasticized with Water, Glycerol, or Sorbitol**, Food. Chem 47 (1999) 538-543
- Prabakar K., Narayandass Sa. K., Mangalaraj D., **Dielectric and electric modulus properties of vacuum evaporated  $\text{Cd}_{0.8}\text{Zn}_{0.2}\text{Te}$  thin films**, Materials Science and Engineering B 98 (2003) 225-231
- Pradhan D. K., Choudhary R. N. P., Samantaray B. K., Karan N. K., Katiyar R. S., **Effect of plasticizer on structural and electrical properties of polymer nanocomposite electrolytes**, Int. J. Electrochem. Sci., 2 (2007) 861-871
- Pradhan D. K., Choudhary R. N. P., Samantaray B. K., **Studies of dielectric and electrical properties of plasticized polymer nanocomposite electrolytes**, Mater. Chem. Phys. 115 (2009) 557-561
- Puteh R., Yahya, M. Z. A., Ali A. M. M., Sulaiman M. A., Yahya R., **Conductivity studies on chitosan-based polymer electrolytes with lithium salts**, Indonesian Journal of Physics 16 (2005) 17-19
- Qu X., Wirsén A., Albertsson A. C., **Effect of lactic/glycolic acid side chains on the thermal degradation kinetics of chitosan derivatives**, Polymer 41 (2000) 4841-4847

- Raja V., Sharma A. K, Rao V. V. R. N., **Impedance spectroscopic and dielectric analysis of PMMA-CO-P4VPNO polymer films**, Materials Letters 58 (2004) 3242-3247
- Rajendran S., Babu R. S., Sivakumar P., **Effect of salt concentration on poly (vinyl chloride)/poly (acrylonitrile) based hybrid polymer electrolytes**, Journal of Power Sources 170 (2007) 460–464
- Rajendran S., Sivakumar M., Subadevi R., **Effect of salt concentration in poly (vinyl alcohol)-based solid polymer electrolytes**, J. Power Sources 124 (2003) 225-23
- Rajendran S., Sivakumar M., Subadevi R., **Li-ion conduction of plasticized PVA solid polymer electrolytes complexed with various lithium salts**, Solid State Ionics 167 (2004) 335-339
- Rajendran S., Uma T., **Characterization of plasticized PMMA-LiBF<sub>4</sub> based solid polymer electrolytes**, Bull. Mater. Sci. 23 (2000) 27-29
- Rajendran S., Uma T., Mahalingam T., **Conductivity studies on PVC-PMMA-LiAsF<sub>6</sub>-DBP polymer blend electrolyte**, Eur. Polym. J 36 (2000) 261-2620
- Rajendran S., Prabhu M. R., Rani M. U., **Characterization of PVC/PEMA Based Polymer Blend Electrolytes**, Int. J. Electrochem. Sci., 3 (2008) 282 – 290
- Rajendran S., Sivakumar P., Babu R. S., **Investigation on poly (vinylidene fluoride) based gel polymer electrolytes**, Bull. Mater. Sci. 29 (2006) 673-678
- Ramesh S., Ng K. Y., **Characterization of polymer electrolytes based on high molecular weight PVC and Li<sub>2</sub>SO<sub>4</sub>**, Current Applied Physics 9 (2009) 329-332
- Ramesh S., Arof A. K., **Structural, thermal and electrochemical cell characteristics of poly (vinyl chloride)-based polymer electrolytes**, Journal of Power Sources 99 (2001) 41-47
- Ramesh S., Yahya A. H., Arof A. K., **Dielectric behaviour of PVC-based polymer electrolytes**, Solid State Ionics 152-153 (2002) 291-294
- Ramesh S., Yuen T. F., Shen C. J., **Conductivity and FTIR studies on PEO–LiX [X: CF<sub>3</sub>SO<sub>3</sub><sup>-</sup>, SO<sub>4</sub><sup>2-</sup>] polymer electrolytes**, Spectrochimica Acta Part A 69 (2008) 670-675
- Ramya C. S., Selvasekarapandian S., Hirankumar G., Savitha T., Angelo P. C., **Investigation on dielectric relaxations of PVP-NH<sub>4</sub>SCN polymer electrolytes**, Journal of Non-Crystalline Solids 354 (2008) 1494-1502
- Ramya C. S., Selvasekarapandian S., Savitha T., **Proton-conducting membranes: poly (N-vinyl pyrrolidone) complexes with various ammonium salts**, J. Solid State Electrochem 12 (2008) 807-814

- Ramya C. S., Selvasekarapandian S., Savitha T., Hirankumar G., Angelo P. C., **Vibrational and impedance spectroscopic study on PVP-NH<sub>4</sub>SCN based polymer electrolytes**, *Physica B* 393 (2007) 11–17
- Ramya C. S., Savitha T., Selvasekarapandian S., Hirankumar G., **Transport mechanism of Cu-ion conducting PVA based solid-polymer electrolyte**, *Ionics* 11 (2005) 436-441
- Rao V., Ashokan P. V., Shridhar M. H., **Studies of dielectric relaxation and a.c. conductivity in cellulose acetate hydrogen phthalate-poly(methyl methacrylate) blends**, *Materials Science and Engineering A281* (2000) 213-220
- Raphael E., Avellaneda C. O., Manzolli B., Pawlicka A., **Agar-based films for application as polymer electrolytes**, *Electrochimica Acta* 55 (2010) 1455–1459
- Reddy D. S., Reddy M. J., Rao U. V. S., **Proton conductor based on poly (ethnylene oxide) complexed with tetra-methyl-ammonium bromide**, *Materials Science and Engineering B78* (2000) 59-62
- Reddy M. J., Chu P. P., **Optical microscopy and conductivity of poly(ethylene oxide) complexed with KI salt**, *Electrochimica Acta* 47 (2002) 1189-1196
- Reddy M. J., Sreekanth T., Rao, U.V. S., **Study of the plasticizer effect on a (PEO + NaYF<sub>4</sub>) polymer electrolyte and its use in an electrochemical cell**, *Solid State Ionics* 126 (1999) 55-63
- Rice M. J., Roth W. L., **Ionic transport in super ionic conductors: a theoretical model**, *Journal of Solid State Chemistry* 4 (1972) 294-310
- Ricketts B. W., Ton-That C., **Self-discharge of carbon based supercapacitors with organic electrolytes**, *J. Power Sources* 89 (2000) 64-69
- Rimdisit S., Jingjid S., Damrongsakkul S., Tiptipakorn S., Takeichi T., **Biodegradability and property characterizations of Methyl Cellulose: Effect of nanocompositing and chemical crosslinking**, *Carbohydrate Polymers* 72 (2008) 444–455
- Rokhade A. P., Shelke N. B., Patil S. A., Aminabhavi T. M., **Novel interpenetrating polymer network microspheres of chitosan and methylcellulose for controlled release of theophylline**, *Carbohydrate Polymers* 69 (2007) 678–687
- Sanz T., Salvador A., Fiszman S. M., **Effect of concentration and temperature on properties of methyl cellulose added batters. Application to battered, fried seafood**. *Food Hysrocolloids*, 18 (2004) 127-131
- Sarkar A., Ghosh P., Meikap A. K., Chattopadhyay S. K., Chatterjee S. K., **Alternate and direct current conductivity of conducting polyaniline dispersed with poly vinyl alcohol and blended with methyl cellose**, *J. Appl. Physc.* 97 (2005) 113713.
- Sarkar N., Walker L. C., **Hydration-dehydration properties of methylcellulose and hydroxypropylmethylcellulose**, *Carbohydrate Polymers* 27 (1995) 177-185

Scrosati B., (Ed.), Application of Electroactive Polymers, Chapman and Hall, London, 1993

Selvasekarapandian S., Baskaran R., Kamishima O., Kawamura J., Hattori T., **Laser Raman and FTIR studies on Li<sup>+</sup> interaction in PVAc–LiClO<sub>4</sub> polymer electrolytes**, Spectrochimica Acta Part A65 (2006) 1234–1240

Selvasekarapandian S., Baskaran R., Hema M., **Complex AC Impedance, Transference Number and Vibrational Spectroscopy Studies of Proton Conducting PVAc-NH<sub>4</sub>SCN Polymer Electrolytes**, Physica B 357 (2005) 412–419

Selvasekarapandian S., Vijayakumar M., **Frequency-Dependent Conductivity and Dielectric Studies on Li<sub>x</sub>V<sub>2</sub>O<sub>5</sub> (x = 0.6 - 1.6)**, Solid State Ionics 148 (2002) 329–334

Sheem K., Lee Y. H., Lim H. S., **High-density positive electrodes containing carbon nanotubes for use in Li-ion cells**, J. Power Sources 158 (2006) 1425–1430

Show Y., Imaizumi K., **Decrease in equivalent series resistance of electric double-layer capacitor by addition of carbon nanotube into the activated carbon electrode**, Diamond & Related Materials 15 (2006) 2086–2089

Show Y., Imaizumi K., **Electric double layer capacitor with low series resistance fabricated by carbon nanotube addition**, Diamond & Related Materials 16 (2007) 1154–1158

Shuhaimi N. E. A., Teo L. P., Majid S. R., Arof A. K., **Transport studies of NH<sub>4</sub>NO<sub>3</sub> doped methyl cellulose electrolyte**, Synthetic Metals 160 (2010) 1040–1044

Shukla N., Thakur A. K., **Role of salt concentration on conductivity optimization and structural phase separation in a solid polymer electrolyte based on PMMA-LiClO<sub>4</sub>**, Ionics 15 (2009) 357–367

Singh H. P., Kumar R., Sekhon S. S., **Correlation between ionic conductivity and fluidity of polymer gel electrolytes containing NH<sub>4</sub>CF<sub>3</sub>SO<sub>3</sub>**, Bull. Mater. Sci. 28 (2005) 467–472

Singh K. P., Gupta P. N., **Study of dielectric relaxation in polymer electrolytes**, Eur. Polym. J 34 (1998) 1023–1029

Singh P. K., Kim K.-W., Park N.-G., Rhee H.-W., **Mesoporous nanocrystalline TiO<sub>2</sub> electrode with ionic liquid-based solid polymer electrolyte for dye-sensitized solar cell application**, Synthetic Metals 158 (2008) 590–593

Song J. Y., Wang Y. Y., Wan C. C., **Conductivity study of porous plasticized polymer electrolytes based on poly(vinylidene fluoride) - A comparison with polypropylene separators**, Journal of the Electrochemical Society 147 (2000) 3219–3225

Song Y., Zheng Q., **Structure and properties of methylcellulose microfiber reinforced wheat gluten based green composites**, Industrial Crops and Products 29 (2009) 446–454

- Srivastava N., Chandra S., **Effect of plasticizer on poly (ethylene succinate) +  $\text{NH}_4\text{ClO}_4$  system**. Solid State Ionics: New Developments pp: 411-415 edited by B. V. R. Chowdari *et al.* © World Scientific Publishing Co. (1992)
- Srivastava N., Chandra S., **Studies on a new proton conducting polymer system: poly(ethylene succinate) +  $\text{NH}_4\text{ClO}_4$** , Eur Polym J 36 (2000) 421-433
- Staiti P., Minutoli M., Lufrano F., **All solid electric double layer capacitors based on Nafion ionomer**, Electrochimica Acta 47 (2002) 2795-2800
- Stevens J. R., Wieczorek W., Raducha D., Jeffrey K. R., **Proton conducting gel/ $\text{H}_3\text{PO}_4$  electrolytes**, Solid State Ionics 97 (1997) 347-358
- Subban R. H. Y., Ahmad A. H., Kamarulzaman N., Ali A. M. M., **Effects of plasticiser on the lithium ionic conductivity of polymer electrolyte PVC- $\text{LiCF}_3\text{SO}_3$** , Ionics 11 (2005) 442-445
- Subban R. H. Y., Arof A.K., **Plasticiser interactions with polymer and salt in PVC- $\text{LiCF}_3\text{SO}_3$ -DMF electrolytes**, European Polymer Journal 40 (2004) 1841-1847
- Sugimoto T., Atsumi Y., Kikuta M., Ishiko E., Kono M., Ishikawa M., **Ionic liquid electrolyte systems based on bis(fluorosulfonyl)imide for lithium-ion batteries**, Journal of Power Sources 189 (2009) 802-805
- Tabuchi J., Saito T., Kibi Y., Ochi A., **Large capacitance electric double layer capacitor using activated carbon/carbon composite**, IEEE Transactions on Components, Hybrids and Manufacturing Technology 16 (1993) 431-436
- Taggougui M., Diaw M., Carré B., Willmann P., Lemordant D., **Solvents in salt electrolyte: Benefits and possible use as electrolyte for lithium-ion battery**, Electrochimica Acta 53 (2008) 5496-5502
- Tanahashi I., **Comparison of the characteristics of electric double-layer capacitors with an activated carbon powder and an activated carbon fiber**, J. Appl. Electrochem., 35 (2005) 1067-1072
- Tang H., Peikang S., Jiang S. P., Wang F., Pan M. A., **Degradation study of Nafion proton exchange membrane of PEM fuel cells**, J Power Sources 170 (2007) 85-92
- Thompson J. B., Lightfoot P., Bruce P. G., **Structure of polymer electrolytes: The crystal structure of poly (ethylene oxide) $_4$ :  $\text{RbSCN}$** , Solid State Ionics 85 (1996) 203-208
- Tripathi S. K., Kumar A., Hashmi S. A., **Electrochemical redox supercapacitor using PVdF-HFP based gel electrolytes and polypyrrole as conducting polymer electrode**, Solid State Ionics 177 (2006) 2979-2985
- Tominaga Y., Hirahara S., Asai S., Sumita M., **Ionic conductivity studies of poly(ethylene oxide)-lithium salt electrolytes in high-pressure carbon dioxide**, Polymer 46 (2005) 8113-8118

- Tunç S., Duman O., **Preparation of active antimicrobial methyl cellulose/carvacrol/montmorillonite nanocomposite films and investigation of carvacrol release**, *LWT-Food Science and Technology* 44 (2011) 465-472
- Uma T., Mahalingam T., Rajendran S., Ulrich Stimming, **Structural and Ionic Conductivity Studies of Solid Polymer Electrolytes Based on Poly (vinylchloride) and Poly (methylmethacrylate) Blends**, *Ionics* 9 (2003) 274-281
- Velazquez G., Herrera-Gómez A., Martín-Polo M. O., **Identification of bound water through infrared spectroscopy in methylcellulose**, *Journal of Food Engineering* 59 (2003) 79-84
- Vieira D. F., Avellaneda C. O., Pawlicka A., **Conductivity study of a gelatin-based polymer electrolyte**, *Electrochimica Acta* 53 (2007) 1404-1408
- Wada H., Nohara S., Furukawa N., Inoue H., Sugoh N., Iwasaki H., Morita M., Iwakura C., **Electrochemical characteristics of electric double layer capacitor using sulfonated polypropylene separator impregnated with polymer hydrogel electrolyte**, *Electrochimica Acta* 49 (2004) 4871-4875.
- Wan Y., Peppley B., Creber K. A.M., Bui V. T., Halliop E., **Quaternized-chitosan membranes for possible applications in alkaline fuel cells**, *Journal of Power Sources* 185 (2008) 183-187
- Wang Y., Wang C., Guo C., Shi Z., **Influence of carbon structure on performance of electrode material for electric double layer capacitor**, *Journal of physics and Chemistry of Solids* 69 (2008) 16-22.
- Winie T., Arof A. K., **Dielectric Behaviour and AC Conductivity of LiCF<sub>3</sub>SO<sub>3</sub> Doped H-Chitosan Polymer Films**, *Ionics* 10 (2004) 193-199
- Wu F., Feng T., Wu C., Bai Y., Ye L., Chen J., **Thermally stable hyperbranched polyether-based polymer electrolyte for lithium-ion batteries**, *J. Phys. D: Appl. Phys.* 43 (2010) 035501
- Xue Y., Chen Y., Zhang M. -L., **Preparation and characterization of LiAl<sub>0.23</sub>Mn<sub>1.77</sub>O<sub>4</sub> for supercapacitor electrodes**, *Materials Chemistry and Physics* 110 (2008) 485-489
- Yahya M. Z. A., Arof A. K., **Conductivity and X-ray photoelectron studies on lithium acetate doped chitosan films**, *Carbohydrate Polymer* 55 (2004) 95-100
- Yang C.-C., Hsu S.-T., Chien W.-C., **All solid-state electric double-layer capacitors based on alkaline polyvinyl alcohol polymer electrolytes**, *Journal of Power Sources* 152 (2005) 303-310
- Yin J., Luo K., Chen X., Khutoryanskiy V. V., **Miscibility studies of the blends of chitosan with some cellulose ethers**, *Carbohydrate Polymers* 63 (2006)238-244



Yokota S., Ueno T., Kitaoka T., Wariishi H., **Molecular imaging of single cellulose chains aligned on a highly oriented pyrolytic graphite surface**, Carbohydr. Res. 342 (2007) 2593-2598

Zhang J., Han F., Wei X., Shui L., Gong H., Zhang P., **Spectral studies of hydrogen bonding and interaction in the absorption processes of sulfur dioxide in poly (ethylene glycol) 400 + water binary system**, Ind. Eng. Chem. Res. 49 (2010) 2025-2030.

Zhao F., Wang M., Qi L., Dong S., **Properties of a nanocomposite polymer electrolyte from an amorphous comb-branch polymer and nanoparticles**, J Solid State Electrochem (2004) 8: 283–289

Zhao X., Kim D.-S., Raghavan P., Ahn J.-H., Ahn H.-J., Ryu H.-S., Cho G.-B., Noh J.-P., **Effect of processing parameters on the electrochemical properties of a polymer electrolyte prepared by the phase inversion process**, Physica Scripta T139 (2010) 014036

Zhu W., Miser, D. E., Chan W. G., Hajaligol M. R., **HRTEM investigation of some commercially available furnace carbon blacks**, Carbon 42 (2004) 1841–1845.

Zohuriaan M. J., Shokrolahi F., **Thermal studies on natural and modified gums**, Polymer Testing 23 (2004) 575-579