

## REFERENCES

- [1] F.P. Schäfer, *Dye Lasers*, (Springer-Verlag, Berlin, Germany 1990).
- [2] T.W. Hänsch, M. Pernier, A.L. Schawlow, "Laser Action of Dyes in Gelatin," *IEEE J. Quantum Electron.* **QE-7**, (1971), 45.
- [3] B.H. Soffer and B.B. McFarland, "Continuously Tunable, Narrow-Band Organic Dye Lasers," *Appl. Phys. Lett.* **10(10)**, (1967), 226.
- [4] R. Reisfeld, D. Brusilovsky, M. Eyal, E. Miron, Z. Burstein and J. Ivri, "A New Solid-State Tunable Laser in the Visible," *Chem. Phys. Lett.* **160(1)**, (1989), 43.
- [5] A. Costela, I. García-Moreno, J.M. Figuera, F. Amat-Guerri, J. Barroso and R. Sastre, "Solid-State Dye Laser Based on Coumarin 540A-Doped Polymeric Matrices," *Opt. Commun.* **130**, (1996), 44.
- [6] A. Costela, I-García-Moreno, J. Barroso and R. Sastre, "Studies on Laser Action from Polymeric Matrices Doped with Coumarin 503," *Appl. Phys. B* **67**, (1998), 167.
- [7] G. Somasundaram and A. Ramalingam, "Gain Studies of Coumarin 1 Dye-Doped Polymer Laser," *J. Lumin.* **90**, (2000), 1.
- [8] A. Ramalingam, G. Somasundaram, S. Sathybhama, P.K. Palanisamy and V. Masilamini, "Laser Gain Studies of Rhodamine 6G Dye Doped Polymer Laser," *Indian J. Pure Appl. Phys.* **36**, (1998), 310.
- [9] J.C. Altman, R.E. Stone, B. Dunn and F. Nishida, "Solid-State Laser Using a Rhodamine-Doped Silica Gel Compound," *IEEE Photon. Technol. Lett.* **3(3)**, (1991), 189.
- [10] M. Faraggi, P. Peretz, I. Rosenthal and D. Weinraub, "Solution Properties of Dye Lasers. Rhodamine B in Alcohol," *Chem. Phys. Lett.* **103(4)**, (1984), 310.
- [11] A.N. Fletcher and D.E. Bliss, "Lasing and Fluorescent Characteristics of Nine, New, Flashlamp-Pumpable, Coumarin Dyes in Ethanol and Ethanol:Water," *Opt. Commun.* **47(1)**, (1983), 57.

- [12] S.A. Myers, "An Improved Line Narrowing Technique for a Dye Laser Excited by a Nitrogen Laser," *Opt. Commun.* **4**(2), (1971), 187.
- [13] Reji Philip, P. Sathy, V.P.N. Nampoori, Jacob Philip and C.P.G. Vallabhan, "Characteristics of Two-photon Absorption in Methanol Solutions of Rhodamine 6G Using Laser Induced Pulsed Photoacoustics," *J. Phys. B: At. Mol. Opt. Phys.* **25**, (1992), 155.
- [14] Kaoru Igarashi, Mituso Maeda, Takayuki Takao, Michihiro Uchiumi, Yuji Oki and Koujiro Shimamoto, "Operation of Rhodamine 6G Dye Laser in Water Solution," *Jpn. J. Appl. Phys.* **34**, Part 1, No. 6A, (1995), 3093.
- [15] F. López Arbeloa, T. López Arbeloa, I. López Arbeloa, I. Gracia-Moreno, A. Costela, R. Sastre and F. Amat-Guerri, "Photophysical and Lasing Properties of Pyrromethene 567 Dye in Liquid Solution. Environment Effects," *Chem. Phys.* **236**, (1998), 331.
- [16] S.A. Kovalenko, J. Ruthmann and N.P. Ernsting, "Ultrafast Stokes Shift and Excited-State Transient Absorption of Coumarin 153 in Solution," *Chem. Phys. Lett.* **271**, (1997), 40.
- [17] B. Steyer and F.P. Schäfer, "A Vapor-Phase Dye Laser," *Opt. Commun.* **10**(3), (1974), 219.
- [18] P.W. Smith, P.F. Liao, C.V. Shank, T.K. Gustafson, C. Lin and P.J. Maloney, "Optically Excited Organic Dye Vapor Laser," *Appl. Phys. Lett.* **25**(3), (1974), 144.
- [19] R. Wallenstein and T.W. Hänsch, "Powerful Dye Laser Oscillator-Amplifier System for High Resolution Spectroscopy," *Opt. Commun.* **14**(3), (1975), 353.
- [20] M. Broyer, J. Chevaleyre, G. Delacrétaz and L. Wöste, "CVL-Pumped Dye Laser for Spectroscopic Application," *Appl. Phys. B* **35**, (1984), 31.
- [21] T.W. Hänsch, "Repetitively Pulsed Tunable Dye Laser for High Resolution Spectroscopy," *Appl. Opt.* **11**(4), (1972), 895.
- [22] R. Wallenstein and T.W. Hänsch, "Linear Pressure Tuning of a Multielement Dye Laser Spectrometer," *Appl. Opt.* **13**(7), (1974), 1625.
- [23] Yoshihiro Yamashita, "Newly Undertaken Inspections and Repairs for Aged Nuclear Power Generators," *J. Nuclear Sci. Technol.* **38**(10), (2001), 887.
- [24] M.K. Kim, "Wavelength Scanning Digital Interference Holography for Optical Section Imaging," *Opt. Lett.* **38**, (1999), 1693.
- [25] T.W. Hänsch, F. Varsanyi and A.L. Schawlow, "Image Amplification by Dye Lasers," *Appl. Phys. Lett.* **18**(4), (1971), 108.

- [26] Akihiro Tagaya, Shigehiro Teramoto, Tsuyoshi Yamamoto, Kazuhito Fujii, Eisuke Nihei, Yasuhiro Koike and Keisuke Sasaki, "Theoretical and Experimental Investigation of Rhodamine B-Doped Polymer Optical Fiber Amplifiers," *IEEE J. Quantum Electron.* **31**(12), (1995), 2215.
- [27] M. Saito, Y. Ogawa and K. Kitagawa, "One-Way Transmission Optical Fibre Made of Dye-Doped Polymers," *Electron. Lett.* **34**(19), (1998), 1873.
- [28] P.H. Flamant, D. Josse and M. Maillard, "Transient Injection Frequency-Locking of a Microsecond-Pulsed Dye Laser for Atmospheric Measurements," *Opt. Quantum Electron.* **16**, (1984), 179.
- [29] M.A. Gondal, J. Mastromarino and Uwe K.A. Klein, "High Resolution Doppler Lidar Based on Actively Stabilized Ring Dye Laser," *Spectral Line Shapes: Vol. II, 15<sup>th</sup> ICSLC*, (2001), 467.
- [30] James C. Hsia, "New and Potential Medical Applications for Flashlamp Excited Dye Lasers," *Special Symp. Maturing Technol. Emerging Horizons* (1988), 33.
- [31] M.R. Prince, G.M. Lamuraglia, C.E. Seidlitz, S.A. Prahl, C.A. Athanasoulis and R. Birgruber, "Ball-tipped Fibers for Laser Angioplasty with the Pulsed-Dye Laser," *IEEE J. Quantum Electron.* **26**(12), (1990), 2297.
- [32] J.A. Paisner, "Atomic Vapor Laser Isotope Separation," *Appl. Phys. B* **46**, (1988), 253.
- [33] E. Yaiv and R. Reisfeld, "Laser Properties of Pyrromethene Dyes in Sol-Gel Glasses," *Opt. Mater.* **13**, (1999), 49.
- [34] Kwong-Cheong Yee, Teck-Yong Tou and Seik-Weng Ng, "Hot-Press Molded Poly(Methyl Methacrylate) Matrix for Solid-State Dye Lasers," *Appl. Opt.* **37**(27), (1998), 1.
- [35] Raz Gvishi, Gary Ruland and Paras N. Prasad, "New Laser Medium: Dye-Doped Sol-Gel Fiber," *Opt. Commun.* **126**, (1996), 66.
- [36] Ulchi Itoh and Michio Takakusa, "Optical Gain of Coumarin Dye-Doped Thin Film Lasers," *Jpn. J. Appl. Phys.* **16**(6), (1977), 1059.
- [37] Dimitrii Shamrakov and Renata Reisfeld, "Superradiant Film Laser Operation in Red Perylimide Dye Doped Silica-Polymethylmethacrylate Composite," *Chem. Phys. Lett.* **213**(1, 2), (1993), 47.
- [38] Jinman Huang, Vlasoula Bekiari, Panagiotis Lianos and Stelios Couris, "Study of Poly(Methyl Methacrylate) Thin Films Doped with Laser Dyes," *J. Lumin.* **81**, (1999), 285.

- [39] Seong-Shan Yap, Teck-Yong Tou and Seik-Weng Ng, "Laser Emissions from Disodium Fluorescein-Doped Poly(Vinyl Alcohol) Films," *Jpn. J. Appl. Phys.* **39**, Part 1, No. 10, (2000), 5855.
- [40] Makoto Fukuda, Kiyokazu Takeshita and Keiichi Mito, "Analysis of the Laser Action of a Solid-state Dye Laser with a Thin Film Ring Resonator," *Jpn. J. Appl. Phys.* **38**, Part 1, No. 11, (1999), 6347.
- [41] Makoto Fukuda and Keiichi Mito, "Laser Oscillation of Energy Transfer Solid-State Dye Laser with a Thin-Film Ring Resonator," *Jpn. J. Appl. Phys.* **39**, Part 1, No. 6A, (2000), 3470.
- [42] D.L. Stockman, W.R. Mallory and F.K. Tittel, *Proc. IEEE* **52**, (1964), 318.
- [43] P.P. Sorokin and J.R. Lankard, "Stimulated Emission Observed from an Organic Dye, Chloro-aluminum Phthalocyanine," *IBM J. Res and Dev.* **10**, (1966), 162.
- [44] M.L. Spaeth and D.P. Bortfeld, "Stimulated Emission from Polymethine Dyes," *Appl. Phys. Lett.* **9**(5), (1966), 179.
- [45] F. P. Schäfer, W. Schmidt and J. Volze, "Organic Dye Solution Laser," *Appl. Phys. Lett.* **9**(8), (1966), 306.
- [46] G.A. Reynolds and K.H. Drexhage, "New Coumarin Dyes with Rigidized Structure for Flashlamp-Pumped Dye Lasers," *Opt. Commun.* **13**(3), (1975), 222.
- [47] E.J. Schimitschek, J.A. Trias, P.R. Hammond, R.A. Henry and R.L. Atkins, "New Laser Dyes with Blue-Green Emission," *Opt. Commun.* **16**(3), (1976), 313.
- [48] A.P. Piechowski and G.R. Bird, "A New Family of Lasing Dyes from an Old Family of Fluors," *Opt. Commun.* **50**(6), (1984), 386.
- [49] Theodore G. Pavlopoulos, Joseph H. Boyer, I.R. Politzer and Chun M. Lau, "Laser Action from *syn*-(Methyl,methyl) Bimane," *J. Appl. Phys.* **60**(11), (1986), 4028.
- [50] H. Kogelnik and C.V. Shank, "Stimulated Emission in a Periodic Structure," *Appl. Phys. Lett.* **18**(4), (1971), 152.
- [51] D.C. Hanna, P.A. Kärkkäinen and R.Wyatt, "A Simple Beam Expander for Frequency Narrowing of Dye Lasers," *Opt. Quant. Electr.* **7**, (1975), 115.
- [52] F.J. Duarte and J.A. Piper, "A Double-Prism Beam Expander for Pulsed Dye Lasers," *Opt. Commun.* **35**(1), (1980), 100.

- [53] F.J. Duarte and J.A. Piper, "Dispersion Theory of Multiple-prism Beam Expanders for Pulsed Dye Laser," *Opt. Commun.* **43**(5), (1982), 303.
- [54] I. Shoshan, N.N. Danon and U.P. Oppenheim, "Narrowband Operation of a Pulsed Dye Laser without Intracavity Beam Expansion," *J. Appl. Phys.* **48**(11), (1977), 4495.
- [55] M.G. Littman and H.J. Metcalf, "Spectrally Narrow Pulsed Dye Laser without Beam Expander," *Appl. Opt.* **17**(14), (1978), 2224.
- [56] S. Saikan, "Nitrogen-Laser-Pumped Single Mode Dye Laser," *J. Appl. Phys.* **17**, (1978), 41.
- [57] M. G. Littman, "Single-mode Operation of Grazing-incidence Pulsed Dye Laser," *Opt. Lett.* **3**(4), (1978), 138.
- [58] W.H. Glenn, M.J. Brienza and A.J. DeMaria, "Mode Locking of an Organic Dye Laser," *Appl. Phys. Lett.* **12**, (1968), 54.
- [59] D.J. Bradley and A.J.F. Durrant, "Generation of Ultrashort Dye Laser Pulses by Mode Locking," *Phys. Lett.* **27A**, (1968), 73.
- [60] B.H. Soffer and J.W. Linn, "Continuously Tunable Picosecond-Pulse Organic-Dye Laser," *J. Appl. Phys.* **39**, (1968), 5859.
- [61] C.V. Shank and E.P. Ippen, *Appl. Phys. Lett.* **24**, (1974), 373.
- [62] Zs. Bor, "A Novel Pumping Arrangement for Tunable Single Picosecond Pulse Generation with a N<sub>2</sub> Laser Pumped Distributed Feedback Dye Laser," *Opt. Commun.* **29**(1), (1979), 103.
- [63] S. Szatmári and F.P. Schäfer, "Subpicosecond, Widely Tunable Distributed Feedback Dye Laser," *Appl. Phys. B* **46**, (1988), 305.
- [64] W.J. Wadsworth, I.T. McKinnie, A.D. Woolhouse and T.G. Haskell, "Efficient Distributed Feedback Solid State Dye Laser with a Dynamic Grating," *Appl. Phys. B* **69**, (1999), 163.
- [65] R.L. Fork, B.I. Greene and C.V. Shank, "Generation of Optical Pulses Shorter than 0.1 psec by Colliding Pulse Mode Locking," *Appl. Phys. Lett.* **38**(9), (1981), 671.
- [66] W. Dietel, J.J. Fontaine and J.-C. Diels, "Intracavity Pulse Compression with Glass: a New Method of Generating Pulses Shorter than 60 fsec," *Opt. Lett.* **8**(1), (1983), 4.
- [67] J.A. Valdmanis, R.L. Fork and J.P. Gordon, "Generation of Optical Pulses as Short as 27 Femtosecond Directly from a Laser Balancing Self-Phase Modulation, Group-Velocity Dispersion, Saturable Absorption, and Saturable Gain," *Opt. Lett.* **10**(3), (1985), 131.

- [68] A. Penzkofer and W. Bäumler, "Theoretical Analysis of Pulse Development in a Colliding Pulse Mode-Locked Dye Laser," *Opt. Quantum Electron.* **23**, (1991), 727.
- [69] R.L. Fork, C.H. Brito Cruz, P.C. Becker and C.V. Shank, "Compression of Optical Pulses to Six Femtoseconds by Using Cubic Phase Compensation," *Opt. Lett.* **12**(7), (1987), 483.
- [70] O.G. Peterson and B.B. Snavely, "Stimulated Emission from Flashlamp-Excited Organic Dyes in Polymethyl Methacrylate," *Appl. Phys. Lett.* **12**(7), (1968), 238.
- [71] I.P. Kaminow, L.W. Stulz, E.A. Chandross and C.A. Pryde, "Photobleaching of Organic Laser Dyes in Solid Matrices," *Appl. Opt.* **11**(7), (1972), 1563.
- [72] D.A. Gromov, K.M. Dyumaev, A.A. Manenkov, A.P. Maslyukov, G.A. Matyushin, V.S. Nechitailo and A.M. Prokhorov, "Efficient Plastics-Host Dye Lasers," *J. Opt. Soc. Am. B* **2**(7), (1985), 1028.
- [73] K.M. Dyumaev, A.A. Manenkov, A.P. Maslyukov, G.A. Matyushin, V.S. Nechitailo and A.M. Prokhorov, "Dyes in Modified Polymers: Problems of Photostability and Conversion Efficiency at High Intensities," *J. Opt. Soc. Am. B* **9**(1), (1992), 143.
- [74] Arnaud Dubois, Micheal Canva, Alain Brun, Frédéric Chaput and Jean-Pierre Boilot, "Photostability of Dye Molecules Trapped in Solid Matrices," *Appl. Opt.* **35**(18), 3193.
- [75] Sergei Popov, "Dye Photodestruction in a Solid-State Dye Laser with a Polymeric Gain Medium," *Appl. Opt.* **37**(27), (1998), 6449.
- [76] Mark D. Rahn, Terence A. King, Anthony A. Gorman and Ian Hamblett, "Photostability Enhancement of Pyrromethene 567 and Perylene Orange in Oxygen-Free Liquid and Solid Dye Laser," *Appl. Opt.* **36**(24), (1997), 5862.
- [77] F. Amat-Guerri, A. Costela, J.M. Figuera, F. Florido and R. Sastre, "Laser Action from Rhodamine 6G-Doped Poly(2-Hydroxyethyl Methacrylate) Matrices with Different Crosslinking Degrees," *Chem. Phys. Lett.* **209**(4), (1993), 352.
- [78] S.M. Giffin, I.T. McKinnie, W.J. Wadsworth, A.D. Woolhouse, G.J. Smith and T.G. Haskell, "Solid State Dye Lasers Based on 2-Hydroxyethyl Methacrylate and Methyl Methacrylate Co-Polymers," *Opt. Commun.* **161**, (1999), 163.
- [79] A. Costela, I. Garcia-Moreno, J.M. Figuera, F. Amat-Guerri and R. Sastre, "Solid-State Dye Lasers Based on Polymers Incorporating Covalently Bonded Modified Rhodamine 6G," *Appl. Phys. Lett.* **68**(5), (1996), 593.

- [80] A.J. Finlayson, N. Peters, P.V. Kolinsky and M.R.W. Venner, "Flashlamp pumped solid-state dye laser incorporating pyrromethene 597," *Appl. Phys. Lett.* **72**(17), (1998), 2153.
- [81] A.V. Deshpande and E. B. Namdas, "Correlation between Lasing and Photophysical Performance of Dyes in Polymethylmethacrylate," *J. Lumin.* **91**, (2000), 25.
- [82] A. Costela, I. García-Moreno, J. Barroso and R. Sastre, "Laser Performance of Pyrromethene 567 Dye in Solid Matrices of Methyl Methacrylate with Different Comonomers," *Appl. Phys. B* (DOI), (1999).
- [83] D. Lo, J.E. Parris and J.L. Lawless, "Laser and Fluorescence Properties of Dye-Doped Sol-Gel Silica from 400 nm to 800 nm," *Appl. Phys. B* **56**, (1993), 385.
- [84] C. Ye, K.S. Lam, K.P. Chik, D. Lo and K.H. Wong, "Output Performance of a Dye-Doped Sol-Gel Silica Laser in the Near UV," *Appl. Phys. Lett.* **69**(25), (1996), 3800.
- [85] D. Lo, S.K. Lam, C. Ye and K.S. Lam, "Narrow Linewidth Operation of Solid State Dye Laser Based on Sol-Gel Silica," *Opt. Commun.* **156**, (1998), 316.
- [86] Sixin Wu and Congshan Zhu, "All-Solid-State UV Dye Laser Pumped by XeCl Laser," *Opt. Mater.* **12**, (1999), 99.
- [87] Mark D. Rahn and Terence A. King, "Comparison of Laser Performance of Dye Molecules in Sol-Gel, Polycom, Ormosil, and Poly(Methyl Methacrylate) Host Media," *Appl. Opt.* **34**(36), (1995), 8260.
- [88] Mark D. Rahn, Terence A. King, Anthony A. Gorman and Ian Hamblett, "Improved Solid-State Dye Lasers by Novel Oxygen-Free Preparation Techniques of Pyrromethene 567 Doped Polycom Glass and MPMMA," *CLEO'97*, (1997), 366.
- [89] Edward T. Knobbe, Bruce Dunn, Peter D. Fuqua and Fumito Nishida, "Laser Behavior and Photostability Characteristics of Organic Dye Doped Silicate Gel Materials," *Appl. Opt.* **29**(18), (1990), 2729.
- [90] F.J. Duarte, "Solid-State Multiple-Prism Grating Dye-Oscillators," *Appl. Opt.* **33**, (1994), 3857.
- [91] J.B. Marling, D.W. Gregg and S.J. Thomas, "Effect of Oxygen on Flashlamp-Pumped Organic-Dye Laser," *IEEE J. Quantum Electron.* **QE-16**(9), (1970), 570.
- [92] Romano Pappalardo, H. Samelson and Alexander Lempicki, "Long-Pulse Laser Emission from Rhodamine 6G," *IEEE J. Quantum Electron.* **QE-16**(11), (1970), 716.

- [93] Mitsuo Maeda, *Laser Dyes: Properties of Organic Compounds for Dye Lasers*, (Academic Press, Inc., Tokyo, Japan 1984).
- [94] M.I. Dzyubenko, G.S. Vodotyka, V.V. Maslov and V.M. Nikitchenko, "Investigation of some Spectral and Energy Characteristics of the Lasing of a Number of Coumarin Derivatives," *Opt. Spectrosc.* **39**(3), (1975), 310.
- [95] R. Srinivasan, R.J. Von Gutfeld, C.S. Angadiyavar and R.W. Dreyfus, "Anomalous Fluorescence and Laser Emission from 7-Alkylamino Coumarins in Acid Solutions," *Chem. Phys. Lett.* **25**(4), (1974), 537.
- [96] Y.P. Lysenko, A.Y. Potapenko and V.L. Sukhorukov, *Biophys.* **33**, (1988), 804.
- [97] V. Masilamani, V. Chandrasekar, B.M. Sivaram, B. Sivasankar and S. Natarajan, "Simultaneous Dual Band Laser Emission from Two Conformations of DAMC," *Opt. Commun.* **59**(3), (1986), 203.
- [98] O.G. Peterson, S.A. Tuccio and B.B. Snyuely, "CW Operation of an Organic Dye Solution Laser," *Appl. Phys. Lett.* **17**(6), (1970), 245.
- [99] M. Hercher and H.A. Pike, "Single Mode Operation of a Continuous Tunable Dye Laser," *Opt. Commun.* **3**(5), (1971), 346.
- [100] S. Blit, E.G. Weaver, T.A. Rabson and F.K. Tittel, "Continuous Wave UV Radiation Tunable from 285 nm to 400 nm by Harmonic and Sum Frequency Generation," *Appl. Opt.* **17**(5), (1978), 721.
- [101] Timothy Johnston, "High Power Single Frequency Operation of Dyes over the Spectrum from 364 nm to 524 nm Pumped by an Ultraviolet Argon Ion Laser," *Opt. Commun.* **69**(2), (1988), 147.
- [102] J.L. Hall and T.W. Hänsch, "External Dye-Laser Frequency Stabilizer," *Opt. Lett.* **9**(11), (1984), 502.
- [103] D.G. Sutton and Gene A. Capelle, "KrF-Laser-Pumped Tunable Dye Laser in the Ultraviolet," *Appl. Phys. Lett.* **29**(9), (1976), 563.
- [104] O. Uchino, T. Mizunami, M. Maeda and Y. Miyazoe, "Efficient Dye Lasers Pumped by a XeCl Excimer Laser," *Appl. Phys.* **19**, (1979), 35.
- [105] Daniel V. Roberts, Bruce P. Wittmershaus, Yu-Zhong Zhang, Sharon Swan and Michael P. Klinosky, "Efficient Excitation Energy Transfer among Multiple Dyes in Polystyrene Microspheres," *J. Lumin.* **79**, (1998), 225.

- [106] Hussein M. Abdel Moneim, Lotfi Z. Ismail, Gamal Abdel Fatah and Zahia A. Zohdy, "Radiative fluorescence lifetime of rhodamin doped in PVC," *Polymer Test* **20**, (2001), 135.
- [107] Fumito Higuchi and Jun'ichiro Muto, "Thermal Bleaching of Rhodamine 6G in Polymethyl Methacrylate (PMMA)," *Phys. Lett.* **81A(1)**, (1981), 95.
- [108] H. Schmidt, "Organic Modification of Glass Structure: New Glasses or New Polymers?" *J. Non-Cryst. Solids* **112**, (1989), 419.
- [109] Akihiro Tagaya, Shigehiro Teramoto, Eisuke Nihei, Keisuke Sasaki and Yasuhiro Koike, "High-Power and High Gain Organic Dye-Doped Polymer Optical Fiber Amplifiers: Novel Techniques for Preparation and Spectral Investigation," *Appl. Opt.* **36(3)**, (1997), 572.
- [110] Terry L. Richardson and Erik Lokensgard, *Industrial Plastics: Theory and Application*, (Delmar Publishers Inc., New York, USA 1997).
- [111] H.K. Law, W.O. Siew, K.K. Tham and T.Y. Tou, "An Ultraviolet Preionized Nitrogen Laser Switched by Parallel Spark Gaps," *Meas. Sci. Technol.* **8**, (1997), 819.
- [112] T.Y. Tou, K.H. Kwek and D.S. Ong, "Operation and Performance of a Two-Stage Blumlein TEA N<sub>2</sub> Laser," *Jpn. J. Appl. Phys.* **35, Part 1, No. 10**, (1996), 5338.
- [113] Y.P. Yap, *Laser Emissions from Organic Dye Mixtures*, (Dissertation (MTec.), University of Malaya, Kuala Lumpur, Malaysia 1995).
- [114] M. Rodríguez, A. Costela, I. García-Moreno, F. Florido, J.M. Figuera and R. Sastre, "A Simple Rotating System to Avoid Early Degradation of Solid-State Dye Lasers," *Meas. Sci. Technol.* **6**, (1995), 971.
- [115] P. Bojarski, "Concentration Quenching and Depolarization of Rhodamine 6G in the Presence of Fluorescent Dimers in Polyvinyl Alcohol Films," *Chem. Phys. Lett.* **278**, (1997), 225.
- [116] Yu Yang, Miquan Wang and Guodong Qian, "Influence of the thickness and Composition of the Solid-State Dye Laser Media on the Laser Properties," *Opt. Commun.* (in press 2002).
- [117] S.N. Mendenhall, O.M. Stafudd and N.G. Alexopoulos, "Resonant Optical Interactions in Active Dielectric Films," *J. Appl. Phys.* **66(10)**, (1989), 4645.
- [118] Eugene Hecht, *Optics*, (Addison-Wesley, 1987).