

## **REFERENCES**

## REFERENCES

- Agrawal, B. B. L. and Goldstein, I. J. (1965) Specific binding of concanavalin A to cross-linked dextran gels. *Biochem J.* 96: 23C - 25C
- Allen, A. C., Haprer, S. J. and Feehally, J. (1995) Galactosylation of N- and O-linked carbohydrate moieties of IgA1 and IgG in IgA nephropathy. *Clin Exp Immunol.* 100: 470 - 474
- Aoyagi, Y., Isemura, M., and Yosizawa, Z. (1985) Fucosylation of serum  $\alpha$ -fetoprotein in patients with primary hepatocellular carcinoma. *Biochim Biophys Acta.* 830: 217 - 223
- Aronson, M., Medalia, O., Schori, L., Mirelman, D., Sharon, N. and Ofek, I. (1979) Prevention of colonization of the urinary tract of mice with *Eschrichia coli* by blocking of bacterial adherence with methyl- $\alpha$ -D-mannopyranoside. *J Infect Diseases.* 139: 329 - 332
- Ashwell, G. and Morrell, A.G. (1974) The roles of surface carbohydrates in the hepatic recognition and transport of circulating glycoprotein. *Adv Enzymol.* 41: 99 - 128
- Ashwell, G. and Harford, J. (1982) Carbohydrate-specific receptors of the liver. *Annu Rev Biochem.* 51: 531 - 544
- Baenziger, J. and Kornefld, S. (1974) Structure of the carbohydrate units of IgA1 immunoglobulin. *J Biol Chem.* 249: 7270 - 7218
- Barondes, S. (1988) Bifunctional properties of lectins: lectins redefined. *Trends Biochem Sci.* 13: 480 - 482.

- Bird, G. W. G. (1951) Specific agglutinating activity for human red blood corpuscles in extracts of *Dolichos biflorus*, Curr Sci. 20: 298
- Boyd, W. C. (1954) Erythrocyte agglutinins, p 755 - 839. In Neurath, H. and Bailey, K. (eds.), The Proteins, Vol. 2, part B. Academic Press, Inc. New York.
- Boyd, W. C. and Reguera, R. M. (1949) Hemagglutinating substances for human cells in various plants, J Immunol. 62: 333 - 339
- Brewer, C.F. and Brown, R.D. (1979) Mechanism of binding of mono- and oligosaccharides to concanavalin A: a solvent proton magnetic relaxation dispersion study. Biochemistry. 18: 2555 - 2562
- Broekaert, W. F., Van Parijs, J., Leyns, F., Joss, H. and Peumans, W. J. (1989) A chitin-binding lectin from stinging nettle rhizomes with antifungal properties. Science. 245: 1100 - 1102
- Cazal, P. and Laularie, M. (1952) Research sur quelques phyto-agglutinins spécifiques des groupes sanguins ABO, Acta Haematol. 8: 73
- Crane, I., Leung, H., Barwick, S., Parti, S. and Meager, A. (1984) The preparation of interferon gamma-producing T-cell hybridomas from jacalin-stimulated T lymphocytes and the SH9 T-cell line. Immunology. 53: 855 - 859.
- Cogoli, A. and Tschopp, A. (1985) Lymphocyte reactivity during space flight. Immunol Today. 6: 1 - 4
- Dalmau, S. R., Maciel, C. M. and Freitas, C. S. (1989) Jacalin: an excellent lectin for obtaining T cell growth activity from rat spleen cells. Braz J Med Biol Res. 22: 1111 - 1120
- Dazzo, F. B., Hollingsworth, R. I., Philip, S., Sherwood, J. E., Gardiol, A. E., Hrabak, E. M., Smith, K. B., Maya-Flores, J. and Welsch, M. A. (1986) Recognition of

- Rhizobium trifolii* by the white clover lectin trifolii A. p 45 - 52 In Shannon, L. M. and Chrispeels, M. J. (eds), Molecular Biology of Seed Storage Proteins and Lectins. American Society of Plant Physiologists, Rockville, Md.
- Doyle, R. J. (1994) Introduction to lectins and their interaction with microorganisms, p 1-67. In Doyle, R. J. and Slifkin, M. (eds) Lectin-microorganism interactions, Marcel Dekker, Inc. NY.
- Drickamer, K. (1995) Increasing diversity of animal lectin structures. Curr Opin Struct Biol. 5 : 612 - 616
- Endo, T., Mestecky, J., Kulhavy, R. and Kobata, A. (1994) Carbohydrate heterogeneity of human myeloma proteins of the IgA1 and IgA2 subclasses. Mol Immunol. 31: 1415 - 1422
- Favero, J., Corbeau, P., Nicolas, M., Benkirane, M., Trave, G., Dixion, J. F. P., Aucouturier, P., Rasheed, S., Parker, J. W., Liautard, J. P., Devaux, C. and Dornand, J. (1993) Inhibition of human immunodeficiency virus infection by the lectin jacalin and a derived peptide showing a sequence similarity with gp120. Eur J Immunol. 23: 179 - 185.
- Fournet, B., Montreuil, J., Strecker, G., Lambertus, D., Haverkamp, J., Vliegenthart, J. F. G., Binette, J. P. and Schmid, K. (1978) Determination of the primary structures of 16 asialo-carbohydrate units derived from human plasma  $\alpha$ -1-acid glycoprotein by 360-MHz<sup>1</sup>H NMR spectroscopy and permethylation analysis. Biochem. 17: 5206 - 5214
- Gillis, S., Scheid, M and Watson, J. (1980) Biochemical and biological characterisation of lymphocyte regulatory molecules. III. The isolation and

- phenotypic characterisation of interleukin-2 producing T cell lymphomas. J Immunol. 125: 2570 - 2578
- Goldstein, I.J. and Hayes, C.E. (1978) The lectins: carbohydrate-binding proteins of plants and animal. Carbohydr Chem Biochem. 35 : 601 - 615.
- Gravel, P., Walzer, C., Aubry, C., Balant, L. P., Yersin, B., Hochstrasser, D. F. and Guimon, J. (1996) New alterations of serum glycoproteins in alcoholics and cirrhotic patients revealed by high resolution two-dimensional gel electrophoresis. Biochem Biophys Res Comm. 220: 78 - 85
- Harris, H. and Robson, E.B. (1963) Precipitin reaction between extracts of seeds of *Canavalia ensiformis* (jack bean) and normal and pathological serum proteins. Vox Sang. 8 : 348 - 355
- Hashim, O.H., Ng, C.L., Gendeh, G.S. and Nik Jaafar, M.I. (1991) IgA binding lectins isolated from distinct *Artocarpus* species demonstrate differential specificity. Molec Immunol. 28: 393 - 398
- Hashim, O.H., Gendeh, G.S. and Nik Jaafar, M.I. (1992) Lectin extracts of champedak seeds demonstrate selective stimulation of lymphocyte proliferation. Biochem Int. 27: 139 - 143
- Hashim, O.H., Gendeh, G.S. and Nik Jaafar, M.I. (1993) Comparative analyses of IgA1 binding lectins from seeds of six distinct clones of *Artocarpus integer*. Biochem Molec Biol Int. 29: 69 - 76
- Hermanson, G. T., Mallia, A. K. and Smith, P. K. (1992) Preparation of D-Mannose-Sepharose 4B by the Divinylsulfone Activation Method, p 164 - 165. In Hermanson, G. T., Mallia, A. K. and Sith, P. K. (eds.), Immobilized Affinity Ligand Techniques. Academic Press, Inc. San Diego, California.

- Heukeshoven, J. and Dernick, R. (1988) Improved silver staining procedure for fast staining in PhastSystem Development Unit. I. Staining of sodium dodecyl sulfate gels. *Electrophoresis*. 9: 28 - 32
- Hickman, S., Kornfeld, R., Osterland, C.K. and Kornfeld, S. (1972) The structure of the glycoprotein of a human  $\gamma$ M-immunoglobulin. *J Biol Chem.* 247: 2156 - 2163
- Janossy, G., Gomez, E., Concha, L. A., Waxdal, M. J. and Platts-Mills, T. (1976) The effects of purified mitogenic proteins (Pa-1 and Pa-2) from pokeweed on human T and B lymphocytes *in vitro*. *Clin Exp Immunol.* 26: 108 - 117
- Ibrahim, M. N., Shukor, M. and Lye, T. T. (1987) Tanaman Champedak dan nangka. Universiti Putra Malaysia.
- Judd, W. J. (1980) The role of lectins in blood group serology. *CRC Crit Rev Clin Lab Sci.* 12: 171 - 214
- Kobayashi K., Kondoh, H., Hagiwara, K. and Vaerman, J.P. (1988) Jacalin: chaos in its immunoglbulin-binding specificity. *Molec Immunol.* 25: 1037 - 1038
- Konami, Y., Yamamoto, K., Tsuji, T., Matsumoto, I. and Osawa, T. (1983) Purification and characterisation of two types of *Laburnum alpinum* anti-H (O) hemagglutinin by affinity chromatography. *Hoppe Seylers Z Physiol Chem.* 364: 397-405
- Konami, Y., Yamamoto, K. and Osawa, T. (1991) Purification of characterisation of two types of *Cystisus sessilifolius* anti-H(O) lectins by affinity chromatography. *Biol Chem Hoppe Seyler.* 372: 103-111

- Kondoh, H., Kobayashi, K. and Hagiwara, K. (1987) A simple procedure for the isolation of human secretory IgA of IgA1 and IgA2 subclass by a jackfruit lectin, jacalin, affinity chromatography. *Molec Immunol.* 24: 1219 - 1222
- Kornfeld, K., Reitman, M.L. and Kornfeld, R. (1981) The carbohydrate-binding specificity of pea and lentil lectins - fucose is an important determinant. *J Biol Chem.* 256: 6633 - 6640
- Krusius, T., Finne, J. and Rauvala, H. (1976) The structural basis of the different affinities of two types of acidic N-glycosidic glycopeptides for concanavalin A-sepharose. *FEBS Lett.* 71: 117 - 120
- Kurosaka, A., Yano, A., Itoh, N., Kuroda, Y., Nakagawa, T. and Kawasaki, T. (1991) The structure of a neural specific carbohydrate epitope of horseradish peroxidase recognized by anti-horseradish peroxidase antiserum. *J Biol Chem.* 266: 4168 - 4172
- Leon, M.A. (1967) Concanavalin A reaction with human normal immunoglobulin G and myeloma immunoglobulin G. *Science* 158: 1325 - 1326.
- Mackiewicz, A., Pawlowki, T., Mackiewicz-Pawlowska A. and Mackiewicz, S. (1987) Microheterogeneity forms of  $\alpha$ -1-acid glycoprotein as indications of rheumatoid arthritis activity. *Clin Chim Acta.* 163: 185 - 190
- Maekawa, M. and Nishimune, Y. (1985) Separation of germ cells from somatic cell in mouse testis by affinity for a lectin, peanut agglutinin. *Biol Reprod.* 32: 419 - 425
- Matsumoto, I. And Osawa, T. (1969) Purification and characterization of an anti-H(O) phytohemagglutinin of *Ulex europeus*. *Biochim Biophys Acta.* 194: 180-189

- Mega, T., Lujan, E. and Yoshida, A. (1980) Studies on the oligosaccharide chains of human  $\alpha_1$ -protease inhibitor II. Structure of oligosaccharide. J Biol Chem. 255: 4057 - 4061
- Misquith, S., Rani, P.G. and Surolia, A. (1994) Carbohydrate binding specificity of the B-cell maturation mitogen from *Artocarpus integrifolia* seeds. J Biol Chem. 269: 30393 - 30401
- Miranda-Santos, I.K.F., Delgado, M., Bonini, P.V., Bunn-Moreno, M.M. and Campos-Neto, A. (1991a) A crude extract of *Artocarpus integrifolia* contains two lectins with distinct biological activities. Immunol Lett. 31: 65 - 72
- Miranda-Santos, I.K.F., Mengel, Jr. J.O., Bunn-Moreno, M.M. and Campos-Neto, A. (1991b) Activation of T and B cells by a crude extract of *Artocarpus integrifolia* is mediated by a lectin distinct from jacalin. J Immunol Methods. 140: 197 - 203
- Mirelman, D. and Ofek, I. (1986) Introduction to microbial lectins and agglutinins, p 1 - 19. In Mirelman, D. (ed.), Microbial lectins and agglutinins : properties and biological activity. John Wiley & Sons, Inc., New York.
- Mo, H., Lin, Z.Y. and Sun, C. (1990) A new lectin from *Dolichos lablab* L. p 35 - 40, In Bøg-Hansen, T.C. and Etzler, M. (eds.) Lectins: Biology, Biochemistry, Clinical Biochemistry. Vol. 7, , Sigma chemical Co. St. Louis, MO.
- Niks, M., Otto, M., Busova, B. and Stefanovic, J. (1990) Quantification of proliferation and suppressive responses of human T lymphocytes following ConA stimulation. J Immunol Methods. 126: 263 - 271

- Ogata, S., Muramatsu, T. and Kobata, A. (1975) Fractionation of glycopeptide by affinity column chromatography on concanavalin A-Sepharose. *J Biochem.* 78: 687 - 696
- Ofek, I., Mirelman, D., and Sharon, N. (1977) Adherence of *Escherichia coli* to human mucosal cells mediated by mannose receptors. *Nature.* 265: 623 - 625
- Parekh, R. B., Dwek, R. A., and Sutton, B. J. (1985) Association of rheumatoid arthritis and primary osteoarthritis with changes in the glycosylation pattern of total serum IgG. *Nature.* 316: 452 - 457
- Perry, A. and Ofek, I. (1984) Inhibition of blood clearance and hepatic tissue binding of *Escherichia coli* by liver lectin-specific sugars and glycoproteins. *Infect Immun.* 43: 257 - 262
- Peumans, W. J. and Van Damme, E. J. M. (1993) Plant lectins: storage proteins with a defensive role. p 27 - 34. In Basu, J., Kundu, M. and Chakrabarti, P. (eds.) *Lectin: biology, biochemistry, clinical biochemistry*, Vol. 9, Wiley Eastern Ltd. India
- Powell, A. E. and Leon, M. A. (1970) Reversible interaction of human lymphocytes with the mitogen concanavalin A. *Exp Cell Res.* 62: 315 - 325
- Qian, R., Shi, W.X., Shen, M.Z. and Sun, C. (1994) A mannose-specific lectin from *Vicia villosa* seeds. *Biochim et Biophys Acta.* 1201: 61-68
- Raff, M.C. and Wortis, H.H. (1970) Thymus dependence of  $\theta$ -bearing cells in the peripheral tissue of mice. *Immunology* 18: 931 - 942
- Raikhel, N. V. and Lerner, D. R. (1991) Expression and regulation of lectin genes in cereal and rice. *Dev Genet.* 12, 255 - 260

- Reisner, Y., Linker-Israeli, M. and Sharon, N. (1976) Separation of mouse thymocytes into two sub-populations by the use of peanut agglutinin. *Cell Immunol.* 25: 129 - 134
- Reisner, Y. (1990) Engraftment of T-cell-depleted bone marrow in murine models for allogeneic bone marrow transplantation. *Cancer Treat Res.* 50: 9 - 25.
- Renkonen, K. O. (1948) Studies on hemagglutinins present in some representatives of the family of *Leguminosae*. *Ann Med Exp Biol Fenn.* 26: 66 - 72
- Rini, J. M. (1995) Lectin structure. *Annu Rev Bioophys Biomol Struct.* 24: 551 - 577
- Roque-Barreira, M.C. and Campos-Neto, A. (1985) Jacalin: An IgA-binding lectin. *J Immunol.* 134: 1740 - 1743
- Rosenwasser, L. J. (1986) Monocyte and Macrophage Function, p 321 - 325. In Rose, N. R., Friedman, H., Fahey, J. L. (eds.), *Manual of Clinical Laboratory Immunology*
- Rudiger, H. (1988) Preparation of plant lectins. p 26 - 72, In Franz, H. (ed) *Advances in Lectin Research Vol. 1*, Springer, Berlin
- Ryazantsev, S., Renner, M., Lilie, H., Hinz, H. J., Jaenicke, R., Kiehabel, T. and Rudolph, R. (1990) Structure of human myeloma IgG3 Kuc. *Eur J Biochem.* 190: 393 - 399
- Sanchez, J-C., Appel, R. D., Golaz, O., Pasquali, C., Ravier, F., Bairoch, A. and Hochstrasser, D. F. (1995) Inside SWISS-2DPAGE database. *Electrophoresis.* 16: 1131 - 1151
- Schmid, K., Nimberg, R.B., Kimura, H., Yamaguchi, H. and Binette, J.P. (1977) The carbohydrate units of human plasma  $\alpha_1$ -acid glycoprotein. *Biochim Biophys Acta.* 492: 291 - 302

- Sharon, N. (1987) Bacterial lectin, cell-cell recognition and infectious disease. FEBS Lett. 217: 145 - 157
- Sharon, N. and Lis, H. (1987) A century of lectin research (1888 - 1988). TIBS. 12: 488 - 491
- Sharon, N. and Lis, H. (1990) Legume lectins - a large family of homologous proteins. FASEB J. 4: 3198 - 3208
- Sharon, N. (1993) Lectin-carbohydrate complexes of plants and animals: an atomic view. TIBS. 18: 221 - 226
- Shibuya, N., Goldstein, I.J., Van Damme, E.J.M. and Peumas, W.J. (1988) Binding properties of a mannose-specific lectin from the snowdrop (*Galanthus nivalis*) bulb. J Biol Chem 263: 728 - 734
- Shuib, A. S., Chua, C. T. and Hashim, O. H. (1997) Sera of IgA nephropathy patients contain a heterogeneous population of relatively cationic  $\alpha$ -heavy chains. Nephron. In Press.
- Stillmark, P. H. (1888) Ueber Ricin, ein giftiges Ferment aus den Samen von Ricinus comm. L. and einigen Euphorbiaceen, Thesis, Dorpat.
- Stockert, R.J., Morrell, A.G. and Scheinberg, I.H. (1974) Mammalian hepatic lectin. Science. 186: 365 - 366
- Thompson, S., Cantwell, B. M. J., Cornell, C. and Turner, G. A. (1991) Abnormally-fucosylated haptoglobin: a cancer marker for tumour burden but not gross liver metastasis. Br J Cancer. 64: 386 - 390
- Tsuji, T., Yamamoto, K., Irimuda, T. and Osawa, T. (1981) Structure of carbohydrate unit A of porcine thyroglobulin. Biochem J. 195: 691 - 699

- Turner, G. A. (1992) N-glycosylation of serum proteins in disease and its investigation using lectins. *Clin Chim Acta.* 208: 149 - 171
- Wang, W.C. and Cummings, R.D. (1988) The immobilized leukoagglutinin from the seeds of *Maackia amurensis* binds with high affinity to complex-type Asn-linked oligosaccharides containing terminal sialic acid-linked  $\alpha$ -2,3 to penultimate galactose residues. *J Biol Chem.* 263: 4576 - 4585
- Wright, C. S. (1989) Comparison of the refined crystal structures of two wheat germ isolectins. *J Mol Biol.* 209: 475 - 487
- Wu, A. M. (1988) A table of lectin carbohydrate specificities, p 723 - 737. In Bog-Hansen, T. C. and Freed, D. L. J. (eds), *Lectins- Biology, biochemistry, clinical biochemistry*, Vol. 6. Sigma Chemical Company, St. Louis, USA.
- Yamashita, K.; Tachibana. Y. and Kobata, A. (1978) The structure of the galactose-containing sugar chains of ovalbumin. *J Biol Chem.* 253: 3862 - 3869
- Yamashita, K., Kochibe, N., Ohkura, T., Ueda, I. and Kobata, A. (1985) Fractionation of L-fucose-containing oligosaccharides on immobilised *Aleuria aurantia* lectin. *J Biol Chem.* 260: 4688 - 4693
- Yamashita, K., Koide, N., Endo, T., Iwaki, Y. and Kobata, A. (1989) Altered glycosylation of serum transferrin of patients with hepatocellular carcinoma. *J Biol Chem.* 264: 2415 - 2423

## PUBLICATIONS

Part of the data of this thesis have been accepted for publication in the following journal or presented in the following meetings:

1. Lim, S. B., Chua, C. T. and Hashim, O. H. (1997) Isolation of a mannose-binding and IgE- and IgM-reactive lectin from the seeds of *Artocarpus integer*. *J Immunol Methods.* In Press.
2. Lim, S. B., Chua, C. T. and Hashim, O. H. (1997) Interaction of a mannose-binding *Artocarpus integer* seed lectin with human IgE and IgM. Paper presented at the 33rd Annual Scientific Seminar of Malaysian Society of Parasitology and Tropical Medicine. Kuala Lumpur, Malaysia, 14th - 15th March 1997.
3. Lim S. B., Kanthimathi, M. S. and Hashim , O. H. (1997) Effect of champedak seed mannose-binding lectin on the proliferation of murine lymphocytes. Paper presented at the 25th Anniversary Symposium of The Federation of Asian and Oceanian Biochemists and Molecular Biologist (FAOBMB). Manila, Philippines, 2nd - 5th Dec 1997.