

Content	Page
Acknowledgement	ii
Abstract	iii
List of Abbreviation	vi
List of Figures	vii
List of Tables	ix
1.0 Introduction	1
1.1 The Role of the Angiotensin Converting Enzyme Inhibitors	2
1.2 Enalapril maleate	3
1.3 Enalaprilat	9
1.4 Diazepam	10
2.0 Instrumentation	
2.1 HPLC	11
2.1.1 Instruments	12
2.1.2 Mobile Phase Reservoirs And Solvent Treating Systems	13
2.1.3 Pumping Systems	13
2.1.4 Sample-Injection System	14
2.1.5 Columns for High-Performance Liquid Chromatography	14
2.1.6 Detectors	16
2.2 TLC	19
2.3 GC/MS	21
2.3.1 Gas Supply	23
2.3.2 Column Oven	23
2.3.3 Injection System	24
2.3.4 Splitless Injection	24
2.3.5 Sample Inlet Systems	25
2.3.6 Capillary Column Gas Chromatography	25
2.3.7 Column Temperature	26
2.3.8 GC Interface	27

2.3.9 Mass Spectrometer	27
-------------------------	----

2.4 Solid – Phase Extraction	28
------------------------------	----

3.0 Experimental

3.1 HPLC	
----------	--

3.1.1 Reagent and Apparatus	30
-----------------------------	----

3.1.2 HPLC analysis	31
---------------------	----

3.2 TLC	43
---------	----

3.3 GC – MS	
-------------	--

3.3.1 Reagent and Apparatus	44
-----------------------------	----

3.3.2 Procedure	47
-----------------	----

3.3.3 Calibration	50
-------------------	----

3.3.4 Method Development	51
--------------------------	----

3.3.5 Recovery of Enalapril Maleate & Enalaprilat	53
---	----

4.0 Results and Discussion

4.1 HPLC	
----------	--

• Selection of UV detector Absorption Wavelength	54
--	----

• Selection of the detector	56
-----------------------------	----

• Choice of Mobile Phase and Flow Rate	59
--	----

4.2 TLC	60
---------	----

4.3 Gas Chromatography	
------------------------	--

4.3.1 General GC Performance	61
------------------------------	----

4.3.2 Evaluation of the Method	
--------------------------------	--

• Recovery	63
------------	----

• Recovery of the Sample Preparation	66
--------------------------------------	----

• Derivatization	67
------------------	----

• Calibration Curves	69
----------------------	----

• Method Interference	74
-----------------------	----

• GC – MS determination	74
-------------------------	----

5.0 Conclusion	76
----------------	----

6.0 References	79
----------------	----

List of Abbreviation

<u>Abbreviation</u>	<u>Name</u>
ACE	Angiotensin – converting enzyme
CI	chemical ionization
DB-1	Methylsilicone phase column
DB-5	5% phenyl, methylpolysiloxane phase column
DIAC	Enalaprilat
DKP	Diketopiperazine
e.g.	Example
EI	electron impact
EN	Enalapril
ENM	Enalapril Maleate
Fig.	Figure
FID	flame ionization detector
GC	gas chromatography
GC-MS	gas chromatography-Mass spectrometry
HPLC	high performance liquid chromatography
I.D.	internal diameter
LC	liquid chromatography
MA	Maleic acid
min.	Minute
MS	mass spectrometry
p.	page
PDA	photodiode array detector
ppb	part per billion
ppm	part per million
SIM	selected ion monitoring
SPE	solid phase extraction
TLC	thin layer chromatography
tr	retention time
UV	ultra violet

List of Figures

<u>Figure</u>		<u>Page</u>
1	Enalapril Maleate	3
2	Structural formulae of EN and its by products DIAC and DKP	4
3	Configurations around peptides bonds involving proline. The peptide bond interconverts between <i>trans</i> and <i>cis</i> configurations	5
4	Enalaprilat	9
5	Diazepam	10
6	Schematic of an apparatus for High Performance Liquid Chromatography	12
7	Schematic of Gas Chromatography	21
8	Picture of Gas Chromatography – Mass Spectrometry	22
9	HPLC - UV chromatogram for the enalapril maleate dissolve in ethyl acetate	34
10	HPLC - UV chromatogram for the enalapril in methanol detected at wavelength 254nm	34
11	HPLC - UV chromatogram for the enalapril in methanol detected at wavelength 214nm	34
12	HPLC - UV chromatogram for the enalapril liberated by pyridine detected at 214nm	34
13	HPLC – UV chromatogram of 0.5µL of 0.1µg/µl enalapril at 0.01 A.u.f.s.	36
14	HPLC – UV chromatogram of 0.5µL of 0.1µg/µl enalapril at 0.005A.u.f.s.	36
15	HPLC – UV chromatogram of 0.5µL of 0.1µg/µl enalapril at 0.003A.u.f.s.	37
16	HPLC – UV chromatogram of 1µL of 0.001µg/µl enalapril at A.u.f.s. = 0.004	37
17	HPLC – PDA chromatogram for enalapril at flow rate 0.7ml/min	40
18	HPLC - PDA chromatogram for enalapril at flow rate 0.8 ml/min	40
19	HPLC – PDA chromatogram of 100ppm enalapril	42
20	HPLC – PDA chromatogram of 10ppm enalapril	42

21	HPLC – PDA chromatogram of 1ppm enalapril	42
22	HPLC – PDA chromatogram of the methylated enalapril with wavelength 214nm	55
23	HPLC – PDA chromatogram of the methylated enalapril with wavelength 295nm	55
24	HPLC – PDA contour plot of <i>cis</i> – <i>trans</i> enalapril isomer	57
25	HPLC – PDA spectrum Index plot of <i>cis</i> – <i>trans</i> enalapril isomer	58
26	TIC GC-MS chromatogram of derivatised enalapril maleate, enalaprilat, diazepam. Separation done on DB – 5 column	62
27	GC-MS SIM chromatogram of extracted enalapril maleate from 1ml plasma by using liquid – liquid extraction after derivatisation	64
28	GC-MS SIM chromatogram of extracted enalapril maleate from 1ml plasma by using solid – phase extraction after derivatisation	64
29	Peak 1 and 2 are two symmetry <i>cis</i> and <i>trans</i> enalaprilate isomers	68
30	GC-MS SIM chromatogram of the extract (diazepam, enalapril maleate, enalaprilat) from 1mL plasma after derivatisation. Separation done on DB – 1 column	71
31	GC-MS SIM chromatogram of the extract (diazepam, enalapril maleate, enalaprilat) from 1ml plasma after derivatisation. Separation done on DB – 5 column	71
32	Calibration Curve of extracted enalaprilat from 1 ml plasma after derivatisation. Separation done on DB – 1 column	72
33	Calibration Curve of extracted enalapril maleate from 1ml plasma after derivatisation. Separation done on DB – 1 column	72
34	Calibration Curve of extracted enalaprilat from 1 ml plasma after derivatisation. Separation done on DB – 5 column	73
35	Calibration Curve of extracted enalapril maleate from 1ml plasma after derivatisation. Separation done on DB – 5 column	73
36	Mass Spectra of the enalapril methyl ester	75
37	Mass Spectra of the enalaprilat dimethyl ester	75

List of Tables

<u>Table</u>		<u>Page</u>
1	Peak height for different A.u.f.s.	35
2	Retention time for trial sample at 0.7ml/min flow rate	38
3	Retention time for trial sample at 0.8ml/min flow rate	39
4	Retention time for 100ppm, 10ppm, 1ppm of enalapril at 0.8ml/min flow rate.	41
5	Preparation and concentration of working standard solution	51
6	The retention time of diazepam, enalapril maleate, enalaprilat by using DB – 1 column	61
7	The retention time of diazepam, enalapril maleate, enalaprilat by using DB – 5 column	61
8	Recovery of enalapril maleate by using liquid – liquid extraction	63
9	Recovery of enalapril maleate by using solid – phase extraction analysed by using DB – 1 column	65
10	Recovery of enalapril maleate by using solid – phase extraction analysed by using DB – 5 column	65
11	Intensities of enalaprilat and enalapril maleate in 1mL of blank plasma extracted with SPE using DB – 1 column	69
12	Intensities of enalaprilat and enalapril maleate in 1mL of blank plasma extracted with SPE using DB – 5 column	70