

CONTENTS

| | |
|--|-----------|
| ACKNOWLEDGEMENTS | i |
| ABSTRACT | ii |
| ABSTRAK | iii |
| LIST OF FIGURES | iv - viii |
| LIST OF TABLES | ix - x |
| 1. Chapter 1 - Introduction | 1 |
| 1.1 General | 1 |
| 1.2 Key Pesticides | 7 |
| 1.3 Pesticide Industry Profile | 8 |
| 1.4 Vegetable Farms in Malaysia | 8 |
| 1.5 Other Problems Related to the use of Pesticides | 9 |
| 1.6 Prevention of Negative Effects of Pesticides | 10 |
| 1.7 Maximum Residue Level (MRL) and Legislation | 13 |
| 1.8 Pesticide Residues in Food | 14 |
| 1.9 Analytical Procedures | 16 |
| 1.10 Liquid Chromatography-Mass Spectrometry (LC-MS) | 26 |
| 1.10.1 Thermospray (TSP) Interface | 27 |
| 1.10.2 Particle Beam (PB) Interface | 29 |
| 1.10.3 Atmospheric Pressure Ionisation (API) | 32 |
| 1.10.3.1 Electrospray (ESP) | 33 |

| | | |
|----------|--|----|
| 1.10.3.2 | IonSpray (ISP) | 34 |
| 1.10.3.3 | Heated Nebuliser | 35 |
| 1.11 | Flow Injection Analysis (FIA) in Pesticide Formulations | 39 |
| 1.12 | Objective | 41 |
| 2 | Chapter 2 - Experimental | 43 |
| 2.1 | Chemicals and Materials | 43 |
| 2.2 | Standard Stock Solutions | 44 |
| 2.3 | Glassware | 45 |
| 2.4 | Optimising the Heated Nebuliser Parameters | 46 |
| 2.5 | Samples | 46 |
| 2.6 | Sample Preparation | 48 |
| 2.7 | Liquid Chromatography-Atmospheric Pressure Ionisation-Mass Spectrometry(LC-API-MS) and a Heated Nebuliser | 51 |
| 2.8 | Flow Injection Analysis –Atmospheric Pressure Ionisation-Mass Spectrometry (FIA-API-MS) and a Heated Nebuliser | 54 |
| 2.9 | Quantification | 55 |
| 3 | Chapter 3 - Result and Discussion | 56 |
| 3.1 | Determination of Optimum Parameters | 56 |

| | | |
|-------|---|-----|
| 3.1.1 | Selection of Ionisation Mode [positive/negative chemical ionisation (PCI/NCI) for identification / quantification | 56 |
| 3.1.2 | Eluent Flow Rate | 84 |
| 3.1.3 | Heated Nebuliser Probe Temperature | 86 |
| 3.1.4 | Orifice and Focusing Ring Voltages | 88 |
| 3.2 | Identification and Confirmation of Pesticides | 91 |
| 3.2.1 | Collision Induced Dissociation (CID) | 91 |
| 3.2.2 | Retention Time | 104 |
| 3.3 | Clean-Up | 104 |
| 3.4 | Detection Limits | 107 |
| 3.5 | Linearity of Calibration Curves | 108 |
| 3.6 | Recoveries of Pesticides | 109 |
| 3.7 | Precision and Accuracy | 110 |
| 3.8 | Application on Real samples | 112 |
| 3.9 | Measurement for some selected Pesticides Formulations | 115 |
| 4 | Chapter 4 - Conclusion | 116 |
| | References | 119 |