

Armour, J.A.L., Aravanis, T., May, C.A., Vega, E.B., Sajantila, A., Kidd, J.R., Kidd, K.K., Petropoulos, J., Pihabo, S. and Jeffreys, A.J. (1992). Microsatellite diversity supports a recent African origin for modern humans. *Nature Genet.* 12:154-157.

Armour, J.A.L., Harris, P.C. and Jeffreys, A.J. (1993). Allelic diversity at microsatellite 2D7.2 (D16S305): evidence for polarized variability. *Hum. Mol. Genet.* 2:1171-127.

Armour, J.A.L. and Jeffreys, A.J. (1992). Biology and applications of human microsatellites. *Curr. Opin. Genet. Dev.* 2:853-856.

Armour, J.A.L. and Jeffreys, A.J. (1992b). Recent advances in microsatellite biology. *Transactions of European Biochemical Society* 19:7:113-115.

Armour, J.A.L., Monekion, D.G., Neill, D.L., Crossier, M., Tamaki, K., MacLeod, A. and Jeffreys, A.J. (1993). Microsatellite mutation and recombination, p. 1-12. In: Jeffreys, A.J., ed. *Chromosomes Today*, Volume 11. Chapman and Hall, London.

References

Armour, J.A.L., Povey, S., Jeremiah, S. and Jeffreys, A.J. (1990). Systematic cloning of human gene alleles from ordered arrays. *Clonal Libraries*. *Genomics* 8:501-512.

Armour, J.A.L., Wong, Z., Wilson, V., Royle, N.J. and Jeffreys, A.J. (1989). Sequences flanking the repeat arrays of human microsatellites: association with tandem and dispersed repeat elements. *Nucleic Acids Res.* 17:4925-4935.

Bachmann, B., Lbke, W. and Hunzmann, G. (1990). Improvement of PCR amplified DNA sequencing with the aid of detergents. *Nucleic Acids Res.* 18:1309.

Beckmann, J.S. and Weber, J.L. (1992). Survey of human and rat microsatellites. *Genomics* 12:627-631.

Bell, G.I., Selby, M.L. and Rutter, W.J. (1982). The highly polymorphic region near the human insulin gene is composed of single tandemly repeating sequences.

Armour, J.A.L., Anttinen, T., May, C.A., Vega, E.E., Sajantila, A., Kidd, J.R., Kidd, K.K., Bertranpetit, J., Pääbo, S. and Jeffreys, A.J. (1996). Minisatellite diversity supports a recent African origin for modern humans. *Nature Genet.* **13**:154-160.

Armour, J.A.L., Harris, P.C. and Jeffreys, A.J. (1993a). Allelic diversity at minisatellite MS205 (D16S309): evidence for polarized variability. *Hum. Mol. Genet.* **2**:1137-1145.

Armour, J.A.L. and Jeffreys, A.J. (1992a). Biology and applications of human minisatellites loci. *Curr. Opin. Genet. Dev.* **2**:850-856.

Armour, J.A.L. and Jeffreys, A.J. (1992b). Recent advances in minisatellite biology. *Federation of European Biochemical Societies* **307**:113-115.

Armour, J.A.L., Monckton, D.G., Neil, D.L., Crosier, M., Tamaki, K., MacLeod, A. and Jeffreys, A.J. (1993b). Minisatellite mutation and recombination, p. 337-350. *In* **Sumner, A.T. and Chandley, A.C.** (ed.), *Chromosomes Today*, Volume 11. Chapman and Hall, London.

Armour, J.A.L., Povey, S., Jeremiah, S. and Jeffreys, A.J. (1990). Systematic cloning of human minisatellites from ordered array Charomid libraries. *Genomics* **8**:501-512.

Armour, J.A.L., Wong, Z., Wilson, V., Royle, N.J. and Jeffreys, A.J. (1989). Sequences flanking the repeat arrays of human minisatellites: association with tandem and dispersed repeat elements. *Nucleic Acids Res.* **17**:4925-4935.

Bachmann, B., Lüke, W. and Hunsmann, G. (1990). Improvement of PCR amplified DNA sequencing with the aid of detergents. *Nucleic Acids Res.* **18**:1309.

Beckmann, J.S. and Weber, J.L. (1992). Survey of human and rat microsatellites. *Genomics* **12**:627-631.

Bell, G.I., Selby, M.J. and Rutter, W.J. (1982). The highly polymorphic region near the human insulin gene is composed of simple tandemly repeating sequences.

Nature **295**:31-35.

Bowcock, A.M., Ruiz-Linares, A., Tomfohrde, J., Minch, E., Kidd, J.R. and Cavalli-Sforza, L.L. (1994). High resolution of human evolutionary trees with polymorphic microsatellites. Nature **368**:455-457.

Capon, D.J., Chen, E.Y., Levinson, A.D., Seeburg, P.H. and Goeddel, D.V. (1983). Complete nucleotide sequences of the T24 human bladder carcinoma oncogene and its normal homologue. Nature **302**:33-37.

Cooper, D.N. and Krawczak, M. (1993). *Human Gene Mutation*. BIOS Scientific Publishers Limited, United Kingdom.

Dover, G. (1982). Molecular drive: a cohesive mode of species evolution. Nature **299**:111-117.

Dover, G.A. (1992). A digital DNA dipstick for probing human diversity. Trends Genet. **8**:45-47.

Falconer, D.S. (1981). *Introduction to Quantitative Genetics*, second edition. Longman Scientific and Technical, New York.

Freund, J.E. (1984). *Modern Elementary Statistics*, 6th edition. Prentice-Hall, Inc., U.S.A.

Gyllensten, U.B. and Erlich, H.A. (1988). Generation of single-stranded DNA by the polymerase chain reaction and its application to direct sequencing of the *HLA-DQA* locus. Proc. Natl. Acad. Sci. U.S.A. **85**:7652-7656.

Hammer, M.F. and Horai, S. (1995). Y chromosomal DNA variation and the peopling of Japan. Am. J. Hum. Genet. **56**:951-962.

Hardman, N. (1986). Structure and function of repetitive DNA in eukaryotes. Biochem. J. **234**:1-11.

Higgs, D.R., Goodbourn, S.E.Y., Wainscoat, J.S., Clegg, J.B. and Weatherall, D.J. (1981). Highly variable regions of DNA flank the human α globin genes. Nucleic Acids Res. **9**:4213-4224.

Horai, S., Murayama, K., Hayasaka, K., Matsubayashi, S., Hattori, Y., Fuchareon, G., Harihara, S., Park, K.S., Omoto, K. and Pan, I-H. (1996). mtDNA polymorphism in East Asian populations, with special reference to the peopling of Japan. *Am. J. Hum. Genet.* **59**:579-590.

Huang, X.L., Tamaki, K., Yamamoto, T., Suzuki, K., Nozawa, H., Uchihi, R., Katsumata, Y. and Neil, D.L. (1996). Analysis of allelic structures at the D7S21 (MS31A) locus in the Japanese, using minisatellite variant repeat mapping by PCR (MVR-PCR). *Ann. Hum. Genet.* **60**:271-279.

Jeffreys, A.J. (1987). Highly variable minisatellites and DNA fingerprints. *Biochem. Soc. Trans.* **15**:309-317.

Jeffreys, A.J., Allen, M.J., Armour, J.A.L., Collick, A., Dubrova, Y., Fretwell, N., Guram, T., Jobling, M., May, C.A., Neil, D.L. and Neumann, R. (1995). Mutation processes at human minisatellites. *Electrophoresis* **16**:1577-1585.

Jeffreys, A.J., MacLeod, A., Tamaki, K., Neil, D.L. and Monckton, D.G. (1991). Minisatellite repeat coding as a digital approach to DNA typing. *Nature* **354**:204-209.

Jeffreys, A.J., Neumann, R. and Wilson, V. (1990). Repeat unit sequence variation in minisatellites: a novel source of DNA polymorphism for studying variation and mutation by single molecule analysis. *Cell* **60**:473-485.

Jeffreys, A.J., Royle, N.J., Wilson, V. and Wong, Z. (1988). Spontaneous mutation rates to new length alleles at tandem-repetitive hypervariable loci in human DNA. *Nature* **332**:278-281.

Jeffreys, A.J., Tamaki, K., MacLeod, A., Monckton, D.G., Neil, D.L. and Armour, J.A.L. (1994). Complex gene conversion events in germline mutation at human minisatellites. *Nature Genet.* **6**:136-145.

Jeffreys, A.J., Wilson, V. and Thein, S.L. (1985a). Hypervariable 'minisatellite' regions in human DNA. *Nature* **314**:67-73.

Jeffreys, A.J., Wilson, V. and Thein, S.L. (1985b). Individual-specific 'fingerprints' of human DNA. *Nature* **316**:76-79.

Jelinek, W.R. and Schmid, C.W. (1982). Repetitive sequences in eukaryotic DNA and their expression. *Ann. Rev. Biochem* **51**:813-844.

Kan, Y.W. and Dozy, A.M. (1978). Polymorphism of DNA sequence adjacent to human β -globin structural gene: relationship to sickle mutation. *Proc. Natl. Acad. Sci. U.S.A.* **75**:5631-5635.

Koh, C.L., Lim, M.E. and Jeffreys, A.J. (1993). *Hinf*I site variation in the DNA flanking the hypervariable minisatellite MS32 (locus D1S8) in the Malaysian population, p. 108-110. *In Abas, M. O. et al.* (eds.), *Prosiding Seminar Biotek. Kebang. Ke-V. MARDI, Selangor.*

Koh, C.L., Lim, M.E. and Jeffreys, A.J. (1994). *Hum*I site variation in the DNA flanking the hypervariable minisatellite MS32 (locus D1S8) in the Malaysian population, p. 237-239. *In Proc. of the 1st National Congress on Genetics, Genetics Society of Malaysia.*

Levinson, G. and Gutman, G.A. (1987). Slipped-strand mispairing: a major mechanism for DNA sequence evolution. *Mol. Biol. Evol.* **4**:203-221.

Litt, M. and Luty, J.A. (1989). A hypervariable microsatellite revealed by in vitro amplification of a dinucleotide repeat within the cardiac muscle actin gene. *Am. J. Hum. Genet.* **44**:397-401.

Maeda, N. (1985). Nucleotide sequence of the haptoglobin and haptoglobin-related gene pair. *J. Biol. Chem.* **260**:6698-6709.

Monckton, D.G. (1992). DNA sequence variation within and around human minisatellites. Thesis for Doctor of Philosophy, Department of Genetics, University of Leicester.

Monckton, D.G., Neumann, R., Guram, T., Fretwell, N., Tamaki, K., MacLeod, A. and Jeffreys, A.J. (1994). Minisatellite mutation rate variation associated with a flanking DNA sequence polymorphism. *Nature Genet.* **8**:162-170.

Monckton, D.G., Tamaki, K., MacLeod, A., Neil, D.L. and Jeffreys, A.J. (1993). Allele-specific MVR-PCR analysis at minisatellite DIS8. *Hum. Mol. Genet.* **2**:513-519.

Nakamura, Y., Julier, C., Wolff, R., Holm, T., O'Connell, P., Leppert, M. and White, R. (1987b). Characterization of a human 'midisatellite' sequence. *Nucleic Acids Res.* **15**:2537-2547.

Nakamura, Y., Leppert, M., O'Connell, P., Wolff, R., Holm, T., Culver, M., Martin, C., Fujimoto, E., Hoff, M., Kumlin, E. and White, R. (1987a). Variable number of tandem repeat (VNTR) markers for human gene mapping. *Science* **235**:1616-1622.

Neil, D.L. and Jeffreys, A.J. (1993). Digital DNA typing at a second hypervariable locus by minisatellite variant repeat mapping. *Hum. Mol. Genet.* **2**:1129-1135.

Proudfoot, N.J., Gil, A. and Maniatis, T. (1982). The structure of the human zeta-globin gene and a closely linked, nearly identical pseudogene. *Cell* **31**:553-563.

Royle, N.J., Clarkson, R.E., Wong, Z. and Jeffreys, A.J. (1988). Clustering of hypervariable minisatellites in the proterminal region of human autosomes. *Genomics* **3**:352-360.

Sambrook, J., Fritsch, E.F. and Maniatis, T. (1989). *Molecular Cloning, a Laboratory Manual*, 2nd edition. Cold Spring Harbor Laboratory Press, U.S.A.

Schmid, C.W. and Jelinek, W.R. (1982). The Alu family of dispersed repetitive sequences. *Science* **216**:1065-1070.

Singer, M.F. and Skowronski, J. (1985). Making sense out of LINES: long interspersed repeat sequences in mammalian genomes. *Trends Biochem.Sci.* **10**:119-122.

Smith, G.P. (1976). Evolution of repeated DNA sequences by unequal crossover. *Science* **191**:528-535.

Sokal, R.R. and Rohlf, F.J. (1981). *Biometry*, 2nd edition. W. H. Freeman and Company, San Francisco.

Tamaki, K., Huang, X.L., Yamamoto, T., Uchihi, R., Nozawa, H. and Katsumata, Y. (1995). Applications of minisatellite variant repeat (MVR) mapping for maternal identification from remains of an infant and placenta. *J. Forensic Sci.* **40**:695-700.

Tamaki, K., Monckton, D.G., MacLeod, A., Allen, M. and Jeffreys, A.J. (1993). Four-state MVR-PCR : increased discrimination of digital DNA typing by simultaneous analysis of two polymorphic sites within minisatellite variant repeats at D1S8. *Hum. Mol. Genet.* **2**:1629-1632.

Tamaki, K., Monckton, D.G., MacLeod, A., Neil, D.L., Allen, M. and Jeffreys, A.J. (1992). Minisatellite variant repeat (MVR) mapping: analysis of 'null' repeat units at D1S8. *Hum. Mol. Genet.* **1**:401-406.

Tautz, D., Trick, M. and Dover, G.A. (1986). Cryptic simplicity in DNA is a major source of genetic variation. *Nature* **322**:652-656.

Vergnaud, G., Mariat, D., Apiou, F., Aurias, A., Lathrop, M. and Lauthier, V. (1991). The use of synthetic tandem repeats to isolate new VNTR loci: cloning of a human hypermutable sequence. *Genomics* **11**:135-144.

Vogt, P. (1990). Potential genetic functions of tandem repeated DNA sequence blocks in the human genome are based on a highly conserved 'chromatin folding code'. *Hum. Genet.* **84**:301-336.

Waye, J.S. and Willard, H.F. (1986). Nucleotide sequence heterogeneity of alpha satellite repetitive DNA: a survey of aliphoid sequences from different human chromosomes. *Nucleic Acids Res.* **15**:7549-7568.

Weber, J.L. (1990). Informativeness of human (dC-dA).(dG-dT) polymorphisms. *Genomics* **7**:524-530.

Weber, J.L. and May, P.E. (1989). Abundant class of human DNA polymorphisms which can be typed using the polymerase chain reaction. *Am. J. Hum. Genet.* **44**:388-396.

Willard, H.F. (1990). Centromeres of mammalian chromosomes. *Trends Genet.* **6**:410-416.

Willard, H.F. (1991). Evolution of alpha satellite. *Curr. Opin. Genet. Dev.* **1**:509-514.

Williamson, R., Bowcock, A., Kidd, K., Pearson, P., Schmidtke, J., Ceverha, P., Chipperfield, M., Cooper, D.N., Coutelle, C., Hewitt, J., Klingler, K., Langley, K., Beckmann, J., Tolley, M. and Maidak, B. (1991). Report of the DNA Committee and catalogues of cloned and mapped genes, markers formatted for PCR and DNA polymorphisms. *Cytogenet. Cell Genet.* **58**:1190-1832.

Wong, Z., Wilson, V., Jeffreys, A.J. and Thein, S.L. (1986). Cloning a selected fragment from a human DNA 'fingerprint': isolation of an extremely polymorphic minisatellite. *Nucleic Acids Res.* **14**:4605-4616.

Wong, Z., Wilson, V., Patel, I., Povey, S. and Jeffreys, A.J. (1987). Characterization of a panel of highly variable minisatellites cloned from human DNA. *Ann. Hum. Genet.* **51**:269-288.

Wyman, A. and White, R. (1980). A highly polymorphic locus in human DNA. *Proc. Natl. Acad. Sci. U.S.A.* **77**:6754-6758.

Wyman, A.R., Wolfe, L.B. and Botstein, D. (1985). Propagation of some human DNA sequences in bacteriophage λ vectors requires mutant *Escherichia coli* hosts.

Proc. Natl. Acad. Sci. U.S.A. **82**:2880-2884.

Yamamoto, T., Tamaki, K., Kojima, T., Uchihi, R. and Katsumata, Y. (1994a). Potential forensic applications of minisatellite variant repeat (MVR) mapping using the polymerase chain reaction (PCR) at D1S8. *J. Forensic Sci.* **39**:743-750.

Yamamoto, T., Tamaki, K., Kojima, T., Uchihi, R., Katsumata, Y. and Jeffreys, A.J. (1994b). DNA typing of the D1S8 (MS32) locus by rapid detection minisatellite variant repeat (MVR) mapping using polymerase chain reaction (PCR) assay. *Forensic Sci. Int.* **66**:69-75.