

## REFERENCE

- Alongi, D. M., Chong, V. C., Dixon, P., Sasekumar, A. and Tirendi, F. The influence of fish cage aquaculture on pelagic carbon flow and water chemistry in tidally-driven mangrove estuaries of Peninsular Malaysia (in press).
- Annual Fisheries Statistics, 1983 – 1998. Annual Fisheries Statistics of Malaysia, Department of Fisheries, Ministry of Agriculture, Kuala Lumpur.
- Annual Fisheries Statistics for Perak State, 2000. Perak Fisheries Department, Perak Darul Ridzuan.
- Anon. (1987). Fish-farm impact study. Marine Pollution Bulletin, **18**: 573. (In S. S. DeSilva (ed), 1998).
- Armitage, P. D. (1978). Catches of invertebrate drift by pump and net. Hydrobiologia **60** : 229-233.
- Arvin, P. L. (1977). Introduction to the common marine zooplankton of Peninsular Malaysia. Division of Fisheries and Marine Science, Universiti Pertanian. Occasional Publication no. 1, November 1977.
- Aure, J. and Stigebrandt, A. (1990). Quantitative estimates of eutrophication effects of fish farming on fjords. Aquaculture **90**: 135-156. (In Holmer and Kristensen, 1992).
- Bakar, S. A. (1984). Uses of mangroves for aquaculture in Malaysia. 2<sup>nd</sup> Introductory Training Courses on Mangrove Ecosystem. Goa, India 1-25 November, 1984.
- Bennett, A. F. and Denman, K. L. (1985). Phytoplankton patchiness : inferences from particle statistics. J. Mar. Res., **43**: 307.
- Beveridge, M. C. M, Phillips M. J. and Clarke, R. M. (1991). A quantitative and qualitative assessment of wastes from aquatic animal production, pp 506-533. In Environmental Aquaculture in Developing Countries. Ed. by Pulin R. S. V., Rosenthal, H. and MacLaren, J. L., ICLARM, Phillipines.
- Beveridge, M. C. M. (1996). Cage Aquaculture, Oxford. Blackwell Science.
- Bookhout, C. G. and Costlow Jr., J. D. (1974). Larval development of *Portunus Spinicarpus* reared in the laboratory. Bull. Mar. Science **24** : 20-51.
- Boyd, C. E. (1999). Aquaculture sustainability and environmental issues. World Aquaculture **30** (2) : 10-13.

- Broad, A. C. (1957). Larval development of *Palaemonetes pugio* Holthuis. Biol. Bull. **112**: 144-161.
- Brummett, R. E. and Mattson, N. (1996). Zooplankton population periodicity in a tropical pond. Naga ICLARM Quarterly, Jan 1996.
- Chapman, V. J. (1984). Mangrove biogeography. (**Por and Dor (eds) 1984**).
- Chong, V. C. and Sasekumar, A. (1981). Food and Feeding Habits of the White Prawn *Penaeus merguensis*. Mar. Eco. Prog. Ser. **5**: 185-191.
- Chong, V. C. and Sasekumar, A. (1994). Status of mangrove fisheries in the ASEAN region. In Living Coastal Resources of Southeast Asia: Status and Development, pp. 56-61. Ed. by Wilkinson, C. R. Australian Institute of Marine Science, Australia,
- Chong, V. C. (1997). Mangrove-fisheries connection. In Refresher course on Wetlands and Coastal systems: Ecology and Management for IHE. Alumni (Asia) Kuala Lumpur, 17-28 November 1997.
- Chong, V. C. (1998). Coastal aquaculture development in Malaysia and its environmental impacts. In Workshop on aquaculture and its environmental problems in the Southeast Asian countries. 27 March 1998. JIRCAS Tsukuba, Japan.
- Chong, V. C., Sasekumar, A., Low, C. B. and Muhammad Ali, S. H. A. (1998). The physico-chemical environment of the Matang and Dinding mangroves (Malaysia). In Proceedings of Fourth JIRCAS Seminar on Productivity and Sustainable Utilization of Brackish Water Mangrove Ecosystems, 8-9 December 1998, Penang, Malaysia, 9pg. (ms).
- Chua, T. E. (1973). An ecological study of the Ponggol Estuary in Singapore. Hydrobiologia, **43**: 505-533.
- Clarke, K. R. (1993). Non-parametric multivariate analyses of changes in community structure. Australian Journal of Ecology, **18**: 117-143.
- Clarke, K. R. and Warwick, R. M. (1994). Similarity-based testing for community pattern: the two-way layout with no replication. Marine Biology, **118**: 167-176.
- Cole, B. E. and Cloern, J. E. (1984). Significance of biomass and light availability to phytoplankton productivity in San Francisco Bay. Mar. Ecol. Prog. Ser., **17** : 15.
- Conley, W. J. and Turner, J. T. (1985). Omnivory by the coastal marine copepods *Centropages hamatus* and *Labidocera aestiva*, Mar. Ecol. Prog. Ser., **21**: 113. (**In Kennish, M. J., 1990**).
- Costa-Pierce, B. A. (1996). Environmental impacts of nutrients from aquaculture: towards the evolution of sustainable aquaculture systems. In Aquaculture and

Water Resource Management, D. J. Baird, M. C. M. Beveridge and J. F. Muir, (pp. 81-113). Oxford: Blackwell Science.

- Csavas, I. (1994). The status and outlook of world aquaculture with special reference to Asia. Presented at the Aquatech '94 International Conference on Aquaculture, 29-31 August, 1994, Colombo, Sri Lanka. **(In DeSilva, 1998)**.
- Davies, J. and Claridge, G. (eds). (1993). Wetlands benefits: the potential for wetlands to support and maintain development. AWB Publication No. 87.
- De Silva, S.S. (ed) (1998). Tropical Mariculture. San Diego, Academic Press.
- Digby, P. G. N. and Kempton, R. A. (1996). Multivariate analysis of ecological communities. Chapman and Hall, U. K.
- Dixon, P. and Robertson, A. I. (1986). A compact, self-contained zooplankton pump for use in shallow coastal habitats: design and performance compared to net samples. *Mar. Eco. Prog. Ser.*, **32**: 97-100
- Elster, H. J. (1958). Zum Problem der quantitativen Methoden in der Zooplanktonforschung. *Verh. Int. Verein. Limnol.*, **13**(2): 961-973. **(In Armitage, 1978)**.
- Food and Agricultural Organization Aquaculture Production Statistics 1988-1997 (Food and Agricultural Organization, Rome, 1999). **(In Naylor et al., 2000)**.
- Ferrari, F. D. (1977). A Redescription of *Oithona dissimilis* Lindberg 1940 with a comparison to *Oithona hebes* Giesbrecht 1891 (Crustacea: Copepoda: Cyclopoida). *Proc. Biol. Soc. Wash.*, **90** (2): 400-411.
- Fermin, A. C. and Seronay, G. A. (1997). Effects of different illumination levels on zooplankton abundance, feeding periodicity, growth and survival of the Asian sea bass, *Lates calcarifer* (Bloch), fry in illuminated floating nursery cages. *Aquaculture*, **157**: 227-237.
- Forward, R. B., Jr., Cronin, T. W., and Stearns D. E. (1984). Control of diel vertical migration: photoresponses of a larval crustacean, *Limnol. Oceanogr.*, **29**: 146. **(In Kennish, 1990)**.
- Forward, R. B., Jr. (1985). Behavioural responses of larvae of the crab *Rhithropanopeus harrisi* (Brachyura: Xanthidae) during diel vertical migration, *Mar. Biol.*, **90**: 9. **(In Kennish, 1990)**.
- Forward, R. B., Jr. (1986). A reconsideration of the shadow response of a larval crustacean, *Mar. Behav. Physiol.*, **12**: 99. **(In Kennish, 1990)**.
- Forward, R. B., Jr. (1988). Diel vertical migration: zooplankton photobiology and behaviour. *Oceanogr. Mar. Biol. Annu. Rev.*, **26**: 361. **(In Kennish, 1990)**.

- Frid, C. L. J. and Merer, T. S. (1989). Environmental monitoring of caged fish farming in macrotidal environments. *Mar. Pollut. Bull.*, **20** (8): 379-383. **(In Holme and Kristensen, 1992).**
- Fulton, R. S. (1984). Predation, production and the organization of an estuarine copepod community, *J. Plankton Res.*, **6**: 399. **(In Kennish, 1990).**
- Gan, B. K. (1995). A Working Plan For The Matang Mangrove Forest Reserve Perak (4<sup>th</sup> edition) State Forestry Department of Perak Darul Ridzuan, Malaysia.
- Gosner, K. L. (1971). Guide to identification of marine and estuarine invertebrates. John Wiley and sons Inc. U. S. A.
- Goswami, S. C., (1984). Zooplankton of mangroves ecosystem. 2<sup>nd</sup> Introductory Training Courses on Mangrove Ecosystems. Goa, India 1-25 November 1984.
- Gowen, R. J. and Bradbury, N. B. (1987). The ecological impact of salmonid farming in coastal waters: a review. *Oceanogr. Mar. Biol. A. Rev.*, **25**: 563-575. **(In Holmer and Kristensen, 1992).**
- Grindley, J. R. (1981). Estuarine ecology with particular reference to South Africa (ed. Day, J. H.), A. A. Balkema, Rotterdam, (1981). 117-146. **(In Oka, 2000).**
- Grindley, J. R. (1984). The zooplankton of mangrove estuaries. **(In Por and Dor (eds), 1984).**
- Hamner, W. M. and Carleton, J. H. (1979). Copepod swarms : attributes and role in coral reef ecosystems. *Limnol. Oceanogr.* **24** : 1-14. **(In Robertson et al., 1988).**
- Handy, R. D. and Poxton, M. G. (1993). Nitrogen pollution in mariculture toxicity and excretion of nitrogenous compounds by marine fish. *Rev. Fish Biol. Fish.* **3** : 205-241.
- Harris, R. P. (1982). Comparison of the feeding behaviour of *Calanus* and *Pseudocalanus* in two experimentally manipulated enclosed ecosystem. *J. Mar. Bio. Ass. U.K.* **62**: 71. **(In Kennish, 1990).**
- Harris, R. P., Fortier, L. and Young R. K., (1986). A large volume pump system for studies of the vertical distribution of fish larvae under open sea conditions. *J. Mar. Bio. Ass. U.K.* **66**: 845-854.
- Heinle, D. R. (1969). Temperature and zooplankton, *Chesapeake Sci.*, **10**, 186, **(In Kennish, 1990).**
- Heinle, D. R., (1981). Zooplankton, in *Functional Adaptations of Marine Organisms*, Vernberg, F. J. and Vernberg, W. B., (Eds). Academic Press, New York, pp 85. **(In Kennish, 1990).**

- Heinle, D. R., Harris, R. P., Ustach, J. F. and Flemer, D. A. (1977). Detritus as food for estuarine copepods. *Mar. Biol.* **40**: 341-353.
- Herbst, H. V. (1957). Der Fallschopfer, ein Great zur quantitativen Zooplankton-Fang. *Arch. Hydrobiology*. **53**: 598-603. (In **Armitage, 1978**).
- Hillman-Kitalong, A. and Birkeland, C. (1987). Comparative biases from pushnet and pullnet zooplankton samples. *Mar. Ecol. Prog. Ser.*, **38**: 131-135.
- Hiroimi, J. (1981). Three species of Paracalanid copepods in the neighbouring waters of Japan. *Bulletin of Plankton Society of Japan*, **28** (2): 153-164.
- Holmer, M. and Kristensen, E. (1992). Impact of marine fish cage farming on metabolism and sulfate reduction of underlying sediments. *Mar. Ecol. Prog. Ser.*, **80**: 191-201.
- Icanberry, J. W. and Richardson, R. W. (1973). Quantitative sampling of live zooplankton with a filter-pump system. *Limnol. Oceanogr.*, **18**: 333-335.
- Ismail, A. H. (1999). Work plan on sustainable aquaculture industry in Malaysia. *In* First national symposium on aquaculture. "Sustainable Aquaculture and Food Production: The Integration of Aquaculture, Agriculture and Food Processing Industries in Malaysia. 22-24 Nov. University Science Malaysia and Department of Fisheries Malaysia.
- Iwama, G. I. (1991). Interactions between aquaculture and the environment. *Critical Reviews in Environmental Control*, **21**: 177-216. (In **Karakassis et al., 2000**).
- Jeffries, H. P. and Johnson, W. C., (1973). Distribution and abundance of zooplankton, in Coastal and Offshore Environmental Inventory: Cape Hatteras to Nantucket Shoals, *Marine Publ. Ser. No.2*, University of Rhode Island, Kingston, 4-1. (In **Kennish, 1990**).
- Karakassis, I., Tsapakis, M., Hatziyanni, E., Papdopoulou, K. N. and Plarti, W. (2000). Impact of cage farming of fish on the seabed in three Mediterranean coastal areas. *ICES Journal of Marine Science* **57**: 1462-1471.
- Kennish, M. J. (1989). *Practical Handbook of Marine Science*, CRC Press. Boca Raton, FL, Sect 8. (In **Kennish, 1990**).
- Kennish, M. J. (1990). *Ecology of the Estuaries. Volume II Biological Aspects*, CRC Press, United States.
- Lawson, T. J. and Grice, G. D. (1973). The developmental stages of *Paracalanus crassirostris* Dahl, 1894 (Copepoda, Calanoida).
- Legendre, L. and Legendre, P. (1998) *Numerical Ecology*. 2<sup>nd</sup> edition, Elsevier. New York, 853pp.

- Legendre, L. and Gallagher, E. Ecologically meaningful transformation for ordination of species data (in press).
- Leong, T. S. and Wong, S. Y. (1990) Parasites of healthy and diseased juvenile grouper (*Epinephelus malabaricus* Bloch and Schneider) and seabass (*Lates calcarifer* Bloch) in floating cages in Penang, Malaysia. *Asian Fishery Science*, **3**: 319-327. (In DeSilva (ed), 1998).
- Levinton, J. S., (1982). *Marine ecology*, Prentice-Hall, Englewood Cliffs, NJ.
- Lippson, A. J., Haire, M. S., Holland, A. F., Jacobs, F., Jensen, J., Moran-Johnson, R. L., Polgar, T. T., and Richkus, W. A., (1981) *Environmental Atlas of the Potomac Estuary*, Johns Hopkins University Press, Baltimore. (In Kennish, 1990).
- Madhupratap, M. and Haridas (1975). *Ind. J. Mar. Sci.* **4**: 77-85. (In Oka, 2000).
- Mazzola, A., Mirto, S., La Rosa, T., Fabiano, M. and Danovaro, R. (2000). Fish-farming effects on benthic community structure in coastal sediments: analysis of meiofaunal recovery. *ICES Journal of Marine Science*, **57**:1454-1461.
- McGhie, T. K., Crawford, C. M., Mitchell, I. M. and O'Brien, D. (2000). The degradation of fish-cage waste in sediments during fallowing. *Aquaculture*, **187**: 351-366.
- McLucsky, D. S. (1981). *The Estuarine Ecosystem*, Halsted Press, New York. (In: Kennish, 1990).
- McLaren, I. A. (1974). Demographic strategy of vertical migration by a marine copepod, *Am. Nat.*, **108**: 91. (In: Kennish, 1990).
- Miller, C. D. and Judkins, D. C. (1981). Design of pumping systems for sampling zooplankton, with descriptions of two high-capacity samplers for coastal studies. *Biol. Oceanogr.*, **1**: 29-56.
- Miller, C. B. (1983). The zooplankton of estuaries, in *Estuaries and Enclosed Seas*, Ketchum, B. H., Ed., Elsevier, Amsterdam, 103. (In: Kennish, 1990).
- Molver, J., Stigobrandt, A. and Bjerkenes, V. (1988). On the excretion of nitrogen and phosphorus from salmon. *Proceedings Aquaculture International Congress, Vancouver*, pp. 80. (In: DeSilva (ed),1998)
- Natin, P. (2001). Effects of fish cage culture on macrobenthos diversity and abundance in Matang mangrove estuary (Malaysia), *Master of Technology (Env. Mgmt) Thesis*. University of Malaya, Malaysia.
- National Agriculture Policy (1991-2010). Ministry of Agriculture, Kuala Lumpur.

- Naylor, R. L., Goldburg, R. J., Primavera, J. H., Kautsky, N., Beveridge, M. C. M., Clay, J., Folke C., Lubchenco, J. Mooney, H. and Troell, M. (2000). Effect of aquaculture on world fish supplies. *Nature*, **45**: 1017-1024.
- New, M. B. (1999). Global Aquaculture: current trends and challenges for the 21<sup>st</sup> century. *World Aquaculture*, **30** (1).
- Newell, G. E. and Newell, R. C. (1977). *Marine Plankton : A Practical Guide* (5<sup>th</sup> Edition). The Anchor Press, Great Britain.
- Newell, R. I. E., Marshall, N., Sasekumar, A. and Chong, V. C., (1995). Relative importance of benthic microalgae, phytoplankton and mangroves as sources of nutrition for penaeid prawns and other coastal invertebrates from Malaysia. *Mar. Bio.*, **123**: 595-606.
- Nie, P. and Yao, W. J. (2000). Seasonal population dynamics of parasitic copepods, *Sinergasilus* spp. On farmed fish in China. *Aquaculture*, **187**: 239-245.
- Nishida, S. and Ferrari, F. D. (1983). Redescription of *Oithona brevicornis* Giesbrecht, and *O. aruensis* Früchtl, new rank, with notes on the statue of *O. spinulosa* Lindberg. *Bulletin of Plankton Society of Japan*, **30** (1): 71-80.
- Oka, S., Saisho, T. and Hirota, R. (1991). *Pseudodiaptomus* (Crustacea, Copepoda) in the brackish waters of mangroves regions in the Nansei Islands, Southwestern Japan. *Bull. Biogeogr. Soc. Japan*, **46** (8): 83-88.
- Oka, S. (2000). Composition and distribution of zooplankton in the tropical brackish waters in Matang, Perak, Malaysia. *In* *Brackish Water Mangrove Ecosystem. Productivity and Sustainable Utilization*. JIRCAS International Workshop.
- Omori, M. and Hamner, W. M. (1982). Patchy distribution of zooplankton : behaviour, population assessment and sampling problems. *Mar. Bio.*, **72** : 193.
- Omori, M. and Ikeda, T. (1984). *Methods in marine zooplankton ecology*. John Wiley and Sons, U. S. A.
- Osore, M. K. W. (1992). A note on the zooplankton distribution and diversity in a tropical mangrove creek system, Gazi, Kenya. *In* *The ecology of mangrove and related ecosystems*. Ed. by Jaccarini, V. and Martens, E. *Hydrobiologia*, **247**: 119-120
- Parsons, T. R. (1984). *A manual of chemical and biological methods for seawater analysis*. Oxford : Pergamon 173p.
- Parsons, T. R. and Takahashi, M. (1973). *Biological oceanographic processes*, Pergamon Press, Great Britain. 186p.
- Phillips , M. and Beveridge, M. (1986). Cages and the effect on water condition. *Fish farmer* 9(3): 17-19. (**In DeSilva (ed), 1998**).

- Por, F. D. (1984). Notes on the benthic copepoda of the mangal ecosystem. **(In Por and Dor (ed), 1984).**
- Por, F. D. (1984). The ecosystem of the mangal : General considerations. **(In Por and Dor (ed), 1984).**
- Por, F. D. and Dor, I. (eds) (1984), Hydrobiology of the Mangal, Dr W. Junk Publishers, The Hague.
- Qian, P. Y., Wu, M. C. S. and Ni, I. N. (2001). Comparison of nutrients release among some maricultured animals. *Aquaculture*, **200**: 305-316.
- Rimner, M. A. and Russell, D. J. (1998). Aspects of the biology and culture of *Lates calcarifer*. **(In DeSilva (ed), 1998).**
- Robertson, A. I. and Alongi, D. M. (Eds.), (1992). Tropical mangrove ecosystems. Coastal and Estuarine Studies, 41. American Geophysical Union, Washington.
- Robertson, A. I., Dixon, P. and Daniel, P. A. (1988). Zooplankton dynamics in mangrove and other nearshore habitats in tropical Australia. *Mar. Ecol. Prog. Ser.*, **43**: 139-150.
- Robertson, A. I. and Blaber, S. J. M. (1992). Plankton, epibenthos and fish communities. *In Tropical mangrove ecosystems. Coastal and Estuarine Studies*, 41. Ed. by Robertson, A. I. and Alongi, D. M. American Geophysical Union, Washington: 173-224.
- Robertson, A. I. and Duke, N. C. (1987). Mangroves as nursery sites: comparisons of the abundance and species composition of fish and crustaceans in mangroves and other nearshore habitats in tropical Australia. *Mar. Bio.*, **96**: 193-205.
- Sarkar, S., Baidya, A., Bhunia, A. and Choudury, A. (1984). Zooplankton studies in the Hooghly estuary around Sagar Island, Sunderbans, India. *In Proc. Asian Symp. Mangrove. Env. – Res. and Manag.* pp. 286-297. Ed. by Soepadmo, E., Rao, A. N., Macintosh, D. J. Univ. of Malaya, Kuala Lumpur.
- Sasekumar, A., Chong, V. C. and H. R. Singh (1994a). The physical and chemical characteristics of the Matang Mangrove waters. *In Proceedings Third ASEAN-Australia Symposium on Living Coastal Resources. Vol. 2: Research Papers*, pp. 446-453. Ed. by Sudara, S., Wilkinson, C. R. and Chou, L. M. Chulalongkorn University, Bangkok, Thailand.
- Sasekumar, A., Chong, V. C. and Lim K. H. (1994). Status of mangrove finfish resources in ASEAN. *In Proceedings Third ASEAN-Australia Symposium on Living Coastal Resources. Vol. 2: Research Papers*, pp. 139-145. Ed. by Sudara, S., Wilkinson, C. R. and Chou, L. M. Chulalongkorn University, Bangkok, Thailand.



- Shanmugam, A. et. al., (1986). *Ind. J. Mar. Sci.*, **15**: 111-113. (In Oka, 2000).
- Singarajah, K. C. (1969). Escape reactions of zooplankton: the avoidance of a pursuing siphon tube. *J. Exp. Mar. Bio. Ecol.* **3** : 171-178.
- Sirota, A. (1966). The plankton of south Vietnam. Overseas Technical Cooperation Agency, Japan.
- Songsangjinda, P., Na-anan, P. and Tunvilai, D. (1993). Water and sediment quality in grouper cage culture area at Khlong Pakhara, Langu Districe, Satun Province. pp 421-448. *In* The Proceedings of Grouper Culture, November 30-December 1, Songkhla, pp. 112-119. National Institute of Coastal Aquaculture and Japan International Cooperation Agency. (In DeSilva, 1998).
- Stearns, D. E. (1986). Copepod grazing behaviour in simulated natural light and its relation to nocturnal feeding. *Mar. Ecol. Prog. Ser.*, **30**: 65.
- Stearns, D. E. and Forward Jr., R. B., (1984). Copepod photobehaviour in a simulated natural light environment and its relation to nocturnal vertical migration. *Mar. Biol.*, **82** : 91.
- Steele, J. H. (1978). Ed., Spatial pattern in plankton communities, Plenum Pres, New York. (In Kennish, 1990).
- Stickney, R. R. (1984). Estuarine Ecology of the Southeastern United States and Gulf of Mexico, Texas A & M University Press, College Station. (In: Kennish, 1990)
- Surtida, A. P. (2000). Realizing green aquaculture. *SEAFDEC Asian Aquaculture*, **22**(2).
- Swift, M. C. and Forward, R. B., Jr. (1988). Absolute light intensity vs. rate of relative change in light intensity: the role of light in the vertical migration of *Chaoborus punctipennis* larvae, *Bull. Mar. Sci.*, **43**: 604. (In Kennish, 1990)
- Tanaka, K. and Choo P.S. (2000) Influences of nutrient outwelling from the mangrove swamp on the distribution of phytoplankton in the Matang mangrove estuary, Malaysia. pp. 71-75. *In* Brackish Water Mangrove Ecosystems – Productivity and Sustainable Utilization, JIRCAS International Workshop.
- Tasaka, Y. (2000). Trends of aquaculture and land development regulation in Perak, Kedah and Pulau Pinang Malaysia. *In* Brackish Water Mangrove Ecosystem. Productivity and Sustainable Utilization. JIRCAS International Workshop. Water Mangrove Ecosystem. Productivity and Sustainable Utilization. JIRCAS International Workshop.
- ter Braak, C.J.F. and Smilauer, P. (1998). CANOCO Reference Manual and User Guide to Canoco for Windows – Software for Canonical Community Ordination (Version 4). Microcomputer Power. Ithaca, New York.

- Tide Tables of Malaysia 1999 and 2000. Hydrographic Branch, Naval Headquarters, Ministry of Defence, Kuala Lumpur.
- Todd, C. D., Laverack, M. S. and Boxshall (1996). Coastal Marine Zooplankton : A practical manual for students (2<sup>nd</sup> Edition). Cambridge University Press. Cambridge.
- Tonolli, V. (1971). Zooplankton in Chapter 1 Methods of collection. *In* A manual on methods for the assessment of secondary productivity in fresh waters. Ed. by W. T. Edmonson & G. G. Winberg, I. B. P. Blackwell Scientific Publications, Oxford.
- Tranter, D. J., Bullerd, N. C., Campbell, R., Higgins, H. W., Rowe, F., Tranter H. A., Smith D. F. (1981). Nocturnal movements of phototactic zooplankton in shallow waters. *Mar. Bio.*, **61** : 317-326.
- Trott, L. A. and Alongi, D. M. (1999). Variability in surface water chemistry and phytoplankton biomass in two tropical, tidally dominated mangrove creeks. CSIRO.
- Ueda, H. and Hiromi, J. (1987). The *Acartia plumosa* T. Scott species group (Copepoda, Calanoida) with a description of *A. tropican* sp. *Crustaceana* **53** (3) : 225-236.
- Ueda, H. (1987). Temporal and spatial distribution of the two closely related *Acartia* species *A. omorii* and *A. hudsonica* (Copepoda, Calanoida) in a small inlet water of Japan, *Estuarine Coastal Shelf Science*, **24**: 691.
- Underwood, G. J. C. and Kromkamp, J. (1999). Primary production by phytoplankton and microphytobenthos in estuaries. *Advances In Ecological Research*, **29**: 83-153.
- Varadachari, V. V. R. and Kesava Das, V. (1984). Physical aspects of mangrove environment. *In* 2<sup>nd</sup> Introductory Training Course on Mangrove Ecosystem Goa, India. 1-25 November, 1984.
- Waite, S. W., O'Grady, S. M. (1980). Description of a new submersible filter-pump apparatus for sampling plankton. *Hydrobiologia*, **74** : 187-191.
- Walter, T. C. (1984). New species of *Pseudodiaptomus* from the Indo-Pacific, with a calrification of *P. aurivilli* and *P. mertoni* (Crustacea: Copepoda: Calanoida). *Proc. Biol. Soc. Wash.*, **97**(2): 369-391.
- Walter, T. C. (1987). Review of the taxonomy and distribution of the demersal copepod genus *Pseudodiaptomus* (Calanoida: Pseudodiaptomidae) from Southern Indo-West Pacific Waters. *Aust. J. Mar. Freshw. Res.*, **38**: 363-396.
- Williams, C. J. (1985). A comparison of net and pump sampling methods in the study of chironomid larval drift. *Hydrobiologia*, **124**: 243-250.

- Williams, M. and Bimbao, M. (1998). Aquaculture the 1<sup>st</sup> frontier for sustainable security? Lecture at the 25th SEAFDEC/AQD anniversary, July 9, 1998. SEAFDEC AQD & ICLARM. In *Realizing green aquaculture by Surtida, A. P.* (2000). SEAFDEC Asian Aquaculture, **22** (2) : 26.
- Woodridge, T. (1977). *Zoologica Africa* **12**. 307-322. (In Oka, 2000).
- Wu, R. S. S., Lam, K. S., MacKay, D. W., Lau, T. C. and Yam, V. (1994). Impact of marine farming on water quality and bottom sediment: a case study in the sub-tropical environment. *Marine Environmental Research*, **38**: 115-145.
- Wu, R. S. S. (1995). The environmental impact of marine fish culture: towards a sustainable future. *Marine Pollution Bulletin*, **31**: 159 – 166.
- Yap Y. N. (1995). The biology of Sciaenid fishes in the Matang Mangrove waters. Master of Science Thesis, University Malaya, Malaysia.
- Yocum, W. L., Evans, M. S., Hawkins, B. E. (1978). A comparison of pump sampling systems for live zooplankton collection. *Hydrobiologia*, **60**: 199-202.
- Youngbluth, M. J. (1980). *Estuar. Coast. Mar. Sci.*, **10**: 265-287. (In Oka, 2000).
- Youngbluth, M. J. (1982). Sampling demersal zooplankton: a comparison of field collections using three different emergence traps. *J. Exp. Mar. Bio. Ecol.*, **61**: 111-124.
- Zar, J.H. (1998). *Biostatistical Analysis*. 4<sup>th</sup> Ed. Prentice-Hall, New Jersey, U.S.A.