

REFERENCES

- Abdul Rani, A. (1995), Environmental Pollution in Malaysia : Trends and Prospects, *Trends in Analytical Chemistry*, **14**(5), pp.234-248.
- Agamuthu, P. (2001) Solid Waste : Principles & Management with Malaysian Case Studies, Kuala Lumpur : Institute of Biological Science, University of Malaya, pp. 120-143.
- Albino, V., Cioffi, R., De Vito, B. and Santoro, L. (1996) Evaluation of Solid Waste Stabilization Processes by Means of Leaching Test, *Environ. Technol.*, **17**: 309-315.
- American Nuclear Society (ANS), (1986) Measurement of Leachability of Solidified Low-Level Radioactive Wastes by a Short-Term Procedure, LaGrange Park, IL, ANS-16-1, pp. 35.
- Ashbrook, P.C & Houts, T.A. (2000). Planning For Waste Minimization, *Chemical Health & Safety*, **7**(1), pp. 38.
- Atkins, W.S. (1994) Project Catalyst, Report to the Project Events, Manchester Airport, UK.
- Barth, E.F., (1990) An Overview of the History, Present Status and Future Direction of Solidification/Stabilization Technologies for Hazardous Waste Treatment, GCHSRC Second Annual Symposium: Mechanisms and Application of Solidification/Stabilization, Lamar University, Beaumont, USA.
- Beck, M. (1997) Waste Minimization Culture Pays Dividends at Walkers, *ICHEM Environmental Bulletin*, issues **49**:3-7.
- Batstone, R., Smith, J.E. and Wilson, D. (ed.) (1989) World Bank Technical Paper No. 93: The Safe Disposal of Hazardous Wastes, The Special Needs and Problems of Developing Countries, Vol. II: 176-203.
- Bishop, P.L. (1995) Contaminant Leaching from Solidified-Stabilized Wastes, In Solidification/Stabilization, pp.260.
- Biyani, R.K. and Fort, L.A. (1997) Report on Micro encapsulation of Surrogate Salt with Polyester Resins, Fluor Daniel Hanford, Inc., (Unreleased Report).
- Blackburn, W.B., Show, I., Williams, L., Taylor, D.R. and Marsden, P.J. (1988) Collaborative Study of the Toxicity Characteristic Leaching Procedure (TCLP), *Waste and Quality Assurance, ASTM STP 999*, D. Friedman (ed.), American Society for Testing and Materials, Philadelphia, pp. 14-61.

Brodersen, K., Hjelmal, O. and Mortensen, S. (1992) Cement Conditioning of Waste Materials and Polluted Soils Using the GEODUR Process, *Solidification/Stabilization of Hazardous, Radioactive and Mixed Wastes*, Gilliam T.M and Wiles C.C. (ed.), ASTM STP 1123, American Society for Testing and Materials, Philadelphia, PA, pp. 320-327.

Brown, R.E., Jindal, B.S., and Bulzan, J.D. (1992) A Critical Review of The Effectiveness of Solidification and Stabilization of Hazardous Organic Wastes, *Solidification/Stabilization of Hazardous, Radioactive and Mixed Wastes*, Gilliam T.M. and Wiles C.C. (ed.), ASTM STP 1123, American Society for Testing and Materials, Philadelphia, PA, pp. 43-60.

Chang, P.C, Nien, T.T., Benjamin, J.C., Chien, C.H. (2002), Development Trends in Taiwan's Opto-electronics Industry, *Technovation*, **22**(3), pp. 161-173.

Cioffi, R., Pasini, M., Caputo, D., and Colella, C. (1996) Evaluation of Mechanical and Leaching Properties of Cement-Based Solidified Materials Encapsulating Cd-Exchange Natural Zeolites, *Environ. Technol.*, **17**: 1215-1224.

Clark, J.H. (ed.) (1995) Chemistry of Waste Minimization, Blackie Academic and Professional, Chapman and Hall, Glasgow, pp. 20-30.

Clift, R. (1997) Clean Technology – The Idea and The Practice, *J. Chem. Tech. Biotechnol.*, **68**: 347-350.

Conner, J.R. (1990) Chemical Fixation and Solidification of Hazardous Wastes, Van Reinhold, New York, pp. 259-273, 351-363 and 454-464.

Crittenden, B. and Kolaczowski, S. (1995) Waste Minimization : A Practical Guide, Institution of Chemical Engineers, pp. 81.

Cullinane, M.J. and Jones, L.W. (1992) An Assessment of Short-term Penetration Testing as an Indicator of Strength Development in Solidified/Stabilized Hazardous Waste, *Solidification/Stabilization of Hazardous, Radioactive and Mixed Wastes*, Gilliam T.M. and Wiles, C.C. (ed.), ASTM STP 1123, American Society for Testing and Materials, Philadelphia, PA, pp. 385-393.

De Angelis, G., Marchetti, A. and Balzamo, S. (1992) Leach Studies: Influence of Various Parameters on the Leachability of Caesium from cemented BWR Evaporator Concentrates, *Solidification/Stabilization of Hazardous, Radioactive and Mixed Wastes*, Gilliam T.M. and Wiles C.C. (ed.), ASTM STP 1123, American Society for Testing and Materials, Philadelphia, PA, pp. 182-192.

De Franco, J. (1990) Solidification/Stabilization Techniques: Promising Treatment Technologies for Remediating Superfund Sites, In: Physical/Chemical Processes – Innovative Hazardous Waste Treatment Technologies Series, Freeman H.M. (ed.) pp.237-242

- De Groot, G.J. and Van der Sloot, H.A. (1992) Determination of Leaching Characteristics of Waste Materials Leading to Environmental Product Certification, *Solidification/Stabilization of Hazardous, Radioactive and Mixed Wastes*, Gilliam T.M. and Wiles C.C. (ed.), ASTM STP 1123, American Society for Testing and Materials, Philadelphia, PA, pp. 149-170.
- Dowie, W.A., McCartney, D.M., Tamm, J.A. (1998), A Case Study of an Institutional Solid Waste Environmental Management System, *Journal of Environmental Management*, **53**, pp. 137-146.
- Eighmy, T.T. & Kosson, D.S. (1996), USA National Overview on Waste Management, *Waste Management*, **16**(5-6), pp. 361-366.
- Englande, A.J. (1994) Status and Direction of Waste Minimization in the Chemical and Petrochemical Industries, *Water Science and Technology*, **29**(8): 25-36.
- Englehardt, J.D. (1994) Identifying Promising Pollution-Prevention Technologies, *J. Environmental Engineering*, **120**(3): 513-526.
- Fairchild Optoelectronics (K.L.) (2001) Report of Hazards In The 'Phase 6' Product Line.
- Freeman, H., Harten, T., Springer, J., Randall, P., Curren, M.A. and Stone, K. (1992) Industrial Pollution Prevention: A Critical Review, *J. Air Waste Manage Assoc.*, **42**: 616-656.
- Freeman, H.M. and Harris (1995) Solidification/Stabilization of Organics and Inorganics, In *Solidification/Stabilization*, pp. 261-273.
- Glasser, F.P. (1997) Fundamental Aspects of Cement Solidification and Stabilization, *J. Haz. Mat.*, **52**: 151-170.
- Global Environmental Center Foundation (GECF) (1995) Survey of On-Site Green Techniques in Japan, pp. 81.
- Goodrich, M. (1994) Waste Minimization. Proceeding of the Institution of Mechanical Engineers: Engineering for Profit from Waste IV, C493/031, pp. 203-208.
- Grube, W.E. (1992) Physical and Morphological Measures of Waste Solidification effectiveness of Environmental Control Technologies, Vol.5, waste Minimization and recycling, P.N. Cheremisinoff (ed.) Gulf Publishing Co., Houston, Texas, pp. 123-133.
- Haas, C.N. (1995) Hazardous and Industrial Waste Treatment, Englewood Cliffs, Prentice Hall, New Jersey, pp.363.
- Hebapuria, V.M. & Arafat, H.A. (1999), Immobilization of Phenol in Cement-Based Solidified/Stabilized Hazardous Wastes Using Regenerated Activated Carbon : Leaching Studies, *J.of Haz. Mat.*, **70**(3), pp. 117-138.

- Higgins, T.E. (1989) Hazardous Waste Management Handbook, Louis Publishers, pp.3-7.
- Hirschhorn, J.S. and Oldenburg, K.U. (1989) Waste Reduction Audits: Matching Types to Stages, *Hazardous and Industrial Solid Waste Minimization Practices*, ASTM STP 1043, R.A. Conway, J.H. Frick, D.J. Warner, C.C. Wiles and E.J. Duckett (eds) American Society for Testing and Materials, Philadelphia, PA, pp. 41-47.
- Hunt, G.E. and Schechter, R.N. (1995) Minimization of Hazardous Waste Generation, In : Standard Handbook of Hazardous Waste Treatment and Disposal, Freeman H.M. (ed.) McGraw Hill, pp. 5.3-5.27.
- Johnston, N. (1994) Waste Minimization, A Route to Profit and Cleaner Production, An Interim Report on The Aire and Calder Project, Center for Exploitation of Science and Technology, UK.
- Jones, L.W., Bricka, R.M. and Cullinane, M.J. (1992) Effects of Selected Waste Constituents on Solidified/Stabilized Waste Leachability, *Solidification/Stabilization of Hazardous, Radioactive and Mixed Wastes*, Gilliam T.M. and Wiles C.C. (ed.), ASTM STP 1123, American Society for Testing and Materials, Philadelphia, PA, pp. 193-203.
- Karen, H. (1991) Solid and Hazardous Waste Management, In Handbook of Environmental Health and Safety: Principles and Practices, Vol II, 2nd ed., Lewis Publisher, US, pp. 80-148.
- Kim, H.Y., Kim, K.H., Park, H.H. and Suh, I.S. (1992) Solidification of Dried Borate Waste with Polyester, *Solidification/Stabilization of Hazardous, Radioactive and Mixed Wastes*, Gilliam T.M. and Wiles C.C. (ed.), ASTM STP 1123, American Society for Testing and Materials, Philadelphia, PA, pp. 294-303.
- LaGrega, M.D., Buckingham, P.L., Evans, P.L. and The Environmental Resources Management Group (1994) Solidification/Stabilization, In Hazardous Waste Management, McGraw-Hill, pp. 641-703.
- Li, X.D., Poon, C.S., Sun, H., Lo, I.M.C., Kirk, D.W. (2001), Heavy Metal Speciation and Leaching Behaviours In Cement Based Solidified/Stabilized Waste Materials, *Journal of Hazardous Materials*, **82(3)**, pp.215-230.
- Lo, I.M.C., Mak, R.K. and Lee S.C.H. (1997) Modified Clays for Waste Contaminant and Pollution Attenuation, *J. Environmental Engineering*, **123(1)**: 25-32.
- Mahwar, R.S., Verma, N.K., Chakbarti, S.P., Biswas, D.K. (1997), Environmental Auditing Programme in India, *The Science of The Total Environment*, **204**, pp. 11-26.
- Malaysian Environmental Quality Report (2002) Department of Environment, Ministry of Environment, Malaysia.

- McGrath, C.(2001). Waste Minimisation in Practice, *Resources, Conservation & Recycling*, **32(3-4)**, pp. 227-238.
- Means, J.L., Smith, L.A., Nehring, K.W., Brauning, S.E., Gavaskar, A.R., Sass, B.M., Wiles, C.C. and Masni, C.I. (1995) The Application of Solidification/Stabilization to Waste Materials, Lewis Publisher, Cincinnati, Ohio, pp. 334.
- Morgan, I.L. and Bostick, W.D. (1992) Performance Testing of Grout- Based Forms for the Solidification of Anion Exchange Resins, *Solidification/Stabilization of Hazardous, Radioactive and Mixed Wastes*, Gilliam T.M. and Wiles C.C. (ed.), ASTM STP 1123, American Society for Testing and Materials, Philadelphia, PA, pp. 133-145.
- New Straits Times (5 Dec. 1997) Towards a Greener Bottomline.
- Petek, J. and Galvic, P. (1996) An Integral Approach to Waste Minimization in Process Industries, *Resources, Conservation and Recycling*, **17**: 169-188.
- Philips, P.S., Read, A.D., Green, A.E., Bates, M.P. (1999) UK Waste Minimization Clubs: A Contribution to Sustainable Waste Management – *Resources, Conservation & Recycling*, **27(3)**, pp217-247.
- Pojasek, R.B. (1979) Toxic and Hazardous Waste Disposal: Vol. 1, Processes for Solidification/Stabilization, Ann Arbor Science Publisher, Michigan, pp. 388.
- Pollard, S.J.T., Montgomery, D.M., Sollars, C.J., Perry, R. (1991) Organic Compound in The Cement-Based Stabilization/Solidification of Hazardous Mixed Wastes – Mechanistic and Process Considerations, *J. Haz. Mat.*, **28**: 313-327.
- Reynolds, C.C. (1991) Potential Problems Using the TCLP to Determine BDAT Compliance, *Environmental Progress*, **10(4)**: 319-322.
- Sastry, C.A. (1995) Waste Audit In Waste Treatment Plants, C.A. Sastry, M.A. Hashim and P. Agamuthu (eds.) John Wiley & Sons and Narosa Publishing House, New Delhi, pp.88-100.
- Sastry, C.A. (1995) Waste Minimization and Cleaner Technologies, In Waste Treatment Plants, C.A. Sastry, M.A. Hashim and P. Agamuthu (eds.) John Wiley & Sons and Narosa Publishing House, New Delhi, pp. 72-87.
- Sharma, H.D. and Lewis, S.P. (1994) Waste Containment System, Waste Stabilization and Landfills : Design and Evaluation, John Wiley and Sons, Inc. US. pp. 233.
- Shen, T.T. (1995) Industrial Pollution Prevention, Springer-Verlag, Berlin, pp.371.
- Shively, W., Bishop, P., Gress, D. and Brown, T. (1986) Leaching Tests of Heavy Metals Stabilized with Portland Cement, *J. Water Pollution Control Federation*, **58(3)**: 234-242.

Slater, S.A., Khan, J. and Smith, R.L. (1995) Transferring Waste Minimization Solutions Between Industrial Categories with A Unit Operation Approach: I. Chemical and Plating Industries, *J. Environ. Sci. Health*, **A30(2)**: 379-406.

Smith, M. (1997) A brief History of Waste Minimization, *ICHEME Environmental Protection Bulletin*, **48**: 8-14.

Soundarajan, R. (1992) Guidelines for Evaluation of The Performance of Solidification/Stabilization, *Solidification/Stabilization of Hazardous, Radioactive and Mixed Wastes*, Gilliam T.M. and Wiles C.C. (ed.), ASTM STP 1123, American Society for Testing and Materials, Philadelphia, PA, pp. 33-42.

Sora, N., Pelosta, R., Botta, D. (2002), Chemistry & Microstructure of Cement Paste Admixed With Organic Liquids, *Journal of European Ceramic Society*, **22(9-10)**, pp. 1463-1473.

Stegemann, J.A. and Cote, P.L. (1992) A Proposed Protocol for Evaluation of Solidified Waste, In: Proc. Cement Industry Solutions to Waste Management, October, 1992, Calgary, R.W. Piggot (ed.) CPCA, Toronto (Canada), pp. 1-12.

UNEP & UNIDO Environmental Management of Electronic Industry (1994)

UNEP Industry and Environment (1994) Cleaner Production in The Asia Pacific Economic Corporation Region.

UNEP Industry and Environment (1994) Cleaner Production Worldwide, Vol. II.

USEPA (1988) Waste Minimization Opportunity Assessment Manual, Hazardous Waste Engineering Research Laboratory, Office of Research Laboratory, US Environmental Protection Agency, Cincinnati, OH

USEPA (1990) Waste Audit Guidelines, Publication No. 277, pp. 27.

USEPA, Engineering Bulletin (1992) Solidification/Stabilization of Organics and Inorganics, EPA/540/S-92/015. Cincinnati, OH: US Environmental Protection Agency, Office of Research and Development.

USEPA Office of Compliance Sector Notebook Project Profile of The Electronics & Computer Industry (1995).

USEPA (1996) Process for Specific Low-Level Mixed Waste (LLMW), Office of Remediation and Indoor Air (ORIA), US Environmental Protection Agency, Cincinnati, OH.

USEPA, Engineering Bulletin (1997) Technology Alternatives for The Remediation of Soils Contaminated with As, Cd, Cr, Hg and Pb. EPA/540/S-97/500, Cincinnati, OH: US Environmental Protection Agency, Office of Emergency and Remedial Response.

Vipulanandan, C. and Krishnan, S. (1990) Solidification/Stabilization of Phenolic Waste with Cementitious and Polymeric Materials. *J. Haz. Mat.*, **24**: 123-136.

Weitz, B. (2000), Electronic Retailing : Market Dynamics & Entrepreneurial Opportunities, *Advance in The Study of Entrepreneurship, Innovation & Economic Growth*, **12**, pp. 209-232.

Wiles, C.C. (1989) Solidification and Stabilization Technology, In *Standard Handbook of Hazardous Waste treatment and Disposal*, Freeman H.M. (ed) pp. 7.85-7.101.

Wiles, C.C and Barth, E. (1992) Solidification/Stabilization : Is Always Appropriate? *Solidification/Stabilization of Hazardous, Radioactive and Mixed Wastes*, Gilliam T.M. and Wiles C.C. (ed.), ASTM STP 1123, American Society for Testing and Materials, Philadelphia, PA, pp. 18-32.

Zamorani, E. (1994) Waste Stabilization Processes, in *Environmental Management*, A. Avogadro and R.C. Ragini (eds.) Netherlands, pp. 177-189.