

REFERENCES

REFERENCES

- Ablashi, D.V., Salahuddin, S.Z., Josephs, S.F., Imam, F., Lusso, P., Gallo, R.C., Hung, C., Lemp, J., and Markham, P.D. (1987). HBLV (or HHV-6) in human cell lines. *Nature* 329 : 207.
- Ablashi, D.V., Josephs, S.F., Buchbinder, A., Hellman, K., Nakamura, S., Llana, T., Lusso, P., Kaplan, M., Dahlberg, J., Memon, S., Imam, F., Ablashi, K.L., Markham, P., Kramarsky, B., Krueger, G.R.F., Biberfeld, P., Wong-Staal, F., Salahuddin, S.Z. and Gallo, R.C. (1988a). Human B-lymphotropic virus (HHV-6). *J. Virol. Methods* 21 : 29-48.
- Ablashi, D.V., Lusso, P., Hung, C., Salahuddin, S.Z., Josephs, S.F., Llana, T., Kramarsky, B., Biberfeld, P., Markham, P.D. and Gallo, R.C. (1988b). Utilization of human hematopoietic cell lines for propagation and characterization of HBLV (HHV-6). *Int. J. Cancer* 42 : 670-676.
- Ablashi, D.V., Balachandran, N., Josephs, S.F., Hung, C., Krueger, G., Kramarsky, B., Salahuddin, S.Z. and Gallo, R.C. (1991). Genomic polymorphism, growth properties and immunologic variations in human herpesvirus-6 isolates. *Virology* 184 : 545-553.
- Ablashi, D.V. and Salahuddin, S.Z. (1992). Biology and strain variants In *HHV-6: Epidemiology, Molecular Biology and Clinical Pathology*. (Eds. Ablashi, Krueger, Salahuddin) pp. 69-79. Elsevier Science Publishers.
- Ablashi, D.V., Agut, H., Berneman, Z., Campadelli-Fiume, G., Carrigan, D., Ceccerini-Nelli, L., Chandran, B., Chou, S., Collandre, H., Cone, R., Dambaugh, T., Dewhurst, S., DiLuca, D., Foa-Tomasi, L., Fleckenstein, B., Frenkel, N., Gallo, R.C., Gompels, U., Hall, C., Jones, M., Lawrence, G., Martin, M., Montagnier, L., Neipel, F., Nicholas, J., Pellett, P., Razzaque, A., Torelli, G., Thomson, B., Salahuddin, S.Z., Wyatt, L. and Yamanishi K. (1993). Human herpesvirus-6 strain groups : a nomenclature. *Arch. Virol.* 129 : 363-366.
- Ablashi, D.V., Berneman, Z.N., Lawyer, C., Kramarsky, B., Ferguson, D.M. and Komaroff, A.L. (1994a). Antiviral activity *in vitro* of Kutapressin against human herpesvirus-6. *in vivo* 8 : 581-586.

- Ablashi, D.V., Berneman, Z.N., Williams, M., Strayer, D.R., Kramarsky, B., Suhadolnik, R.J., Reichenbach, N., Hiltzges, P. And Komaroff, A.L. (1994b). Ampligen inhibits human herpesvirus-6 *in vitro*. *in vivo* 8 : 587-592.
- Ablashi, D.V., Ablashi, K.L., Kramarsky, B., Bernbaum, J., Whitman, J. And Pearson, G. (1995a). Viruses and chronic fatigue syndrome: current status. *J. Chronic Fatigue Syndrome* 1 (2) : 3-22.
- Ablashi, D.V., Bernbaum, J. And DiPaolo, J.A. (1995b). Human herpesvirus 6 as a potential copathogen. *Trends in Microbiology* 3 (8) : 324-327.
- Ablashi, D.V., Berneman, Z.N., Kramarsky, B., Whitman, J., Asano, Y. And Pearson, G.R. (1995c). Human herpesvirus 7 (HHV-7): Current status. *Clin. Diagnostic Virol.* 4 :1-13.
- Adler, S.P., McVoy, M., Chou, S., Hempfling, S., Yamanishi, K. and Britt, W. (1993). Antibodies induced by a primary cytomegalovirus infection react with human herpesvirus-6 proteins. *J. Inf. Dis.* 168 : 1119-1126.
- Agulnick, A., Thompson, J., Iyengar, S., Pearson, G., Ablashi, D.V. and Ricciardo, R. (1993). Identification of a DNA-binding protein of human herpesvirus 6, a putative DNA polymerase stimulatory factor. *J. Gen. Virol.* 74 : 1003-1009.
- Agut, H., Guetard, D., Collandre, H., Dauguet, C., Montagnier, L., Miclea, J.M., Baurmann, H. and Gessain, A. (1988) Concomitant infection by human herpesvirus 6, HTLV-1 and HIV-2. *Lancet* 1 : 712
- Agut, H., Collandre, H., Aubin, J.T., Guetard, D., Favier, V., Ingrand, D., Montagnier, I. and Huraux, J.M. (1989). *In vitro* sensitivity of HHV-6 to antiviral drugs. *Res. Virol.* 140 : 219-228.
- Agut, H. (1993). Puzzles concerning the pathogenicity of human herpesvirus 6. *N. Engl. J. Med.* 329 (3) : 203-204.
- An, S.F. and Fleming, K. A. (1991). Removal of inhibitor(s) of the PCR from formalin-fixed, paraffin-embedded tissues. *J. Clin. Pathol.* 44 : 924-927.

- Araujo, J., Doniger, J., Kashanchi, F., Hermonat, P., Thompson, J. and Rosenthal, L. (1995). Human herpesvirus 6A *ts* suppresses both transformation by H-ras and transcription by the H-ras and Human Immunodeficiency Virus Type 1 promoters. *J. Virology* 69 (8) : 4933-4940.
- Asano, Y., Suga, S., Yoshima, T., Urisu, A. and Yazaki, T. (1989). Human herpesvirus type 6 infection (exanthem subitum) without fever. *J. Pediatrics* 115 : 264-265.
- Asano, Y., Yoshikawa, T., Suga, S., Yazaki, T., Kondo, K. and Yamanishi, K. (1990a). Fatal fulminant hepatitis in an infant with human herpesvirus-6 infection. *Lancet* 1 : 862-863.
- Asano, Y., Yoshikawa, T., Suga, S., Yazaki, T., Ozaki, T., Saito, Y., Hatano, Y. and Takahashi, M. (1990b). Enzyme-linked immunosorbent assay for detection of IgG antibody linked to human herpesvirus-6. *J. Med. Virol.* 32 : 119-123.
- Asano, Y., Yoshikawa, T., Suga, S., Nakahima, T., Yazaki, T., Fukuda, M., Komjima, S. and Matsuyama, T. (1991a). Reactivation of HHV-6 in children receiving bone marrow transplants for leukemia. *N. Engl. J. Med.* 324 : 634-635.
- Asano, Y., Nakashima, T., Yoshikawa, T., Suga, S. and Yazaki, T. (1991b). Severity of human herpesvirus-6 viremia and clinical findings in infants with exanthem subitum. *J. Pediatrics* 118 : 891-895.
- Aubin, J.T., Collandre, H., Candotti, D., Ingrand, D., Rouzioux, C., Burgard, M., Richard, S., Huraux, J.M. and Agut, H. (1991). Several groups among HHV-6 strains can be distinguished by Southern blotting and PCR. *J. Clin. Microbiol.* 29 (2) : 367-372.
- Aubin, J., Poirel, L., Agut, H., Huraux, J.M., Bignozzi, C., Brossard, Y., Mulliez, N., Roume, J., Lecuru, F. and Tourelle, R. (1992). Intrauterine transmission of human herpesvirus-6. *Lancet* 340 : 482-483.
- Aubin, J.T., Agut, H., Collandre, H., Yamanishi, K., Chandran, B., Montagnier, L. and Huraux, J.M. (1993). Antigenic and genetic differentiation of the two putative types of HHV-6. *J. Virol. Methods* 41 : 223-234.

- Aubin, J.T., Poirel, L., Robert, C., Huraux, J.M. and Agut, H.** (1994). Identification of human herpesvirus 6 variants A and B by amplimer hybridization with variant-specific oligonucleotides and amplification with variant-specific primers. *J. Clin. Microbiol.* **32** (10) : 2434-2440.
- Balachandran, K., Na Ayuthaya, P., Auwanit, W., Jayavasu, C., Okuno, T., Yamanishi, K. and Takahashi, M.** (1989). Prevalence of antibody to HHV-6 in women and children. *Microbiol. Immunol.* **33** (6) : 515-518.
- Balachandran, N., Amelse, R., Zhou, W. and Chang, C.** (1989). Identification of proteins specific for human herpesvirus 6-infected human T cells. *J. Virol.* **63** : 2835-2840.
- Balachandran, N., Tirwatnapong, S., Pfeiffer, B., Ablashi, D.V. and Salahuddin, S.Z.** (1991). Electrophoretic analysis of HHV-6 polypeptides immunoprecipitated from infected cells with human sera. *J. Infect. Dis.* **163** : 29-34.
- Balachandran, N.** (1992). Proteins of human herpesvirus-6. In **HHV-6: Epidemiology, Molecular Biology and Clinical Pathology.** (Eds. Ablashi, Krueger, Salahuddin) pp. 97-120. Elsevier Science Publishers.
- Berenson, J.R., Yang, J. and Mickel, R.A.** (1989). Frequent amplification of the *bcl-1* locus in head and neck squamous cell carcinomas. *Oncogene* **4** : 1111-1116.
- Berneman, Z.N. and Ablashi, D.V.** (1992). Molecular biology of human herpesvirus-6 (HHV-6). In **HHV-6: Epidemiology, Molecular Biology and Clinical Pathology.** (Eds. Ablashi, Krueger, Salahuddin) pp. 81-96. Elsevier Science Publishers.
- Berneman, Z.N., Ablashi, D.V., Li, G., Eger-Fletcher, M., Reitz, M.S., Hung, C.L., Brus, I., Komaroff, A.L. and Gallo, R.C.** (1992). Human herpesvirus 7 is a T lymphotropic virus and is related to, but significantly different from human herpesvirus 6 and human cytomegalovirus. *Proc. Natl. Acad. Sci. USA* **89** : 10552-10556.
- Berneman, Z.N., Saxinger, C., Hall, L., Gallo, R.C. and Reitz, M.S.** (1995). Sequence analysis and mapping of the genome of human herpesvirus 7 (HHV-7). In **Abstracts of the International conference on Human herpesviruses 6 and 7.** pp.15. Centers for Disease Control and Prevention, Atlanta.

- Biberfeld, P., Kramarsky, B., Salahuddin, S.Z. and Gallo, R.C. (1987). Ultrastructural characterization of a new human B-lymphotropic DNA virus (HBLV) isolated from patients with lymphoproliferative disease. *J. Natl. Cancer Inst.* **79** : 933-941.
- Biberfeld, P., Petren, A.L., Ehlund, A., Lindemalm, A., Barkhem, T., Ekman, M., Ablashi, D.V. and Salahuddin, S.Z. (1988). Human herpesvirus (HHV-6, HBLV) in sarcoidosis and lymphoproliferative disorders. *J. Virol. Methods* **21** : 49-59.
- Black, J.B., Lopez, C. and Pellett, P.E. (1991). Induction of host cell protein synthesis by human herpesvirus 6. *Virus Res.* **22** : 13-23.
- Black, J.B., Inoue, N., Kite-Powell, K., Zaki, S. and Pellett, P.E. (1993). Frequent isolation of human herpesvirus 7 from saliva. *Virus Res.* **29** : 91-98.
- Boehringer Mannheim (1989). *Dig. DNA labelling and detection (Non-radioactive)* Biochemica, Germany.
- Boehringer Mannheim (1993). *The Dig System user's guide for filter hybridization.* Biochemica, Germany.
- Boenisch, T. (1989a). Antibodies. In *Immunochemical Staining Methods.* (Ed. Naish, S.J.) pp. 1-6. Dako Corp., Carpinteria, California.
- Boenisch, T. (1989b). Basic immunochemistry. In *Immunochemical Staining Methods.* (Ed. Naish, S.J.) pp. 7-8. Dako Corp., Carpinteria, California.
- Bovenzi, P., Mirandola, P., Secchiero, P., Strumia, R., Cassai, E. and DiLuca, D. (1993). Human herpesvirus 6 (variant A) in Kaposi's sarcoma. *Lancet* **341** : 1288-1289.
- Bresters, D., Schipper, M., Reesink, H., Boeser-Nunnink, B. and Cuypers, H. (1994). The duration of fixation influences the yield of HCV cDNA-PCR products from formalin-fixed, paraffin-embedded liver tissue. *J. Virol. Methods* **48** : 267-272.
- Briggs, M., Fox, J. and Tedder, R.S. (1988). Age prevalence of antibody to HHV-6. *Lancet* **2** : 1058-1059.

- Brinton, L.A., Schairer, C., Haenszel, W., Stolley, P., Lehman, H.F., Levine, R. and Savitz, D.A. (1986). Cigarette smoking and invasive cervical cancer. *J. Am. Med.* **225** : 3265-3269.
- Brock, T.D. and Madigan, M.T. (1991). Viruses. In *Biology of Microorganisms*. pp. 181-234. Science Tech. Publishers, Prentice-Hall Intl. Inc.
- Brown, N., Kovacs, A., Lui, C., Hur, C., Zaia, J. and Mosley, J. (1988). Prevalence of antibody to human herpesvirus 6 among blood donors infected with HIV. *Lancet* **ii** : 1146.
- Buchbinder, A., Josephs, S.F., Ablashi, D.V., Salahuddin, S.Z., Klotman, M.E., Manak, M., Krueger, G.R.F., Wong-Staal, F. and Gallo, R.C. (1988). PCR amplification and *in situ* hybridization for the detection of HBLV. *J. Virol. Methods* **21** : 191-197.
- Buchbinder, A., Ablashi, D.V., Saxinger, C., Josephs, S.F., Salahuddin, S.Z., Gallo, R.C., Biberfeld, P. and Linde, A. (1989). Human herpesvirus-6 and cross-reactivity with other herpesviruses. *Lancet* **1** : 217.
- Campadelli-Fiume, G., Guerrini, S., Xiaoming, L. and Foa-Tomasi, L. (1993). Monoclonal antibodies to glycoprotein B differentiate human herpesvirus-6 into two clusters, variant A and B. *J. Gen. Virol.* **74** : 2257-2262.
- Carrigan, D.R., Drobyski, W.R., Russler, S.K., Topper, M.A., Knox, K.K. and Ash, R.C. (1991). Interstitial pneumonitis associated with human herpesvirus-6 infection after marrow transplantation. *Lancet* **338** : 147-149.
- Caserta, M.T. and Hall, C.B. (1993). Human herpesvirus-6. *Annu. Rev. Med.* **44** : 377-383.
- Challoner, P.B., Smith, K.T., Parker, D.L., Coulter, S.N., Rose, T.M., Schultz, E.R., Bennett, J.L., Garber, R.L., Chang, M., Schad, P.A., Stewart, P.M., Nowinski, R.C., Brown, J.P. and Burmer, G.C. (1995). Plaque-associated expression of human herpesvirus 6 in multiple sclerosis. *Proc. Natl. Acad. Sci. USA* **92** : 7440-7444.

- Chandran, B., Tirawatnapong, S., Pfeiffer, B. and Ablashi, D.** (1992). Antigenic relationships among human herpesvirus-6 isolates. *J. Med. Virol.* **37** : 247-254.
- Chang, C. and Balachandran, N.** (1991). Identification, characterization and sequence analysis of a cDNA encoding a phosphoprotein of human herpesvirus-6. *J. Virol.* **65** : 2884-2894.
- Chee, M. and Barrell, B.** (1990). Herpesviruses : a study of parts. *Trends in Genetics* **6** : 86-91.
- Chee, M., Bankier, A., Beck, S., Bohni, R., Brown, C., Cerney, R., Horsnell, T., Hutchinson, C., Kouzarides, T., Martignetti, J., Preddie, E., Satchwell, S., Tomlinson, P., Weston, K. and Barrell, B.** (1990). Analysis of the protein coding content of the sequence of human cytomegalovirus strain AD169. *Curr. Top. Microbiol. Immunol.* **154** : 125-169.
- Chen, M., Popescu, N., Woodworth, C., Berneman, Z., Corbellino, M., Lusso, P., Ablashi, D.V. and DiPaolo, J.A.** (1994a). Human herpesvirus-6 infects epithelial cells and transactivates human papillomavirus gene expression. *J. Virol.* **68** : 1173-1178.
- Chen, M., Wang, H., Woodworth, C., Lusso, P., Berneman, Z., Kingma, D., Delgado, G. and DiPaolo, J.A.** (1994b). Detection of Human herpesvirus-6 and Human papillomavirus-16 in cervical carcinoma. *Am. J. Pathol.* **145** (6) : 1509-1516.
- Chou, S.W. and Scott, K.M.** (1990). Rises in antibody to human herpesvirus 6 detected by enzyme immunoassay in transplant recipients with primary cytomegalovirus infection. *J. Clin. Microbiol.* **28** : 851-854.
- Chou, S. and Marousek, G.** (1992). Homology of the envelope glycoprotein B of human herpesvirus-6 and cytomegalovirus. *Virology* **191** : 523-528.
- Chou, S. and Marousek, G.** (1994). Analysis of interstrain variation in a putative immediate-early region of human herpesvirus-6 DNA and definition of variant-specific sequences. *Virology* **198** : 370-376.

- Cirone, M., Zompetta, C., Angeloni, A., Ablashi, D.V., Salahuddin, S.Z., Pavan, A., Torrisi, M.R., Frati, L. and Faggioni, A.** (1992). Infection by human herpesvirus-6 (HHV-6) of human lymphoid T cells occurs through an endocytic pathway. *AIDS Res. Hum. Retroviruses* **8** : 2031-2037.
- Clark, D.A., Alexander, F.E., McKinney, P.A., Roberts, B.E., O'Brien, C., Jarrett, R.F., Cartwright, R.A. and Onions, D.E.** (1990). The seroepidemiology of HHV-6 from a case-control study of leukaemia and lymphoma. *Intl. J. Cancer* **45** : 829-833.
- Collandre, H., Aubin, J.T., Agut, H., Bechet, J.M. and Montagnier, L.** (1991). Detection of HHV-6 by the polymerase chain reaction. *J. Virol. Methods* **31** : 171-180.
- Cone, R.W., Hackman, R.C., Huang, M.L., Bowden, R.A., Meyers, J.D., Metcalf, M., Zeh, J., Ashley, R. and Corey, L.** (1993). Human herpesvirus 6 in lung tissue from patients with pneumonitis after bone marrow transplantation. *N. Engl. J. Med.* **329** : 156-161 (1993).
- Corbellino, M., Lusso, P., Gallo, R.C., Parravicini, C., Galli, M. and Moroni, M.** (1993). Disseminated human herpesvirus-6 infection in AIDS. *Lancet* **342** : 1242.
- Dalgleish, A.G., Beverley, P., Clapham, P., Crawford, D., Greaves, M. and Weiss, R.** (1984). The CD4 (T4) antigen is an essential component of the receptor for the AIDS retrovirus. *Nature* **312** : 763-766.
- Davison, A. and McGeoch, D.** (1986). Evolutionary comparisons of the S segments of the genomes of herpes simplex virus type 1 and varicella-zoster virus. *J. Gen. Virol.* **67** : 597-611.
- Dewhurst, S., Chandran, B., McIntyre, K., Schnabel, K. and Hall, C.** (1992) Phenotypic and genetic polymorphisms among Human herpesvirus-6 isolates from North American infants. *Virology* **190** : 490-493.
- Dewhurst, S., McIntyre, K., Schnabel, K. and Hall, C.B.** (1993). Human herpesvirus 6 (HHV-6) variant B accounts for the majority of symptomatic primary HHV-6 infections in a population of U.S. infants. *J. Clin. Microbiol.* **31** (2) : 416-418.
- Dewhurst, S., Krenitsky, D. and Dykes, C.** (1994). Human herpesvirus 6B origin : sequence diversity, requirement for two binding sites for origin-

- binding protein, and enhanced replication from multimers. *J. Virol.* **68** (10) : 6799-6803.
- DiLuca, D., Katsafanas, G., Schirmer, E.C., Balachandran, N. and Frenkel, N.** (1990). The replication of viral and cellular DNA in human herpesvirus-6-infected cells. *Virology* **175** : 199-210.
- DiLuca, D., Mirandola, P., Secchiero, P., Cermelli, C., Aleotti, A., Bovenzi, P., Portolani, M. and Cassai, E.** (1992). Characterization of human herpesvirus-6 strains isolated from patients with exanthem subitum with or without cutaneous rash. *J. Infect. Dis.* **166** (3) : 689.
- DiPaolo, J.A., Popescu, N.C., Ablashi, D.V., Lusso, P., Zimonjic, D.B. and Woodworth, C.D.** (1994). Multistage carcinogenesis utilizing human genital cells and human papillomaviruses. *Toxicol. Lett.* **72** (1-3) : 7-11.
- Dolan, A., Arbuckle, M. and McGeoch, D.** (1991). Sequence analysis of the splice junction in the transcript of herpes simplex virus type 1 gene UL15. *Virus Res.* **20** : 97-104.
- Downing, R.G., Sewankambo, N., Serwadda, D., Honess, R., Crawford, D., Jarrett, R. and Griffin, B.E.** (1987). Isolation of human lymphotropic herpesviruses from Uganda. *Lancet* **ii** : 390.
- Drobyski, W.R., Knox, K.K., Majewski, A. and Carrigan, D.R.** (1994). Fatal encephalitis due to variant B human herpesvirus-6 infection in a bone marrow transplant recipient. *N. Engl. J. Med.* **330** : 1356-1360.
- Dunne, W. and Jevon, M.** (1993). Examination of human breast milk for evidence of human herpesvirus 6 by polymerase chain reaction. *J. Inf. Dis.* **168** : 250.
- Efstathiou, S., Gompels, U.A., Craxton, M.A., Honess, R.W. and Ward, K.** (1988). DNA homology between a novel human herpesvirus (HHV-6) and Human Cytomegalovirus. *Lancet* **1** : 63-64.
- Eizuru, Y., Minematsu, T., Minamishima, Y., Kikuchi, M., Yamanishi, K., Takahashi, M. and Kurata, T.** (1989). HHV-6 in lymph nodes. *Lancet* **1** : 40.

- Ellinger, K., Neipel, F., Foa-Tomasi, L., Campadelli-Fiume, G. and Fleckenstein, B.** (1993). The glycoprotein B homologue of human herpesvirus-6. *J. Gen. Virol.* **74** : 495-500.
- Ensoli, B., Colombini, S., Chang, H.S., Gendelman, R. and Gallo, R.C.** (1995). Pathogenesis of AIDS-associated Kaposi's sarcoma (KS): Role of cytokines, HIV Tat and of a new herpes-like virus. In *Abstracts of the International Conference on Human herpesviruses 6 and 7*. pp. 44. Centers for Disease Control and Prevention, Atlanta.
- Epstein, M.A. and Anchong, B.C.** (1979). Morphology of the virus and virusinduced cytopathologic changes. In *The Epstein-Barr Virus*. (Eds. Epstein and Anchong) pp. 23-37. Springer-Verlag, New York.
- Eveson, J.W.** (1983). Oral premalignancy. *Cancer Surveys* **2** : 403-424.
- Farmilo, A.J. and Stead, R.H.** (1989). Fixation in immunocytochemistry. In *Immunochemical Staining Methods*. (Ed. Naish, S.J.) pp. 24-29. Dako Corp., Carpinteria, California.
- Field, J., Spandidos, D.A., Malliri, A., Yiagnisis, M., Gosney, J.R. and Stell, P.M.** (1991). Elevated p53 expression with a history of heavy smoking in squamous cell carcinoma of the head and neck. *Br. J. Cancer* **64** : 573-577.
- Flamand, L., Gosselin, J., D'Addario, M., Hiscott, J., Ablashi, D.V., Gallo, R.C. and Menezes, J.** (1991). Human herpesvirus 6 induces interleukin-1 β and tumor necrosis factor alpha, but not interleukin-6, in peripheral blood mononuclear cell cultures. *J. Virol.* **65** : 5105-5110.
- Foa-Tomasi, L., Boscaro, A., DiGaeta, S. and Campadelli-Fiume, G.** (1991). Monoclonal antibodies to gp100 inhibit penetration of human herpesvirus 6 and polykaryocyte formation in susceptible cells. *J. Virol.* **65** : 4124-4129.
- Foa-Tomasi, L., Guerrini, S., Huang, T. and Campadelli-Fiume, G.** (1992). Characterization of human hrpesvirus-6 (U1102) and (GS) gp112 and identification of the Z29-specified homolog. *Virology* **191** : 511-516.
- Fox, J.D., Briggs, M., Ward, P.A. and Tedder, R.S.** (1990). Human herpesvirus 6 in salivary glands. *Lancet* **336** : 590-593.

- Horvat, R.T., Wood, C., Josephs, S.F. and Balachandran, N.** (1991). Transactivation of the HIV promoter by HHV-6 strains GS and Z29 in primary human T lymphocytes and identification of transactivating HHV-6 (GS) gene fragments. *J.Virol.* **65** : 2895-2902.
- Horwitz, C. and Beneke, J.** (1993). Human herpesvirus-6 revisited. *Am. J. Clin. Pathol.* **99** (5) : 533-535.
- Innis, M.A. and Gelfand, D.H.** (1990). Optimization of PCRs. In *PCR Protocols: a guide to methods and applications*. (Eds. Innis, M.A., Gelfand, D.H., Sninsky, J., White, T.J.) pp. 3-12. Academic Press, Inc.
- Inoue, N., Dambaugh, T. and Pellett, P.** (1993). Molecular biology of human herpesviruses 6A and 6B. *Infect. Agents and Disease* **2** (6) : 343-360.
- Inoue, N., Dambaugh, T., Rapp, J. and Pellett, P.** (1994). Alphaherpesvirus origin binding protein homolog encoded by human herpesvirus 6B, a betaherpesvirus, binds to nucleotide sequences that are similar to ori regions of alpha-herpesviruses. *J. Virol.* **68** (7) : 4126-4136.
- Irving, W.L., Cunningham, A.L., Keogh, A. and Chapman, J.R.** (1988). Antibody to both human herpesvirus-6 and cytomegalovirus. *Lancet* ii : 630-631.
- Irving, W.L., Ratnamohan, V.M., Hueston, L.C., Chapman, J.R. and Cunningham, A.L.** (1990). Dual antibody rises to cytomegalovirus and human herpesvirus type 6: frequency of occurrence in CMV infections and evidence for genuine reactivity to both viruses. *J. Infect. Dis.* **161** : 910-916.
- Ishiguro, N., Yamada, S., Takahashi, Y., Togashi, T., Okuno, T. and Yamanishi, K.** (1990). Meningo-encephalitis associated with HHV-6 related exanthem subitum. *Acta. Paediatr. Scand.* **79** : 987-989.
- Iwasaka, T., Yokoyama, M., Hayashi, Y. and Sugimori, H.** (1988). Combined HSV type 2 and HPV type 16 or 18 deoxyribonucleic acid leads to oncogenic transformation. *Am. J. Obstet. Gynecol.* **159** : 1251-1255.

- Iyengar, S., Levine, P.H., Ablashi, D., Neequaye, J. and Pearson, G.R. (1991). Sero-epidemiological investigations on human herpesvirus 6 (HHV-6) infections using a newly developed early antigen assay. *Intl. J. Cancer* **49** : 551-557.
- Jackson, D.P., Hayden, J.D. and Quirke, P. (1991). Extraction of nucleic acid from fresh and archival material. In *PCR: a practical approach* (Eds. McPherson, M.J., Quirke, P., Taylor, G.R.) pp. 29-50. Oxford University Press.
- Jarrett, R.F., Gledhill, S., Qureshi, F., Crae, S.H., Madhok, R., Brown, I., Evans, I., Krajewski, A., O'Brien, C.J., Cartwright, R.A., Venables, P. and Onions, D.E. (1988). Identification of human herpesvirus 6-specific DNA sequences in two patients with non-Hodgkin's lymphoma. *Leukemia* **2** : 496-502.
- Jarrett, R.F., Clark, D.A., Josephs, S.F. and Onions, D.E. (1990). Detection of HHV-6 DNA in peripheral blood and saliva. *J. Med. Virol.* **32** : 73-76.
- Jarrett, R. and Klotman, M. (1992). Detection of HHV-6 using polymerase chain reaction amplification. In *HHV-6: Epidemiology, Molecular Biology and Clinical Pathology*. (Eds. Ablashi, Krueger, Salahuddin) pp. 227-234. Elsevier Science Publishers, Amsterdam.
- Jayant, K. and Notani, P. (1991). Epidemiology of oral cancer. In *Oral Cancer* (Eds. Rao, R.S., Desai, P.B.) pp. 1-7. India, Tata Press.
- Josephs, S.F., Salahuddin, S.Z., Ablashi, D.V., Schacter, F., Wong-Staal, F. and Gallo, R.C. (1986). Genomic analysis of the human B-lymphotropic virus. *Science* **234** : 601-603.
- Josephs, S., Buchbinder, A., Streicher, H.Z., Ablashi, D.V., Salahuddin, S.Z., Guo, H.G., Wong-Staal, F., Cossman, J., Raffeld, M., Sundeen, J., Levine, P.H., Biggar, R., Krueger, G.R.F., Fox, R.I. and Gallo, R.C. (1988). Detection of HBLV (HHV-6) sequences in B cell lymphoma tissues of three patients. *Leukemia* **2** : 132-135.
- Josephs, S.F., Ablashi, D.V., Salahuddin, S.Z., Jagodzinski, L.L., Wong-Staal, F. and Gallo, R.C. (1991). Identification of the human herpesvirus 6 glycoprotein H and putative large tegument protein genes. *J. Virol.* **65** (10) : 5597-5604.

- Jussawalla, D.J. and Deshpande, V.A.** (1971). Evaluation of cancer risk in tobacco chewers and smokers: an epidemiology assessment. *Cancer* **28** (1) : 244-252.
- Kashanchi, F., Thompson, J., Reza Sadaie, M., Doniger, J., Duvall, J., Brady, J.N. and Rosenthal, L.J.** (1994). Transcriptional activation of minimal HIV-1 promoter by ORF-1 protein expressed from the Sal 1-L fragment of human herpesvirus 6. *Virology* **201** : 95-106.
- Kawasaki, E.S.** (1990). Sample preparation from blood, cells and other fluids. In *PCR Protocols: a guide to methods and applications*. (Eds. Innis, Gelfand, Sninsky, White) pp. 146-152. Academic Press Inc.
- Kelley, P.K. and McClain, K.L.** (1994). Respiratory contamination of polymerase chain reactions by human herpesvirus-6. *Am. J. Hematology* **47** : 325-327.
- Kido, S., Kondo, K., Kondo, T., Morishima, T., Takahashi, M. and Yamanishi, K.** (1990). Detection of HHV-6 DNA in throat swabs by PCR. *J. Med. Virol.* **32** : 139-142.
- Kikuchi, M.** (1972). Lymphadenitis showing fecal reticulum cell hyperplasia with nuclear debris and phagocytes: a clinicopathological study. *Acta Haematol. Jpn.* **35** : 379-380.
- Kikuta, H., Itami, N., Matsumoto, S., Chikaraishi, T. and Togashi, M.** (1991). Frequent detection of human herpesvirus-6 DNA in peripheral blood mononuclear cells from kidney transplant patients. *J. Infect. Dis.* **163** : 925.
- Kishi, M., Harada, H., Takahashi, M., Tanaka, A., Hayashi, M., Nonoyama, M., Josephs, S., Buchbinder, A., Schachter, F., Ablashi, D.V., Wong-Staal, F., Salahuddin, S.Z. and Gallo, R.C.** (1988). A repeat sequence, GGGTTA, is shared by DNA of Human herpesvirus-6 and Marek's Disease Virus. *J. Virol.* **62** (12) : 4824-4827.
- Knowles, W.A. and Gardner, S.D.** (1988). High prevalence of antibody to human herpesvirus-6 and seroconversion associated with rash in two infants. *Lancet* **ii** : 912-913.

- Knox, K.K. and Carrigan, D.R.** (1994). Disseminated and active infections by human herpesvirus 6 in patients with AIDS. *Lancet* 343 : 577-578.
- Knox, K.K., Harrington, D.P. and Carrigan, D.R.** (1995). Fulminant human herpesvirus six encephalitis in a human immunodeficiency virus-infected infant. *J. Med. Virol.* 45 (3) : 288-292.
- Kok, H.N. and Chong, H.S.** (1992). Oral cancers in Malaysia. *Proceedings of the 90th Anniversary Scientific Seminar*, Institute for Medical Research, K.L. pp.108-115.
- Komaroff, A.L., Gupta, S. and Salit, I.E.** (1992). Post viral chronic fatigue syndrome. In *HHV-6: Epidemiology, Molecular Biology and Clinical Pathology*. (Eds. Ablashi, Krueger, Salahuddin) pp. 235-253. Elsevier Science Publisher, Amsterdam.
- Kondo, K., Hayakawa, Y., Mori, H., Sato, S., Kondo, T., Takahashi, K., Minamishima, T., Takahashi, M. and Yamanishi, K.** (1990). Detection by polymerase chain reaction amplification of human herpesvirus 6 DNA in peripheral blood of patients with exanthem subitum. *J. Clin. Microbiol.* 28 : 970-974.
- Kondo, K., Kondo, T., Okuno, T., Takahashi, M. and Yamanishi, K.** (1991). Latent HHV-6 infection of human monocytes/macrophages. *J. Gen. Virol.* 72 : 1401-1408.
- Kondo, K., Nagafuji, H., Hata, A., Tomomori, C. and Yamanishi, K.** (1993). Association of human herpesvirus 6 infection of the central nervous system with recurrence of febrile convulsions. *J. Infect. Dis.* 167 (5) : 1197-1200.
- Kositanon, U., Kondo, K., Chongkolwatana, C., Methetrairut, C., Puthavathana, P., Chantarakul, N., Wasi, C. and Yamanishi, K.** (1993). Detection of Epstein-Barr virus DNA and HHV-6 DNA in tissue biopsies from patients with nasopharyngeal carcinoma by polymerase chain reaction. *Southeast Asian J. Trop. Med. Public Health* 24 (3) : 455-460.
- Kramarsky, B. and Sander, C.** (1992). Electron microscopy of human herpesvirus-6 (HHV-6). In *HHV-6: Epidemiology, Molecular Biology and Clinical Pathology*. (Eds. Ablashi, Krueger, Salahuddin) pp. 59-68. Elsevier Science Publishers, Amsterdam.

- Krueger, G.R.F. and Ablashi, D.V. (1987). Human B-lymphotropic virus in Germany. *Lancet* ii : 694.
- Krueger, G.R.F. and Ramon, A. (1988). Overview of immunopathology of chronic active herpesvirus infection. *J. Virol. Methods* 21 : 11-18.
- Krueger, G.R.F., Koch, B., Ramon, A., Ablashi, D.V., Salahuddin, S.Z., Josephs, S.F., Streicher, H.Z., Gallo, R.C. and Habermann, U. (1988). Antibody prevalence to HBLV (HHV-6) and suggestive pathogenicity in the general population and in patients with immune deficiency syndromes. *J. Virol. Methods* 21 : 125-131.
- Krueger, G.R.F. and Sander, C. (1989). What's new in HHV-6? Clinical immunopathology of the HHV-6 infection. *Path. Res. Pract.* 185 : 915-929.
- Krueger, G.R.F., Manak, M., Bourgeois, N., Ablashi, D.V., Salahuddin, S.Z., Josephs, S.F., Buchbinder, A., Gallo, R.C., Berthold, F. and Tesch, H. (1989). Persistent active herpesvirus infection associated with atypical polyclonal lymphoproliferation and malignant lymphoma. *Anticancer Res.* 9 : 1457-1476.
- Krueger, G.R.F., Wasserman, K., De Clerck, L.S., Stevens, W.J., Bourgeois, N., Ablashi, D.V., Josephs, S.F. and Balachandran, N. (1990). Latent herpesvirus-6 in salivary and bronchial glands. *Lancet* 336 : 1255-1256.
- Krueger, G.R.F., Ablashi, D.V., Josephs, S.F. and Balachandran, N. (1992). HHV-6 in atypical polyclonal lymphoproliferation (APL) and malignant lymphomas. In *HHV-6: Epidemiology, Molecular Biology and Clinical Pathology* (Eds. Ablashi, Krueger, Salahuddin) pp. 185-208. Elsevier Science Publishers, Amsterdam.
- Krugman, S., Katz, S.L., Gershon, A.A. and Wilfert, C. (1985). Infectious Diseases of Children pp. 74-77. Mosby, USA.
- Kumar, V., Cotran, R.S. and Robbins, S.L. (1992). Female genital system and breast. In *Basic Pathology* (Ed. Mitchell, J.) pp. 611-641. W.B. Saunders.
- Kwok, S. and Higuchi, R. (1989). Avoiding false positives with PCR. *Nature* 339 : 237-238.

- Kwok, S.** (1990). Procedures to minimize PCR-product carry-over. In **PCR Protocols : a guide to methods and applications.** (Eds. Innis, Gelfand, Sninsky, White) pp. 142-145. Academic Press Inc.
- Langdon, J.D. and Partridge M.** (1992). Expression of tumour suppressor gene p53 in oral cancer. *Br. J. Oral Maxillofac. Surg.* **30** : 214-220.
- Lawrence, G.L., Chee, M., Craxton, M.A., Gompels, U.A., Honess, R.W. and Barrell, B.G.** (1990). Human herpesvirus 6 is closely related to Human cytomegalovirus. *J. Virol.* **64** : 287-299.
- Lawrence, G., Nicholas, J. and Barrell, B.** (1995). Human herpesvirus 6 (strain U1102) encodes homologues of the conserved herpesvirus glycoprotein gM and the alphaherpesvirus origin-binding protein. *J. Gen. Virol.* **76** : 147-152.
- Leach, C., Newton, E.R., McParlin, S. and Jenson, H.B.** (1994). Human herpesvirus 6 infection of the female genital tract. *J. Inf. Dis.* **169** : 1281-1283.
- Levine, P.H., Jahan, N., Murari, P., Manak, M. and Jaffe, E.S.** (1992). Detection of human herpesvirus 6 in tissues involved by Sinus histiocytosis with massive lymphadenopathy (Rosai-Dorfman Disease). *J. Infect. Dis.* **166** : 291-295.
- Levy, J.A., Ferro, F., Greenspan, D. and Lennette, E.T.** (1990). Frequent isolation of HHV-6 from saliva and high seroprevalence of the virus in the population. *Lancet* **335** : 1047-1050.
- Linde, A., Dahl, H., Wahren, B., Fridell, E., Salahuddin, S.Z. and Biberfeld, P.** (1988). IgG antibodies to human herpesvirus 6 in children and adults and in primary Epstein-Barr virus infections and Cytomegalovirus infections. *J. Virol. Methods* **21** : 117-123.
- Linde, A., Fridell, E., Dahl, H., Anderson, J., Biberfeld, P. and Wahren, B.** (1990). Effect of primary Epstein-Barr virus infection on human herpesvirus 6, cytomegalovirus and measles virus immunoglobulin G titers. *J. Clin. Microbiol.* **28** : 211-215.
- Lindquester, G.J. and Pellett, P.E.** (1991). Properties of the HHV-6 strain Z29 genome, Guanine-Cytosine content, length and presence of variable-

length directly repeated terminal sequence elements. *Virology* 182 : 102-110.

Lion, T. and Haas, O.A. (1990). Non-radioactive labelling of probe with digoxigenin by PCR. *Analytical Biochem.* 188 : 335-337.

Littler, E., Lawrence, G., Liu, M., Barrell, B. and Arrand, J. (1990). Identification, cloning and expression of the major capsid protein gene of human herpesvirus 6. *J. Virol.* 64 : 714-722.

Liu, D., Gompels, U., Foa-Tomasi, L. and Campadelli-Fiume, G. (1993a). Human herpesvirus-6 glycoprotein H and L homologs are components of the GH external domain is the target for neutralizing monoclonal antibodies. *Virology* 197 : 12-22.

Liu, D., Gompels, U., Nicholas, J. and Lelliott, C. (1993b). Identification and expression of the human herpesvirus 6 glycoprotein H and interaction with an accessory 40K glycoprotein. *J. Gen. Virol.* 74 : 1847-1857.

Longo, M.C., Berninger, M.S. and Hartley, J.L. (1990). Use of uracil DNA glycosylase to control carry-over contamination in polymerase chain reactions. *Gene* 93 : 125-128.

Lopez, C., Pellett, P., Stewart, J., Goldsmith, C., Sanderlin, K., Black, J., Warfield, D. and Feorino, P. (1988). Characteristics of HHV-6. *J. Infect. Dis.* 157 : 1271-1273.

Lopez, C. and Honess, R.W. (1990). Human herpesvirus 6. In *Virology Vol. 2*. (Eds. Fields, B.N. et al.) pp. 2055-2062. Raven, New York.

Low, S.H. (1989). DNA hybridization studies of HPV types in cervical cancer in Singapore. *M.Sc. Thesis*, Dept. of Microbiol., Natl. U. Singapore.

Lucas, R.B. (1976). Epidermoid tumours. In *Pathology of tumours of the oral tissues*.(third edition) pp. 130-163. Churchill Livingstone.

Luka, J., Okuno, M. and Thiele, G. (1990). Isolation of human herpesvirus-6 from clinical specimens using human fibroblast cultures. *J. Clin. Lab. Analysis* 4 : 483-486.

Luppi, M., Marasca, R., Barozzi, P., Ferrari, S., Ceccherini-Nelli, L., Merelli, E. and Torelli, G. (1993). Three cases of human herpesvirus-6

- latent infection: Integration of viral genome in peripheral blood mononuclear cell DNA. *J. Med. Virol.* **40** : 44-52.
- Luppi, M., Barozzi, P., Marasca, R. and Torelli, G.** (1994). Integration of human herpesvirus-6 (HHV-6) genome in chromosome 17 in two lymphoma patients. *Leukemia* **8 Suppl 1** : 41-45.
- Lusso, P., Salahuddin, S.Z., Ablashi, D.V., Gallo, R.C., DiMarzo Veronese, F. and Markham, P.D.** (1987). Diverse tropism of human B-lymphotropic virus (human herpesvirus-6). *Lancet* **ii** : 743-744.
- Lusso, P., Gallo, R., DeRocco, S.E. and Markham, P.D.** (1989a). CD4 is not the membrane receptor for HHV-6. *Lancet* **i** : 730.
- Lusso, P., Ensoli, B., Markham, P.D., Ablashi, D.V., Salahuddin, S.Z., Tschachler, E., Wong-Staal, F. and Gallo, R.** (1989b). Productive dual infection of human CD4 T lymphocytes by HIV-1 and HHV-6. *Nature (London)* **337** : 370-373.
- Lusso, P., DeMaria, A., Mainati, M., Lori, F., DeRocco, S.E., Baseler, M. and Gallo, R.C.** (1991). Induction of CD4 and susceptibility to HIV-1 infection in human CD8 positive T lymphocytes by HHV-6. *Nature (London)* **349** : 533-555.
- Lusso, P.** (1992). Target cells for infection. In *HHV-6: Epidemiology, Molecular Biology and Clinical Pathology*. (Eds. Ablashi, Krueger, Salahuddin) pp. 25-36. Elsevier Science Publishers.
- Lusso, P., Malnati, M., Garzino-Demo, A., Crowley, R., Long, E. and Gallo, R.C.** (1993). Infection of natural killer cells by human herpesvirus-6. *Nature* **362** : 458-462.
- Lusso, P. and Gallo, R.C.** (1994). Human herpesvirus 6 in AIDS. *Lancet* **343** : 555-556.
- Lusso, P. and Gallo, R.C.** (1995). Human herpesvirus-6. *Bailliere's Clin. Haematol.* **8 (1)** : 201-223.
- Lusso, P., Garzino-Demo, A., Crowley, R.W. and Malnati, M.S.** (1995). Infection of γ/δ T lymphocytes by human herpesvirus 6: transcriptional induction of CD4 expression and susceptibility to human immunodeficiency virus infection. *J. Exp. Med.* **181 (4)** : 1303-1310.

- Maden, C., Beckmann, A.M., Thomas, D.B., McKnight, B., Sherman, K.J., Ashley, R.I., Corey, L. and Daling, J.R. (1992). Human papillomaviruses, human herpesviruses and the risk of oral cancer in men. *Am. J. Epidemiol.* **135** : 1093-1102.
- Maniatis, T., Fritsch, E.F. and Sambrook, J. (1982). *Molecular cloning-a laboratory manual*. Cold Spring Harbor Laboratory, Cold Spring Harbor, New York.
- Martin, M.E.D., Thomson, B.J., Honess, R.W., Craxton, M.A., Gompels, U.A., Liu, M.Y., Lattler, E., Arrand, J.R., Teo, I. and Jones, M.D. (1991a). The genome of HHV-6 : Maps of unit-length and concatemeric genomes for nine restriction endonucleases. *J. Gen. Virol.* **72** : 152-168.
- Martin, M., Nicholas, J., Thomson, B.J., Newman, C. and Honess, R.W. (1991b). Identification of a transactivation function mapping to the putative immediate-early locus of human herpesvirus-6. *J. Virol.* **65** : 5381-5390.
- Meyne, J., Ratliff, R.L. and Moyzis, R.K. (1989). Conservation of the human telomere sequence (TTAGGG)_n among vertebrates. *Proc. Natl. Acad. Sci. USA* **86** : 7049-7053.
- Mitchell, B.S., Dhami, D. and Schumacher, U. (1992). *In situ* hybridization: a review of methodologies and applications in the biomedical sciences. *Med. Lab. Sci.* **49** : 107-118.
- Morris, R.G., Arends, M.J., Bishop, P.E., Sizer, K., Duvall, E. and Bird, C.C. (1990). Sensitivity of digoxigenin and biotin labelled probes for detection of human papillomavirus by *in situ* hybridization. *J. Clin. Pathol.* **43** : 800-805.
- Mullis, K.B. and Falona, F.A. (1987). Specific synthesis of DNA *in vitro* via a polymerase-catalyzed chain reaction. *Methods Enzymol.* **155** : 335-350.
- Mullis, K., Falona, F., Scharf, S., Saiki, R., Horn, G. and Erlich, H. (1987). Specific enzymatic amplification of DNA *in vitro* : the polymerase chain reaction. *Cold Spring Harbor Symp. Quant. Bio.* **51** : 263-273.

- Maden, C., Beckmann, A.M., Thomas, D.B., McKnight, B., Sherman, K.J., Ashley, R.I., Corey, L. and Daling, J.R. (1992). Human papillomaviruses, human herpesviruses and the risk of oral cancer in men. *Am. J. Epidemiol.* **135** : 1093-1102.
- Maniatis, T., Fritsch, E.F. and Sambrook, J. (1982). *Molecular cloning-a laboratory manual*. Cold Spring Harbor Laboratory, Cold Spring Harbor, New York.
- Martin, M.E.D., Thomson, B.J., Honess, R.W., Craxton, M.A., Gompels, U.A., Liu, M.Y., Lattler, E., Arrand, J.R., Teo, I. and Jones, M.D. (1991a). The genome of HHV-6 : Maps of unit-length and concatemeric genomes for nine restriction endonucleases. *J. Gen. Virol.* **72** : 152-168.
- Martin, M., Nicholas, J., Thomson, B.J., Newman, C. and Honess, R.W. (1991b). Identification of a transactivation function mapping to the putative immediate-early locus of human herpesvirus-6. *J. Virol.* **65** : 5381-5390.
- Meyne, J., Ratliff, R.L. and Moyzis, R.K. (1989). Conservation of the human telomere sequence (TTAGGG)_n among vertebrates. *Proc. Natl. Acad. Sci. USA* **86** : 7049-7053.
- Mitchell, B.S., Dhami, D. and Schumacher, U. (1992). *In situ* hybridization: a review of methodologies and applications in the biomedical sciences. *Med. Lab. Sci.* **49** : 107-118.
- Morris, R.G., Arends, M.J., Bishop, P.E., Sizer, K., Duvall, E. and Bird, C.C. (1990). Sensitivity of digoxigenin and biotin labelled probes for detection of human papillomavirus by *in situ* hybridization. *J. Clin. Pathol.* **43** : 800-805.
- Mullis, K.B. and Falona, F.A. (1987). Specific synthesis of DNA *in vitro* via a polymerase-catalyzed chain reaction. *Methods Enzymol.* **155** : 335-350.
- Mullis, K., Falona, F., Scharf, S., Saiki, R., Horn, G. and Erlich, H. (1987). Specific enzymatic amplification of DNA *in vitro* : the polymerase chain reaction. *Cold Spring Harbor Symp. Quant. Bio.* **51** : 263-273.

- Neipel, F., Ellinger, K. and Fleckenstein, B.** (1991). The unique region of the HHV-6 genome is essentially colinear with the U_L segment of HCMV. *J. Gen. Virol.* **72** : 2293-2297.
- Neipel, F., Ellinger, K. and Fleckenstein, B.** (1992). Gene for the major antigenic structural protein (p100) of human herpesvirus-6. *J. Virol.* **66** : 3918-3924.
- Nicholas, J.** (1994). Nucleotide sequence of a 21 kilobase-pair region of the genome of human herpesvirus-6 containing homologues of human cytomegalovirus major immediate-early and replication genes. *Virology* **204** : 738-750.
- Nicholas, J. and Martin, M.** (1994). Nucleotide sequence analysis of a 38.5 kb pair region of the genome of human herpesvirus 6 encoding human cytomegalovirus immediate-early gene homologs and transactivating functions. *J. Virol.* **68** : 597-610.
- Niederman, J.C., Liu, C.R., Kaplan, M.H. and Brown, N.A.** (1988). Clinical and serological features of human herpesvirus-6 infection in three adults. *Lancet* **ii** : 817-819.
- Nii, S., Yoshida, M., Uno, F., Kurata, T., Ikuta, K. and Yamanishi, K.** (1990). Replication of human herpesvirus 6 (HHV-6): morphological aspects. In *Immunobiology and Prophylaxis of Human Herpesvirus Infections*. (Eds. Lopez, C. et al.) pp. 19-28. Plenum Press, New York.
- Okuno, T., Takahashi, K., Balachandra, K., Shiraki, K., Yamanishi, K., Takahashi, M. and Baba, K.** (1989). Seroprevalence of HHV-6 infection in normal children and adults. *J. Clin. Microbiol.* **27** : 651-652.
- Okuno, T., Higashi, K., Shiraki, K., Yamanishi, K., Takahashi, M., Kokado, Y., Ishibashi, M., Takahara, S., Sonoda, T., Tanaka, K., Baba, K., Yabuuchi, H. and Kurata, T.** (1990). Human herpesvirus 6 infection in renal transplantation. *Transplantation* **49** : 519-522.
- Pellett, P., Lindquester, G., Feorino, P. and Lopez, C.** (1990). Genomic heterogeneity of human herpesvirus-6 isolates. *Adv. Exp. Med. Biol.* **278** : 9-18.

- Pellett, P.E., Black, J.B. and Yamamoto, M. (1992). Human herpesvirus-6 : The virus and the search for its role as a human pathogen. In *Advances in Virus Research Vol. 41.* (Eds. Maramorosch, K., Murphy, F.A., Shatkin, A.J.) pp. 1-52. Academic Press, Inc.
- Pellett, P., Sanchez-Martinez, D., Dominguez, G., Black, J., Anton, E., Greenamoyer, C. and Dambaugh, T. (1993). A strongly immunoreactive virion protein of human herpesvirus 6 variant B strain Z29 : Identification and characterization of the gene and mapping of a variant-specific monoclonal antibody reactive epitope. *Virology* **195** : 521-531.
- Persing, D.H. (1991). Polymerase chain reaction : trenches to benches. *J. Clin. Microbiol.* **29** (7) : 1281-1285.
- Pfeiffer, B., Berneman, Z., Neipel, F., Chang, C., Tirwatnapong, S. and Chandran, B. (1993). Identification and mapping of the gene encoding the glycoprotein complex gp82-gp105 of human herpesvirus-6 and mapping of the neutralizing epitope recognized by monoclonal antibodies. *J. Virol.* **67** : 4611-4620.
- Pfeiffer, B., Thomson, B. and Chandran, B. (1995). Identification and characterization of a cDNA derived from multiple splicing that encodes envelope glycoprotein gp105 of human herpesvirus 6. *J. Virol.* **69** (6) : 3490-3500.
- Pierre, C., Lecossier, D., Boussouagnet, Y., Bocart, D., Joly, V., Yeni, P. and Hance, A.J. (1991). Use of a reamplification protocol improves sensitivity of detection of Mycobacterium tuberculosis in clinical samples by amplification of DNA. *J. Clin. Microbiol.* **29** : 712- 717.
- Pietroboni, G.R., Harnett, G.B., Buccens, M.R. and Honess, R.W. (1988). Antibody to HHV-6 in saliva. *Lancet* **i** : 1059.
- Pillai, K.R., Kannan, S., Koshy, P., Matthew, B., Thampi, B.S., Nalinakumari, K.R., Nair, M.K. and Menon, V.P. (1994). Scanning electron microscopy of different types of oral leukoplakia: comparison with normal and malignant oral mucosa. *Eur. J. Cancer B. Oral Oncol.* **30B** (6) : 400-404.

- Pitalia, A.K., Liu-Yin, J.A., Freemont, A.J., Morris, D.J. and Fitzmaurice, R.J. (1993). Immunohistological detection of human herpesvirus 6 in formalin-fixed, paraffin-embedded lung tissues. *J. Med. Virol.* 41 : 103-107.
- Prezioso, P.J., Cangiarella, J., Lee, M., Nuovo, G.J., Borkowsy, W., Orlow, S.J. and Greco, M.A. (1992). Fatal disseminated infection with human herpesvirus-6. *J. Pediatrics* 120 : 921-923.
- Pruksananonda, P., Hall, C.B., Insel, R., McIntyre, K., Pellett, P., Long, C., Schnabel, K., Pincus, P., Stamey, F., Dambaugh, T. and Stewart, J. (1992). Primary human herpesvirus-6 infection in young children. *New Engl. J. Med.* 326 (22) : 1445-1450.
- Qavi, H.B., Green, M.T., SeGall, G.K. and Font, R.L. (1989). Demonstration of HIV-1 and HHV-6 in AIDS-associated retinitis. *Curr. Eye Res.* 8 : 379-387.
- Qian, G., Wood, C. and Chandran, B. (1993). Identification and characterization of glycoprotein gH of human herpesvirus-6. *Virology* 194 : 380-386.
- Ranger-Rogez, S., Vidal, E., Labrousse, F., Riche, A., Vidal, J., Collineau, M., Liozon, F. and Denis, F. (1995). Large-scale study suggests no direct link between human herpesvirus-6 and primary Sjogren's syndrome. *J. Med. Virol.* 47 : 198-203.
- Razzaque, A. (1990). Oncogenic potential of HHV-6 DNA. *Oncogene* 5 : 1365-1370.
- Razzaque, A. and Puri, R.K. (1992). Human herpesvirus-6: tumorigenicity and tumor infiltrating lymphocytes. *Cancer Letters* 61 : 111-118.
- Razzaque, A., Williams, O., Wang, J. and Rhim, J. (1993). Neoplastic transformation of immortalized human epidermal keratinocytes by two HHV-6 DNA clones. *Virology* 195 : 113-120.
- Roffman, E., Albert, J.P., Goff, J.P. and Frenkel, N. (1990). Putative site for the acquisition of human herpesvirus-6 virion tegument. *J. Virol.* 64 : 6308-6313.

- Roizman, B., Carmichael, L.E., Deinhardt, F., de-The, G., Nahmias, A.J., Plowright, W., Rapp, R., Sheldrick, P., Takahashi, M. and Wolf, K. (1981). Herpesviridae: Definition, provisional nomenclature, and taxonomy. *Intervirology* 16 : 201-217.
- Saiki, R.K., Scharf, S., Falloona, F., Mullis, K.B., Horn, G.T., Erlich, H.A. and Arnheim, N. (1985). Enzymatic amplification of β -globin genomic sequences and restriction site analysis for diagnosis of sickle cell anemia. *Science* 230 : 1350-1354.
- Saiki, R.K., Gelfand, D.H., Stoffel, S., Scharf, S.J., Higuchi, R., Horn, G.T., Mullis, K.B. and Erlich, H.A. (1988). Primer-directed enzymatic amplification of DNA with a thermostable DNA polymerase. *Science* 239 : 487-491.
- Saiki, R.K., Walsh, P.S., Levenson, C.H. and Erlich, H.A. (1989). Genetic analysis of amplified DNA with immobilized sequence-specific oligonucleotide probes. *Proc. Natl. Acad. Sci. USA* 86 : 6230-6234.
- Saiki, R.K. (1990). Amplification of genomic DNA. In *PCR Protocols: a guide to methods and applications*. (Eds. Innis, Gelfand, Sninsky, White) pp. 13-20. Academic Press, Inc.
- Salahuddin, S.Z., Ablashi, D.V., Markham, P.D., Josephs, S.F., Sturzenegger, S., Kaplan, M., Halligan, G., Biberfeld, P., Wong-Staal, F.W., Kramarsky, B. and Gallo, R.C. (1986). Isolation of a new virus, human B-lymphotropic virus (HBLV) in patients with lymphoproliferative disorders. *Science* 234 : 596-601.
- Sambrook, J., Fritsch, E.F. and Maniatis, T. (1989). *Molecular cloning-A laboratory manual*. Cold Spring Harbor, New York.
- Sanghavi, L.D. (1981). Cancer epidemiology: the Indian scene. *J. Cancer Res. Clin. Oncol.* 99 : 1-14.
- Saranath, D., Chang, S.E., Bhoite, L.T., Panchal, R.G., Kerr, I.B., Mehta, A.R., Johnson, N.W. and Deo, M.G. (1991). High frequency mutation in codons 12 and 61 of *H ras* oncogene in checking tobacco-related human oral carcinoma in India. *Br. J. Cancer* 63 : 573-578.

- Saxinger, C., Polesky, H., Eby, N., Grufferman, S., Murphy, R., Tegtmeir, G., Parekh, V., Memon, S. and Hung, C. (1988). Antibody reactivity with HHV-6 in U.S. populations. *J. Virol. Methods* 21 : 199-208.
- Schiewe, U., Neipel, F., Schreiner, D. and Fleckenstein, B. (1994). Structure and transcription of an immediate-early region in the human herpesvirus 6 genome. *J. Virol.* 68 : 2978-2985.
- Schirmer, E., Wyatt, L., Yamanishi, K. and Rodriguez, W. (1991). Differentiation between two distinct classes of viruses now classified as human herpesvirus-6. *Proc. Natl. Acad. Sci. USA* 88 : 5922-5926.
- Scully, C. (1992). Oncogenes, onco-suppressors, carcinogenesis and oral cancer. *Br. Dent. J.* 173 : 53-59.
- Secchiero, P., Carrigan, D., Asano, Y., Benedetti, L., Crowley, R., Komaroff, A., Gallo, R.C. and Lusso, P. (1995). Detection of human herpesvirus 6 in plasma of children with primary infection and immunosuppressed patients by polymerase chain reaction. *J. Infect. Dis.* 171 : 273-280.
- Shanavas, K.R., Kala, V., Vasudevan, D.M., Vijayakumar, T. and Yadav, M. (1992). Anti-HHV-6 antibodies in normal population and in cancer patients in India. *J. Exp. Pathol.* 6 : 95-105.
- Shen, Y.Y., Huang, A.M., Jahan, N., Manak, M., Jaffe, E.S. and Levine, P.H. (1993). *In situ* hybridization detection of human herpesvirus 6 in biopsy specimens from Chinese patients with Non-Hodgkin's Lymphoma. *Arch. Pathol. Lab. Med.* 117 : 502-506.
- Shibata, D., Martin, W.J. and Arnheim, N. (1988). Analysis of DNA sequences in forty-year old paraffin-embedded thin-tissue sections : a bridge between molecular biology and classical histology. *Cancer Res.* 48 : 4564-4566.
- Sabin, L.H., Thomas, L.B., Percy, C. and Henson, D.E. (1978). A coded compendium of the international histological classification of tumours. Geneva, World Health Organization.
- Southern, E.M. (1975). Detection of specific sequences among DNA fragments separated by gel electrophoresis. *J. Mol. Biol.* 98 : 503-517.

- Stoler, M.H. and Ratliff, N.B.** (1990). Potential and problems of the *in situ* molecular detection of viral genomes. *Am. J. Clin. Pathol.* **93** : 714-716.
- Strayer, D.R., Carter, W., Strauss, K.I., Brodsky, I., Suhadolnik, R.J., Ablashi, D., Henry, B., Mitchell, W.M., Bastien, S. and Peterson, D.** (1995). Long term improvements in patients with chronic fatigue syndrome treated with Ampligen. *J. Chronic Fatigue Syndrome* **1** : 35-53.
- Streicher, H.Z., Hung, C.L., Ablashi, D.V., Hellman, K., Saxinger, C., Fuller, J. and Salahuddin, S.Z.** (1988). *In vitro* inhibition of human herpesvirus-6 by phosphonoformate. *J. Virol. Methods* **21** : 301-304.
- Suga, S., Yoshikawa, T., Asano, Y., Yazaki, T. and Hirata, S.** (1989). Human herpesvirus-6 infection (exanthem subitum) without rash. *Pediatric* **83** : 1003-1006.
- Suga, S., Yoshikawa, T., Asano, Y., Yazaki, T. and Ozaki, T.** (1990). Neutralizing antibody assay for human herpesvirus-6. *J. Med. Virol.* **30** : 14-19.
- Sumiyoshi, Y., Kikuchi, M., Ohshima, K., Yoneda, S., Kobari, S., Takeshita, M., Eizuru, Y. and Minomishima, Y.** (1993). Human herpesvirus-6 genomes in histiocytic necrotizing lymphadenitis. *Am. J. Clin. Pathol.* **5** : 609-614.
- Sutherland, S., Christofinis, G., O'Grady, J. and Williams, R.** (1991). A serological investigation of human herpesvirus 6 infections in liver transplant recipients and detection of cross-reacting antibodies to cytomegalovirus. *J. Med. Virol.* **33** : 172-176.
- Takahashi, K., Sonoda, S., Kawakami, K., Miyata, K., Oki, T., Nagata, T., Okuno, T. and Yamanishi, K.** (1988). HHV-6 and exanthem subitum. *Lancet* **i** : 1463.
- Takahashi, K., Sonoda, S., Higashi, K., Kondo, T., Takahashi, H., Takahashi, M. and Yamanishi, K.** (1989). Predominant CD4 T-lymphocyte tropism of human herpesvirus 6-related virus. *J. Virol.* **63** : 3161-3163.

- Tan, S.K.D. and Henle, G.** (1972). Antibodies to EBV related antigens in West Malaysian children. *Med. J. Malaysia* **27** : 27-29.
- Tedder, R.S., Briggs, M., Cameron, C.H., Honess, R.W., Robertson, D. and Whittle, H.** (1987). A novel lymphotropic herpesvirus. *Lancet* **ii** : 390-392.
- Teo, I.A., Griffin, B.E. and Jones, M.D.** (1991). Characterization of the DNA polymerase gene of HHV-6. *J. Virol.* **65** : 4670-4680.
- Thompson, J., Agulnick, A. and Ricciardi, R.** (1994a). A novel *cis* element essential for stimulated transcription of the p41 promoter of human herpesvirus 6. *J. Virol.* **68** (7) : 4478-4485.
- Thompson, J., Choudhury, S., Kashanchi, F., Doniger, J., Berneman, Z., Frenkel, N. and Rosenthal, L.J.** (1994b). A transforming fragment within the direct repeat region of human herpesvirus type 6 that transactivates HIV-1. *Oncogene* **9** : 1167-1175.
- Thomson, B., Efstathiou, S. and Honess, R.** (1991). Acquisition of the human adeno-associated virus type 2 *rep* gene by human herpesvirus type 6. *Nature* **351** : 78-80.
- Thomson, B., Dewhurst, S. and Gray, D.** (1994a). Structure and heterogeneity of the 'a' sequences of human herpesvirus 6 strain variants U1102 and Z29 and identification of human telomeric repeat sequences at the genomic termini. *J. Virol.* **68** : 3007-3014.
- Thomson, B., Weindler, F., Gray, D., Schwaab, V. and Heilbronn, R.** (1994b). Human herpesvirus-6 (HHV-6) is a helper virus for adeno-associated virus type 2 (AAV-2) and the AAV-2 *rep* gene homologue in HHV-6 can mediate AAV-2 DNA replication and regulate gene expression. *Virology* **204** : 304-311.
- Torelli, G., Marasca, R., Luppi, M., Seileri, L., Ferrari, S., Narni, F., Mariano, M.T., Federico, M., Ceccherini, L., Bendinelli, M., Montagani, G., Montorsi, M. and Artusi, T.** (1991). HHV-6 in human lymphomas: identification of specific sequences in Hodgkin's lymphomas by PCR. *Blood* **77** : 2251-2258.

- Torelli, G., Barozzi, P., Marasca, R., Cocconcelli, P., Merelli, E., Ceccherini-Nelli, L., Ferrari, S. and Luppi, M. (1995). Targeted integration of human herpesvirus 6 in the p-arm of chromosome 17 of human peripheral blood mononuclear cells in vivo. *J. Med. Virol.* **46** : 178-188.
- Wahlberg, J., Lundeberg, J., Hultman, T. and Uhlen, M. (1990). General colorimetric method for DNA diagnostics allowing direct solid-phase genomic sequencing of the positive samples. *Proc. Natl. Acad. Sci. USA* **87** : 6569-6573.
- Wang, H., Chen, M., Berneman, Z., Delgado, G. and DiPaolo, J.A. (1994a). Detection of human herpesvirus-6 in paraffin-embedded tissue of cervical cancer by polymerase chain reaction. *J. Virol. Methods* **47** : 297-305.
- Wang, J., Jones, C., Norcross, M., Bohnlein, E. and Razzaque, A. (1994b). Identification and characterization of a human herpesvirus 6 gene segment capable of transactivating the Human Immunodeficiency Virus type 1 long terminal repeat in a Sp1 binding site-dependent manner. *J. Virol.* **68** (3) : 1706-1713.
- Ward, K.N., Gray, J.J. and Efstatiou, S. (1989). Brief report: Primary HHV-6 infection in a patient following liver transplantation from a seropositive donor. *J. Med. Virol.* **28** : 69-72.
- Ward, K.N., Sheldon, M.J. and Gray, J.J. (1991). Primary and recurrent cytomegalovirus infections have different effects on human herpesvirus-6 antibodies in immunosuppressed organ graft recipients: absence of virus cross-reactivity and evidence for virus interaction. *J. Med. Virol.* **34** : 258-267.
- Warnakulasuriya, K.A.A.S. and Johnson, N.W. (1992). Expression of p53 mutant nuclear phosphoprotein in oral carcinomas and potentially malignant oral lesions. *J. Oral Pathol. Med.* **21** : 404-408.
- Weiss, L.M., Movahed, L.A., Berry, G.J. and Billingham, M.E. (1990). In situ hybridization for viral nucleic acids in heart and lung allograft biopsies. *Am. J. Clin. Pathol.* **93** : 675-679.

- Wilborn, F., Schmidt, C.A., Zimmermann, R., Brinkmann, V., Neipel, F. and Siegert, W.** (1994). Detection of herpesvirus type 6 by polymerase chain reaction in blood donors: random tests and prospective longitudinal studies. *Br. J. Haematology* **88** : 187-192.
- Wilcox, J.N.** (1993). Fundamental principles of *in situ* hybridization. *J. Histochemistry and Cytochemistry* **41** (12) : 1725-1733.
- Wolf, H., Haus, M. and Wilmes, E.** (1984). Persistence of Epstein-Barr Virus in the parotid gland. *J. Virol.* **51** (3) : 795-798.
- Wright, D. and Manos, M.** (1990). Sample preparation from paraffin-embedded tissues. In *PCR Protocols: a guide to methods and applications*. (Eds. Innis, Gelfand, Sninsky, White) pp. 153-158. Academic Press, Inc.
- Wyatt, L., Balachandran, N. and Frenkel, N.** (1990). Variations in the replication and antigenic properties of human herpesvirus-6 strains. *J. Infect. Dis.* **162** : 852-857.
- Wyatt, L.S., Rodriguez, W.J., Balachandran, N. and Frenkel, N.** (1991). Human herpesvirus 7: antigenic properties and prevalence in children and adults. *J. Virol.* **65** : 6260-6265.
- Yadav, M. and Ablashi, D.** (1990). Nasopharyngeal carcinoma: Lack of elevated antibody to human herpesvirus 6 in these patients. *Asean J. Clin. Sci.* **10** : 81-84.
- Yadav, M.** (1991). Active HHV-6 infections and associated diseases. *Malaysian J. Child Health* **3** (1) : 11-22.
- Yadav, M., Umamaheswari, S. and Ablashi, D.** (1991). Antibody reactivity with 2 strains of HHV-6 in Malaysians. *J. Med. Virol.* **33** : 236-239.
- Yadav, M., Chandrashekran, A., Vasudevan, D.M. and Ablashi, D.V.** (1994). Frequent detection of human herpesvirus-6 in oral carcinoma. *J. Natl. Cancer Institute* **86** (23) : 1792-1794.
- Yadav, M., Nurhayati, Z.A., Padmanathan, A., Abdul Aziz, Y. and Norhanum, A.W.** (1995). Polymerase chain reaction detection and restriction enzyme typing of human papillomavirus in cervical carcinoma. *Med. J. Malaysia* **50** : 100-107.

- Yadav, M., Arivananthan, M. and Kumar, S.** (in press). HHV-6 antigen and viral DNA detected in cervical cells from archival tissue using histochemical staining and hybridization. *Clin. Diagn. Virol.*
- Yalcin, S., Karpuzoglu, T., Suleymanlar, G., Mutlu, G., Mukai, T., Yamamoto, T., Isegawa, Y. and Yamanishi, K.** (1994). Human herpesvirus 6 and human herpesvirus 7 infections in renal transplant recipients and healthy adults in Turkey. *Arch. Virol.* 136 (1-2) : 183-190.
- Yamamoto, T., Mukai, T., Kondo, K. and Yamanishi, K.** (1994). Variation of DNA sequence in immediate-ealy gene of human herpesvirus 6 and variant identification by PCR. *J. Clin. Microbiol.* 32 (2) : 473-476.
- Yamanishi, K., Okuno, T., Shiraki, K., Takahashi, M., Kondo, T., Asano, Y. and Kurata, T.** (1988). Identification of HHV-6 as the causal agent for exanthem subitum. *Lancet* i : 1065-1067.
- Yanagi, K., Harada, S., Ban, F., Oya, A., Okabe, N. and Tobinai, K.** (1990). High prevalence of human herpesvirus 6 and decrease in titer with increase in age in Japan. *J. Infect. Dis.* 161 : 153-154.
- Yoshida, M., Uno, F., Bai, Z.L., Yamada, M., Nii, S., Sata, T., Kurata, T., Yamanishi, K. and Takahashi, M.** (1989). Electron microscopic study of a herpes-type virus isolated from an infant with exanthem subitum. *Microbiol. Immunol.* 33 : 147-154.
- Yoshikawa, T., Suga, S., Asano, Y., Yazaki, T. and Ozaki, T.** (1990). Neutralizing antibodies to human herpesvirus-6 in healthy individuals. *Pediatr. Infect. Dis. J.* 9 : 589-590.
- Yoshikawa, T., Suga, S., Asano, Y., Nakashima, T., Yazaki, T., Sobue, R., Hirano, M., Fukuda, M., Kojima, S. and Matsuyama, T.** (1991). Human herpesvirus-6 infection in bone marrow transplantation. *Blood* 78 : 1381-1384.
- Zhou, Y., Chang, C., Qian, G., Chandran, B. and Wood, C.** (1994). Trans-activation of the HIV promoter by a cDNA and its genomic clones of human herpesvirus-6. *Virology* 199 : 311-322.
- zur Hausen, H.** (1989). Papillomaviruses as carcinoma viruses. *Adv. Viral. Oncol.* 8 : 1-26.