

# LIST OF CONTENTS

	PAGE
ACKNOWLEDGMENT	i
ABSTRACT	ii
ABSTRAK	iv
LIST OF ABBREVIATIONS	vi
LIST OF CONTENTS	ix
LIST OF FIGURES	xiv
LIST OF TABLES	xvii
CHAPTER ONE: INTRODUCTION	1
CHAPTER TWO: LITERATURE REVIEW	5
2.1 HUMAN HERPESVIRUS-6	5
2.1.1 The discovery of a novel herpesvirus	5
2.1.2 Ultrastructure	6
2.1.3 Morphogenesis	7
2.1.4 Replicative Cycle	9
2.1.5 Interstrain Heterogeneity	12
2.1.6 Molecular Biology-Genome	14
2.1.7 Molecular Biology-Proteins	23
2.1.8 Seroepidemiology and Transmission	27
2.1.9 Cellular Tropism	30
2.1.10 Clinical Manifestations	34
2.1.11 Antiviral Therapy	42
2.2 DIAGNOSTIC METHODS	44
2.2.1 Serodiagnostic Tests	44

2.2.2	Polymerase Chain Reaction	46
2.2.3	Southern Blot Hybridization	56
2.2.4	Dot Blot Hybridization	57
2.2.5	<i>In Situ</i> Hybridization	58
2.2.6	Immunohistochemistry	60
2.3	HHV-6 AND CANCER	62
2.3.1	Carcinogenesis	62
2.3.2	HHV-6 as an oncogenic virus	63
2.3.3	Oral Cancer	65
2.3.4	Cervical Cancer	66
2.3.5	Breast Cancer	67
	<b>CHAPTER THREE: MATERIALS AND METHODS</b>	<b>69</b>
3.0	STOCK SOLUTIONS	69
3.1	BIOPSY MATERIAL	69
3.2	METHODS OF DNA EXTRACTION	70
3.2.1	Extraction of DNA from paraffin-embedded tissue	70
3.2.2	Extraction of DNA from throat washes	71
3.2.3	Plasmid isolation	72
3.3	POLYMERASE CHAIN REACTION	74
3.3.1	Primers and controls used in PCR assays	76
3.3.2	PCR amplification of HHV-6 DNA sequences	77
3.4	AGAROSE GEL ELECTROPHORESIS	79

3.5	NONRADIOACTIVE SOUTHERN BLOTTING	80
3.5.1	Nonradioactive probe labelling	80
3.5.2	Southern Transfer	82
3.5.3	Nonradioactive hybridization	83
3.5.4	Detection of hybridized products	84
3.6	RESTRICTION ENDONUCLEASE CHARACTERIZATION	85
3.7	PREPARATION OF SLIDES	86
3.8	NONRADIOACTIVE <i>IN SITU</i> HYBRIDIZATION	88
3.8.1	Nonradioactive oligonucleotide probe labelling	88
3.8.2	Nonradioactive <i>in situ</i> hybridization	91
3.8.3	Detection of hybridized products	94
3.8.4	Controls used in nonradioactive <i>in situ</i> hybridization	95
3.9	IMMUNOHISTOCHEMISTRY	96
	<b>CHAPTER FOUR: RESULTS</b>	<b>99</b>
4.1	OPTIMIZATION OF MOLECULAR DIAGNOSTIC TECHNIQUES	99
4.1.1	Polymerase Chain Reaction	99
4.1.2	Nonradioactive <i>in situ</i> hybridization	101
4.1.3	Immunohistochemistry	104
4.2	ANALYSIS OF PARAFFIN-EMBEDDED TISSUE BIOPSIES OF THE ORAL MUCOSA	105
4.2.1	Amplification of HHV-6 DNA sequences in oral tissue and analysis of PCR products	108

4.2.2	Nonradioactive detection of HHV-6 DNA in oral tissue	114
4.2.3	Expression of HHV-6 encoded proteins in oral tissue	121
4.3	ANALYSIS OF FORMALIN-FIXED, PARAFFIN-EMBEDDED TISSUE BIOPSIES OF THE SALIVARY GLAND	128
4.3.1	Amplification of HHV-6 DNA sequences in salivary gland tissue and analysis of PCR products	129
4.3.2	Nonradioactive detection of HHV-6 DNA sequences in salivary gland tissue	133
4.4	ANALYSIS OF PARAFFIN-EMBEDDED TISSUE BIOPSIES OF THE CERVICAL MUCOSA	141
4.4.1	Amplification of HHV-6 DNA sequences in cervical tissue and analysis of PCR products	143
4.4.2	Nonradioactive detection of HHV-6 DNA sequences in cervical tissue	148
4.4.3	Expression of HHV-6 encoded proteins in cervical tissue	152
4.5	ANALYSES OF OTHER PARAFFIN-EMBEDDED TISSUE BIOPSIES	157
4.5.1	Formalin-fixed paraffin-embedded breast carcinoma tissue	157
4.5.2	Formalin-fixed paraffin-embedded nasopharyngeal and laryngeal carcinoma tissue	160
	<b>CHAPTER FIVE: DISCUSSION</b>	<b>167</b>
5.1	MOLECULAR DIAGNOSTIC TECHNIQUES	167
5.2	DETECTION OF HHV-6 IN ORAL MUCOSAL TISSUES	171

5.3	DETECTION OF HHV-6 IN SALIVARY GLAND TISSUE	183
5.4	DETECTION OF HHV-6 IN LARYNGEAL AND NASOPHARYNGEAL CARCINOMA TISSUES	186
5.5	DETECTION OF HHV-6 IN CERVICAL MUCOSAL TISSUES	188
5.6	STUDY OF HHV-6 IN BREAST CARCINOMA TISSUE	192
5.7	CONCLUSION	193
	<b>REFERENCES</b>	<b>195</b>
	<b>APPENDIX</b>	<b>225</b>

## LIST OF FIGURES

FIGURE	PAGE
2.1 Schematic representation of the replicative cycle of HHV-6	10
2.2 Model of HHV-6 genome architecture	16
2.3 Predicted HHV-6 gene organization	21
2.4 The PCR amplification cycle of a specific target sequence.	47
4.1 Nested PCR amplification of HHV-6 DNA sequences from paraffin-embedded oral lesions visualized on ethidium bromide-stained agarose gel.	111
4.2 Southern blot hybridization of PCR amplified HHV-6 DNA sequences from paraffin-embedded oral lesions.	112
4.3 Restriction digestion pattern of the PCR-amplified 750 bp fragment visualized by ethidium bromide-stained agarose gel.	113
4.4 Intense <i>in situ</i> hybridization signal in the nuclei of HHV-6-infected MOLT-3 cells (400 $\times$ ).	118
4.5 Control reaction in which no hybridization signal was observed with uninfected MOLT-3 cells (400 $\times$ ).	118
4.6 NISH signal (dark purple) for HHV-6A localized in the nuclei of a well differentiated squamous cell carcinoma of the oral mucosa (400 $\times$ ).	119
4.7 NISH positive staining for HHV-6B in the outer layer of cells (dark purple) surrounding a keratin pearl from a well differentiated keratinizing SCC of the oral mucosa (400 $\times$ ).	119
4.8 NISH signal for HHV-6B in the nuclei of squamo-epithelial cells of a normal oral tissue sample (400 $\times$ ).	120
4.9 Intense cytoplasmic staining (reddish brown) for gp116/64/54 in HHV-6-infected MOLT-3 cells (400 $\times$ ).	126

4.10	Control reaction in which no staining was observed with uninfected MOLT-3 cells, counterstain with Mayer's hematoxylin shows the nuclei stained blue (400×).	126
4.11	IHC positive for HHV-6 gp116/64/54 in the cytoplasm of a well differentiated keratinizing SCC of the oral mucosa (400×).	127
4.12	Immunohistochemical staining (gp116/64/54) in the nuclei and cytoplasm of cells in a keratin pearl and its' outer layer (400×).	127
4.13	Nested PCR amplification of HHV-6 DNA sequences from paraffin-embedded salivary gland tissue visualized on ethidium bromide-stained agarose gel.	131
4.14	Southern blot hybridization of PCR amplified HHV-6 DNA sequences from paraffin-embedded salivary gland tissue.	132
4.15	NISH signal (dark purple) for HHV-6A in the nuclei of a mucoepidermoid carcinoma of the salivary gland (400×).	135
4.16	NISH positive for HHV-6B in the nuclei of cells lining a duct from a normal salivary gland tissue (400×).	136
4.17	Normal salivary gland tissue showing a duct negatively stained for HHV-6. The nucleus has been counterstained with Mayer's hematoxylin (400×).	136
4.18	Immunohistochemical staining (reddish brown) of HHV-6 gp116/64/54 in the nuclei of a squamous cell carcinoma of the salivary gland (400×).	140
4.19	Immunohistochemical staining of HHV-6 gp116/64/54 in the cytoplasm of columnar epithelial cells lining a duct from a normal salivary gland tissue (400×).	140
4.20	Nested PCR amplification of HHV-6 DNA sequences from paraffin-embedded cervical lesions visualized on ethidium bromide-stained agarose gel.	146
4.21	Southern blot hybridization of PCR amplified DNA sequences from paraffin-embedded cervical lesions.	147

4.22	NISH signal (dark purple) for HHV-6B localized in the nuclei of an invasive keratinizing squamous cell carcinoma of the cervix (400×).	151
4.23	NISH signal for HHV-6B in the nuclei of a carcinoma <i>in situ</i> of the cervix, hybridization signal was also noted in koilocytes (400×).	151
4.24	IHC for HHV-6 p41/38 (reddish brown) in the nuclei and cytoplasm of an invasive keratinizing SCC of the cervix (400×).	156
4.25	Immunohistochemical staining (p41/38) observed in the nuclei of endocervical columnar epithelial cells of a normal cervical biopsy (400×).	156
4.26	NISH negative staining for HHV-6 DNA in an infiltrating ductal carcinoma of the breast. The nucleus has been counterstained blue with Mayer's hematoxylin (400×).	159
4.27	IHC negative staining for p41/38 in an infiltrating lobular carcinoma of the breast, the nucleus is counterstained blue (400×).	159
4.28	Southern blot hybridization of PCR amplified HHV-6 DNA sequences from paraffin-embedded lesions of the nasopharynx and larynx.	164
4.29	NISH signal (dark purple) for HHV-6B in the nuclei of a squamous cell carcinoma of the larynx (400×).	165
4.30	IHC positive staining for gp116/64/54 in the cytoplasm of a squamous cell carcinoma of the larynx (400×).	165
4.31	NISH signal (dark purple) for HHV-6B in the nuclei of a nasopharyngeal carcinoma (400×).	166



## LIST OF TABLES

TABLE		PAGE
1.1	Classification of Human Herpesviridae and their seroprevalence in human populations.	2
2.1	Characteristics of HHV-6 variant A and B	33
2.2	Proposed associations of HHV-6 with diseases	41
2.3	Primer and probe sequences in HHV-6 detection	51
3.1	PCR cocktail for the amplification of primer-directed DNA sequences	75
3.2	Primers used in PCR assays	78
3.3	Parameters for the amplification of HHV-6 DNA sequences	78
3.4	Reaction mix for the PCR labelling of probe sequences	81
3.5	Reaction mix for restriction endonuclease digestion	85
3.6	Reaction mix for 3'-tailing of oligonucleotide probes	90
3.7	Probe cocktail for <i>in situ</i> hybridization	93
4.1	Histology of paraffin-embedded tissue biopsies of the oral mucosa	106
4.2	Distribution of individuals from which oral biopsies were obtained by race and sex	107
4.3	Prevalence of HHV-6 DNA in paraffin-embedded oral tissue detected by PCR and Southern hybridization	110
4.4	Variant classification of HHV-6 positive oral tissue by restriction enzyme analysis	110
4.5	Prevalence of HHV-6 DNA detected by <i>in situ</i> hybridization with variant-specific oligonucleotides in oral tissue	117

4.6	Immunolocalization of HHV-6 specific antigens in the cytoplasm and/or nucleus of paraffin-embedded oral tissue	124
4.7	Immunolocalization of HHV-6 p41/38 and gp116/64/54 in paraffin-embedded oral tissue	125
4.8	Histology of paraffin-embedded salivary gland tissue biopsies of the salivary gland	128
4.9	Prevalence of HHV-6 DNA in paraffin-embedded salivary gland tissue detected by PCR and Southern hybridization	130
4.10	Prevalence of HHV-6 DNA detected by <i>in situ</i> hybridization with variant specific oligonucleotides in salivary gland tissue	134
4.11	Prevalence of HHV-6 encoded proteins in paraffin-embedded salivary gland tissue	139
4.12	Histology of paraffin-embedded tissue biopsies of the cervical mucosa	141
4.13	Racial distribution of individuals from whom cervical biopsies were obtained	142
4.14	Prevalence of HHV-6 DNA in paraffin-embedded cervical tissue detected by PCR and Southern hybridization	144
4.15	Variant classification of HHV-6 positive cervical tissue by restriction enzyme analysis	145
4.16	The prevalence of HHV-6 DNA detected by <i>in situ</i> hybridization with variant-specific oligonucleotides in cervical tissue	150
4.17	Prevalence of HHV-6 specific antigens in the cytoplasm and/or nucleus of paraffin-embedded cervical tissue	154
4.18	Immunolocalization of HHV-6 p41/38 and gp116/64/54 in paraffin-embedded cervical tissue	155
4.19	Histopathology of paraffin-embedded tissue biopsies of breast carcinoma	158

4.20	Human herpesvirus-6 positivity in paraffin-embedded breast carcinoma tissue	158
4.21	Detection of HHV-6 DNA sequences by PCR	162
4.22	Prevalence of HHV-6 DNA detected by nonradioactive <i>in situ</i> hybridization	162
4.23	Prevalence of HHV-6-encoded proteins	163