

REFERENCES

- Abobaker, I.M., Elnour, G.E. and Mahfouz, S.A. (2009). The effect of NAA and Kin on the induction of callus from *Retama raetam* Plants. *Acta Hort.* **829**: 265-268.
- Abu, J.O., Muller, K., Duodu, K.G. and Minnar, A. (2005). Gamma irradiation of cowpea (*Vigna unguiculata* L. Walp) flours and pastes. *Food Chem.* **95**(1): 138-147.
- Adler, G. and Kasprzyk, Z. (1975). Free sterols, steryl esters, glycosides, acetylated glycosides and water-soluble complexes in *Calendula officinalis*. *Phytochemistry.* **18**: 253-255.
- Ahloowalia, B.S. and Maluszynski, M. (2001). Induced mutations- A new paradigm in plant breeding. *Euphytica.* **118**: 167-173.
- Aitken-Christie, J., Kozai, T. and Smith, M.A.L. (1995). *Automation on plant tissue culture. General introduction and overview*. In: Aitken-Christie, J., Kozai, T. and Smith, M.A.L. (eds) *Automation and environmental control in plant tissue culture*. Kluwer, Dordrecht, pp 1-18.
- Akiyoshi, D.E., Morris, R.O., Hinz, R., Mischke, S., Kosuge, T., Garfinkel, D.J., Gordon, M.P. and Nester, E.W., (1983). Cytokinin/auxin balance in crown gal tumors is regulated by specific loci in the T-DNA. *Proc. Natl. Acad. Sci. USA.* **80**: 407-411.
- Al-Rehaily, A.J., Albishi, O.A., El-Olemy, M.M. and Mossa, J.S. (2008). Flavonoids and terpenoid from *Helichrysum forskahlii*. *Phytochemistry.* **69**: 1910-1914.
- Amin, M.N., Azad, M.A.K. and Begum, F. (1997). *In vitro* plant regeneration from leaf-derived callus cultured of *Adhatoda vasica* Nees. *Plant Tiss. Cult.* **7**: 109-115.
- Ammirato, P.V. (1987). *Organizational events during somatic embryogenesis*. In Green, C.D., Somer, D., Hackett, W.P., Biesboer, D.D. (eds). *Plant Tissue and Cell Culture*. New York: Alan Liss., pp 57-81.
- Ando, T., Akiyama, Y. and Yukoi, M. (1986). Flower colour sports in *Saintpaulia* cultivars. *Sci. Hort.* **29**: 191-197.

Antonietta, G.M., Emanuele, P. and Standardi, A. (1999). Effects of encapsulation on *Citrus reticulata* Blanco somatic embryo conversion. *Plant Cell Tiss. Org. Cult.* **69**: 233-249.

Aobchey, P., Sriyam, S., Praharnriporab, W., Lhieichaiphant, S. and Phutrakul, S. (2002). Production of red pigment from the root of *Morinda angustifolia* Roxb. Var. *scabridula* Craib. by root cell culture. *Chiang Mai University Journal.* **1(1)**: 66-78.

Appelgren, M. and Heide, O.M. (1972). Regeneration in *Streptocarpus* leaf discs and its regulation by temperature and growth substances. *Physiologia Plantarum.* **27**: 417-423.

Arnold, N.P., Binns, M.R., Cloutier, C.D., Barthakur, N.N. and Pellerin, R. (1995). Auxins, salt concentrations and their interactions during *in vitro* rooting of winter-hardy and hybrid tea roses. *Hortic. Sci.* **30(7)**: 1436-1440.

Arnon, D.I. (1949). Copper enzymes in isolated chloroplast. Polyphenoloxidase in *Beta vulgaris*. *Plant physiol.* **24**: 1-15.

Askari, N.R. and Fotouhi, R.G. (2009). Shoot regeneration of *Gerbera jamesonii* cultivars from young capitulum. Proceeding of 3rd International Symposium on Acclimatization and Establishment of Micropropagated Plants. Eds. Romano, A. *Acta Hort.* **812**: 197-199.

Aswath, C. and Choudhary, M.L. (2002a). Mass propagation of *Gerbera* (*Gerbera jamesonii*) through shoot culture. *Indian Journal of Horticulture.* **59**: 95-99.

Aswath, C. and Choudhary, M.L. (2002b). Rapid plant regeneration from *Gerbera jamesonii* Bolus callus cultures. *Acta Botanica Croatica.* **61 (2)**: 125-134.

Awal, A., Taha, R.M. and Hasbullah, N.A. (2009). Somatic embryogenesis in *Begonia x hiemalis* Fotsch. *In vitro. Acta Hort.* **829**: 39-44.

Azad, M.A.K. and Amin, M.N. (1998). *In vitro* regeneration of plantlets from internode explants of *Adhatoda vasica* Nees. *Plant. Tiss. Cult.* **10**: 31-37.

Azad, M.A.K., Yokota, S., Ohkubo, T., Andoh, Y, Yahara, S. and Yoshizawa, N. (2005). *In vitro* regeneration of the medicinal woody plant *Phellodendron amurense* Rupr. through excised leaves. *Plant Cell Tiss. Org. Cult.* **80**: 43-50.

Badzian, T., Hennen, G.R. and Fotyma-Kern J. (1991). *In vitro* rooting of clonal propagated miniature rose cultivars. *Acta Hort.* **289**: 329-330.

Bajaj, Y.P.S. (1970). Effect of gamma irradiation on growth, RNA protein and nitrogen contents of bean callus cultures. *Annals of botany.* **34**: 1089-1096.

Bajaj, Y.P.S., Reghunath, B.R. and Gopalakrishnan, P.K. (1993). *Elettaria cardamomum* Maton (cardamom): aromatic compinds, *in vitro* culture studies and clonal propagation. In: Bajaj, Y.P.S., ed. *Biotechnology in agriculture and forestry*, vol.21. Medicinal and aromatic plants IV. Berlin: Springer-Verlag, pp 132-147.

Bajaj, Y.P.S., Saettler, A.W. and Adams, M.W. (1970). Gamma radiation studies in seeds, seedlings and callus tissues cultures of *Phaseolus vulgaris* L. *Radiat. Bot.* **10**: 119-124.

Balandrin, M.F. and Kjocke, A.J. (1985). Natural plant chemicals sources of industrial and medicinal. *Materials Science.* **228**: 1154-1160.

Ballester, A., Janeiro, L.V. and Vietez, A.M. (1997). Cold storage of shoot cultures and alginate encapsulation of shoot tips of *Camellia japonica* L. and *Camellia reticulate* Linley. *Sci. Hort.* **71**: 67-78.

Bapat, V.A. and Rao, P.S. (1988). Sandalwood plantlets from 'synthetic seeds'. *Plant Cell Rep.* **7**: 434-436.

Bapat, V.A. and Rao, P.S. (1990). *In vitro* growth of encapsulated axillary buds of mulberry (*Morus indica* L.) *Plant Cell Tiss. Org. Cult.* **20**: 69-70.

Bapat, V.A., Mhatre, M. and Rao, P.S. (1987). Propagation of *Morus indica* (mulberry) by encapsulated shoot buds. *Plant Cell Rep.* **6**: 393-395.

Barbosa, M.H.P., Pinto, J.F.B.P., Pinto, C.A.B.P. and Innecco, R. (1994). *In vitro* propagation of *Gerbera jamesonii* Bolus ex. Hook cv. Appel Bloesem using young capitulum. *Revista Ceres*. **41**: 386-395.

Barbotin, J.N., Nava Saucedo, E.J., Bazinet, C., Kersulec, A., Thomasset, B. and Thomas, D. (1993). Immobilization of whole cells and somatic embryos: coating process and cell-matrix interactions. In Redenbaugh, K. (ed). *Synseeds: Applications of Synthetic Seeds to Crop Improvement*. US: Boca Raton. FI, CRC Press Inc., pp 381-408.

Basiouny, F.M., Van, T.K. and Biggs, R.H. (1978). Some morphological and biochemical characteristics of C3 and C4 plant irradiated with UV-B. *Physiological Plantarum*. **42**: 29-32.

Baskaran, P. and Jayabalan, N. (2005). An efficient micropropagation system for *Eclipta alba*- A valuable medicinal herb. *In Vitro Cell Dev. Biol.-Plant*. **41**: 532-539.

Bayliss, M.W. (1980). Chromosomal variation in plant tissue in culture. *International review of cytology* (supp). **11A**:113-144.

Begum, F., Amin, M.N. and Azad, M.A.K. (2000). *In vitro* clonal propagation of Holy Basil-*Ocimum sanctum* L. *Plant Tiss. Cult*. **10**: 31-37.

Begum, F., Amin, M.N. and Azad, M.A.K. (2002). *In vitro* Rapid Clonal Propagation of *Ocimum basilicum* L. *Plant Tiss. Cult*. **12(1)**: 27-35

Bespalhok, J.C. and Hattori, K. (1998). Friable embryogenic callus and somatic embryo formation from cotyledon explants of African marigold (*Tagetes erecta* L.) *Plant Cell Rep*. **17**: 870-875.

Bespalhok, J.C.F., Hashimoto, J.M. and Esteves, L.G.V. (1993). Induction of somatic embryogenesis from leaf explants of *Stevia rebaudiana*. *R. Bras. Fisiol. Veg*. **5(1)**: 51-53.

Bhojwani, S.S. and Dhawan, V. (1989). Acclimatization of tissue culture raised plants for transplantation to the field. In Dhawan, V. (ed), *Application of biotechnology in forestry and horticulture*. New York: Plenum Press, pp 249-255.

Bhojwani, S.S. and Radzan, M.K. (1983). Developments in crop science (5). *Plant tissue culture: Theory and Practice*. Amsterdam: Elsevier Science Publication BV, The Netherlands, pp 200-236.

Blanke, M.M. and Belcher, A.R. (1989). Stomata of apples leaves cultured *in vitro*. *Plant Cell Tiss. Org. Cult.* **19**: 85-89.

Bohlmann, F. and Abraham, W.R. (1979). Neue prenylflavanone aus *Helichrysum hypocephalum*. *Phytochemistry*. **18**: 1851-1853.

Bohlmann, F. and Misra, L.N. (1984). New prenylflavanones and chalcones from *Helichrysum rugulosum*. *Planta Med.* **50**: 271-272.

Bohm, B.A., Fong, C., Hiebert, M., Jamal A. and Crins, W.J. (1992). Non-polar flavonoids of Calycadenia, Lagophylla and Madia. *Phytochemistry*. **31**: 1261-1263.

Bradford, M. (1976). A rapid and sensitive method for the quantification of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal. Biochem.* **72**: 248-254.

Brain, K.W. and Richard, A.C. (1993). Clonal propagation of pink ginger *in vitro*. *Hort. Sci.* **28**: 1203-1205

Brainerd, K.E. and Fuchigami, L.H. (1982). Stomatal functioning of *in vitro* and greenhouse apple leaves in darkness, mannitol, ABA and CO₂. *J. Exp. Bot.* **33**: 388-392.

Broertjes, C. (1968). Dose rate effects in *Saintpaulia*. *Mutations in Plant Breeding II*. Proceedings of a panel, Vienna, 11–15 September 1967, jointly organized by the IAEA and FAO, Vienna, pp 63-71.

Broertjes, C. (1969). Mutation breeding in *Streptocarpus*. *Euphytica*. **18**: 333-339.

Broertjes, C. (1977). Mutagen treatment and handling of treated material. In: Manual on Mutation breeding. Second edition, International Atomic Agency, Tech. Rep. Ser. No 119. Vienna, pp 160-168.

Broertjes, C. (1981). The use of an *in vitro* adventitious bud technique for mutation breeding of *Begonia x hiemalis*. *Euphytica*. **30**: 381-388.

Broertjes, C. and Leffring, L. (1972). Mutation breeding of Kalanchoe. *Euphytica*. **21**: 48-63.

Broertjes, C. and Van Harten, A.M. (1978). *Application of mutation breeding methods in the improvement of vegetatively propagated crops*. Elsevier, Amsterdam, pp 1-316.

Broertjes, C., Roest, R. and Bokelmann, C.S. (1976). Mutation breeding of *Chrysanthemum morifolium* Ram. Using *in vivo* and *in vitro* adventitious bud techniques. *Euphytica*. **25**: 11-19.

Buddendorf-Joosten, J.M.C. and Woltering, E.J. (1994). Components of the gaseous environment and their effects on plant growth and development *in vitro*. *Plant Growth Regul.* **15**:1-16.

Caffarati, M., Ortega, M.G., Scarafia, M.E., Espinar, L.A. and Juliani, H.R. (1994). Prenylated flavanones from *Dalea elegans*. *Phytochemistry*. **36**: 1083-1084.

Cappelades, M., Fontarnau, R., Carulla, C. and Debergh, P. (1990). Environment influences anatomy of stomata and epidermal cells in tissue cultured *Rosa multiflora*. *J. Amer. Soc. Hort. Sci.* **115**: 141-145.

Carman, J.G. (1990). Embryogenic cells in plant tissue cultures: occurrence and behaviour. *In vitro Cell Dev. Biol.* **26**: 746-753.

Cassells, A.C. (1990). Screening for pathogen and contaminating organisms in micropropagation. In: Duncan J.M. & Torrance, C. (eds) *Techniques for rapid detection and diagnosis in plant pathology* (in press) Blackwell, Oxford, pp 10-55.

Castillo, B. and Smith, M.A.L. (1997). Direct somatic embryogenesis from *Begonia gracilis* explants. *Plant Cell Rep.* **16(6)**: 385-388.

Castillo, B., Smith, M.A.L. and Yadav, U.L (1998). Plant regeneration from encapsulated somatic embryos of *Carica papaya* L. *Plant Cell Rep* **17**:172-176.

Chand, S. and Singh, A.K. (2004). Plant regeneration from encapsulated nodal segments of *Dalbergia sissoo* Roxb., a timber yielding leguminous tree species. *J. Plant Physiol.* **161**: 237-243.

Chee, R. and Pool, R.M. (1987). Improved inorganic media constituents for *in vitro* shoot multiplication of *Vitis*. *Sci Hort.* **32**: 85-95.

Cherry, J.H., Hasegawa, R.H., Collins, F.I. and Flesher, D. (1961). Effects of X-radiation on corn seed. *Plant Physiol.* **36**: 566-572.

Chong, C. and Taper, C.D. (1972). Maltus tissue culture. I. Sorbitol (D-glucitol) as a carbon source for callus initiation and growth. (1972). *Can. J. Bot.* **50**: 1399-1404.

Chu, C. C., Wang, C.C., Sun, C.S., Hsu, C., Yin, K.C., Chu, C.Y. and Bi, F.Y. (1975) Establishment of an efficient medium for anther culture of rice through comparative experiments on the nitrogen sources. *Scientia Sinica.* **18**: 659–668.

Chu, C.Y., Knight, S.L. and Smith, M.A.L. (1993). Effect of liquid culture on the growth and development of miniature rose (*Rosa chinensis*). *Plant Cell Tiss. Org Cult.* **32**: 329-334.

Chu, I.Y.E. and Kurtz, S.L. (1990). *Commercialization of plant micropropagation*. In Ammirato, P.V., Evans, D.A., Sharp, W.R., and Bajaj, Y.P.S. (eds), *Handbook of plant cell culture. Ornamental species*. Vol 5. New York: McGraw-Hill Publication Co., pp 126-158.

Chun, Y.W. (1993). Clonal propagation in non-aspen poplar hybrids. In: Ahuja, M.R. (Ed.), *Micropropagation of Woody Plants*. Kluwer Academic Publishers, Dordrecht, pp 209–222.

Constantin, M.S. and Love, J.E. (1967). Seedling responses of *Vigna sinensis* of gamma and neutron seed irradiation. *Radiation Botany.* **7**: 497-506.

Constantinovic, D. and Sandu, C. (1995). Studies on the regenerative capacity of different *Gerbera* explants for effective *in vitro* multiplication. *Cercu. Agron. Mold.* **28**: 149-158.

D'Amato, F. (1977). Cytogenetics of differentiation in tissue and cell cultures. In Reinert, J., and Bajaj, Y. P. S. (eds.) *Applied and Fundamental Aspects of Plant Cells, Tissue and Organ Culture*, Springer-Verlag, Berlin, pp 343-356.

D'Amato, F. (1978). Chromosome number variation in cultured cells and regenerated plants. In Thorpe, T. A. (ed.) *Frontiers of Plant Tissue Culture 1978 Intern. Ass. Plant Tissue Culture*, Calgary, pp 287-295.

Da Silva, A.B., Pasqual, M., Maciel, A.L.D. and Dutra, L.F. (2003). BAP and substrates on *Gloxinia* (*Sinningia speciosa* Lood. Heirn) plantlets from tissue culture acclimatization. *Sci. Agrotech. Larvas.* **27(2)**: 255-260.

Danso, K.E. and Ford-Lloyd, B.V. (2003). Encapsulation and nodal cuttings and shoot tips for storage and exchange of cassava germplasm. *Plant Cell. Rep.* **21**: 718-725.

Datta, M.M. and Majumder, A. (2005). Organogenesis and plant regeneration in *Taxus wallichiana* (Zucc.). *Plant Cell Rep.* **25**:11-18.

Davies, D.R. (1961). The genetical control of radiosensitivity-II. Growth measurements in *Lycopersicum* and *Melandrium*. *Radiation Botany.* **1**: 277-295.

Davies, D.R. (1968). Effects of gamma irradiation on growth and yield of agricultural crops-I. Spring sown wheat. *Radiation Botany.* **8**: 17-30.

De Jong, J. and Custers, J.B.M. (1986). Induced changes in growth and flowering of *Chrysanthemum* after irradiation and *in vitro* culture of pedicels and petal epidermis. *Euphytica.* **35**: 137-148.

De Jong, A.J., Heidstra, R., Spaik, H.P., Hartog, M.V., Meijer, E.A., Hendriks, T., Schiavo, F.L., Terzi, M., Bisseling, T., Van Kammen, A. and De Vries, S.C. (1993). *Rhizobium lipooligosachharides* rescue a carrot somatic embryo mutant. *The Plant Cell. Am. Soc. Plant Biol.* **5(6)**: 615-620.

De Klerk, G.J., Arnholdt-Schmitt, B., Lieberei, R. Nad Neumann, K.H. (1997). Regeneration of roots, shoots and embryos: physiological, biochemical and molecular aspects. *Biol. Plant.* **39**:53-66.

De Klerk, G.J., Ter Brugge, J. and Marinova, S., (1997). Effectiveness of indoleacetic acid, indolebutyric acid and naphthaleneacetic acid during adventitious root formation *in vitro* in *Malus Jork 9*. *Org. Cult.* **49**: 39–44.

Demarly, Y. (1986). Regeneration of plantlets from protoplasts of rice (*Oryza sativa* L.) *Plazenzucht.* **96**: 79-81.

De Wald, S.G., Litz, R.E. and Moore, G.A. (1989). Maturation and germination of mango somatic embryos. *J. Am. Soc. For Hort. Sci.* **114**: 837-841.

De Wit, J.C., Esendam, H.F., Horkanen, J.J. and Tuominen, U. (1990). Somatic embryogenesis and regeneration of flowering plants in rose. *Plant Cell Rep.* **9**: 456-458.

Debergh, P.C. and Maene, L.J. (1981). A scheme for the commercial propagation of ornamental plants by tissue culture. *Sci Hort.* **14**: 335-345.

Debergh, P.C. and Read, R.E. (1990). Micropropagation. In: P.C. Debergh and R.H. Zimmerman (eds). *Technology and Application*, Kluwer Academic Publishers. Dordrecht. The Netherlands, pp 1-12.

Debergh, P.C., Harbaoui, Y. and Lemeur, R. (1981). Mass propagation of globe artichoke (*Cynara scolymus*): Evaluation of different hypotheses to overcome vitrification with special reference to water potential. *Physiol Plant.* **53**: 181-187.

Degani, N. (1975). Radiation-induced organogenesis: Effects of irradiated medium and its components on tobacco tissue culture. *Radiat. Bot.* **15**: 363-366.

Degani, N. and Pickholz, D. (1973). Direct and indirect effect of gamma irradiation on the differentiation of tobacco tissue culture. *Radiat. Bot.* **13**: 381-383.

Dietz, A., Kutschera, U. and Ray, P.M. (1990). Auxin enhancement of mRNAs in epidermis and internal tissues of pea stem and its significance for control of elongation. *Plant Physiol.* **93**: 432-438.

Dodds, J.H. and Roberts, L.W. (1982). *Experiment in plant tissue culture*. Cambridge University Press, pp 37-53.

Doorenbos, J. and Karper, J.J. (1975). X-ray induced mutations in *Begonia x hiemalis*. *Euphytica*. **24**: 13-19.

Driver, J.A. and Kuniyuki, A.H. (1984). *In vitro* propagation of Paradox walnut Rootstock. *Hort. Science*. **19**(4): 507-509.

Dupuis, J.M., Roffat, C., DeRose, R.T. and Molle, F. (1994). Pharmaceutical capsules as a coating system for artificial seed. *Bio/Technology*. **12**: 385-389.

Economou, A.S. and Read, P.E. (1980). Effect of Benzyladenine pretreatments on shoot proliferation from petunia leaf segments cultured *in vitro*. *Proc Plant Growth Reg Working Group*. **7**: 96-103.

Eduardo, F. A., Moacir, P., Jose, E.B.P.P. and Marcio, H.P.B. (1991). *In vitro* establishment and plantlet regeneration of *Gerbera jamesonii* Bolus ex. Hook by tissue culture technique. *Peaq. Agropec. Bras. Brasilia*. **26**: 269-273.

Elooma, P., Honkanen, J, Puska, R., Seppanen, P., Helariutta, Y., Mehto, M., Kotilainen, M., Nevalainen, L. And Teeri, T.H. (1993). Agrobacterium-mediated transfer of antisense chalcone synthase cDNA to *Gerbera hybrida* inhibits flower pigmentation. *Bio/Technology*. **11**:508-511.

Emons, A.M.C. (1994). Somatic embryogenesis: cell biological aspects. *Acta Botanica Neerlandica*. **43**:1-14.

Esau, K. (1977). *Anatomy of seed plants*. 2nd ed. New York: John Wiley & sons. pp 23-47.

Etienne, H. and Berthouly, M. (2002). Temporary immersion systems in plant micropropagation. *Plant Cell Tiss. Org. Cult*. **69**:215-239.

Evans, D.A. and Sharp, W.R. (1986). In: Evans et al.. In: *In Vitro of Higher Plants*. By: Pierik R.L.M. (1987) (ed.) Martinus Nijhoff Publishers, Dordrecht, pp 217-245.

Evers, P.W. (1987). *Correlations within the tree*. In: Bonga, J.M., Durzan, D.J. (eds). *Cell and tissue culture in forestry, Vol 2*. Martinus Nijhoff Publisher, pp 218-229.

Faisal, M., Singh, S. and Anis, M. (2005). *In vitro* regeneration and plant establishment of *Tylophora Indica* (Burm F.) Merrill: Petiole callus culture. *In Vitro Cell Dev. Biol.-Plant*. **41**: 511-515.

Fowke L.C., Atree, S.M. and Pomeroy, M.K. 1994. Production of vigorous desiccation tolerant white spruce (*Picea glauca* [Moench] Voss.) synthetic seeds in a bioreactor. *Plant Cell Rep*. **13**: 601-606.

Fujii, J.A.A., Slade, D. and Redenbaugh, K. (1989). Maturation and greenhouse planting of alfalfa artificial seeds. *In Vitro Cell Dev. Biol.* **25**: 1179-1182.

Fujii, J.A.A., Slade, D., Aguirre Rascon, J. and Redenbaugh, K. (1992). Field planting of alfalfa artificial seed. *In Vitro Cell Dev. Biol.* **28**: 73-80.

Gamborg, O.L. and Phillips, G.C. (1995). Eds. *Plant Cell, Tissue and Organ Culture-fundamental methods*. Heidelberg, New York: Springer-Verlag, pp 35-67.

Gamborg, O.L., Miller, R.A. and Ojima, K. (1968). Nutrient requirement of suspensions cultures of soybean root cells. *Exp. Cell Res.* **50**: 151-158

Ganapathi, T.R., Suprasanna, P., Bapat, V.A. and Rao, P.S. (1992). Propagation of banana through encapsulated shoot tips. *Plant Cell Rep.* **11**: 571-575.

Gaspar, T., Kevers, C., Debergh, P., Maene, L., Paques, M. and Boxus, P. (1987). Vitrification: morphological, physiological and ecological aspects. In: Bonga, J.M., Durzan, D.J. (Eds) *Cell and Tissue Culture in Forestry, Vol 1*. Martinus Nijhoff Publishers, Dordrecht, Holland, pp 152-166.

Gautheret, R.J. (1959). *La culture des tissus vegetaux: techniques et realizations*. Masson Edit. Paris, pp 863.

George, E.F. (1993). *Plant Propagation by Tissue Culture*. England: Bassingstoke. Exergetics Ltd., pp 709.

George, E.F. and Sherrington, P. (1984). *Plant Propagation by Tissue Culture*. England: Bassingstoke. Exergetics Ltd., pp 709.

Giacomelli, M., Donini, M.L.B. and Cervigni, T. (1967). Effects of kinetin on chlorophyll breakdown and protein levels in irradiated barley leaves. *Radiation Botany*. **7**: 375-385.

Giridhar, P., Kumar, V. and Ravishankar, G.A. (2004). Somatic embryogenesis, organogenesis and regeneration from leaf callus culture of *Decalepis hamiltonii* Wight and Arn., an endangered shrub. *In Vitro Cell Dev. Biol. Plant*. **40**: 567-571.

Glasson, W.B. and Lee, T.H. (1971). Physiology of discs of irradiated tomato fruit. II. Incorporation of ¹⁴C-labelled respiratory intermediates. *Radiat. Bot.* **11**: 137-142.

Godbole, S. Sood, A., thakur, R., Sharma, M. and Ahuja, P.S. (2002). Somatic embryogenesis and its conversion into plantlets in a multipurpose bamboo, *Dendrocalamus hamiltonii* Nees et Arn Ex Munro. *Curr. Sci.* **83**: 885-889.

Ghosh, B. and Sen, S. (1994). Plant regeneration from alginate encapsulated somatic embryos of *Asparagus cooperi* baker. *Plant Cell Rep.* **13**: 381-385.

Gray, D.J. and Purohit, A. (1991). Somatic embryogenesis and development of synthetic seed technology. *Crit. Rev. Plant Sci.* **10**: 33-61.

Green, C.E. (1977). Prospects for crop improvement in the field of cell culture. *Hort Sci.* **12**: 131-134.

Greuter, W., McNeill, J., Barrie, F.R., Burdett, H.M., Demoulin, V., Filgueiras, T.S., Nicolson, D.H., Silva, P.C., Skog, J., Trehane, P., Turlands, N.J. and Hawksworth, D.L. (2000). International Code of Nomenclature (Saint Louis Code). *Regnum vegetabile*. **138**: 1-474.

Gupta, D.S. and Conger, B.V. (1999). Somatic embryogenesis and Plant Regeneration from Suspension Cultures of Switchgrass. *Crop Sci.* **39**: 243-247.

Gupta, P.K., Shaw, D. and Durzan, D.J. (1987). Loblolly pine: micropropagation, somatic embryogenesis and encapsulation. In *Cell and Tissue Culture in Forestry*. Bonga, J.M. and Durzan, D.J. (eds). Martinus Nijhoff Publisher, Dordrecht, The Netherlands, pp 101-108.

Gürel, S. and Gülşen, Y. (1998). The effects of different sucrose, agar and pH levels on *in vitro* shoot production of Almond (*Amygdalus communis* L.).(1998). *Turkey J. of Bot.* **22**: 363-373.

Hagen, G.L. and Gunckle, J.E. (1958). Free amino-acid levels following gamma irradiation of *Nicotiana glauca*, *N. Langsdorfii* and their intermediate specific hybrid. *Plant Physiol.* **33**: 439-443.

Hakkaart, F.A. and Versluijs, J.M.A. (1983). Some factors affecting glassiness in carnation meristem tip cultures. *Neth J Plant Path.* **89**: 47-53.

Hall. R.M., Drew, R.A., Higgins, C.M. and Dietzgen, R.G. (2000). Efficient organogenesis of an Australian passionfruit hybrid (*Passiflora edulis* x *Passiflora edulis* var. *flavicarpa*) suitable for gene delivery. *Aust. J. Bot.* **48(5)**: 673-768.

Halperin, W. (1969). Morphogenesis in cell cultures. *Ann. Rev. Plant Physiol.* **21**: 395-418.

Hazarika, B.N., Nagaraju, V. and Parthasarathy, V. A. (1999). Acclimatization technique of Citrus plantlets from *in vitro*. *Adv. Plant. Sci.* **12**: 97-102.

Hazarika, B.N., Nagaraju, V. and Parthasarathy, V.A. (1995). Micropropagation of *Murraya koinigii* Spreng. *Ann. Plant Physiol.* **9**: 149-151.

Heide, O.M. (1965). Interaction of temperature, auxins, and kinins in the regeneration ability of *Begonia* leaf cuttings. *Physiol. Plant.* **18**: 891-920.

- Heide, O.M. (1968). Auxin level and regeneration of *Begonia* leaves. *Plantta*. **81**: 153-159.
- Heide, O.M. (1969). Non-reversibility of gibberelin-induced inhibition of regulation in *Begonia* leaves. *Physiol Plant*. **22**: 671-679.
- Hisajima, S. (1982a). Multiple shoot formation from almond embryos. *Biol. Plant*. **24(3)**: 235-238.
- Hisajima, S. (1982b). Multiple shoot formation from almond seeds and an excised single shoot. *Agricul. Boil. Chem*. **46(4)**: 1091-1093.
- Hohe, A., Winkelmann, T. and Schwenkel, H.G. (2001). Development of *somatic embryos* of *Cyclamen persicum* Mill. In liquid culture. *Gartenbau-wissenschaft*. **66**: 219-224.
- Hostettmann, K. and Wolfender, J. (1997). The search for biological active secondary metabolites. *Pesticides Science*. **51**: 471-482.
- Huang, J.M., Ni, Y.Y., Lin, M.H. (1987). The micropropagation of *Gerbera*. *Acta Hort. Sinica*. **14**: 125-128.
- Huetteman, A. and Preece, J. (1993). Thidiazuron a potent cytokinin for woody plant tissue culture. *Plant Cell Tiss. Org. Cult*. **37**: 105-119.
- Hutchinson, J. (1916). *Aquatic Compositae*. *Gardner's Chronicle*. 59, pp 305.
- Hyndman, S.E., Hasegawa, P.M. and Bressan, R.A. (1982). Stimulation of root initiation from cultured rose shoots through the used of reduced concentrations of mineral salts. *Hortic Sci*. **17(1)**: 82-83.
- Ibrahim, R., Mondelaers, W. and Debergh, P.C. (1998). Effects of x-irradiation on adventitious bud regeneration from *in vitro* leaf explants of *Rosa hybrida*. *Plant Cell Tiss. Org. Cult*. **54**: 37-44.

Inoue, M., Hasegawa, H. and Hori, S. (1975). Physiological and biochemical changes in γ -irradiated rice. *Radiat. Bot.* **15**: 387-395.

Ipekci, Z. and Gozukirmizi, N. (2003). Direct somatic embryogenesis and synthetic seed production from *Paulownia elongata*. *Plant Cell Rep.* **22**: 16-24.

Ismail, S., Naqvi, B., Anwar, N. and Zuberi, R. (2003). *In vitro* multiplication of *Coffea Arabica*. *Pak. J. Bot.* **35(5)**: 829-834.

Jakupovic, J. Zdero, C., Grenz, M., Tschritzis, F., Lehmann, L., Hashemi-Nejad, S.M. and Bohlmann, F. (1989). Twenty-one acylphloroglucinol derivatives and further constituents from South African *Helichrysum* species. *Phytochemistry.* **28**: 1119-1131.

Jakupovic, J., Grenz, M., Bohlmann, F. and Mungai, G.M. (1990). 12 β -Hydroxyabieta-7,13-diene and other constituents from East African *Helichrysum* species. *Phytochemistry.* **29**: 1589-1590.

Janeiro, L.V., Ballester, A. and Vieitez, A. M. (1997). *In vitro* response of encapsulated somatic embryos of camellia. *Plant Cell Tiss. Org. Cult.* **51**: 119-125.

Janeiro, L.V., Ballester, A. and Vieitez, A.M. (1995). Effect of cold storage on somatic embryogenesis systems of *Camellia*. *Hort. Sci.* **70**: 665-672.

Jerzy, M. and Lubomski, M. (1991). Adventitious shoots formation on *ex vitro* derived leaf explants of *Gerbera jamesonii*. *Sci Hort.* **47**: 115-124.

Jerzy, M. and Zalewska, M. (1996). Polish cultivars of *Dendranthema grandiflora* Tzvelev and *Gerbera jamesonii* Bolus bred *in vitro* by induced mutations. Mutation Breeding Newsletter, no. 42 (pp 19).

Jha, S. and Jha, T.B. (1989). Micropropagation of *Cephaelis ipecacuanha*. *Plant Cell. Rep.* **8**: 437-439.

Jha, S. and Sen, S. (1985). Regeneration and rapid multiplication of *Bowiea volubilis* Harv. in tissue culture. *Plant Cell Rep.* **4**: 12-14.

Johnson, R.T. (1980). Gamma irradiation and *in vitro* induced separation of chimeral genotypes in carnation. *Hort Sci.* **15(5)**: 605-605.

Jordan, B.R., He, J., Chow, W.A. and Anderson, J.M. (1992). Changes in mRNA levels and polypeptide subunits of ribulose 1,5-bisphosphate carboxylase in response to supplementary UV-B radiation. *Plant Cell Environm.* **15**: 91-98.

Joy IV, R. W. and Thorpe, T.A. (1999). *Shoot morphogenesis. Morphogenesis in plant tissue cultures*. Dordrecht. Kluwer Academic Publishers, pp 171-214

Kantia, A. and Kothari S. L. (2002). High efficiency adventitious shoot bud formation and plant regeneration from leaf explants of *Dianthus chinensis* L. *Sci Hort.* **96**: 205-212.

Karam, N.S. and Al-Majathoub, M. (2000). *In vitro* shoot regeneration from mature tissue of wild *Cyclamen persicum* Mill. *Sci. Hort.* **86**:323-333.

Kataeva, N. (1986). Peculiarities of micropropagation of apple varieties with declined rooting ability. *Agric. Biol. (Soviet)*. **4**: 18-23.

Kataeva, N.V., Alexandrova, I.G., Butenko, R.G., and Dragavtceva, E.V. (1991). Effect of applied and internal hormones on vitrification and apical necrosis of different plants cultured *in vitro*. *Plant Cell Tiss. Org. Cult.* **27**: 149-154.

Khan, S., Naseeb, S. and Ali, K. (2007). Callus induction, plant regeneration and acclimatization of African violet (*Saintpaulia ionantha*) using leaves as explants. *Pak. J. Bot.* **39(4)**: 1263-1268.

Khan, S., Zafar, Y., Yasmeen, A. and Saeed, B. (2001). An efficient and economical method of mass multiplication of virus and disease free banana using plant tissue culture techniques. *Pak. J. Bio. Sci.* **4(5)**: 562-563.

Khanam, N., Khoo, C. and Khan, A.G. (2000). Effects of cytokinin/auxin combination on organogenesis, shoot regeneration and tropae alkaloid production in *Duboisia myoporoides*. *Plant Cell Tiss. Org. Cult.* **62**: 125-133.

Khosh-Khui, M. and Sink, K.C. (2003). Callus induction and culture of Rosa. *Sci. Hort.* **17**:361-370.

Kim, J.H., Baek, M.H., Chung, B.Y., Wi, S.G. and Kim J.S. (2004). Alterations in the photosynthetic pigments and antioxidant machineries of red pepper (*Capsicum annum* L.) seedlings from gamma-irradiated seeds. *J. Plant Biol.* **47**: 314-321.

Kim, J.H., Chung, B.Y., Kim, J.S. and Wi, S.G. (2005). Effects of in planta gamma irradiation on growth, photosynthesis and antioxidative capacity of red pepper. *J. Plant Biol.* **48**: 47-56.

Kim, J.S., Lee, E.K., Baek, M.H., Kim, D.H. and Lee, Y.B. (2000). Influence of low dose γ radiation on the physiology of germinative seed of vegetable crops. *Korean J. Environ. Agric.* **19**: 58-61.

Kim, S.W., Oh, S.C., In, D.C. and Liu, J.R. (2003). Plant regeneration of rose (*Rosa hybrida*) from embryogenic cell derived protoplasts. *Plant Cell. Tiss. Org. Cult.* **73(1)**: 15-19.

Kinoshita, I. and Saito, A. (1990). Propagation of Japanese white encapsulated axillary buds. (1). Regeneration of plantlets aseptic condition. *J. Jpn. For. Soc.* **72**: 166-170.

Kovacs, E., and Keresztes, A. (2002). Effect of gamma and UV-B/C radiation on plant cell. *Micron.* **33**:199-210.

Kochba, J. and Spiegel-Roy, P. (1977). The effects of auxin, cytokinins and inhibitors on embryogenesis in habituated ovular callus of "Shamouti" orange (*Citrus sinensis*). *Z Pflanzenphysiol.* **81**: 283-288.

Kukreja, A.K. and Mathur, A.K. (1985). Tissue culture studies in *Duboisia myoporoides*, I. Plant regeneration and clonal propagation by stem node cultures. *Planta Med.* **2**: 93-96.

Kumar, S., Kanwar, J.K. and Sharma D.R. (2004). *In vitro* regeneration of *Gerbera jamesonii* from leaf and petiole explants. *Journal of Plant Biochemistry and Biotechnology.* **13**: 73-75.

- Kumar, P.P., Lakshmanan, P. And Thorpe, T.A. (1998) Regulation of morphogenesis in plant tissue culture by ethylene. *In Vitro Cell. Dev. Biol. Plant.* **34**: 94-103.
- Kunitake, H., Imamizo, H. and Mii, H. (1993). Somatic embryogenesis and plant regeneration from immature seed-derived calli of rugosa rose (*Rosa rugosa* Thurb.) *Plant Sci.* **90**: 187-194.
- Kurkin, V.A. and Sharova, O.V. (2007). Flavonoids from *Calendula officinalis* flowers. *Khim Prir Soed.* **2**: 179-180.
- Kuzin, A.M. (1956). Biochemical fundamentals of the biological action of ionizing radiation. In: Kuzin, A.M. (ed.) *Reviews on Radiobiology*, Press of the Acad. of Sci. USSR, Moscow, pp 4-125 (English translation).
- Lakes, C. and Zimmermann, R.H. (1990). Impact of Osmotic potential on *in vitro* culture of apple. *Acta Hort.* **280**: 417-424.
- Lal, N. and Ahuja, P.S. (1989). Propagation of Indian rhubarb (*Rheum emodi* Wall.) using shoot tip and leaf explants culture. *Plant Cell Rep.* **8**: 439-496.
- Laliberte, S., Chretien, I. and Veith, J. (1985). *In vitro* plantlet production from young capitulum explants of *Gerbera jamesonii*. *Hort Sci.* **20**: 137-139.
- Laneri, U., Franconi, R. and Altavista, P. (1990). Somatic mutagenesis of *Gerbera jamesonii* hybrid: irradiation and *in vitro* cultures. *Acta Hort.* **280**: 395-402.
- Langton, F.A. (1980). Chimerical structure and carotenoid inheritance in *Chrysanthemum morifolium* (RAMAT). *Euphytica.* **29**: 807-812.
- Lee, N., Hazel, Y. and Sommer, H.E. (1985). Effects of quantum flux density on photosynthesis and chloroplasts ultrastructure in tissue-cultured plantlets and seedlings of *Liquidambar styraciflua* L. towards improved acclimatization and survival. *Plant Physiol.* **78**: 637-641.

Leshem, B. (1983). Growth of carnation meristem *in vitro*: anatomical structure of abnormal plantlets and the effect of agar concentration in the medium on their formation. *Ann Bot.* **52**: 413-415.

Leshem, B., Shalev, D.P. and Izhar, S. (1988). Cytokinin as an inducer of vitrification in melon. *Ann. Bot.* **61**: 255-260.

Li, X.Q., Krasnyanski, S.F. and Korban, S.S. (2002). Somatic embryogenesis, secondary somatic embryogenesis and shoot organogenesis in *Rosa*. *J. Plant physiol.* **159**: 313-319.

Ling, A.P.K., Chia, J.Y., Hussein, S. and Harun, A.R. (2008). Physiological responses of *Citrus sinensis* to Gamma irradiation. *World Appl. Sci. J.* **5(1)**: 12-19.

Linsmaier, E.M. and Skoog, F., (1965). Organic growth factor requirements of tobacco tissue cultures. *Physiol Plant.* **18**: 100-127.

Lloyd, G. and McCown, B. (1980) Commercially-feasible micropropagation of mountain laurel, *Kalmia latifolia*, by use of shoot-tip culture. *Intern. Plant Prop. Soc. Proc.* **30**: 421-427.

Lopes, S.O., Moreno, P.R.H. and Henriques, A.T. (2000). Growth characteristics and chemical analysis of *Psychotria carthagenensis* cell suspension cultures. *Enzyme and microbial technology.* **26**: 259-264.

Louguet, P., Coudret, A., Couot-Gastelier, J. and Lasceve, G. (1990). Structure and ultrastructure of stomata. *Biochem. Physiol. Pflanzen.* **186**: 273-287.

Lowe, K.C., Anthony, P., Power, J.B. and Davey, M.R. (2003). Novel approaches for regulating gas supply to plant systems *in vitro*: application and benefits of artificial gas carriers. *In Vitro Cell Dev. Biol. Plant.* **39**: 557-566.

Lowe, K.C., Davey, M.R. and Power, J.B. (1998). Perfluorochemicals: their applications and benefits to cell culture. *Trends Biotechnol.* **16**: 272-277.

- Lulsdorf, M.M., Tautorus, T.E., Kikcio, S.I., Bethune, T.D. and Dunstan, D.I. (1993). Germination of encapsulated embryo of interior spruce (*Picea glauca engelmannii* complex) and black spruce (*Picea mariana* Mill.). *Plant Cell Rep.* **12**: 385-389.
- Lynch, P.T. (2002). Plant Cryopreservation Workshop, 3-5 September 2002. University of Malaya, Kuala Lumpur, Malaysia.
- Ma, G. and Xu, W. (2002). Induction of somatic embryogenesis and adventitious shoots from immature leaves of cassava. *Plant Cell Tiss. Org. Cult.* **70**: 281-288.
- Maene, I.J. and Debergh, P. (1987). Optimization of the transfer of tissue cultured shoots to in vivo conditions. *Acta Hort.* **212**: 335-348.
- Majada, J.P., Centeno, M.L., Feito, I., Fernandez, B. And Sanchez-Tamez, R. (1998). Stomatal and cuticular traits on carnation tissue culture under different ventilation conditions. *Plant Growth Regul.* **25**: 113-121.
- Mak, C., Yap, T.C. and Saad, M.S. (1990). *Pembiakbakaan Tumbuhan*. Kuala Lumpur: Dewan Bahasa dan Pustaka, pp 169-179.
- Maluszynski, M., Ahloowalia, B.S. and Sigurbjornsson, B. (1995). Application of *in vivo* and *in vitro* mutation techniques for crop improvement. *Euphytica.* **85**: 303-315.
- Maluszynski, M., Sigurbjornsson, B., Amano, E., Sitch, L. and Kamra, O. (1992). Mutant varieties-data bank, FAO, IAEA database. Part II. *Mutation Breed Newsl.* **39**:14-17.
- Mamiya, K. and Sakamoto, Y. (2001). A method to produce encapsulatable units for synthetic seeds in *Asparagus officinalis*. *Plant Cell Tiss. Org. Cult.* **64**: 27-32.
- Mandal, A.K.A., Saxena, M. and Datta, S.K. (2002). Acclimatization of *Gerbera* at Lucknow after *in vitro* multiplication. *Indi. J. Genet. Plant Breed.* **62**: 375-376.
- Margara, J. (1969) Etude des facteurs de la neoformation de bourgeons en culture *in vitro* chez le chou-fleur (*Brassica oleracea* L., var. *botrytis*). *Ann. Physiol. Veg.* **11**: 95-112.

Maruyama, E., Kinoshita, I., Ishii, K. and Shigenaga, H. (1997). Alginate encapsulation technology for the propagation of the tropical forest trees: *Cedrela odorata* L., *Guazuma crinita* Mart., *Jacaranda mimosaeifolia* D. Don. *Silvae Genet.* **46**: 17-23.

Marwood, C.A. and Greenberg, B.M. (1996). Effect of supplementary gamma irradiation on chlorophyll synthesis and accumulation of photosystems during chloroplast development in *Spirodela oligorrhiza*. *Photochem.* **64(4)**: 664-670.

Mathur, J., Ahuja, P.S., Lal, N. And Mathur, A.K. (1989). Propagation of *Valeriana wallichii* DC. using encapsulated apical and axial shoot buds. *Plant Sci.* **60**:111-116.

Matsumoto, J., Fujimoto, T., Takino, C., Saitoch, M., Hano, Y., Fukai, T. and Nomura, T. (1985). Compunds of *Broussonetia papyrifera* (L.) Vent. I. Structures of two new isoprenylated flavonols and two chalcone derivatives. *Chem. Pharm. Bull.* **33**: 3250-3256.

May, R.A. and Trigiano, R.N. (1991). Somatic embryogenesis and plant regeneration from leaves of *Dendrathera grandiflora*. *J. Am. Soc. Hortic. Sci.* **116**: 366-371.

McCown B. (1980). Commercially feasible micropropagation of mountain laurel, *Kalmia latifolia*, by used of shoot-tip culture. *Int. Plant Prop. Soc. Proc.* **30**: 421.

McGlasson, W.B. and Lee, T.H. (1971). Damage and repair of protein in gamma irradiated tomato fruit. *Radiation Botany.* **11(3)**: 239-241.

McKersie, B.D., Senaratna, T., Bowley, S.R., Brown, D.C.W., Krochko, J.E., Bewley, J.D. (1989). Application of artificial seed technology in the production of hybrid alfalfa (*Medicago sativa*). *In Vitro Cell Dev. Biol.* **25**: 1183-1188.

Meins, F. Jr. (1983). Heritable variation in plant cell culture. *Ann. Rev. Plant Physiol.* **34**: 327-346.

Merkle, S.A., Parrot, W.A. and Willians, E.G. (1990). Applications of somatic embryogenesis and embryo cloning. In: Bhojwani, s.S. Plant Tissue Culture, Applications and Limitations. *Developments in Crop Science.* Elsevier. **19**: 67-101.

Michalczuk, L., Ribnicky, D.M., Cooke, T.J. and Cohen, J.D. (1992) Regulation of indole-3-acetic acid biosynthetic pathways in carrot cell cultures. *Plant Physiol.* **100**: 1346-1353.

Miller, C.O. and Skoog, F. (1953). Chemical control of bud formation in tobacco stem segments. *Am. J. Bot.* **40**: 768-773.

Misra, P., Datta, S.K. and Chakrabarty, D. (2003). Mutation in flower colour and shape of *Chrysanthemum morifolium* induced by a γ -radiation. *Biologia Plantarum.* **47(1)**: 153-156.

Mithila, J., Hall, J., Victor, J.M.R. and Saxena, P.K. (2003). Thidiazuron induces shoot organogenesis at low concentrations on leaf and petiole explants of African violet (*Saintpaulia ionantha* Wendl.). *Plant Cell Rep.* **48**: 285-292.

Miyoshi, K. and Asakura, N. (1996) Callus induction, regeneration of haploid plants and chromosome doubling in ovule cultures of pot gerbera (*Gerbera jamesonii*). *Plant Cell Rep.* **16**: 1-5

Moghaddam, B.E. and Taha, R.M. (2005). Cellular behaviour in embryogenic and non-embryogenic sugar beet calluses. *In Vitro Cell Dev. Biol.-Plant.* **41**: 465-469.

Mohammed, G.H. and Vidaver, W.E. (1990). The influence of acclimatization treatment and plantlet morphology on early green house performance of tissue-cultured Douglas fir [*Pseudotsuga menziesii* (Mirb.) Franco]. *Plant Cell Tiss. Org. Cult.* **21**. 111-117.

Moore, D.M. (1983). *Flora of Tierra del Fuego*. Anthony Nelson. St. Louis Missouri Botanical Garden. Oswestry, pp 396.

Moran, G.P., Colque, R., Viladomat, F., Bastida, J. and Codina, C. (2003). Mass propagation of *Cyrtanthus clavatus* and *Cyrtanthus spiralis* using liquid medium culture. *Sci. Hort.* **98(1)**: 49-60.

Moustafa, R.A.K., Duncan, D.R. and Widholm, J.M. (1989). The effect of gamma radiation and N-ethyl-N-nitrosourea on cultured maize callus growth and plant regeneration. *Plant Cell Tiss. Org. Cult.* **17**: 121-132.

Muralidharan, E.M. and Mascarenhas, A.F. (1995). Somatic embryogenesis in *Eucalyptus*. In: Jain, S., Gupta, P. and Newton, R. (eds) *Somatic Embryogenesis in Woody Plants, Vol. 2-Angiosperms*. Kluwer Academic Publishers, Dordrecht, pp 23-40.

Murashige, T. (1974a). Plant propagation through tissue cultures. *Ann. Rev. Plant Physiol.* **25**: 135-166.

Murashige, T. (1974b). Propagation through tissue cultures. *Hort. Sci.* **9**: 2-3

Murashige, T. (1979). Principles of rapid propagation. In: Hughes, K.W., Hanks, R. and Constantin, M., editorts. *Propagation of higher plants through tissue culture. A bridge between research and application*. National Tech In to Serv, US Dept of commerce Spring field, pp 14-24.

Murashige, T. and Skoog, F. (1962). A revised medium for rapid plant growth and bioassays with tobacco tissue cultures. *Physiol. Plant.* **15**: 473-497.

Murashige, T., Serpa, M. and Jonse, J. (1974). Clonal multiplication of *Gerbera* to tissue culture. *Hort. Sci.* **9**: 175-180.

Murch, S.J., Victor, J.M.R. and Saxena, P.K. (2003). Auxin, calcium and sodium in somatic embryogenesis of African violet (*Saintpaulia ionantha* Wendl.) cv. Benjamin. *Acta Hort.* **625**: 201-209.

Muruyama, E., Kinoshita, I., Ishii, K., Shigenaga, H. (1997). Alginate encapsulation technology for the propagation of the tropical forest trees: *Cedrela odorate* L., *Guazuma crinita* Mart., *Jacaranda mimosaeifolia* D. don. *Silvae Genet.* **46**: 17-23.

Nadganda, R.S., Mascarenhas, A.P. and Madhusoodanan, K. (1983). Clonal multiplication of cardamom (*Elettaria cardamomum* Maton) by tissue culture. *Plantation Crops.* **11**: 60-64.

Narayanaswamy, S. (1994). *Plant Cell Tissue and Organ Culture*. New Delhi: Tara McGraw-Hill Publ. Co. Ltd., pp 263-272.

- Naylor, E.E. and Johnson, B. (1937). A histological study of vegetative reproduction in *Saintpaulia ionantha*. *Am. J. Bot.* **24**: 673-676.
- Nhut, D.T., An, T.T.T., Houang, D.T., Don, T.N., Hai, T.N., Thien, Q.N. and Vu, H.N. (2007). Effect of genotype, explant size, position and culture medium on shoot generation of *Gerbera jamesonii* by receptacle transverse thin cell layer culture. *Sci. Hort.* **111**: 146-151.
- Nhut, D.T., Teixeira da Silva, J.A. and Aswath, C.R. (2003). The importance of the explant on regeneration in thin cell layer technology. *In Vitro Cell. Dev. Biol. Plant.* **39**: 266-276.
- Niedz, R.P., Hyndman, S.E., Wynn, E.T. and Bausher, M.G. (2002). Normalizing sweet orange [*C. Sinensis* (L.) Osbeck] somatic embryogenesis with semi-permeable membranes. *In Vitro Cell Dev. Biol. Plant.* **38**: 552-557.
- Nieves, N., Lorenzo, J.C., Blanco, M.A., Gonzales, J. and Peralta, H. (1998). Artificial endosperm of *Cleopatra tangerine* zygotic embryo: A model for somatic embryo encapsulation. *Plant Cell Tiss. Org. Cult.* **54**: 77-83.
- Nikam, T.D. and Shitole, M.G. (1999). *In vitro* culture of *Safflower* L. cv. Bhima: initiation, growth optimization and organogenesis. *Plant Cell Tiss. Org. Cult.* **55**:15-22.
- Nitsch, C. (1966). Induction *in vitro* de la floraison chez une plante de jours courts: *Plumbago indica* L. Annales des Sciences Naturalles, 12 eme Ser., Botanique Paris. **19**: 191.
- Nitsch, J.P. and Nitsch, C. (1967). The induction of flowering *in vitro* stem segments of *Plumbago indica* L. *Planta.* **72**: 355-370.
- Nitsch, J.P. and Nitsch, C (1969) Haploid plants from pollen grains. *Science.* **163**: 85–87
- Noriega, C. and Sondahl, M.R. (1991). Somatic embryogenesis in hybrid tea roses. *Bio/Technology.* **9**: 991-993.

Nyende, A.B., Schittenhelm, S., Mix- Wagner, G. (2005). Yield and canopy development of field grown potato plants derived from synthetic seeds. *Eur. J. Agron.* **22**: 175-184.

Omar, M.S., Yousif, D.P., Al-Jibrouri, J.M., Al-RAwi, M.S. and Hameed, M.K. (1993). Effects of gamma rays and sodium chloride on growth and cellular constituents of Sunflower (*Helianthus annus* L.) callus cultures. *J. of Islamic Academy of Sciences.* **6(1)**: 69-72.

Onishi, N., Mashika, T. and Okamoto, A. (1992). Cultural system producing encapsulatable units of synthetic seeds in celery. *Acta Hort.* **319**: 113-118.

Orlikowska, T., Nowak, E, Marasek, A. And Kucharska, D. (1999). Effects of growth regulators and incubation period on *in vitro* regeneration of adventitious shoots from *Gerbera* petioles. *Plant Cell Tiss. Org. Cult.* **59**: 95-102.

Orton, T.J. (1984). In: Gustafson. In: *In Vitro of Higher Plants*. By: Pierik, R.L.M. (1987) (ed.). Martinus Nijhoff Publishers, Dordrecht, pp 217-245.

Paek, K.Y., Hahn, E.J. and Son, S.H. (2001). Application of bioreactors for large scale micropropagation systems of plants. *In Vitro Cell De. Biol. Plant.* **37**:149-157.

Paques, M. and Boxus, P. (1987). Vitrification: review of literature. *Acta Hort.* **212**: 155-166.

Parthasarathy, V.A. and Nagaraju, V. (1999). *In vitro* propagation in *Gerbera jamesonii* Bolus. *Indian Journal of Horticulture.* **56**: 82-85.

Parthasarathy, V.A., Nagaraju, V., Hazarika, B.N. and Baruah, A. (1999). An efficient method of acclimatization of micropropagated plantlets of Citrus. *Trop. Agric.* **76**: 147-149.

Parthasarathy, V.A., Parthasarathy, U. and Nagaraju, V. (1996). Morphogenetic response of *Gerbera* shoots to media and benzylaminopurine. *Annals of Plant Physiology.* **10**: 34-39.

Patel, A.V., Pusch, I., Mix-Wagner, G. and Vorlop. K.D. (2000). A novel encapsulation technique for the production of artificial seeds. *Plant Cell Rep.* **19**: 868-874.

- Pati, P.K., Rath, S.P., Sharma, M., Sood, A. and Ahuja, P.S. (2006). *In vitro* propagation of rose. A review. *Biotechnol. Adv.* **24**: 94-114.
- Pattnaik, S. and Chand, P.K. (2000). Morphogenic response of the alginate-encapsulated axillary buds from *in vitro* shoot cultures of six mulberries. *Plant Cell Tiss. Org. Cult.* **60**: 177-185.
- Pattnaik, S.K., Sahoo, Y. And Chand, P.K. (1995). Efficient plant retrieval from alginate-encapsulated vegetative buds of mature mulberry trees. *Sci Hort.* **61**: 227-239.
- Paulet, P. (1965). Étude de la néoformation *in vitro* de bourgeons végétatifs et floraux. *Rev. Gén. Bot.* **72**: 697-792.
- Pavingerova, D., Dostal, J., Biskova, R. and Benetka, V. (1994). Somatic embryogenesis and Agrobacterium-mediated transformation of *Chrysanthemum*. *Plant Sci.* **97**: 95-101.
- Peixe, A. Raposo, A., Lourenco, R., Cardoso, H. And Macedo, E. (2007). Coconut water and BAP successfully replaced zeatin in olive (*Olea europaea* L.) micropropagation. *Sci. Hort.* **13**: 1-7.
- Petru, E. and Matous, J. (1984). *In vitro* cultures of *Gerbera* (*Gerbera jamesonii* Bolus). *Sbornik UVTIZ Zahradnictvi.* **11**: 309-314.
- Phillips, G.C. (2004). Invited Review: *In vitro* morphogenesis in plants-recent advances. *In Vitro Cell. Dev. Biol. Plant.* **40**: 342-245.
- Pierik, R. L. M. and Steegmans, H.H.M. (1975). Freesia plantlets from flower buds cultivated *in vitro*. *Neth. J. agric. Sci.* **32**: 334-337.
- Pierik, R.L.M., Steegman, H.H.M. and Marelis, J.J. (1973). *Gerbera* plantlets from *in vitro* cultivated capitulum explants. *Sci. Hort.* **1**: 117-119.
- Pierik, R.L.M. (1987). *In vitro* culture of higher plant. Netherlands: Martinus Nijhoff Publisher, pp: 1-344.

Pierik, R.L.M. and Seger, T.H.A. (1972). *In vitro* culture of midrib explants of *Gerbera*: adventitious root formation and callus induction. *Z. Pflanzenphysiol.* **69**: 204-212.

Pierik, R.L.M., Steegmans H.H.M., Hendriks, J. (1984). The influence of naphthaleneacetic acid on the growth of *in vitro* cultivated seedlings of Bromeliaceae. *Sci. Hort.* **24**: 193-199.

Posner, H.B. (1965). Effects of gamma irradiation on growth, colony-forming ability and some cellular constituents of *Chlorella pyrenoidosa*. *Radiation Botany.* **5**: 129-141.

Powell, R.D. and Griffiths, M.M. (1963). Effects of kinetin, red light and gamma radiation on growth of disks of bean leaves. *Botanical Gazette.* **124**: 274-278.

Preil, W. (1986). *In vitro* propagation and breeding of ornamental plants: advantages and disadvantages of variability. In: Horn, W. Jensen, C.J., Odenbach, W. and Scheider, O (eds) Genetic Manipulation in Plant Breeding, pp 377-403. Proc. EUCARPA Int. Symp. Berlin.

Preece, J.E. and Sutter, E.G. (1991). Acclimatization of micropropagated plants to the green house or field. In Debergh, P.C. and Zimmerman, R.H. (eds), *Micropropagation, Technology and Application*. Kluwer Academic Publishers, pp 71-93.

Pueschel, A.K., Schwenkel, H.G. and Winkelmann, T. (2003). Inheritance of the ability for regeneration via somatic embryogenesis in *Cyclamen persicum*. *Plant Cell Tiss. Org. Cult.* **72**: 43-51.

Purnima, T. and Kothari, S.L. (2004). Rapid *in vitro* regeneration of *Gerbera jamesonii* from different explant. *Indi. J. Bioech.* **3**: 584-588.

Radojevic, L.J., Djordjevic, N. and Manaeva, L. (1987). Clonal multiplication of *Gerbera* by *in vitro* culture of different tissue. In: Boxus, P.H., Debergh, P., De Proft., M., Ducate, G., Jacob, M., Remy-Paquay, W. and Simeon, A. (eds). Plant Micropropagation in Horticultural Industries, Symposium Florizel 87, Arlon, Belgium, pp 218-223.

Raju, E.C., Patel, J.D. and Shah, J.J. (1986). Effect of gamma irradiation on morphology of leaf and shoot apex of ginger, tumeric and mango ginger. *Proc. Of the Indian Acad. Sci.* **89(3)**: 173-178.

Randriaminahy, M. Proksch, P., Witte, L. and Wray, V. (1992). Lipophilic phenolic constituents from *Helichrysum* species endemic to Madagascar. *Z. Naturforsch.* **47C**: 10-16.

Rao, P.S. and Bapat, V.A. (1993). Micropropagation of sandalwood (*Santalum album* L.) and mulberry (*Morus indica* L.) In: Ahuja, M.R. (ed) *Micropropagation of Woody Plants*. Kluwer Academic Publishers, Dordrecht, pp 35-78.

Rao, P.S., Bapat, V.A. and Harada, H. (1976). Gamma radiation and hormonal factors controlling morphogenesis in organ cultures of *Antirrhinum majus*. L. cv. Red Majestic Chief. *Z. Pflanzenphysiol.* **80**: 144-152.

Raven, P.H. and Johnson, G.B. (2001). *Biology Sixth Edition*. United State America: The McGraw-Hill, pp 767-786.

Ray, T., Saha, P. and Roy, C.S. (2005). *In vitro* plant regeneration from young capitulum explants of *Gerbera jamesonii*. *Plant Cell Biotech. Mol. Biol.* **6**: 35-40.

Rayle, D.L., Ross, W. and Robinson, N. (1982). Estimation of somatic parameters accompanying zeatin-induced growth of detached cucumber cotyledons. *Plant Physiol.* **70**: 1634-1636.

Read, P.E and Yang, Q. (1985). Novel plant growth regulator delivery systems for *in vitro* culture of horticultural crops. *Acta Hort.* **212**: 55-59.

Reddy, P.S., Rodrigues, R. And Rajasekharan, R. (2001). Shoot organogenesis and mass propagation of *Coleus forskohlii* from leaf derived callus. *Plant Cell Tiss. Org. Cult.* **66**: 183-188.

Redenbaugh, K. (1993). *Synseeds. Applications of synthetic seeds to crop improvement*. CRC Press, Boca Raton, pp 22-37.

Redenbaugh, K., Fuji, J.A. and Slade D. (1991). Synthetic seed technology. In: Vasil IK (ed.) *Scale-up and automation in Plant Propagation*. San Diego Academic Press, pp 35-74.

Redenbaugh, K., Fujii, J.A. and Slade, D. (1993). Hydrated coatings form synthetic seeds. In: Redenbaugh, K. (ed) *Synseeds: applications of synthetic seeds to crop improvement*. CRC Press, Boca Raton, pp 305-327.

Redenbaugh, K., Paasch, B.D., Nichol, J.W., Kossler, M.E., Viss, P.R. and Walker, K.A. (1986). Somatic seeds: encapsulation of asexual plant embryos. *BioTechnol.* **4**: 797-801.

Redenbaugh, K., Slade, D., Viss, P. and Fujii, J.A. (1987). Encapsulation of somatic embryos in synthetic seed coats. *Hort. Sci.* **22**: 803-809.

Reghunath, B.R. and Bajaj, Y.P.S. (1992). Micropropagation of cardamom (*Elettaria cardamomum* Maton). In: Bajaj, Y.P.S., ed. *Biotechnology in agriculture and forestry, vol. 19. High Tech and Micropropagation III*. Berlin: Springer-Verlag, pp 175-198.

Reinert, J. (1958). Untersuchungen über die morphogenese an gewebe-kulturen. *Ber. Dutsch. Bot. Ges.* **71**: 15-20. (English summary)

Renfroe, M.H. and Bolick, D.T. (2002). Hydrogel encapsulation of African violet shoot primordia. *In Vitro Cell Dev. Biol. Animal.* **34(3)**: 1074-1077

Reynold, J.P., Chriqui, D., Noin, M., Brown, S. and Marie, D. (1993). Plant regeneration from *in vitro* leaf culture of several *Gerbera* species. *Plant Cell Tiss. Org. Cult.* **33**: 203-210.

Reynolds, J.F. and Murashige, T. (1979). Asexual embryogenesis in callus culture of palms. *In vitro.* **15**: 383-387.

Ringe, F. and Nitsch, J.P. (1968). Conditions leading to flower formation on excised *Begonia* fragments cultured *in vitro*. *Plant and Cell Physiology.* **9**: 639-652.

Roberts, A.V., Horan, I., Mathews, D. and Mottley, J. (1990). Protoplast technology and somatic embryogenesis in Rosa. In: deJong, J., editor. Integration of *in vitro* techniques in ornamental plant breeding. Proc. Symp., 10-14th Nov, CPO centre for Plant Breeding Research. The Netherlands: AA Wageningen, pp 128-138.

Roberts, A.V., Yokoya, K., Walker, S. and Mottley, J. (1995). Somatic embryogenesis in *Rosa* spp. In: Jain, S.M., Gupta, P.K., Newton, R.J., editors. *Somatic embryogenesis in woody plants, vol. 2*. The Netherlands: Kluwer Acad. Publ., pp 277-289.

Roest, S. (1980). In plant breeding. In: *In-vitro of Higher Plants*. By: Pierik, R.L.M. (1987) (ed). Martinus Nijhoff Publishers, Dordrecht, pp 284-304.

Roest, S. and Bokelman, S. (1976). In plant breeding. In: *In vitro of Higher Plants*. By: Pierik, R.L.M. (1987) (ed). Martinus Nijhoff Publishers, Dordrecht, pp 284-304.

Roest, S., Van Berkel, A.E. Bokelman, S. And Broertjes, C. (1981). The use of an *in vitro* adventitious bud technique for mutation breeding of *Begonia X hiemalis*. *Euphytica*. **30**: 381-338.

Rogers, S.D., Beech, J. and Sarma, K.S. (1998). Shoot regeneration and plant acclimatization of the wetland monocot Cattail (*Typha latifolia*). *Plant Cell Rep.* **18**: 71-75.

Ross, C.W and Rayle, D.L. (1982). Evaluation of H⁺ secretion relative to zeatin-induced growth of detached cucumber cotyledons. *Plant Physiol.* **70**: 1470-1474.

Rossini, L.M.E. and Nitsch, J.P. (1966). Induction de la floraison *in vitro* chez une plante de jours courts *Streptocarpus nobilis*. *Comptes Rendus Academie des Sciences Paris.* **263**: 1379-1382.

Rout, G.R., Das, G., Samantary, S. and Das, P. (2001). Micropropagation of *Plumbago zeylanica* L. by encapsulated nodul explants. *J. Hortic. Sci. Biotech.* **76**: 24-29.

Rout, G.R., Debata, B.K. and Das, P. (1990). *In vitro* clonal multiplication of roses. *Proc. Natl. Acad. Sci. India.* **60**: 311-318.

Rout, G.R., Debata, B.K. and Das, P. (1991). Somatic embryogenesis in callus cultures of *Rosa hybrida* L. cv. Landora. *Indian J. Exp. Biol.* **30**: 15-18.

Ruan, C.J., Zheng, X., da Silva, J.A.T. and Qin, P. (2009). Callus induction and plant regeneration from embryonic axes of *Kosteletzkya virginica*. *Sci. Hort.* **120(1)**: 150-155.

Ruffoni, B. and Massabo, F. (1991). Tissue culture in *Gerbera jamesonii* hybrida. *Acta Hort.* **289**: 147-148.

Rugini, E. (1984a). *In vitro* propagation of some olive (*Olea europaea sativa* L.) cultivars with different root ability, and medium development using analytical data from developing shoots and embryos. *Sci. Hort.* **24**: 123-134.

Rugini, E. (1984b). Progress in studies on *in vitro* culture of almonds. In: Plant tissue culture and its agricultural applications. 41st Conference in the easter school series in agricultural science. England.

Rugini, e. and Verma, D.C. (1983). Micropropagation of a difficult-to-propagate almond (*Prunus amygdalus* Batsch) cultivar. *Plant Sci. Let.* **28**: 273-281.

Saiprasad, G.V.S. (2001). Artificial seeds and their applications. RESONANCE. *Journal of Science Education. Indian Academy of Science*, pp 39-47.

Sajina, A., Mini, P.M., John, C.Z., Babu, K.N., Ravindran, P.N. and Peter, K.V. (1997). Micropropagation of large cardamom (*Amamum subulatum* Roxb.). *J. Spices Aromatic Crops.* **6**: 145-148.

Sallanon, H., Tort, M. and Coudret, A. (1993). The ultrastructure of micropropagated and greenhouse rose plant stomata. *Plant Cell Tiss. Org. Cult.* **32**: 227-233.

Sandal, I., Bhattacharya, A. and Ahuja, P.S. (2001) An efficient liquid culture system for tea shoot proliferation. *Plant Cell Tiss. Org. Cult.* **65**: 75-80.

Santos-Hernandez, L., Martinez-Garcia, M., Campos, J.E. and Aguirre-Leon, E. (2005). *In vitro* propagation of *Laelia albida* (Orchidaceae) for conservation and ornamental purposes in Mexico. *Hort. Sci.* **40(2)**: 439-442.

Sastri (1963). Morphogenesis in plant tissue cultures. Plant Tissue Organ Culture. A Symposium (Delhi), pp 105-107.

Scowcroft, W.R. (1985). In: Hohn and Dennis. In: *In Vitro of Higher Plants*. By: Pierik, R.L.M. (1989) (ed). Martinus Nijhoff Publishers, Dordrecht, pp 217-245.

Schwenkel, H.G. (2001). Development of a reproducible regeneration protocol for Cyclamen. In: Schwenkel, H.G., editor. *Reproduction of Cyclamen persicum Mill. Through somatic embryogenesis using suspension culture systems*. COST Action Brussels: European Commission, pp 8-11.

Shatnawi, M., Fauri, A., Shibli, R., Al-Mazraawi, M., Megdadi, H. and Makhadmeh, I. (2009). Tissue culture and salt stress in *Chrysanthemum morifolium*. *Acta Hort.* **829**: 189-194.

Sharma, T.S., Singh, B.M. and Chauban, R.S. (1994). Production of disease-free encapsulated buds of *Zingiber officinale* Rosc. *Plant Cell Rep.* **13**:300-302.

Sharp, W.R., Sondahl, M.R., Caldas, L.S. and Maraffa, S.B. (1980). The physiology of *in vitro* sexual embryogenesis. *Hortic. Rev.* **2**: 268-310.

Shen, X., Chen, J. and Kane, M.E. (2007). Indirect shoot organogenesis from leaves of *Dieffenbachia* cv. Camouflage. *Plant Cell Tiss. Org. Cult.* **89**: 83-90.

Shirgukar, M.V., John, C.K. and Nadganda, R.S. (2003). Factor affecting *in vitro* microrhizome production in turmeric. *Plant Cell Tiss. Org. Cult.* **64**: 5-11.

Siddiqui, S., Verma, A., Rather, A.A., Jabeen, F. and Meghvansi, M.K. (2009). Preliminary phytochemicals analysis of some important medicinal and aromatic plants. *Advances in Biological Research* **3**. **5**: 188-195.

Simard, M.H, Nicole, M.F. and Andre, S. (1992). Variation of carnation (*Dianthus caryophyllus* L.) obtained by organogenesis from irradiated petals. *Plant Cell Tiss. Org. Cult.* **29**: 37-42.

Simpkins, J. and Williams, J.I. (1982). *Biology of the cell, mammal and flowering plant*. London: brooks Mews, W17, Mills & Boon Ltd., pp 15-18.

Sink, K.C. (1984). Monographs on Theoretical and applied genetics 9: Petunia. Berlin: Springer-Verlag, pp 28-31.

Skirvin, R.M. and Chu, M.C. (1979). *In vitro* propagation of 'Forever Yours' Rose. *Hort. Sci.* **14**(5): 608-610.

Skoog, F. and Armstrong, D.J. (1970). Cytokinins. *Ann. Rev. Plant Physiol.* **21**:359-384.

Skoog, F. and Miller, C.O. (1957). Chemical regulation of growth and organ formation in plant tissue cultures *in vitro*. *Symp. Soc. Exp. Biol.* **11**: 118-130.

Skoog, F. and Tsui, C. (1948). Chemical control of growth and bud formation in tobacco stem segments and callus cultured *in vitro*, *Am. J. Bot.* **30**: 782-787.

Sliwowski, J., Dziewanowska, K. and Kasprzyk, E. (1973). Ursadiol: A new triterpene diol from *Calendula officinalis* flowers. *Khim Prir Soed.* **12**: 157-160.

Smith, E.F., Roberts, A.V. and Mottley, J. (1990). The preparation *in vitro* of chrysanthemum for transplantation to soil 3. Improved resistance to desiccation conferred by reduced humidity. *Plant Cell Tiss. Org. Cult.* **21**: 141-145.

Soneji, J.R., Rao, P.S. and Mhatre, M.(2002). Germination of synthetic seeds of pineapple (*Ananas comosus* L. Merr.) *Plant Cell Rep.* **20**: 891-894.

Sparrow, A.H., Sparrow, R.C. and Schairer, L.A. (1960). The use of X-rays to induce somatic mutations in *Saintpaulia*. *African Violet Mag.* **13**(4): 32-39.

Sparrow, A.H. and WoodWell, G.M. (1962). Prediction of the sensitivities of plants to chronic gamma irradiation. *Radiation Botany.* **2**: 9-26

Standardi, A. and Piccioni, E. (1998). Recent perspectives on synthetic seed technology using nonembryogenic *in vitro*-derived explants. *Int. J. Plant Sci.* **159** (6): 968-978.

Steward, F.C., Mapes, M.O., and Mears, K. (1958). Growth and organized development of cultured cells. II. Organization in cultures grown from freely suspended cells. *American Journal of Botany*. **45**: 705-708.

Stimart, D.P. and Ascher, P.D. (1981). Developmental responses of *Lilium longiflorum* bulblets to constant or alternating temperatures *in vitro*. *J Amer Soc Hort Sci*. **106**: 450-454.

Strid, A., Chow, W.S. and Anderson, J.M. (1990). Effects of supplementary gamma irradiation on photosynthesis in *Pisum sativum*. *Biochem*. **1020(1)**: 260-268.

Sunpui, W. and Kanchanapoom, K. (2002). Plant regeneration from petiole and leaf of African violet (*Saintpaulia ionantha*) cultured *in vitro*. *Songklanakar J. Sci. Technol*. **24(3)**: 257-264.

Taha, R.M. and Latif, F.A. (2007). *In vitro* studies and antimicrobial activities of *Pereskia grandifolia* Haworth var. *grandifolia*. *ESES-Catrina Journal of Environmental Sciences*. **2(1)**: 61-66.

Taha, R.M., Daud, N., Hasbullah, N.A. and Awal. A. (2009). Somatic embryogenesis and production of artificial seeds in *Saintpaulia ionantha*. *Acta Hort*. **829**: 331-336.

Tanaka, K., Kanno, Y, Kudo, S. And Suzuki, M. (2000). Somatic Embryogenesis and plant regeneration in *Chrysanthemum (Dendranthema grandiflorum (Ramat.) Kitamura)*. *Plant Cell Rep*. **19**: 946-953.

Teo, K.H.C. (1992). *Pengenalan Teknologi Kultur Tisu Tumbuhan*. University of Science Malaysia Publisher, pp 1-82.

Terzi, M. and Loschiavo, F. (1990). Somatic embryogenesis. In: Bhojwani, S.S. *Plant tissue culture, applications and limitations; development in crop science*. Elsevier, pp 54-66.

Tiburcio, A.F., Pinol. M.T. and Serrano, M. (1985). Effect of UV-C on growth, soluble protein and alkaloids in *Nicotiana rustica* plants. *Environmental and Experimental Botany*. **25(3)**: 203-210.

Topoonyanont, N. and Dillen, W. (1988). Capitulum explants as a start for micropropagation of *Gerbera* culture. *Rijks Universiteit Gent*. **53(1)**: 169-173.

Tosca, A., Lombardi, M., Marinoni, L., Conti, L. And Frangi, P. (1990). Genotype response to *in vitro* gynogenesis technique in *Gerbera jamesonii*. *Acta Hort*. **280**: 337-340.

Triques, K., Rival, A., Beule, T., Puard, M., Roy, J., Nato, A., Lavergne, D., Haraux, M., Verdeil, J.L., Sangare, A. and Hamon, S. (1997). Photosynthetic ability of *in vitro* grown coconut (*Cocos nucifera* L.) plantlets derived from zygotic embryos. *Plant Sci*. **12**: 39-51.

Tsvetkov, I. and Hausman, J.F. (2005). *In vitro* regeneration from alginate-encapsulated microcuttings of *Guercus* sp. *Sci. Hortic*. **103**: 503-507.

Tubiana, M., Dutreix, J. and Wambersie, A. (1986). Radiobiology. In Hermann (ed) *The Science at the arts*. Landbouw, pp 291.

Ukiya, M., Akihisa, T., Yasukava, K., Tokuda, H., Suzuki, T. and Kimura, Y. (2006). Antiinflammatory, anti-tumor-promoting and cytotoxic activities of constituents of Marigold (*Calendula officinalis*) flowers. *J. Nat. Prod*. **69**: 1692-1696.

van Aartrijk. (1984). Aeventitious bud formation from bulb-scale explants of *Lilium speciosum* Thunb. Dissertation, agricultural university, Wageningen, the Netherlands, pp 1-79.

Van der Linde, P.C.G. and Van Aartrijk J. (1986). Micropropagation of specific crops: Bulbs. In: Alderson, P.G., Dullforce, W.M. (eds) Symposium – *Micropropagation in Horticulture – Practice and commercial problems*. Proc Univ Nottingham (UK), pp 123-134.

Vasil'EV, I.M. (1962). *Effects of Ionozing Radiations on Plants*. AEC-tr 5836 Biology and Medicine, United States Atomic Energy Commission, pp:40-46.

Venketswaren, S. and Partenen, C.R. (1966). A comparative study of the effects of gamma radiation on organized and disorganized growth of tobacco. *Radiat. Bot*. **6**: 13-20.

- Vidal-Ollivier, E. (1989). Flavonol glycosides from *Calendula officinalis* flowers. *Planta Med.* **55**: 73-75.
- Von Arnold, S. and Eriksson, T. (1984). Effect of agar concentration on growth and anatomy of adventitious shoots of *Picea abies* (L) Karst. *Plant Cell Tiss. Org. Cult.* **3**: 257-264.
- Wakhlou, A.K. and Barna, K.S. (1989). Callus initiation, growth and plant regeneration in *Plantago ovata* Forsk. Cv. GI-2. *Plant Cell Tiss. Org. Cult.* **17**: 235-241.
- Walther, F. and Sauer, A. (1986). Analysis of radiosensitivity: A basic requirement for *in vitro* somatic mutagenesis. II. *Gerbera jamesonii*. Proc. Intl. Symp. Nuclear Techniques and *in vitro* culture plant improvement, pp 155-159.
- Wang, Y.C. and Janick, J. (1984). Inducing precocious germination in asexual embryos of *Theobroma cacao* L. *Hort. Sci.* **19**: 839-841.
- Wang, A.S., Cheng, D.S.K., Milcic, J.B. and Yang, T.C. (1988). Effect of X-ray irradiation on maize inbred line B73 tissue cultures and regenerated plant. *Crop sci.* **28**: 358-362.
- Wang, W.G., Wang, S.H., Wu, X.A., Jin, X. Y. and Chen, F. (2007). High frequency plantlet regeneration from callus and artificial seed production of rock plant *Pogonatherum paniceum* (Lam.) Hack. (Poaceae). *Sci. Hort.* **113**: 196-201.
- Wareing, P.F. and Phillips, I.D.J. (1978). *The control of growth and differentiation in plants*. 3rd ed. New York: Oxford, Pergamon Press, pp 199-227.
- Watt, M.P., Thokoane, N.L., Mycock, D. and Blakeway, F. (2000). *In vitro* storage of *Eucalyptus grandis* germplasm under minimal growth conditions. *Plant Cell Tiss. Org. Cult.* **61**: 161-164.
- White, P.R. (1934). Potentially unlimited growth of excised tomato root tips in a liquid medium. *Plant Physiol.* **9**: 585-600.

Wi, S.G., Chung, B.Y., Kim, J.H., Baek, M.H., Yang, D.H., Lee, J.W. and Kim J.S. (2005). Ultrastructural changes of cell organelles in *Arabidopsis* stem after gamma irradiation. *J. Plant Biol.* **48(2)**: 195-200.

Wi, S.G., Chung, B.Y., Kim, J.S., Kim, J.H., Baek, M.H., Lee, J.W. and Kim, Y.S. (2006). Effects of gamma irradiation on morphological changes and biological responses in plants. *Micron.* **38(6)**: 553-564.

Wilkomirski, B. (1985). Pentacyclic triterpene triols from *Calendula officinalis* flowers. *Phytochemistry.* **24(12)**: 3066-3067.

Williams, E.G. and Maheswaran, G. (1986). Somatic Embryogenesis: Factors influencing coordinated behaviour of cells as an embryogenic group. *Annals of Botany.* **57**:443-462.

Willmer, M. (1983). Stomatal development and differentiation and the ultrastructure of guard cells. In: Willmer, M. (Ed.) *Stomata*. Longman, pp 28-50.

Winkelmann, T. Hohe, A. and Schwenkel, H.G. (1998). Establishing embryogenic suspension cultured in *Cyclamen persicum* 'Purple Flamed'. *Adv. Hortic. Sci.* **12**: 25-30.

Wollenweber, E., Dörr, M. and Dörsam, M. (2002). Flavonoids and terpenoids from the resinous exudates of *Madia* species (Asteraceae, Helenieae). *Z. Naturforsch.* **58C**: 153-160.

Wolverton, B.C., McDonald, R.C. and Watkins, Jr., E.A. (1984). Foliage plants for removing indoor air pollution from energy-efficient homes. *Economic Botany.* **38(2)**: 224-228.

Wondyifraw, T. and Surawit, W. (2004). Micropropagation of Krawan (*Amomum krevanh* Pierre ex Gagnep). *Sci. Asia* **30**: 9-11.

Wurm, G., (1960). Vergleichende Untersuchungen über Wachstum und Organbildung an Segmenten pflanzlicher Speicherorgane bei Kultur *in vitro*. *Flora* **149**: 43-76.

Xi, M. and Shi, J.S. (2003). Tissue culture and rapid propagation of *Gerbera jamesonii*. *Journal Wanjiang Forestry University.* **27**: 33-36.

Xu, S.Q., Yang, S.H., Wi, D. and Wan, J.M. (2002). *In vitro* micropropagation of *Gerbera* leaf. *Acta Hort. Sinica*. **29**: 493-494.

Ye, J.N., Wang, T.Z., Cai, S.Q., Komatsu, K., Mikage, M. and Namba, T. (1990). Pharmacological studies on folk medicine in Sichuan province, China. II: on Tu-er-fang derived from *Gerbera* plants. *J. Pharmac. Soc. Jpn.* **110(6)**: 374-382.

Zaid, A. and Hughes, H. (1995). *In vitro* acclimatization of date palm (*Phoenix dactylifera* L.) plantlets. A quantitative comparison of epicuticular leaf wax as function of polyethylene glycol treatment. *Plant Cell Rep.* **15**: 111-114.

Zenkter, M. (1971). Development of new plants from leaves and roots of *Atropa belladonna* L. in the *in vitro* culture. *Acta Soc Bot Pol.* **40**: 305-313.

Zhou, S. and Brown D.C.W. (2005). High efficiency plant production of North American ginseng via somatic embryogenesis from cotyledon explants. *Plant Cell Rep.* **25**: 166-173.

Zimmerman, E.S. and Read, P.E. (1986). Micropropagation of *Typha* species. *Hort. Sci.* **21**: 1214-1216.

Zittwel-Eglseer, K., Sosa, S., Jurenitsch, J., Schubert-Zsilavec, M., Loggia, R.D., Tubaro, A., Bertoldi, M. and Franz, C. (1997). Antioedematous activities of the main triterpenoid esters of marigold (*Calendula officinalis* L.). *J. Ethnopharmacol.* **57**: 139-144.

Ziv, M. (1986). *In vitro* hardening and acclimatization of tissue culture plants. In: Withers, L.A., Alderson, P.G. (Eds) *Plant Tissue Culture and its Agricultural Applications*, pp 187-196).

Ziv, M. and Ariel, T. (1992). The relation between vitrification and stomatal cell wall deformity in carnation leaves *in vitro*. *Acta Hort.* **314**: 121-129.

Ziv, M., Meir, G. and Halevy, A.H. (1983). Factors influencing the production of hardened glaucous carnation plantlets *in vitro*. *Plant Cell Tiss. Org. Cult.* **2**: 55-60.

Ziv, M., Schwartz, A. and Fleminger, D. (1987a). Malfunctioning stomata in vitreous leaves of carnation (*Dianthus caryophyllus*) plants propagated *in vitro*; implications for hardening. *Plant Sci.* **52**: 127-134.

Ziv, M., Schwartz, A., Fleminger, D. (1987b). Hardening aspects of micropropagated carnation plants having malfunctioning stomata. In: Ducate, G., Jacob, M., Simeon, A. (Eds). *Plant Micropropagation in Horticultural Industries*. Presses Universitaires, Liege, Belgium, pp 47-54.

Zuo, J., Ikeda, Q.W., Ikeda, Y. and Chua, N.H. (2002). Marker-free transformation: increasing transformation frequency by the use of regeneration promoting genes. *Curr. Opin. Biotechnology.* **13**: 173-180.