



G., Nielsen, S. S., Silva, J. L. (eds). Food Science Text Series, Purdue University, West Lafayette, IN, USA.

Blanc, D. S., Hauser, P. M., Francioli, P. and Bille, J. 1998. Molecular typing methods and their discriminatory power. *Clinical Microbiology and Infection*. **4**: 61-63.

Bikandi, J., Garaizar, J., Rementeria, A., Millan, S.R., Brnal, A and Ballesteros, M. 2008. Application of resAP-PCR fingerprinting to strains from sequenced bacteria species. New typing strategies and technologies: Oral presentation # 6, Zakopane, Poland.

Boonmar, S., Bangtrakulnonth, A., Pornrunangwong, S., Terajima, J., Watanabe, H., Kaneko, K.I. and Ogawa, M. 1998. Epidemiological analysis of *Salmonella* Enteritidis isolates from human and broiler chickens in Thailand by phage typing and pulsed field gel electrophoresis. *J. Clin. Microbiol.* **36**: 971-974.

Brenner, F. W., Villar, R. G., Angulo, F. J. 2000. *Salmonella* nomenclature. *J. Clin. Microbiol.* **38**:2465–2467.

Burr, M. D. and Pepper, I. L. 1997. Variability in presence and absence scoring of AP-PCR fingerprints affects computer matching of bacterial isolates. *J. Microbiol. Methods*. **29**: 63-68.

Burr, M. D., Josephson, K. L., and Pepper, I. L. 1998. An evaluation of ERIC and AP-PCR for discriminating *Salmonella* serotypes. *Letters Appl. Microbiol.* **27**: 24-30.

Buzby, J. C. and Frenzen, P. D. 1999. Food safety and product liability. *Food Policy*. **24**: 637–651.

Buzby, J. C., Roberts, T., Lin, J. C. T., and MacDonald, J. M. 1996. Bacterial Foodborne Disease, Medical Costs & Productivity Losses. USDA Economic Research Service, Washington, DC. Agricultural Economic Report Number 741.

Carraminana, J. J., Humbert, F., Ermel, G., Colin, P. 1997. Molecular epidemiological investigation of *Salmonella* Typhimurium strains related to an eggborne outbreak. *Res. Microbiol.* **148**: 633-636.

Caetano-Anolles, G., Bassam, B. J and Gresshoff, P. M. 1991. DNA amplification fingerprinting using very short arbitrary oligonucleotide primers. *Biotechnology*. **9**:553–557.

Fadl, A. A., Nguyen, A. V and Khan, M. I. 1995. Analysis of *Salmonella* Enteritidis isolates by arbitrarily primed PCR. *J. Clin. Microbiol.* **33**: 987-989.

Farber, J.M., Peterkin, P.I., Carter, A.O., Varughese, P.V., Ashton, E. E. and Ewan, E. P. 1991. Neonatal listeriosis due to cross-infection confirmed by isoenzyme typing and DNA fingerprinting. *Journal of Infectious Diseases*. **163**: 927-928.

Foley, S. L., Grant, K. 2006. Molecular techniques of detection and discrimination of foodborne pathogens and their toxins. Infectious disease: Food borne disease. In: Simjee, S., Totowa, NJ. (eds).

Frenzen, P. D., Riggs, T. L., Buzby, J. C., and the FoodNet Working Group 1999. *Salmonella* cost estimate updated using FoodNet data. *Food Review*. **22(2)**: 10–15.

Frost, J. A., Kramer, J. M., and Gillanders, S. A. 1999. Phage typing of *Campylobacter* Jejuni and *Campylobacter* Coli and its use as an adjunct to serotyping. *Epidemiol. Infect.* **123**: 47–55.

Garaizar, J., Lopez-Molina, N., and Laconcha, I., 2000. Suitability of PCR fingerprinting, Infrequent-restriction-site PCR, and Pulsed-field gel electrophoresis, combined with computerized gel analysis, in library typing of *Salmonella enterica* serovar Enteritidis. *Appl. Env. Microbiol.* **66**: 5273-5281.

Gibson, J. R. and McKee, R.A. 1993. PCR products generated from unpurified *Salmonella* DNA are generated by a thermostable nuclease activity. *Letters in Applied Microbiology*. **16**: 59-61.

Grimont, F., and Grimont, P. A. 1986. Ribosomal ribonucleic acid gene restriction patterns as potential taxonomic tools. *Ann. Microbiol.* **137(B)**:165–175.

Guerra, B., Landeras, E., Gonzalez-Hevia, M. A. and Mendoza, M. C. 1997. A three-way ribotyping scheme for *Salmonella* serotype Typhimurium and its usefulness for phylogenetic and epidemiological purposes. *J. Med. Microbiol.* **46**: 307-313.

Hald, T., Vose, D., Wegener, H. C and Koupeev, T. 2004. A Bayesian approach to quantify the contribution of animal-food sources to human salmonellosis. *Risk Analysis*. **24**:255–269.

Hill, W. E. 1996. The polymerase chain reaction: applications for the detection of foodborne pathogens. *Crit. Rev. Food Sci. Nutr.* **36**:123–173.

Hilton, A. C., Banks, J. G. and Penn, C.W. 1996. Random amplification of polymorphic DNA (RAPD) of *Salmonella* strains differentiation and characterization of amplified sequence. *J. Appl. Bacteriol.* **81**: 575-584.

Hilton, A. C. and Penn, C. W. 1998. Restriction enzyme analysis of randomly amplified polymorphic DNA amplicons of *Salmonella enterica* ser. Enteritidis DT4 and Typhimurium DT104. *Lett. Appl. Microbiol.* **27**: 158-162.

Holmberg, S. D., Wachsmuth, I. K., Hickmann-Brener, F. W., and Cohen, M. L. 1984. Comparison of plasmids and other membrane protein patterns within seven common *Salmonella* serotypes. *Infect. Immunol.* **48**: 175-182.

Horrevorts, A., Bergman, K., Kollre, L., Breuker, I., Tjernberg, I. & Dijkshoom, L. 1995. Clinical and epidemiological investigations of *Acinetobacter* genomospecies 3 in a neonatal intensive care unit. *Journal of Clinical Microbiology*. **33**: 1567-1572.

Hulton, C. S. J., Higgins, C. F., and Sharp, P. M. 1991. ERIC sequences: a novel family of repetitive elements in the genomes of *Eschechia Coli*, *Salmonella* Typhimurium, and Enteritidis phage type 4 from the contents of intact eggs: a study involving naturally infected hens. *Epidemiol. Infect.* **103**: 415-423.

Humphrey, T. 2001. *Salmonella* Typhimurium definitive type 104. A multi-resistant *Salmonella*. *Int. J. Food Microbiol.* **67**: 173–186.

Hunter, P. R., and Gaston, M. A. 1988. Numerical index of discriminatory ability of typing systems: an application of simpson's index of diversity. *J. Clin. Microbiol.* **26**: 2465–2466.

Hunter, P. R. 1990. Reproducibility and indices of discriminatory power of microbial typing methods. *J. Clin. Microbiol.* **28**: 1903–1905.

Kantama L, Jayanetra P. *Salmonella* enteritidis outbreak in Thailand: study by random amplified polymorphic DNA (RAPD) analysis. *Southeast Asian J. Trop Med Public Health* 1996. **27**:119–25.

Kauffman, F. 1972. Serological diagnosis of *Salmonella*- species- Kauffman- White-Schema. Baltimore: The Williams and Wilkins Company.

Kelterborn, E. 1967. *Salmonella* Species. Dr.W. Junk N. V., Den Haag.

Kim, S., Frey, J.G., Hu, J., Fedorka-Cray, P. J., Gauntom, R., Boyle, D.S. 2006. Multiplex PCR- based method for identification of common clinical serotypes of *Salmonella enterica* subsp. Enteric. *J. Clin. Microbiol.* **44 (10)**: 3608-15.

Koort, J. M., Lukinmaa, S., and Rantala, M.,. 2002. Technical improvement to prevent DNA degradation of enteric pathogens in pulsed field gel electrophoresis. *J. Clin. Microbiol.* **40**: 3497–3498.

Le Minor, L., Popoff, M. Y., Laurent, B., and Hermant, D., 1986. Characterization of a 7th subspecies of *Salmonella*, *S. choleraesuis* subsp. *indica* subsp. nov. *Ann. Inst. Pasteur Microbiol.* **137(B)**: 211–217.

Liebana, E., Guns, D., and Woodward, M. J. 2001. Molecular typing of *Salmonella* serotypes prevalent in animals in England: Assessment of Methodology. *J. Clin. Microbiol.* **39**: 3609-3616.

Liebana, E., Garcia-Migura, L., and Clouting, C. 2002. Multiple genetic typing of *Salmonella enterica* serotype typhimurium isolates of different phage types (DT104,

U302, DT204b, and DT49) from animals and humans in England, Wales, and Northern Ireland. *J. Clin. Microbiol.* **40**: 4450–4456.

Liu, S. L. and Sanderson, K. E. 1992. A physical map of the *Salmonella* Typhimurium LT2 genome made by using *Xba*I analysis. *J. Bacteriol.* **174**: 1662-1672.

Liu, S. L., and Sanderson, K. E. 1995a. *Ceu* I reveal conservation of the genome of independent strains of *Salmonella* Typhimurium. *J. Bacteriol.* **177**: 3355-3357.

Löffler, F. 1892. Über Epidemien unter den im hygienischen Institute zu Greifswald gehaltenen Mäusen und über die Bekämpfung der Feldmausplage. *Zbl. Bakt.* **11**: 129–141.

Louws, F. J., Fulbright, D. W., Stephens, C. T., and de Bruijn, F. J. 1994. Specific genomic fingerprints of phytopathogenic *Xanthomonas* and *Pseudomonas* pathovars and strains generated with repetitive sequences and PCR. *Appl. Environ. Microbiol.* **60**: 2286-2295.

Maslow J, Mulligan M.E. 1996. Epidemiologic typing systems. *Infect Control Hosp Epidemiol* **17**: 595-604.

Maslow, J.N., Whittam, T.S., Gilks, C.E, Wilson, R.A., Mulligan, M.E., Adams, K.S. and Arbeit, R.D. 1995. Clonal relationships among bloodstream isolates of *Escherichia coli*. *Infection and Immunity.* **63**: 2409-2417.

Maslow, J. N., Mulligan, M.E., and Arbeit, R. D. 1993. Molecular epidemiology: application of contemporary techniques of the typing of microorganisms. *Clin. Infect. Dis.* **17**: 153-164.

Meunier, J. R., and Grimont, P. A. D. 1993. Factors affecting reproducibility of random amplified polymorphic DNA fingerprinting. *Res. Microbiol.* **144**: 373-379.

Millemann, Y., Lesage, M. C., Chaslus-Dancla, E. and Lafont, J. P. 1995. Value of plasmid profile, ribotyping and detection of IS200 for tracing avia isolates of *Salmonella* Typhimurium and *S. enteritidis*. *J. Clin. Microbiol.* **33**: 173-179.

Mølbak, K., Gerner-Smidt, P., and Wegener, H. C. 2002. Increasing quinolone resistance in *Salmonella enterica* serotype Enteritidis. *Emerg. Infect. Dis.* **8**: 514–515.

Mølbak, K. and Neimann, J. 2002. Risk factors for sporadic infection with *Salmonella* Enteritidis, Denmark, 1997–1999. *Am. J. Epidemiol.* **156**: 654–661.

Nakamura, M., Sato, S., Ohya, T., Suzuki, S. and Ikeda, S. 1986. Plasmid profile analysis in epidemiological studies of animal *Salmonella* Typhimurium infection in Japan. *J. Clin. Microbiol.* **23**: 360-365.

- Nastasi, A. and Mammina, C. 1995. Epidemiological evaluation by PCR ribotyping of sporadic and outbreak-associated strains of *Salmonella enterica* serotype Typhimurium. *Res. Microbiol.* **146**: 99-106.
- Ohl, M.E. and Miller, S.I. 2001. *Salmonella*: A Model for Bacterial Pathogenesis *Annu. Rev. Med.* 2001. **52**: 259-74.
- Olsen, J. E., Aabo, S., Rasmussen, O. F., and Rossen, L. 1995. Oligonucleotide probes specific for the genus *Salmonella* and *Salmonella* Typhimurium. *Lett. Appl. Microbiol.* **20**: 160-163.
- Olsen, J. E. 2000. Molecular typing of *Salmonella*. In: C. Wray and A. Wray (eds), *Salmonella* in Domestic Animals, p. 429–466. CABI Publishing, Wallingford.
- Olsen, S. J., Bishop, R., and Brenner, F. W. 2001a. The changing epidemiology of *Salmonella*, trends in serotypes isolated from humans in the United States, 1987–1997. *J. Infect. Dis.* **183**: 753–761.
- Penner, G. A., Bush, A., Wise, R., Kim, W., Domier, L., Kasha, K. 1993. Reproducibility of random amplified polymorphic. *Applications.* **2**: 341-345.
- Persing, D. H. 1993. In vitro nucleic acid amplification techniques. In: Persing, D. H, Smith, T., Tenovar, F. C, White, T., eds. *Diagnostic Molecular Microbiology: Principles and Applications*. Washington, DC: American Society for Microbiology, p. 51-58.
- Popoff, M. Y., Bockemuhl, J., Brenner, F. W., and Gheesling, L. L. 2001. Supplement 2000 (no. 44) to the Kauffmann-White scheme. *Res. Microbiol.* **152**: 907–909.
- Popoff, M. Y. 2001. Antigenic Formulas of the *Salmonella* Serovars. WHO Collaborating Center for Reference and Research on Salmonella, Institut Pasteur, Paris.
- Riemann, H.P. and Cliver, D.O. 2006. Foodborne infections and intoxications. 3rd ed. p. 57-339. School of Veterinary Medicine, University of California, Davis.
- Sambrook, J., Fritsh, E. F., and Maniatis, T. 1989. *Molecular cloning-A laboratory manual*. 2nd ed. Cold spring Harbor, NY: Cold spring Harbor press.
- Schwarz, D. C., and Cantor, C. R. 1984. Separation of yeast chromosome-sized DNAs by pulsed field gradient gel electrophoresis. *Cell.* **37**: 67-75.
- Schwarz, S., and Liebisch, B. 1994. Pulsed-field gel electrophoretic identification of *Salmonella enteric* serovar Typhimurium live vaccine strain Zoosaloral H. *Lett Appl Microbiol.* **19**: 469-472.
- Schmieger, H. 1999. Molecular survey of the *Salmonella* phage typing system of Anderson. *J. Bacteriol.* **181**: 1630–1635.

Sharples, G. J., and Lloyd, R. G. 1990. A novel repeated DNA sequence located in the intergenic regions of bacterial chromosomes. *Nucleic Acids Res.* **18**: 6503-6508.

Snyder, L. and Champness, W. 1997. *Molecular Genetics of Bacteria*. ASM Press, Washington, DC.

Sockett, P. N. and Todd, E. C. D. 2000. The economic cost of foodborne disease. In: *The Microbiological Safety and Quality of Food*, pp 1563–1588. Aspen Publishers, Gaithersburg, MD.

Stanley, J., Baquar, N., and Burnens, A. 1995. Molecular subtyping scheme for *Salmonella panama*. *J. Clin. Microbiol.* **33**: 1206–1211.

Struelens M. J, and the Members of the European Study Group on Epidemiological Markers (ESGEM), of the European Society for Clinical Microbiology and Infectious Diseases (ESCMID) 1996. Consensus guidelines for appropriate use and evaluation of microbial epidemiologic typing systems. *Clin Microbiol Infect.* **2**: 2-11.

Struelens M. J., De Gheldre, Y., and Deplano, A. 1998. Comparative and library and epidemiological typing systems: outbreak investigations versus surveillance systems. *Infect. Control Hosp. Epidemiol.* **19**: 565-569.

Swaminathan, B., Barrett, T. J., Hunter, S. B., and Tauxe, R. V. 2001. PulseNet, the molecular subtyping network for foodborne bacterial disease surveillance, United States. *Emerg. Infect. Dis.* **7**: 382–389.

Tenovar, F. C. 1985. Plasmid fingerprinting: a tool for bacterial strain identification and surveillance of nosocomial and community acquired infections. *Clin. Lab. Med.* **5**: 413-436.

Thomas, J. L., Palumbo, J. A. Farrar, J. A. 2003. Industry practices and compliance with US Food and Drug Administration guidelines among California sprout firms. *J. Food Prot.* **66**: 1253–1259.

Tikoo, A., Tripathi, A.K., Verma, S.C., Agrawal, N. and Nath, G. 2001. Application of PCR fingerprinting techniques for identification and discrimination of *Salmonella* isolates. *Current science*.

Tindall, B.J., Grimont, P.A.D., Garrity, G.M., and Euzéby, J.P. 2005. Nomenclature and taxonomy of the genus *Salmonella*. *Int. J. Syst. Evol. Microbiol.* **55**:521–524.

Todd, E. C. D., Guzewich, J. J., and Bryan, F. L. 1997. Surveillance of foodborne disease. IV. Dissemination and uses of surveillance data. *J. Food Prot.* **60**: 715–723.

Towner, K.J. and Cockayne, A. 1993. *Molecular methods for microbial identification and typing*. Chapman and Hall, London.

Tsen, H. Y., Lin, J. S., and Hsieh, H. Y. 2002. PFGE and antibiogram patterns for animal *Salmonella* Typhimurium isolates in Taiwan and comparison with those of human isolates. *Vet. Microbiol.* **87**: 73-80.

Tsen, H. Y. 2002. Molecular typing of *Salmonella enterica* serovars Typhimurium, Typhi, and Enteritidis isolated in Taiwan. *J. Food and Drug Analysis.* **4**: 242-251.

Van Belkum, A. 1994. DNA fingerprinting of medically important microorganisms by use of PCR. *Clin Microbiol Rev.* **7**: 174-184.

Versalovic, J., Koeuth, T., and Lupski, J. R. 1991. Distribution of repetitive DNA sequences in eubacteria and application to fingerprinting of bacterial genomes. *Nucleic Acids Res.* **19**: 6823-6831.

Vila, J., Marcos, M. A., and Jimenez de Anta, M. T. 1996. A comparative study of different PCR-based DNA fingerprinting techniques for typing of *Acinetobacter Calcoaceticus-A. Baumannii* complex. *J. Med. Microbiol.* **44**: 482-489.

Voogt, N., Wannet, W. J., Nagelkerke, N. J., and Henken, A. M. 2002. Differences between national reference laboratories of the European community in their ability to serotype *Salmonella* species. *Eur. J. Clin. Microbiol. Infect. Dis.* **21**: 204-208.

Vugia, D., Hadler, J., Chaves, S. 2003. Preliminary FoodNet data on the incidence of foodborne illnesses – selected sites, United States, 2002. *Morbid. Mortal. Weekly Rep.* **52**: 340-343.

Ward, L. R., de Sa, J. D. H and Rowe, B. 1987. A phage typing scheme for *Salmonella* Enteritidis. *Epidemiology and infection.* **99**: 291-294.

Wegener, H. C., Hald, T., Wong, D. L. 2003. *Salmonella* control programs in Denmark. *Emerg. Infect. Dis.* **9**: 774-780.

Welsh, J., and McClelland, M. 1990. Fingerprinting genomes using PCR with arbitrary primers. *Nucleic Acids Res.* **18**: 7213-7218.

Welsh, J., and McClelland, M. 1991. Genomic fingerprinting using arbitrarily primed PCR and a matrix of pairwise combinations of primers. *Nucleic Acids Res.* **19**:5275-5279.

Williams, J.G.K., Kubelik, A. R., Livak, K. J., Rafalski, J. A., and Tingey, S. V. 1990. DNA polymorphisms amplified by arbitrary primers are useful as genetic markers. *Nucleic Acids Res.* **18**:6531-6535.



Wilshaw, G. A., Threfall, E. J., Ward, I. R., Ashley, A. S. and Rowe, B. 1980. Plasmid studies of drug resistant epidemic strains of *Salmonella* Typhimurium belonging to phage type 204 and 193. *Antimicrobiol. Chemother.* **6**: 763-773.

Woo, Y.K. 2005. Finding the sources of Korean *Salmonella enterica* serovar *Enteritidis* PT4 isolates by pulsed-field gel electrophoresis. *J. Microbiol.* **43**: 424-429.

Wray, C., McLaren, I. M. and Jones, Y. E. 1998. The epidemiology of *Salmonella* Typhimurium in cattle plasmid profile analysis of definitive phage type (DT) 204c. *J. Med. Microbiol.* **47**: 483-487.

Yan, S. S., Pendrak, M. L., Abela-Ridder, B. D. V. M., Punderson, J.W. V. M. D., Fedorko, D. P., Foley, S. L. 2003. An overview of *Salmonella* typing public health perspectives. *J. Clin. and Appl. Immunology Reviews.* **4**: 189-204.

Zhang, S. P., Kingsley, R. A., Santos, R. L., Andrews-Polymenis, H., Raffatellu, M., Figueiredo, J., Nunes, J., Tsois, R. M., Adams, L.G., and Baumler, A.J. 2003. Molecular pathogenesis of *Salmonella enterica* serotype Typhimurium induced diarrhea. *Infect. Immun.* **71**:1-12.