

## REFERENCES

- Adedapo, A. A., Jimoh, F. O., Afolayan, A. J. & Masika, P. J. (2008). Antioxidant activities and phenolic contents of the methanol extracts of the stems of *Acokanthera oppositifolia* and *Adenia gummifera*. *BMC Complementary and Alternative Medicine*. 8: 54.
- Akowuah, G. A., Ismail, Z., Norhayati, I., Sadikun, A. & Khamsah S. M. (2004). Sinensitin, eupatorin, 3'-hydroxy-5, 6, 7, 4'-tetraethoxyflavone and rosmarinic acid contents and oxidative effect of *Orthosiphon stamineus* from Malaysia. *Food Chemistry*. 87: 559-566.
- Akowuah, G. A., Ismail, Z., Norhayati, I. & Sadikun, A. (2005). The effects of different extraction solvents of varying polarities on polyphenols of *Orthosiphon stamineus* and evaluation of the free radical-scavenging activity. *Food Chemistry*. 93: 311-317.
- Apostolidis, E., Kwon, Y-I & Shetty, K. (2007). Inhibitory potential of herb, fruit, and fungal-enriched cheese against key enzymes linked to type 2 diabetes and hypertension. *Innovative Food Science and Emerging Technologies*. 8: 46-54.
- Atmani, D., Chaher, N., Berboucha, M., Ayouni, K., Lounis, H., Boudaoud, H., Debbache, N. & Atmani, D. (2009). Antioxidant capacity and phenol content of selected Algerian medicinal plants. *Food Chemistry*. 112: 303-309.
- Atlas, S. A. (2007). The renin-angiotensin aldosterone system: Pathophysiological role and pharmacologic inhibition. *Journal of Managed Care Pharmacy*. 13 (8): 9-20.
- Awale, S., Tezuka, Y., Shimoji, S., Taira, K. & Kadota, S. (2002). Secoorthosiphols A-C: three highly oxygenated secoisopimarane-type diterpenes from *Orthosiphon stamineus*. *Tetrahedron Letters*. 43: 1473-1475.
- Awale, S., Tezuka Y., Banskota, A.H. & Kadota, S. (2003). Siphonols A-E: Novel Nitric Oxide Inhibitors from *Orthosiphon stamineus* of Indonesia. *Bioorganic & Medicinal Chemistry Letters* 13: 31-35.
- Awale, S., Tezuka, Y., Kobayashi, M., Ueda, J. & Kadota, S. (2004). Neoorthosiphone A; a nitric oxide (NO) inhibitory diterpene with new carbon skeleton from *Orthosiphon stamineus*. *Tetrahedron Letters*. 45: 1359-1362.
- Braga, F. C., Serra, C. P., Viana Jr. N. S., Oliveira, A. B., Cortes, S. F. & Lombardi, J. A. (2007). Angiotensin-converting enzyme inhibition by Brazilian plants. *Fitoperia*. 78: 353-358.

- Branch, W. T., Alexander, R. W., Schlant, R. C. & Hurst, J. W. (2000). (3<sup>rd</sup> Edition). *Cardiology in primary care*. McGraw Hill.
- Chang, H. Y., Ho, Y.L., Sheu, M. J., Lin, Y. H., Tseng, M. C., Wu, S. H., Huang, G. J. & Chang, Y. S. (2007). Antioxidant and free radical scavenging activities of *Phellinus merrillii* extracts. *Botanical Studies*. 48: 407-417.
- Cheeseman, K. H. & Slater, T. F. (1993). An Introduction to Free Radical Biochemistry. *British Medical Bulletin*. 49: 481-493.
- Cornelli, U. (2009). Antioxidant use in nutraceuticals. *Clinics in Dermatology*. 27: 175-194.
- Chiong, J. R., Aronow, W. S., Khan, I. J., Nair, C. K., Vijayraghavan, K., Dart, R. A., Behrenbeck, T. R. & Geraci, S. A. (2008). *Secondary hypertension: Current diagnosis and treatment*. *Journal of The American Heart Association*. 124: 6-21.
- Dzau, V. J. (2001). Tissue angiotensin and pathobiology of vascular disease: A unifying hypothesis. *Journal of The American Heart Association*. 37: 1047-1052.
- de Padua, L. S., Bunyapraphatsara, N. & Lemmens, R. H. M. J (Ed.). (1999). *Plant resources of South East Asia No. i2(1). Medicinal plant and poisonous plants 1*. Prosea Foundation, Bogor, Indonesia.
- Duncan, A. C., Jager, A. K., & Staden, J. V. (1999). Screening of Zulu medicinal plants for angiotensin converting enzyme (ACE) inhibitors. *Journal of Ethnopharmacology*. 68: 63-70.
- Gulcin, I., Elias, R., Gepdiremen, A., Boyer, L. & Koksal, E. (2007). A comparative study on the antioxidant activity of fringe tree (*Chionanthus virginicus* L.) extracts. *African Journal of Biotechnology*. 6(4): 410-418.
- Gunawardena, H. P. & Silva, K. D. R. R. (2006). Determination of total antioxidant capacity and vitamin C content of selected local under-utilized and commonly consumed fresh fruits. *4<sup>th</sup> Food & Nutrition Symposium*. 4.
- Goh, S. H., Chuah, C. H., Mok, J. S. L. & Soepadmo, E. (1995). (1<sup>st</sup> Edition). *Malaysian medicinal plants for the treatment of cardiovascular diseases*. Pelanduk Publications Sdn. Bhd.

- Halliwell, B. & Whiteman, M. (2004). Measuring reactive species and oxidative damage in vivo and in cell culture: how should you do it and what the results mean?. *British Journal of Pharmacology*. 142: 231-255.
- Halliwell, B. (2006). Reactive Species and Antioxidants. Redox Biology Is a Fundamental Theme of Aerobic Life. *Plant Physiology*. 141: 312-322.
- Han, C. J., Hussin, H. A., & Ismail, S. (2008). Toxicity study of *Orthosiphon stamineus* Benth (Misai Kucing) on Sprague Dawley rats. *Tropical Biomedicine*. 25: 9-16.
- Han, C. J., Hussin, H. A., & Ismail, S. (2009). Effect of *Orthosiphon stamineus* leaf extracts on hepatic cytochrome P450, UGT and GST Activity in STZ-Induced Diabetic Rats. *Journal for the Advancement of Science & Arts*. 1:1.
- Harborne, J. B. (1973). (1<sup>st</sup> Edition). *Phytochemical Methods*. Chapman and Hall.
- Hossain, M. A., Ismail, Z., Rahman, A. & Kang, S. C. (2008). Chemical composition and anti-fungal properties of the essential oils and crude extracts of *Orthosiphon stamineus* Benth. *Journal of Industrial Crops and Products*. 27: 328-334.
- Karagozler, A. A., Erdag, B., Emek, Y. C. & Uygun, D. A. (2008). Antioxidant activity and proline content of leaf extracts from *Dorystoechas hastate*. *Food Chemistry*. 111: 400-407.
- Karlsson, J. (1997). (1<sup>st</sup> Edition). *Antioxidants and exercise*. Human Kinetics.
- Khamsah, S. M., Akowah, G. & Zhari, I. (2006). Antioxidant activity and phenolic content of *Orthosiphon stamineus* Benth from different geographical origin. *Journal of Sustainability Science and Management*. 1(2): 14-20.
- Lam, L.H., Shimamura, T., Sakaguchi, K., Noguchi, K., Ishiyama, M., Fujimura, Y. & Ukeda, H. (2007). Assay of angiotensin I-converting enzyme-inhibiting activity based on the detection of 3-hydroxybutric acid. *Analytical Biochemistry*. 364: 104-111.
- Lapointe, N. & Rouleau, J. L. (2002). Activation of vascular tissue angiotensin-converting enzyme (ACE) in heart failure. *Journal of Am Coll Cardiology* 39: 776-779.
- Lee, D. H., Kim, J. H., Park, J. S., Choi, Y. J. & Lee, J. S. (2004). Isolation and characterization of a novel angiotensin I-converting enzyme inhibitory peptide derived from the edible mushroom *Tricholoma giganteum*. *Peptides*. 25: 621-627.

- Loizzo, M. R., Saab, A. M., Tundis, R., Menichini, F., Bonesi, M., Piccolo, V., Statti, G. A., Cindio, B., Houghton, P. J., & Menichini, F. (2008). *In vitro* inhibitory activities of plants used in Lebanon traditional medicine against angiotensin converting enzyme (ACE) and digestive enzymes related to diabetes. *Journal of Ethnopharmacology*. 119: 109-116.
- Loon, Y. H., Wong, J. W., Yap, S. P. & Yuen, K. H. (2005). Determination of flavonoids from *Orthosiphon stamineus* in plasma using a simple HPLC method with ultraviolet detection. *Journal of Chromatography B*. 816: 161-166.
- Matkowski, A. (2008). Antioxidant activity of extracts and different solvent fractions of *Glechoma hederacea* L. and *Orthosiphon stamineus* (Benth.) Kudo. *Adv. Clin. Exp. Med.* 6: 615-624.
- Murray, R. K., Granner, D. K., Mayes, P. A. & Rodwell, V. W. (1998). *Harper's Biochemistry*. (24<sup>th</sup> Ed.). Prentice Hall.
- McMurray, J. J. V., Pfeffer, M. A., Swedberg, K. & Deau, V. J. (2004). Which Inhibitor of the Renin-Angiotensin System should be used in chronic heart failure and acute myocardial infarction?. *Journal of The American Heart Association*. 110: 3281-3288.
- Noda, N. & Wakasugi, H. (2001). Cancer and oxidative stress. *Journal of the Japan Medical Association*. 124: 1571-1574.
- Nyman, U., Joshi, P., Madsen, M. B., Pedersen, T. B., Pinstrup, M., Rajasekharan, S., George, V. & Pushpangadan, P. (1998). Ethnomedical information and in vitro screening for angiotensin-converting enzyme inhibition of plants utilized as traditional medicines in Gujarat, Rajasthan and Kerala (India). *Journal of Ethnopharmacology*. 60: 247-263.
- Oh, H., Kang, D.G., Lee, S. Lee & H. S. (2002). Angiotensin converting enzyme inhibitors from *Cuscuta japonica* Choisy. *Journal of Ethnopharmacology*. 83: 105-108.
- Olah, N. Radu, L. Mogosan, C. Hanganu, D. & Gocan, S. (2003). Phytochemical and pharmacological studies on *Orthosiphon stamineus* Benth. (Lamiaceae) hydroalcoholic extracts. *Journal of Pharmaceutical and Biomedical Analysis*. 33: 117-123.
- Olaleye, M. T. (2007). Cytotoxicity and antibacterial activity of Methanolic extract of *Hibiscus sabdariffa*. *Journal of Medicinal Plants Research*.(1): 609-013.

- Olanlokun, O. O. (2008). Protective influence of vitamin E on the antioxidant defence system in the whole blood and liver of normal and alloxan-induced diabetic rats. *Indian Journal of Clinical Biochemistry*. 23: 62-66.
- Czsoy, N., Can, A., Yanardag, R. & Akev, N. (2008). Antioxidant activity of *Smilax excelsa* L. leaf extracts. *Food Chemistry*. 110: 571-583.
- Palmer, A. & Williams, B. (2005). (1<sup>st</sup> Edition). *A simple guide to blood pressure*. CSF Medical Communications Ltd.
- Pihlanto, A., Akkanen, S. & Korhonen, H. J. (2008). ACE-inhibitory and antioxidant properties of potato (*Solanum tuberosum*). *Food Chemistry*. 109: 104-112.
- Poon, H. F., Calabrese, V., Scapagnini, G. & Butterfield, A. (2004). Free Radicals: Key to Brain Aging and Heme Oxygenase as a Cellular Response to Oxidative Stress. *Journal of Gerontology: Medical Sciences*. 59A: 478-493.
- Pourmorad, F., Hosseini Mehr, S. J. & Shahabinejad. (2006). Antioxidant activity, phenol, and flavonoid contents of some selected Iranian medicinal plants. *African Journal of Biotechnology*. 5(11): 1142-1145.
- Quist, E. E., Philips, R. D. & Saalia (2009). Angiotensin converting enzyme inhibitory activity of proteolytic digests of peanut (*Arachis hypogaea* L.) flour. *LWT-Food Science and Technology*. 42: 694-699.
- Ross, M. S. F. & Brain, K. R. (1977). *An Introduction to Phytopharmacy*. Pitman Medical Publishing.
- Scandalios, J. G. (1992). (1<sup>st</sup> Edition). *Molecular biology of free radical scavenging systems: Current communications in cell and molecular biology*. Cold Spring Harbor Laboratory.
- Senevirathne, M., Kim, S. H., Siriwardhana, N., Ha, J. H., Lee, K. W & Jeon, Y. J. (2006). Antioxidant potential of *Ecklonia cava* on reactive oxygen species scavenging, metal chelating, reducing power and lipid peroxidation inhibition. *Food Science Technology Int.* 12(1): 27-38.
- Stampoulis, L., Tezuka, Y., Banskota, A. H., Tran, K. Q., Saiki, I. & Kadota, S. (1999). Staminol A, a Novel Diterpene from *Orthosiphon stamineus*. *Tetrahedron Letters*. 40: 4239-4242.

- Tezuka, Y., Stavropoulis, P., Banskota, A.H., Awale, S., Tran, K.Q., Saiki, I. & Iadota, S. (2000). Constituents of the Vietnamese Medicinal Plant *Orthosiphon stamineus*. *Chemical Pharmaceutical Bulletin*. 48: 1711-1719.
- Thitilerdecha, N., Teerawutgulrag, A. & Rakariyatham, N. (2008). Antioxidant and antibacterial activities of *Nephelium lappaceum* L. extract. *LWT Food Science and Technology*. 41: 2029-2035.
- Touyz, R. M. (2004). Reactive oxygen species, vascular oxidative stress, and redox signaling in hypertension: What is the clinical significance. *Hypertension: Journal of the American Heart Association*. 44: 248-252.
- Turkoglu, A., Kivrak, I., Mercan, N., Duru, ME., Gezer, K. & Turkoglu, H. (2006). Antioxidant and antimicrobial activities of *Morchella conoca* Pers. *African Journal of Biotechnology*. 5 (11): 1146-1150.
- Valko, M., Rhodes, C. J., Moncol, J., Izakovic, M. & Mazur, M. (2006). Free radicals, metals and antioxidants in oxidative stress-induced cancer. *Chemico-Biological Interactions*. 160: 1-40.
- Valko, M., Leibfritz, D., Moncol, J., Cronin, M., T., D., Mazur, M. & Telser, J. (2007). Free radicals and antioxidants in normal physiological functions and human disease. *The International Journal of Biochemistry & Cell Biology*. 39: 44-84.
- Watanabe, T., Barker, T. A., & Berk, B. C. (2005). Angiotensin II and Endothelium: Diverse Signals and Effects. *Journal of The American Heart Association*. 45: 163-169.
- Wai-Leng, L. & Lai-Keng, C. (2004). Establishment of *Orthosiphon stamineus* cell suspension culture for cell growth. *Plant Cell, Tissue and Organ Culture*. 78: 101-106.
- Wang, H., Gao, X. D., Zhou, G. C., Cai, L. & Yao, W. B. (2008). *In vitro* and *in vivo* antioxidant activity of aqueous extract from *Choerospondias axillaris* fruit. *Food Chemistry*. 106: 888-895.
- Wiart, C. (2002). *Medicinal Plants of Southeast Asia*. (2<sup>nd</sup> Edition). Prentice Hall.
- Wu, J., Aluko, R. E. & Muir, A. D. (2002). Improved method for direct high-performance liquid chromatography assay of angiotensin-converting enzyme-catalyzed reactions. *Journal of Chromatography A*. 950: 125-130.

Zakaria, Z., Aziz, R., Lachimanan, Y. L., Sreenivasan, S. & Rathinam, X. (2008). Antioxidant Activity of *Coleus blumei*, *Orthosiphon stamineus*, *Ocimum basilicum* and *Mentha arvensis* from Lamiaceae Family. *International Journal of Natural and Engineering Sciences* 2. 1: 93-95.

Zhao, Y. & Xu, C. (2008). Structure and Function of Angiotensin Converting Enzyme and Its Inhibitors. *Chinese Journal of Biotechnology*. 24(2): 171-176.

Yu, Liangli. 2008. (1<sup>st</sup> Edition). *Wheat Antioxidants*. Wiley Interscience.