

TABLE OF CONTENTS

	<u>page</u>
Acknowledgements	i
Abstract	ii
1. INTRODUCTION	1
1.1. The Emergence of Environmental Problems	1
1.2. The Wastes Treatment Technologies	3
1.3. Wastes Problem in Malaysia	5
1.4. Effluent From Metal Finishing Industries	7
1.5. The Treatment Technologies Of Inorganic Heavy Metal Wastes	10
1.6. Ion Exchange Method	13
1.7. Membrane Procession Methods	15
1.8. Electrochemical Methods	16
1.8.1. Electrolytic Processes	16
1.8.2. Electrodialysis processes	17
1.8.3. Electroflotation processes	18
1.9. The Precipitation Treatment Methods	19
1.10. The Precipitation Mechanism	23
1.11. Co-precipitation	28
1.12. The Other Treatment Technologies	32
1.13. The Objective Of The Project	34
1.14. Potentiodynamic Studies	37

2. EXPERIMENTAL	39
2.1. Chemicals & materials	39
2.2. Apparatus & Equipment	41
2.3. Solution Preparation	43
2.4. Electrochemical treatment of simulated effluent	46
2.4.1. Electrolysis process	46
2.4.2. pH measurement	48
2.5. Atomic Absorption Spectrophotometry (AAS) for heavy metal determination	49
2.5.1. Introduction	49
2.5.2. Analysis method	52
2.6. Chemical co-precpitation treatment method	52
2.7. Potentiodynamic measurements	53
2.7.1. Polarization process	53
2.8. Heavy metal analysis	55
2.9. Estimation of metal hydroxide particle size	56
3. RESULTS AND DISCUSSION	57
3.1. Electrolysis	57
3.1.1 Qualitative observations	57
3.1.2 Effect of aeration	61
3.1.3 Voltage changes	64
3.2. Quantitative data	65
3.2.1. Solution containing 500 ppm of copper	65
3.2.2. Solutions containing 100 ppm of copper	69

3.2.3. Effluent containing 50 ppm of copper	72
3.2.4. Treatment reproducibility	72
3.2.5. Effect of sodium chloride	72
3.2.6. Effect of current Density	86
3.2.7. pH changes, (cause and effect)	95
3.3. 3.3.1. Treatment of solutions containing chromium, Cr (VI) ions	99
3.3.2. Effluent containing 500 ppm of chromium (VI)	103
3.3.3. Solutions containing 100 or 50 ppm of chromium (VI)	103
3.3.4. pH changes (Cr solutions):	107
3.4. 3.4.1. Solutions containing nickel (II) ions	111
3.4.2. Solutions containing 100 or 50 ppm nickel (II)	111
3.4.3. pH changes in the Ni solutions during electrolysis.	114
3.5. 3.5.1. Artificial effluent containing a mixture of 100ppm ±5% copper (II), 100ppm ±5% chromium (VI) and 100ppm ±5% nickel (II)	116
3.5.2. Solutions pH changes during electrolysis.	119
3.6. 3.6.1. Real effluent from a chrome-plating facility in a local electroplating factory	121
3.7. Chemical Co-precipitation Method	123
3.8. Results of Potentiodynamic Study of Stainless Steel 304 and Aluminium 91100 Electrodes Behaviour	125
3.8.1. Copper solution	129
3.8.2. Nickel solutions	135

3.8.3. Chromium solutions	139
3.8.4. Electrode behaviour in pure and mixed solutions of the heavy metals.	142
4. CONCLUSION	146
5. REFERENCES	147
6. APPENDICES	159