

CONTENT

CHAPTER 1 : <u>INTRODUCTION</u>		Page
1.0	INTRODUCTION	9
1.1	SILICON WAFER MANUFACTURING TECHNOLOGY	10
1.1.1	Trimming	20
1.1.2	Orientation Flattening	20
1.1.3	Ingot Etching	22
1.1.4	Slicing	22
1.1.5	Edge Rounding	23
1.1.6	Lapping	23
1.1.7	Wafer Etching	25
1.1.8	Polishing	25
1.1.9	Cleaning	26
1.2	TYPES OF CONTAMINANTS	27
1.3	CHEMICAL CLEANING	29
1.4	WAFER SCRUBBING AND SONIC CLEANING	31
1.5	MINORITY CARRIER LIFETIME THEORY	31

CHAPTER 2 :	<u>METHODS AND TOOLS</u>	Page
2.0	RECOMBINATION LIFETIME	
	CHARACTERIZATION METHODS	42
2.0.1	Photoconductivity Decay Method	44
2.0.2	MOS Capacitor Method	46
2.1	LIFETIME MEASUREMENT TOOLS	49
2.1.1	μ PCD	50
2.1.2	ELYMAT	54
2.2	ELYMAT MINORITY CARRIER LIFETIME	
	MEASURING TECHNIQUE	56
2.2.1	Principles	58
2.2.2	Working Principles of ELYMAT	60
2.2.3	Modes of Operations	
2.2.3.1	BPC - Backside Photo Current Mode	63
2.2.3.2	FPC - Frontside Photo Current Mode	68

CHAPTER 3 : **EXPERIMENTAL TECHNIQUE AND RESULTS**

3.0	EQUIPMENT	73
3.0.1	Procedures	74

	Page
3.1 MINORITY CARRIER LIFETIME VS WAFER RESISTIVITY	75
3.2 MINORITY CARRIER LIFETIME VS HEAT TREATMENT TIME	79
3.3 VARIATION OF MINORITY CARRIER LIFETIME WITH WAFER TYPE, ORIENTATION AND INGOT SOURCE	87
 CHAPTER 4 : <u>CONCLUSION AND DISCUSSION</u>	
4.1 EFFECTS OF DEFECTS ON ELECTRICAL PROPERTIES	90
4.1.1 Impurities	90
4.1.2 Oxygen and Carbon	91
4.1.3 Dislocations	94
4.1.4 Stacking Faults	94
4.2 CONCLUSION	96
REFERENCES	100