

REFERENCES

1. ABDULLAH, M. R. (1994). Anaerobic Digestion of Rubber Thread Manufacturing Effluent. *B.Sc Thesis, University Pertanian Malaysia, Serdang, Malaysia.*
2. AMERICAN PUBLIC HEALTH ASSOCIATION (APHA) (1992). Standard Methods for Examination of Water and Wastewaters, 18th edition, American Public Health Association, Inc. New York, pp 463.
3. ANDERSON, G.K. and SENARATNE, N.M. (1985). Costs of anaerobic processes in the pulp and paper industry. *Wat. Sci. Technol., 17(1), 241-254.*
4. BLASZCZYK, R., KOSARIC,N., HUDSON,C., and MAAT, D. (1991). The influence of selected tracemetals (Fe, Co, Ni) on granules activity in UASB reactors.*Proc. 6th EC Conf., Athens, Greece, 570-574.*
5. BELL, B.A., JERIS, J., WELDAY, J.M., and CARROL, R. (1980). Anaerobic fluidized bed treatment of thermal sludge conditioning decant liquor. *Proc. U.S. Dept. Of Energy Workshop/Seminar on Anaerobic Filters, 171 - 178.*

6. BOENING, P.H. and LARSON, V.F. (1982). Anaerobic fluidized bed whey treatment. *Biotechnol. Bioeng.*, 24(11), 2539-2556.
7. BUSWELL, A. M. And Le BOSQUET, M. (1936).Complex treatment of distillery wastes. *Ind. Eng. Chem.*, 28(7), 795-797.
8. BUSWELL, A.M. (1947). Important considerations in sludge digestion. II Microbiology and theory of anaerobic digestion. *Sewage Wks. J.*, 11, 28.
9. BUSWELL, A.M. (1956). Biological formation of methane - a discussion. *Ind. Eng. Chem.*, 48(9), 1443.
10. CALLANDER, I. J. and BARFORD, J.P. (1983). Recent advances in anaerobic digestion technology. *Process Biochem.*, 18, 24 – 30.
11. CHIAN, E.S. and DEWALLE, F.B. (1977). Treatment of high strength acidic wastewater with a completely mixed anaerobic filter. *Water Res.*, 11, 295.
12. CILLIE, G.C., HENZEN, M.R., STANDER, G.J. and BAILLIE, R.D. (1969). Anaerobic digestion - IV. The application of the process in waste purification. *Water Res.*, 3, 623 - 643.

13. COOPER, P.F. and WHEELDON, D.H.V. (1980). Fluidized - and expanded - bed reactors for wastewater treatment. *Wat. Pollut. Contr.*, 79, 286- 306.
14. DE BAERE, L.A., DE VOCHT, M., VAN ASSCHE, P. and VERSTRAEDE, W. (1983). Influence of high NaCl and NH₄Cl salt levels in methanogenic associations. *Process Biochem.*, 18,31-34.
15. DENNIS, N.D. and JENNET, J.C. (1975). Anaerobic filter treatment of pharmaceutical waste. *J. Water Pollut. Contr. Fed.*, 47(1), 104.
16. DIRASIAN, H.A., MOLOF, A.H. and BORCHARDT, J.A. (1963). Electrode potentials developed during sludge digestion. *J. Wat. Pollut. Contr. Fed.*, 35, 424.
17. DRAAIJER, H., MAAS, J.A.W., SHAAPMAN, J.E. and KHAN, A. (1992). Performance of the 5mld UASB reactor for sewage treatment at Kanpur, India. *Water Sci. & Technol.*,25(7), 123-133.
18. FAIR, G.M. and MOORE, E.W. (1937). Observation on the digestion of sewage sludge over a wide range of temperature. *Sewage Wks. J.*, 9, 3.

19. GOENWEGE, J. (1920). Meded burgerlizken geneeskundigen dierest, Netherlands, Indie, 12.
20. HALL , E.R., JOVANOVIC, M. and PEJIC, M. (1982). Pilot studies of methane production in fixed film and sludge blanket anaerobic reactors. *Proc. 4th Bioenergy R & D Seminar, Winnipeg*, 475 - 479.
21. HAWKES, D.L. (1979). Factors affecting net energy production from mesophilic anaerobic digestion, p 131 - 150. In D.A. Stafford, B.I. Wheatley and D.E. Hughes (eds.), *Anaerobic Digestion*. Applied Science Publishers Ltd., London.
22. HEIJNEN, J.J. (1984). Biological Industrial Wastewater Treatment Minimizing Biomass Production and Maximizing Biomass Concentration. Doctorate Thesis. University of Technology, Delft, The Netherlands, pp 230.
23. HENZ, M. And HARREMOES, P. (1982). Anaerobic treatment of wastewater in fixed film reactors : A literature review. *Wat. Sci. & Technol.*, 18 (8/9), 1-101.

24. HUDSON, J.W., POHLAND, F.G. and PENDERGRASS, R.P. (1978). Anaerobic packed bed treatment of shellfish processing wastewater. *Proc. 33^d Indust. Waste Conf., Purdue, USA.*
25. JEWELL, W.J., SWITZENBAUM, M.S. and MORRIS, J.W. (1981). Municipal wastewater treatment with the anaerobic attached microbial film expanded bed process. *J. Wat. Pollut. Contr. Fed.*, 53, 482-490.
26. JOHNSON, L.D and YOUNG, J.C. (1983). Inhibition of anaerobic digestion by organic priority pollutants. *J. Wat. Pollut. Contr. Fed.*, 55, 1441-1449.
27. KHAN , A.N. and SIDDIQUE, R.H. (1976). Wastewater treatment by anaerobic control filter. *Ind. J. Environ. Health*, 18(4), 282-291.
28. KROISS, H. and WABNEGG, F.P. (1983). Sulphide toxicity with anaerobic wastewater treatment, p72-85. In W.J. van der Brink (ed.), *Proc. European Symposium on Anaerobic Wastewater Treatment (AWWT)*. AWWT Symposium Secretariat, TNO Corporate Communication Department, The Hague, The Netherlands.

29. KUGELMAN, I.J. and McCARTY, P.L. (1965). Cation toxicity and stimulation in anaerobic waste treatment. II. Daily feed studies. *Proc. 19th Ind. Waste Conf. Purdue, USA*, 667 - 686.
30. KUGELMAN, I.J. and CHIN, K.K. (1971). Toxicity, Synergism, and antagonism in anaerobic waste treatment processes. *Adv. Chem. Ser.* , 105, 55 – 90.
31. LANKFORK, P.W., ECKENFELDER, W.W. Jr. And TORRENS, K.D. (1988). Reduction in wastewater toxicity. *Chem. Eng.*, 95(16), 72-82.
32. LETTINGA, G. and VAN VELSEN, A.F.M. (1974). Anaerobic treatment of low strength wastewater (in Dutch). *H₂O*, 7, 281 - 289.
33. LETTINGA, G., VAN VELSEN, L., DE ZEEUW, W. and HOBMA, S.W. (1979). The application of anaerobic digestion to industrial pollution treatment, p 167-186. In D.A. Stafford, B.I. Wheatley and D.E. Hughes (eds). *Anaerobic Digestion*. Applied Science Publisher Ltd, London.
34. LETTINGA, G., VAN VELSEN, L., HOBMA, S.W., DE ZEEUW, W. and KLAPWIJK, A. (1980). Use of the upflow sludge blanket (USB)

reactor concept for biological wastewater treatment, especially for anaerobic treatment. *Biotechnol. Bioeng.*, XXII, 699 - 734.

35. LETTINGA, G. , HULSHOFF POL, L.W., WIEGANT, W., DE ZEEUW, W., HOBMA, S.W., GRIN, P., ROESMA, R., SAYED, S. and VAN VELSEN, A.F.M. (1983). Upflow sludge blanket processes, p 139 - 158. In R.L. Wentworth, D.A. Stafford, B.I. Wheatley, W.E. Edelmann, G. Lettinga, Y. Minoda, P. Mulas del Pozo, E.J. Nyns, F.G. Pohland, J.F. Rees, L. Van den Berg, W. Verstraete, and R.F. Ward (eds.), *Proc. 3rd International Symposium on Anaerobic Digestion. Evans and Faulkner, Inc., Watertown, Massachusetts, USA.*

36. LI, A. , SUTTON, P.M. and CORRADO, J.J. (1982). Energy recovery from pretreatment of industrial wastes in the anaerobic fluidized bed process. *Proc. 1st Int. Conf. Fixed Film Biol. Processes*, 1521 - 1541.

37. LINGLE, J.W. , and HERMANN, E.R.(1975). Mercury in anaerobic sludge digestion. *J. Wat. Pollut. Contr. Fed.*, 47, 466 471.

38. LOGAN, R.P. and RUDOLFS, W. (1947). Treatment of wastes from natural gums in chewing gum manufacture. *Ind. Eng. Chem.*, 39(12), 1673.

39. LOVAN, G.R. and FOREE, E.G. (1972). Anaerobic filter for the treatment of brewery press liquor waste. *Brewers Digest*, 42(2), 66.
40. MALAYSIAN RUBBER RESEARCH AND DEVELOPMENT BOARD (1996). *Malaysian Rubber Review*, No. 1/96, 3-24.
41. MALY, J. and FADRUS, H. (1973). Influence of temperature of anaerobic digestion. *J. Wat. Pollut. Contr. Fed.*, 43, 641 - 650.
42. MARTENSSON, L. and FROSTELL, B. (1982). Anaerobic wastewater treatment in a carrier assisted sludge bed reactor. *Proc. IAWPR Seminar Anaerobic Treatment of Wastewater in Fixed Film Reactors, Copenhagen, Denmark*.
43. MATSUMOTO, J. and NOIKE, T. (1979). Effects of heavy metals on anaerobic sludge digestion. III. Studies by the heavy metal shock addition experiment and the heavy metal mixture addition experiment. *Technol. Rep. Tohoku Univ. (Jap.)*, 44, 85.
44. McCARTY, P.L. and MCKINNEY, R.E. (1963). Salt toxicity in anaerobic digestion. *J. Water Pollut. Contr. Fed.*, 35, 399 - 415.

45. McCARTY, P.L. (1964). Anaerobic waste treatment fundamentals. Part two-environmental requirements and control. *Public Wks.* , 95, 123 - 126.
46. McCARTY, P.L. (1981). One hundred years of anaerobic treatment, p 3-22. In D.E. Hughes, D.A. Stafford, B.I. Wheatley, W. Baader, G. Lettinga, E.J. Nyns, W. Verstraete and R.L. Wentworth (eds.), *Anaerobic Digestion* (1981). Elsevier Biomedical Press, Amsterdam.
47. MINISTRY OF FINANCE,MALAYSIA (1996). Economic Report 1995-96.
48. MINISTRY OF INTERNATIONAL TRADE AND INDUSTRY,MALAYSIA (1966). Malaysia International Trade and Industry Report 1995/96.
49. MORRIS, J.W. and JEWELL, W.J. (1981). Organic particulate removal with the anaerobic attached film expanded process. *Proc. 36th Purdue Indust. Waste Conf., USA*, 621-630.
50. MOSEY, F.E. and HUGHES, D.A. (1975). The toxicity of heavy metal ions to anaerobic digestion. *Wat. Pollut. Contr.* , 74, 18 – 39.

51. MOSEY, F. E. (1976). Assessment of the maximum concentration of heavy metals in crude sewage which will not inhibit the anaerobic digestion of sludge. *Wat. Pollut. Contr.*, 75, 10.
52. MUELLER, L.E. , NINDIN, E., LUNSFORD, L.J. and DUNSTAN, G.M. (1959). Some characteristic of anaerobic digestion. I. Effect of loading. *Sewage and Industr. Waste*, 31, 669.
53. MURK, J. S., FRIELING, J. S., TORTORIC, L.D. and DIETRICH, C.C. (1980). Use of bench-scale digesters to evaluate full scale digester performance. *J. Wat. Contr. Fed.*, 52, 2709-2716.
54. MURRAY, W. D. and VAN DEN BERG, L. (1981). Effect of support material on the development of microbial fixed films converting acetic acid to methane. *J. Appl. Bacteriol.*, 51, 257- 265.
55. NORMAN, J and FROSTELL, B. (1978). Anaerobic treatment in a two-stage reactor of a new design. *Proc. 32nd Purdue Ind. Waste Conf.*, 387.
56. OOI, C.A. (1993). Treatment of Wastewater from Rubber Thread Manufacturing Factories. *B.Sc Thesis. Universiti Pertanian Malaysia*, pp 133.

57. PAILTHROP, R. E., RICHTER, G. A. and FILBERT, J. W. (1971). Anaerobic secondary treatment of potato processing wastewater. *Proc. 44th Conf. Wat. Pollut. Contr. Fed., San Francisco, California.*
58. PERSON, H. L. (1980). The anaerobic filter for treating liquid swine wastes. Ph. D Thesis, University of Minnesota.
59. PFEFFER, J. T.(1974). Temperature effects on anaerobic fermentation of domestic refuse. *Biotechnol. Bioeng., XVI, 771.*
60. PFEFFER, J. T. (1979). Anaerobic digestion processes, p 15-35. In D.A. Stafford, B.I. Wheatley and D.E. Hughes (eds), *Anaerobic Digestion*. Applied Science Publishers Ltd, London.
61. PLUMER, A.H., MALINA, J. F. and ECKENFELDER, Jr., W. W. (1968). Stabilization of a low solids carbohydrate wastes by an anaerobic submerged filter. *Proc. 23rd Purdue Indust. Waste Conf., Purdue University, pp462.*
62. POELS, J., VAN ASSCHE, P. and VERSTRAETE, W. (1984). High rate anaerobic digestion of piggery manure with polyurethane sponges as support materials. *Biotechnol. Lettrs., 6, 747-752.*

63. RAMAN,V. and CHAKLADAR, N. (1972). Upflow filter for septic tank effluents. *J. Wat. Pollut. Contr. Fed.*, 44(8), 552-560.
64. RAMAN,V. and KHAN, A. A. (1977). Developments in sewage treatment for small communities (biodisc and upflow filter). *Ind. Assoc. Wat. Pollut. Contr. Ann.*, 4, 25-37.
65. RAMAN, V. and KHAN, A. A. (1978). Upflow anaerobic filter : A simple sewage treatment device. *Proc. Intern. Conf. On Wat. Pollut. Contr. In Dev. Countries, Bangkok, Thailand*.
66. RAMAN, V. and KHAN, A. A. (1982). Unconventional low cost simplified sewage treatment plant by rotating biological contactor and anaerobic (upflow) filter system. *Proc. 8th WEDC Conf. , Madras, India*.
67. RICHTER, G.A. and MACKIE, J. A. (1972). Waste treatment system removes 75-80% COD. *Food Processing* , 12, 212-213.
68. RUBBER RESEARCH INSTITUTE OF MALAYSIA (1988). Latex Concentrate and Introduction to Latex Product Manufacture (Lecture Notes), pp 191.

69. RUDOLFS, W. and TRUBNICK, E. H. (1949). Compressed yeast wastes treatment. *Sew. Wks. J.*, 21(2), 294-305.
70. SALKINOJA-SALOMEN, M. S., NYNS, E. J., SUTTON, P. M., VAN DEN BERG, L. and WHEALBY, A. D. (1983). Starting up of an anaerobic fixed film reactor. *Wat. Sci. Technol.*, 15(8/9), 305-308.
71. SASTRY, C.A. and MOHAN RAO, G. J. (1963).Anaerobic digestion of industrial wastes. *Environ. Health*, 5(3).
72. SASTRY, C. A. (1985).Factors influencing biogas generation. *Reg. J. Energy Heat Mass Transfer*, 7(4), 237-250.
73. SASTRY,C. A. (1986). Microbial and biochemical aspects of methane generation. *J. Energy Heat Mass Transfer*, 8, 15-25.
74. SASTRY, C. A., SRINIVAS, V., LOLLA, V. L. P. S. and SUBRAMANYAM, Y. V. (1990). Treatment of phenolic wastewater using two upflow anaerobic filters operated in series. *Ind. J. Environ. Protect.*, 10(9), 648-660.

75. SASTRY, C. A., SRINIVAS, V., SUBRAMANYAM, Y. V. and LOLLA, V. L. P. S. (1990). Treatment of sugar mill wastewater using anaerobic filter. *Ind. J. Environ. Protect.*, 10(8), 570-582.
76. SASTRY C. A. and VICKINESWARY, S. (1995). Anaerobic waste treatment plant. In C.A. Sastry, M.A. Hashim and P. Agamuthu (eds). *Waste Treatment Plants*. Narosa Publishing House, New Delhi.
77. SCHLENZ, H. E. (1947). Important considerations in sludge digestion. I. Practical Aspects. *Sewage Wks. J.*, 19, 19.
78. SCHMIDT, J. E. and AHRING, B. K. (1993). Effect of magnesium on thermophilic acetate degrading granules in upflow anaerobic sludge blanket (UASB) reactors. *Enz. & Microb. Technol.*, 15(4), 304-310.
79. SCHNELLEN, C. Y. T. P. (1906). Ph.D Thesis. Delft University of Technology, The Netherlands.
80. SCHULZE, K. L. and RAJU, B. N. (1958). Studies on sludge digestion and methane fermentation. II. Fermentation of organic acids. *Sewage & Indust. Wastes*, 30, 164.

81. SCHROEPFER, G. J., FULLER, W. J., JOHNSON, A. S., ZIEMKE, N. R. and ANDERSON, J. J. (1955). The anaerobic contact process as applied to packinghouse wastes. *Sewage Industr. Wastes*, 27, 460-486.
82. SHELTON, D. R. and TIEDJE, J. M. (1984). General methods for determining anaerobic biodegradation potential. *Appl. Environ. Microbiol.*, 47, 850-857.
83. SHIN, H. S., BAI, B. U. and OH, S. E. (1993). Preservation characteristics of anaerobic granular sludge. *Biotech. Lettrs.*, 15(5), 537-542.
84. SOHNGEN, N. L. (1910). *Rec. Tran. Chemi., Pays Bas*, 29, 238.
85. SPEECE, R. E. (1983). Anaerobic biotechnology for industrial wastewater treatment. *Environ. Sci. Technol.*, 17, 416A-427A.
86. SPEECE, R. E. and PARKIN, G. F. (1983). The response of methane bacteria to toxicity, p 23-35. In R.L. Wenworth, D.A. Stafford, B.I. Wheatley, W.E. Edelmann, G. Lettinga, Y. Monoda, P. Mulas del Pozo, E.J. Nyns, F.G. Pohland, J.F. Rees, L. Van den Berg, W. Verstraete and R.F. Ward (eds), *Proc. 3^d International Symposium on Anaerobic Digestion*. Evans and Faulkner, Inc., Watertown, Massachusetts, USA.

87. SRINIVAS, V. (1989). Studies on treatment of sugar mill and phenolic wastewaters using anaerobic contact filter. MS Thesis. Indian Institute of Technology, India.
88. STEVENS, T. G. and VAN DEN BERG, L. (1981). Anaerobic treatment of food processing wastes using a fixed film reactor. *Proc. 36th Purdue Indust. Waste Conf., USA*, 224-232.
89. STUCKEY, D. C., OWEN, W. F., McCARTY, P. L. and PARKIN, G. F. (1980). Anaerobic toxicity evaluation by batch and semi-continuous assays. *J. Wat. Pollut. Contr. Fed.*, 52, 720-729.
90. SUBRAMANYAM, Y.V. and SASTRY, C. A. (1988a). Treatment of sago mill wastewater using upflow anaerobic filter. *Ind. J. Environ. Protect.*, 8(3), 184-196.
91. SUBRAMANYAM, Y. V. and SASTRY, C. A. (1988b). Perfumery wastewater treatment using an anaerobic filter. *Ind. J. Environ. Protect.* 8(4), 248-260.
92. SUBRAMANYAM, Y. V. and SASTRY, C. A. (1989a). Attached versus suspended biomass activity in upflow anaerobic filters. *IE(I).JOURNAL-EN*, 70, 27-32.

93. SUBRAMANYAM, Y. V. and SASTRY, C. A. (1989b). Two stage upflow anaerobic filter for the treatment of partially treated distillery wastewater. *Ind. J. Environ. Protect.*, 9(5), 378-387.
94. SUTHAKAR, K. (1981). Treatment kinetics of septic tank - anaerobic upflow filter. *AIT Master's Thesis. Asian Institute of Technology, Bangkok, Thailand.*
95. SWANWICK, J. D. and FOULKES, M. (1971). Inhibition of sewage sludge by chlorinated hydrocarbons. *Wat Pollut. Contr.*, 70, 58-70.
96. SWITZENBAUM, M. S. (1978). The AAFEB Reactor for the Treatment of Dilute Organic Waste. Ph.D Thesis, Cornell Univ., New York, USA.
97. SWITZENBAUM, M. S. (1982). A comparison of the anaerobic filter and the anaerobic expanded/fluidized bed process. *Water Sci. Technol.*, 15(8/9), 345-358.
98. SWITZEMBAUM, M. S. (1983). Anaerobic fixed film treatment, review. *Enzyme & Microb. Technol.*, 5(4), 242-250.

99. SZENDREY, L. M. (1983). Start-up and operation of the Bacardi Corporation anaerobic filter, p 365-377. In R.L. Wenworth, D.A. Stafford, B.I. Wheatley, W.E. Edelmann, G. Lettinga, Y. Monoda, P. Mulas del Pozo, E.J. Nyns, F.G. Pohland, J.F. Rees, L. Van den Berg, W. Verstraete and R.F. Ward (eds), *Proc. 3^d International Symposium on Anaerobic Digestion. Evans and Faulkner, Inc., Watertown, Massachusetts, USA.*
100. VAN DEN BERG, L. and LENTZ, C. P. (1979). Comparison between up- and down-flow anaerobic fixed film reactors of varying surface to volume ratios for the treatment of bean bleaching waste. *Proc. 34th Purdue Indust. Waste Conf., USA, 319-325.*
101. VAN DEN BERG, L., LENTZ, C. P. and AMSTRONG, D. W. (1980). Anaerobic waste treatment efficiency comparisons between fixed film reactors, contact digesters and fully mixed continuously fed digesters. . *Proc. 35th Purdue Indust. Waste Conf., USA.*
102. VAN DEN BERG, L. and KENNEDY, K. J. (1981). Support materials for stationary fixed film reactors for high-rate methanogenic fermentations. *Biotechnol. Lettrs., 3, 165-170.*

103. VAN DEN BERG, L., KENNEDY, K. J. and HAMODA, M. F. (1981). Effect of type of waste on performance of anaerobic fixed film and upflow sludge bed reactors. . *Proc. 36th Purdue Indust. Waste Conf.*, USA, 686-692.
104. VAN DEN BERG, L. (1982). Anaerobic digestion of wastes. *Conserv. Recycling*, 5(1), 5-14.
105. VAN DEN BERG, L. and KENNEDY, K. J. (1983). Comparison of advanced anaerobic reactors, p 71-89. In R.L. Wenworth, D.A. Stafford, B.I. Wheatley, W.E. Edelmann, G. Lettinga, Y. Monoda, P. Mulas del Pozo, E.J. Nyns, F.G. Pohland, J.F. Rees, L. Van den Berg, W. Verstraete and R.F. Ward (eds), *Proc. 3^d International Symposium on Anaerobic Digestion. Evans and Faulkner, Inc., Watertown, Massachusetts, USA*.
106. VAN DEN VEN, M. (1984). Study of the Microbial Treatability of Pharmaceutical Wastewater(in Dutch). *Agricultural Engineer's Thesis. State University of Gent, Belgium*.
107. VERSTRAETE, W., POELS, J., TAVERNIER, P., VALCKE, D., VAN DEN BERGH, A. and VERMEIREN, A. (1981). Biogas. Stichting Leefmilieu V.Z.W., Antwerpen, pp 207.

108. VERSTRAETE, W. (1984). Biotechnological Processes in Environmental Technology. Laboratory General and Applied Microbial Ecology, State University of Gent, pp 352.
109. VISSER, A., GAO, Y. and LETTINGA, G. (1993). Effects of pH on methanogenesis and sulphate reduction in thermophilic (55° C) UASB reactors. *Bioresource-Technol.*, 44(2), 113-121.
110. VOLTA, A. (1889). In Hoppe-Seyler, Z. *Physical Chemistry*, 19, 209.
111. WOLIN, M. J. and MILLER, T. L. (1982). Interspecies hydrogen transfer : 15 years later. *ASM News*, 48, 561-565.
112. YOUNG, J.C. and McCARTY, P. L. (1967) The anaerobic filter for waste treatment. *Proc. 22nd Purdue Indust. Waste Conf., USA*, 559-574.
113. YOUNG, J. C. (1968). The anaerobic filter for waste treatment. *Doctoral Dissertation, University of Stanford, Stanford, California.*

114. YOUNG, J.C. and McCARTY, P. L. (1968). The anaerobic filter for waste treatment. *Technical Report No. 87, Dept. Of Civil Engineering, University of Stanford, Stanford, California.*
115. YOUNG, J.C. and McCARTY, P. L. (1969). The anaerobic filter for waste treatment. *J. Wat. Pollut. Contr. Fed., 41(5), R160-R173.*
116. YOUNG,J. C. and DAHAB, M. F. (1982). Effect of media design on the performance of fixed bed anaerobic reactors.*Proc. IAWR Seminar on Anaerobic Treatment of Wastewater in Fixed Film Reactors, Copenhagen, Denmark.*
117. YOUNG,J. C. and DAHAB, M. F. (1983). Effect of media design on the performance of fixed bed anaerobic reactors. *Water Sci. & Technol., 15(8/9), 369.*
118. ZAHRINGER, K., EECKHAUT, M., MAYER, W. and GRUSSENMEYER, S. (1994). Wastewater treatment with upflow anaerobic sludge blanket reactors in the sugar industry. *Zuckerindustrie, 119(4), 292-296.*
119. ZAID, I. (1988a). Anaerobic digestion of rubber processing factory effluent by polyurethane carrier reactor, p 33-38. In A. Tilche and A.

Rozzi (eds), *Proc. 5th Intern. Symp. On Anaerobic Digestion, Bologna, Italy.*

120. ZAID, I. (1988b). Anaerobic digestion of rubber factory effluent effluent by Biotim® A system: start-up experiences, p 951-655. In A. Tilche and A. Rozzi (eds), *Proc. 5th Intern. Symp. On Anaerobic Digestion, Bologna, Italy.*
121. ZAID,I. and AHMAD, I. (1988). Effluent from rubber glove manufacturing. *Proc. Intern. Rubb. Technol. Conf., Penang, Malaysia,* 518-533.
122. ZAID, I. (1990). Rubberised coir as a carrier material in high rate anaerobic digestion. *Proc. 2nd Nat. Biotechnol. Sem., Frasers Hill, Malaysia.*
123. ZAID, I. and NORDIN, A.K.B. (1991). Monitoring of commercial scale effluent treatment system in examination glove manufacturing factories. *ACPD Internal Report No. 9, Rubb. Res. Inst. Malaysia, pp 41.*

124. ZAID, I. (1991a). Treatment of rubber processing factory effluent by a rubberised coir carrier reactor. *Proc. RRIM Rubb. Growers Conf., Kuala Lumpur*, 441-453.
125. ZAID, I. (1991b). Treatment of effluent from rubber thread manufacturing factory. *RRIM ACPD Internal Report No.14*. Rubb. Res. Inst. Malaysia.
126. ZAID, I. (1992a). Pollution control in the natural rubber industry in Malaysia. *ENSEARCH Monograph on Environmental Protection Technology, No.2*, pp 17.
127. ZAID, I.(1992b). Management of effluent from the latex products manufacturing industry in Malaysia. *Proc. UNESCO Seminar on Municipal & Industrial Waste Management and Technology, Kuala Lumpur, Malaysia*.
128. ZAID, I. (1993). The upflow anaerobic sludge blanket (UASB) process. *Proc. Workshop on Biological Processes in Pollution Control, Kuala Lumpur*, 109-120.

129. ZAID, I. (1994). Two-phase anaerobic digestion of rubber processing factory effluent. *Proc. 6th Nat. Biotechnol. Sem., Penang, 57-61*

130. ZAID, I. (1997). Treatment of wastewaters from the rubber products manufacturing industry. *ACPD Internal Report No.56, Rubb. Res. Inst. Malaysia.*

131. ZEIKUS, J. G. (1979). Microbial population of digesters, p 61-89. In D.A. Stafford, B.I. Wheatley and D.E. Hughes (eds), *Anaerobic Digestion*. Applied Science Publishers Ltd, London.

132. ZINDER, S. H. (1988). Conversion of acetic acid to methane by thermophiles. In E.R. Hall and P.N. Hobson (eds). *Anaerobic Digestion*. Pergamon Press, London.