

## References

Alvarez-Armas, I. (2008). Duplex stainless steels: Brief history and some recent alloys. *Recent Patents on Mechanical Engineering*, **1**, 51-57

Arieli, A. and Mukherjee, A.K. (1980). A model for the rate-controlling mechanism in superplasticity. *Materials Science and Engineering*, **45 (1)**, 61-70

Arnim Kuper, I. (2003). Plasma-assisted boronizing. *Advanced Materials & Process*.  
URL: <http://asmcommunity.asminternational.org/static/Static%20Files/IP/Magazine/AMP/V161/I03/amp16103p020.pdf?authtoken=7af488082ac07532128c716399461c1a0d38bb9c>

Biddulph, R.H. (1977). Boronizing for erosion resistance. *Thin Solid Films*. **45 (2)**, 341-347

Budinski, K.G. (1988). *Surface engineering for wear resistance*. Prentice Hall, Englewood Cliffs, New Jersey.

Campos, I., Bautista, O., Ramirez, G., Islas, M., De La Parra, J., Zuniga, L. (2004). Effect of boron paste thickness on the growth kinetics of Fe<sub>2</sub>B boride layers during the boriding process. *Applied Surface Science*, **243**, 429–436

- Carrino, L., Giuliano, G., Palmieri, G. (2003). On the optimization of superplastic forming processes by the finite-element method. *J. Mat. Proc. Tech.*, **143-144**: 373-377
- Çelikyurek, I., Baksan, B., Torun, O., Gürler, R. (2006). Boronizing of Iron Aluminide Fe<sub>27</sub>Al<sub>28</sub>. *Intermetallics*, **14**, 136-141
- Chandra, N. (2002). Constitutive behavior of superplastic materials. *International Journal of Non-Linear Mechanics*, **37**, 461-484
- Chen, F.S. and Wang, K.L. (1999). The kinetics and mechanism of multi-component diffusion on AISI 1045 steel. *Surface and Coatings Technology*, **115**, 239-248
- Cheong, B.H., Lin, J., Ball, A.A. (2001). Modelling of hardening due to grain growth for a superplastic alloy. *Journal of Materials Processing Technology*, **119**, 361-365
- Genel, K., Ozbek, I. and Bindal, C. (2003). Kinetics of boriding of AISI W1 steel. *Materials Science and Engineering*, **A347**, 311-314
- Gifkins, R.C. (1976). Grain-boundary sliding and its accommodation during creep and superplasticity. *Met. Trans*, **7A**, 1225-1232
- Goeuriot, P., Thevenot, F. and Driver, J.H. (1981). Surface treatment of steels: Borudif, a new boriding process. *Thin Solid Films*, **78 (1)**, 67-76

Han, Y.S. and Hong, S.H. (1997). The effects of thermo-mechanical treatments on superplasticity of Fe-24Cr-7Ni-3Mo-0.14N duplex stainless steel. *Scripta Materialia*, **36 (5)**, 557-563

Han, Y.S. and Hong, S.H. (1999). Microstructural changes during superplastic deformation of Fe-24Cr-7Ni-3Mo-0.14N duplex stainless steel. *Materials Science and Engineering*, **A266**, 276-284

Hasan, R. (2005). Development of superplastic boronizing using duplex stainless steel. Masters Sc. Eng. Thesis, University of Malaya, Kuala Lumpur, Malaysia.

Hefti, L. (2004). Bonded components. *Materials Science Forum*, **447-448**, 177-182

Hertzberg, R.W. (1996). *Deformation and Fracture Mechanics of Engineering Materials*, 4<sup>th</sup> edn. New York: John Wiley & Sons.

Ismail, R. (2004). Fabrication and Properties of Nickel Aluminate-Alumina Intermetallic Composites. M. Eng. Sci. Research Dissertation. University of Malaya, Kuala Lumpur, Malaysia. p23

Jain, V., Sundararajan, G. (2002). Influence of the pack thickness of the boronizing mixture on the boriding of steel. *Surface and Coatings Technology*, **149**, 21-26

Jauhari, I., Ogiyama, H. and Tsukuda, H. (2002). Superplastic diffusion bonding of duplex stainless steel. *Proceedings of 2<sup>nd</sup> World Engineering Congress*, Malaysia, 117-121

Jauhari, I., Rozali, S., Nik Masdek, N.R. and Ogiyama, H. (2007). Surface properties and activation energy analysis for superplastic carburizing of duplex stainless steel. *Materials Science and Engineering: A*, **Volume 466**, Pages 230-234

Kaestner, P., Olfe, J., Rie, K.-T. (2001). Plasma-assisted boriding of pure titanium and TiAl<sub>6</sub>V<sub>4</sub>. *Surface and Coating Technology*, **142-144**, 248-252

Langdon, T.G. (1970). Grain boundary sliding as a deformation mechanism during creep. *Phil. Mag*, **22**, 689-700

Langdon, T.G. (1991). The physics of superplastic deformation. *Materials Science and Engineering*, **A137**, 1-11

Li, C., Li, M.S., Zhou, Y.C. (2006). Improving the surface hardness and wear resistance of Ti<sub>3</sub>SiC<sub>2</sub> by boronizing treatment. *Surface & Coatings Technology*, **xx**, xxx-xxx

Li, Z. and Guo, H. (2005). Application of superplastic forming and diffusion bonding in the aerospace industry. *Materials Science Forum*, **475-479**, 3037-3042

Lutfullin, R.Y., Imayev, R.M., Kaibyshev, O.A., Hismatullin, F.N. and Imayev, V.M. (1995). Superplasticity and solid state bonding of the TiAl intermetallic compound with micro- and submicrocrystalline structure. *Scripta Metallurgica et Materialia*, **33(9)**, 1445-1449

Mabuchi, M. and Higashi, K. Processing, properties and applications of high strain rate superplastic materials.

URL: <http://www.mse.mtu.edu/~drjohn/sp/hsrs/>. (2005)

Meric, C., Sahin, S., Yilmaz, S.S. (2000). Investigation of the effect on boride layer of powder particle size used in boronizing with solid boron-yielding substances. *Materials Research Bulletin*, **35**, 2165-2172

Miyamoto, H., Mimaki, T., Hashimoto, S. (2001). Superplastic deformation of micro-specimens of duplex stainless steel. *Materials Science Engineering*, **A319-321**, 779-783

Mukherjee, A.K. (1971). The rate controlling mechanism in superplasticity. *Materials Science and Engineering*, **8 (2)**, 83-89

Mukherjee, A.K. (2002). An examination of the constitutive equation for elevated temperature plasticity. *Materials Science and Engineering*, **A323**, 1-22

Nieh, T.G., Wadsworth, J. and Sherby, O.D. (1997). *Superplasticity in metals and ceramics (Cambridge solid state science series)*. 1<sup>st</sup> edn., Cambridge University Press, p. 12-13

Ozbek, I., Konduk, B.A., Bindal, C., Zeytin, S., Ucisik, A.H. (2002). Characterization of borided AISI 316L stainless steel implant, *Vacuum*, **65**, 521-525

Ozbek, I., Sen, S., Ipek, M., Bindal, C., Zeytin, S., Ucisik, A.H. (2004). A mechanical aspect of borides formed on the AISI 440C stainless steel, *Vacuum*, **73**, 643-648

Padmanabhan, K.A., Vasin, R.A. and Enikeev, F.U. (2001). *Superplastic flow: Phenomenology and mechanics*. First edn, Heidelberg, Germany: Springer.

URL: <http://books.google.com.my/books?id=QbExtiCMrNMC&printsec=frontcover#>

Rajagopalachary, T. and Kutumbarao, V.V. (1996). Superplastic behavior of a titanium alloy IMI685 under uniaxial compression. *PII S1359-6462(96)00134-0. Scripta Materialia*, Vol. **35**, No. 3, pp. 305-309

Sedlacek, V. (1986). *Materials science monographs, 30. Non-ferrous metals and alloys. Elsevier, Amsterdam- Oxford- New York - Tokyo*

Sen, S., Sen, U., Bindal, C. (2005a). An approach to kinetic study of borided steels. *Surface and Coatings Technology*, **191 (2-3)**, 274-285

Sen, S., Sen, U., Bindal, C. (2005b). The growth kinetics of borides formed on boronized AISI 4140 steel, *Vacuum*, **77**, 195-202

Sen, S., Sen, U., Bindal, C. (2006). Tribological properties of oxidised boride coatings grown on AISI 4140 steel. *Materials Letters*, **60**, 3481-3486

Sergueeva, A.V., Stolyarov, V.V., Valiev, R.Z., Mukherjee, A.K. (2002). Superplastic behaviour of ultrafine-grained Ti-6Al-4V alloys. *Material Science and Engineering*, **A323**, 318-325

Seshacharyulu, T., Medeiros, S.C., Frazier, W.G., Prasad, Y.V.R.K. (2000). *Material Science Engineering A*, **284**, 184-194

Siegert, K. and Werle, T. (1994a). *Process Technologies*. European Aluminium Association.

URL: <http://www.eaa.net/education/TALAT/lectures/3803.pdf>

Siegert, K. and Werle, T. (1994b). *Combination of Superplastic Forming and Diffusion Bonding*. European Aluminium Association.

URL: <http://www.eaa.net/education/TALAT/lectures/3805.pdf>

Superform Metals Limited (eds). (1988). *Superplastic Aluminum Forming*. United Kingdom: Gulliver Press Ltd.

Tsuzaki, K., Xiaoxu, H. and Maki, T. (1996). Mechanism of dynamic continuous recrystallization during superplastic deformation in a microduplex stainless steel. *Acta Metallurgical*, **44 (11)**, 4491-4499

Tsuzuka, T., Takahashi, A. and Sakamoto, A. (1991). Application of superplastic forming for aerospace components. In Hori, S., Tokizane, M. and Furushiro, N. (eds). *Superplasticity in Advanced Materials*. (p. 611-620)

Vairis, A. (2008). Superplasticity effects and strain rate dependency in a material joining process. *Journal of Engineering Science and Technology Review*, **1**, 28-32

Voort, G.F.V. (1984). *Metallography, principles and practice*. United States of America: McGraw-Hill. 648

Xing, H.L., Wang, C.W., Zhang, K.F., Wang, Z.R. (2004), Recent development in the mechanics of superplasticity and its applications. *Journal of Materials Processing Technology*, **151**, 196-202

Xu, C.H., Xi, J.K., Gao, W. (1997). Improving the mechanical properties of boronized layers by superplastic boronizing. *Journal of Materials Processing Technology*, **65**, 94-98

Zelin, M.G. and Mukherjee, A.K. (1996). Geometrical aspects of superplastic flow. *Materials Science and Engineering*, **A208**, 210-225



## Internet References

URL: 1) <http://aluminium.matter.org.uk/content/html/ENG/default.asp?catid=208&Pageid=2144416604>

URL: 2) <http://xcolet.free.fr/Emploi/Superplastique/Tech00.htm>

URL: 3) <http://aluminium.matter.org.uk/content/html/ENG/default.asp?catid=208&pageid=2144416607>

URL: 4) [http://www.bortec.de/Frame1\\_englisch.html](http://www.bortec.de/Frame1_englisch.html)

URL: 5) <http://www.gowelding.com>

URL: 6) [http://en.wikipedia.org/wiki/X-ray\\_scattering\\_techniques](http://en.wikipedia.org/wiki/X-ray_scattering_techniques)

URL: 7) [http://www.imoa.info/moly\\_uses/moly\\_grade\\_stainless\\_steels/duplex\\_stainless\\_steel.htm](http://www.imoa.info/moly_uses/moly_grade_stainless_steels/duplex_stainless_steel.htm)