

REFERENCES

- Arasaratnam, V., Murugapoorthy, T. and Balasubramanian, K. (1994). Effect of pH on preparation and performance of physically immobilized amyloglucosidase on DEAE-cellulose. Starch. 46(4), 146-149.
- Armstrong, D.E.; Chesters, G. (1964). Properties of protein-bentonite complexes as influenced by equilibration conditions. Chem. Abstr. 61, 12675.
- Bailey, J.E. and Ollis, D.F. (1986). Biochemical Engineering fundamentals, International Edition, McGraw-Hill Book Co. Singapore.
- Bailey, P.L. (1978). Analysis with ion-selective electrode, Chapter 7. Heyden, London. In Biotechnology by Rehm H.J. and Reed, G. Enzyme Technology, VCH Verlagsgesellschaft, 1987, 7a Chapter B, pp.694-695.
- Baum, G.; Ward, F.B. and Weetall, H.H. (1972). Stability inhibition and reactivation of acetylcholinesterase covalently coupled to glass. Biochim. Biophys. Acta., 268, 411-414.
- Beddows, C.G., Gil, M.H., Guthrie, J.T. (1986). Immobilization of BSA, enzymes and cells of *Bacillus stearothermophilus* onto cellulose, polygalacturonic acid and starch based graft copolymers containing maleic anhydride. Biotechnol. Bioeng. 28, 51-57.
- Beddows, C.G., Mirauer, R.A. (1980). Immobilization of B-galactosidase and other enzymes onto p-amino-carbanilated cellulose derivatives. Biotechnol. Bioeng. 22, 311-321.
- Bernfield, P. and Wan, A.J. (1963). Antigens and enzymes made insoluble by entrapping them into lattices of synthetic polymers. Science 142, 678-679.

Blanco, R.M. and Guisan, J.M. (1988). Protecting effect of competitive inhibitors during very intense insolubilized enzyme-activated support multipoint attachment: trypsin (amine)-agarose (aldehyde) system. Enzyme Microb. Technol. 10, April 227-232.

Blassberger, D., Freeman, A., Goldstein, L. (1978). Chemically modified polyesters as supports for enzyme immobilization, isocyanide, acylhydrazide and aminoaryl derivatives of poly(ethylene terephthalate). Biotechnol. Bioeng. 20, 309-315.

Bohak, Z. and Sharon, N. (Eds) (1977). Biotechnological applications of proteins enzymes. Academic Press, New York.

Bollmeier, J.P., and Middleman, S. (1974). Development of gelatin/urease films. Biotechnol. Bioeng. XVI, 859-862.

Bollmeier, J.P. and Middleman, S. (1979). Hydrolysis of urea by gelatin. Immobilized Urease: Separation of kinetic and diffusion phenomena in a model immobilized-enzyme reactor system. Biotechnol. Bioeng. XXI, 2303-2321.

Boyd, S.A. and Mortland, M. M. (1985). Urease activity on a clay-organic complex. Soil Sci. Soc. Amer. J. 49, 619-622.

Brena, B.M., Ryden, D.L.G., Porath, J. (1994). Immobilization of beta-galactosidase on metal-chelater-substituted gels. Biotechnol. Appl. Biochem. 19(2), 217-231.

Campbell, J. and Chang, T.M.S. (1975). Enzymatic recycling of coenzymes by a multienzyme system immobilized within semipermeable collodion microcapsules. Biochimica et Biophys. Acta 397, 101-109.

Campbell, J. and Chang, T.M.S. (1976). The recycling of NAD (free and immobilized) within semipermeable aqueous microcapsules containing a multi-enzyme system. Biochem. Biophys. Res. Comm. 69, 562-569.

Carleysmith, S.W., Dunnill, P. and Lilly, M. D. (1980). Kinetic behaviour of immobilized penicillin acylase. Biotech. Bioeng. 22, 735-756.

Channe, P.S. and Shewale, J.G. (1995). Immobilization of pectinase from Sclerotium rolfsii. Folia Microbiologica 40 (1), 118-122.

Chellapandian, M., Sastry, C.A. (1992). Vermiculite as an economic support for immobilization of neutral protease. Bioprocess Bioeng. 8, 27-31.

Chellapandian, M., Sastry, C.A. (1992). Immobilization of microbial protease on vermiculite. Bioprocess Bioeng. 8, 33-38.

Chellapandian, M., Sastry, C.A. (1994). Immobilization of alkaline protease on Nylon. Bioprocess Boeng. 11, 17-21.

Chibita, I. (1978). Preparation of immobilized enzymes and microbial cells. In: immobilized enzymes, New York: Kodansha Tokyo, J. Wiley & Sons, 11-15.

Chibita, I. (1979) "Immobilized cell systems" in Food process Engineering Vol. 2. Enzyme Engineering in food processing, Linko, P and Larinkari, J., Applied Science Publishers Ltd, London.

Chibita, I., Tosa, T., Sato, T., Mori, T. and Matuo, Y. (1972). Preparation and industrial application of immobilized aminoacylase. Ferment. Technol. Today Proc. 4th Inter. Ferment. Tech. Symp., pp. 388-389.

Dean, R.B. (1949). Adsorption . In : Modern colloids, pp.67-110, New York, D. Van Nostrand Company.

Dixon, N.E., Gazzola, C., Blakeley, R.L. and Zerner, B. (1975). Jackbean urease (EC 3.5.1.5). A metalloenzyme. A simple biological role for nickel. J. Amer. Chem. Soc. 97 (14), 4131-4133.

Drobnik, J., Labsky, J., Kudlvasrova, H., Dsudek, V. and Svec, F. (1982). The activation of hydroxy groups of carriers with 4-nitrophenyl and N-hydroxysuccinimidyl chloroformates. Biotechnol. Bioeng. 24, 487-493.

Emi, S. and Murase, Y. (1990). Protease immobilization onto copoly (ethylene/acrylic acid) fiber. J. Appl. Poly. Sci. 411, 2753-2767.

Ensminger, L.E., Giesking, J.E. (1941). The adsorption of proteins by montmorillonite clays and its effects on base exchange capacity. Chem. Abstr. 35, 6174.

Epton, R., McLaren, J.V., and Thomas, T.H. (1974). Crosslinked poly (acryloylamino acetaldehyde dimethyl acetal) and derived urease conjugates. Polymer 15, 468-564.

Frankenberger, W.T., and Tabatabai, M.A. (1982). Amidase and urease activities in plants. Plant and Soil. 64, 153-166.

Fu Mian-C., Pifferi, P.G., Setti, L., Spagna, G., and Martino, A. (1994). Immobilization of anthocyanase (β -glucosidase) from *Aspergillus niger*. Italian, J. Food. Sci. 6(1): 31-42.

Gerhartz, W. (1990). Enzyme in industry, VCH, Weinheim, New York.

Gianfreda, L., Rao, M.A., Violante, A. (1992). Adsorption, activity and kinetic properties of urease on montmorillonite complexes. *Soil Biol.Biochem.* 24, 51-58.

Goldstein, L. (1972). Microenvironmental effects on enzyme catalysis. A kinetic study of polyanionic and polycationic derivatives of chymotrypsin. *Biochemistry* 11, 4072-4084.

Goldstein, L. (1973). A new polymer carrier for immobilization proteins of water insoluble derivatives of pepsin and trypsin. *Biochim. Biophys. Acta.* 327, 132-137.

Goldstein, L., Freeman, A. and Sokolovsky, M. (1974). Chemically modified nylons as supports for enzyme immobilization. *Biochem. J.* 143, 497-509.

Goldstein, L., Levin, Y. and Katchalski, E. (1964). A water insoluble polyanionic derivative of trypsin II. Effect of the polyelectrolyte carrier on the kinetic behaviour of the bound trypsin. *Biochemistry* 3, 1913-1919.

Goldstein, L., Pecht, M., Blumberg, S., Atlas, D. and Levin, Y. (1970). Water-insoluble enzymes synthesis of a new carrier and its utilization for preparation of insoluble derivatives of papain, trypsin and subtilopeptidase A. *Biochemistry*, 9, 2322-2334.

Gotoh, T., Shidara, M., Iwanaga, T., Kikuchi, K.I. and Hozawa, M. (1994). Immobilization of gamma-glutamyl transpeptidase, a membrane enzyme, in gel beads via liposome entrapment. *J. Ferment. Bioeng.* 77(3), 268-273.

Gregoriadis, G., Leathwood, P.D. and Brenda, E.R. (1971). Enzymes entrapment in liposomes. *FEBS Lett.* 14 (2), 95-99.

Gregory, H. (1987). Vivant Professores, Fryer memorial Library, Occasional Paper No.7, 68-71, University of Queensland, St. Lucia.

Han, X.Q. and Shahidi, F. (1995). Extraction of harp seal gastric proteases and their immobilization on chitin. *Food Chem.* 52(1), 71-76.

Hisamatsu, M. and Yamada, T. (1989). Partially deacetylated chitin as an acid-stable support for enzyme immobilization. *J. Ferment. Bioeng.* 67, 3219-3220.

Huang, T.C., Chen, D.H. 1992. Kinetic studies on urea hydrolysis by immobilized urease in a batch squeezer and flow reactor. *Biotechnol. Bioeng.* 40: 1203-1209.

Huckel, M., Wirth, H.J. and Hearn, M.T.W. (1996). Porous zirconia: a new support material for enzyme immobilization. *J. Biochem. Biophys. Methods.* 31(3-4), 165-179.

Inman, D.J.; Hornby, W.E. The Immobilization of enzymes on nylon structures and their use in automated analysis. *Biochem. J.* 129 (1972) 255-262.

Ishimura, F. and Suga, K.I. (1992). Hydrolysis of penicillin G by combination of immobilized penicillin acylase and electrodialysis. *Biotechnol. Bioeng.* 39, 171-175.

Iwamoto, K., Noguchi, T., Teramoto, A. and Lizuka, E. (1995). Studies on physical properties of mixed membranes of silk sericin and syndioactic polyvinyl alcohol, and their ability to immobilize an enzyme. *J. Sericultural Sci. Japan.* 64(5), 427-434.

Iyengar, L., Rao, A.V.S.P. (1979). Urease bound to chitin with glutaraldehyde. *Biotechnol. Bioeng.* 21, 1333-1343.

Jackson, M.L. (1967). Cation exchange determinations for soils. In: soil chemical analysis, pp.57-110. New Delhi, Prentice-Hall of India Pvt.Ltd.

Jayaraman, J. Laboratory Manual in Biochemistry . Wiley Eastern Limited.

Jiugao, Y., Ruchuan, T. and Xinruei, L. (1994). A study of starch as a supporter in the enzyme immobilization. *Starch/stark* 46(2), 49-51.

Johansson, A.N., Mosbach, K. (1974). Acrylic copolymers as matrices for the immobilization of enzymes. I. Covalent binding or entrapping of various enzymes to bead formed acrylic copolymers. *Biochimica et Biophysica Acta*, 370, 339-347.

Kallury, K.M.R., Lee, W.E. and Thompson, M. (1993). Enhanced stability of urease immobilized onto phospholipid covalently bound to silica, tungsten, and fluropolymer surfaces. *Anal. Chem.* 65, 2459-2467.

Karube, I., Nakamoto, Y and Suzuki, S. (1976). Photocontrol of urease activity in spiropyran collagen membrane. *Biochim. Biophys. Acta*. 445,774-779.

Karube, I. and Suzuki, S. (1972). Electrochemical preparation of urease-collagen membrane. *Biochem, Biophys. Res. Comm.* 47(1), 51-54.

Kawakami, K. and Yoshida, S. (1994). Entrapment of lipase in silica glass by the sol-gel method and its esterification activity in organic media. *Biotechnol. Technique*. 8(6), 441-446.

Kay, G. and Lily, M.D. (1970). The chemical attachment of chymotrypsin to water-insoluble polymers using 2-amino-4,6-dichloro-s-triazine. *Biochim. Biophys. Acta*, 198, 276-285.

Kennedy, J.F. and Cabral, J.M.S. (1987). Use of modified titanium etc. species for the immobilization of bioactive compounds. *Enzyme. Transition Met. Chem.* 12, 481-493.

Khare, S.K., Jha, K. and Gupta, M.N. (1994). Entrapment of wheat phytase in polyacrylamide gel and its application in soymilk phytate hydrolysis. Biotechnol. Apl. Biochem., 19(2), 193-198.

Kibarer, G. (1994). Interesting features of an activated carbon supported urease system. Artificial organs. 18(3), 222-226.

Kim, C.H. and Rhee, S.K. (1989). Fructose production from Jerusalem artichotce by inulinase immobilized on chitin. Biotechnol. Lett., 11, 201-206.

Kobayashi, T., Miyama, H., Kawata, S., Nosaka, Y. and Fuji, N. (1992). Immobilization of enzymes on electrostatic medium of positively charged dimethylamino nylon gel. J. Appl. Polym. Sci. 46, 2183-2188.

Konecny, J. and Sieber, M. (1980). Continuous deacetylation of cephalosporins. Biotechnol. Bioeng. 22, 2013-2029.

Koseko, S., Hisamatsu, M. and Yamada, T. (1994). Preparation of magnetic support for glutaminase immobilization (A study on the conversion of glutamine to glutamic acid by an immobilized glutaminase on a support having magnetic sensitivity: Part I). J. Japanese. Soc. Food. Sci. Technol. 41(1), 31-36.

Krajewska, B. (1991). Urease immobilized on chitosan membrane. Inactivation by heavy metal ions. J. Chem. Tech. Biotechnol. 52, 157-162.

Krajewska, B., Leszko, M. and Zaborska, W. (1989). Membrane immobilized urease for possible use in Dialysate regeneration system of artificial kidney. Environ. Protec. Eng. 15 (3-4), 173-180.

Krajewska, B., Leszko, M. and Zaborska, W. (1990). Urease immobilized on animated butyl acrylate-ethylene dimethacrylate copolymer. Die Angewandte Makromolekulare Chemie, 179, 21-33.

Krajewska, B., Leszko, M. and Zaborska, W. (1990). Urease immobilized on chitosan membrane : Preparation and properties. J. Chem. Tech. Biotechnol. 48, 337-350.

Krajewska, B. and Zaborska, W. (1989). Dialysate regeneration system of artificial kidney. Biocyb. Biomed. Eng. 9(1-4), 91-102.

Krysteva, M.A., Shopova, B.I., Yotova, L.Y. and Karasavova, M.I. (1991). Covalent binding of enzymes to synthetic membranes containing acrylamide units, using formaldehyde. Biotechnol. Appl. Biochem. 13, 106-111.

Kuznetsova, L.P. and Nickol'skava, E.E. (1998). Catalytic properties of cholinesterases immobilized in N-phthalylchitozan and gelatin. Ukrainskii Biokhimicheskii Zhurnal. 67(5): 49-54.

Lai, C.M. and Tabatabai, M.A. (1992). Kinetic parameters of immobilized urease. Soil. Biol. Biochem. 24, 225-228.

Leszko, M., Zaborska, W . (1993). Inhibition of activity of urease in native form and immobilized on chitosan membrane by sodium fluoride. J. Chem. Tech. Biotechnol. 57, 113-120.

Lilly, M.D. (1972). The use of immobilized enzymes in food industry. In proceedings of the international symp on conversion and manufacture of foodstuffs.

Linko, P. (1980). Immobilized biological systems for continuous fermentation in food process engineering, vol. 2. Enzyme Engineering in Food Processing. Linko, P. and Larinkari, J. (Eds.), Applied Science Publishers Ltd., London.

Lin, S.F., Hwang, Y.L. and Tsai, Y.C. (1996). Immobilization of glucooligosaccharide oxidase of *Acremonium strictum* for oligosaccharic acid production. Biotechnol. Techniques, 10(1), 63-68.

Linko, Y.Y., Phooja, L. and Linko, P. (1977). Entrapped glucose isomerase for high fructose syrup production, Process Biochem., 12(6): 14-16.

Linko, Y.Y., Serinen, P. and Linko, M. (1975). Starch conversion by soluble and immobilized α -amylase. Biotechnol. Bioeng., 17: 153-165.

Liu, Y., Liu, H., Oian, J., Deng, J. and Yu, J. (1995). Regenerated silk fibroin membranes as immobilization matrix for peroxidase and fabrication of a sensor for hydrogen peroxide utilizing methylene blue as electron shuttle. Analytica Chim. Acta. 316(1), 65-72.

Lui, Y., Lui, H., Oian, J., Deng, J. and Yu, J. (1995). Immobilization of glucose oxidase in the regenerated silk fibroin membrane: characterization of the membrane structure and its application to an amperometric glucose sensor employing ferrocene as electron shuttle. J. Chem. Technol. Biotechnol., 64(3), 269-276.

Lowry, O.H., Rosebrough, N.J., Farr, A.L., Rasdall, R.J. (1951). Protein measurement with the folin-phenol reagent. J. Biol. Chem. 193, 265-275.

Madeira, V.M.C (1977). Incorporation of urease into liposomes. Biochim. Biophys. Acta, 499, 202-211.

Mahadevan, S., Jauer, F.D. and Erfle, J.D. (1977). Purification and properties of urease from bovine rumen. Biochem. J. 163, 495-501.

Mamiya, G., Takishima, K., Masakuni, M., Kayumi, T., Ogawa, K. and Sekita, T. (1985). Proc. Japan Acad. Ser. B61, 395. In : Zerner, B. (1991). Recent advances in the chemistry of an old enzyme urease. Bioorg. Chem. 19, 116-131.

Manolov, R.J., Kambourova, M.S. and Emanuilova, E.I. (1993). Immobilization and properties of *Bacillus stearothermophilus* pullulanase. Biotechnol. Appl. Biochem. 18(3), 409-415.

Marsh, D.R., Lee, Y.Y. and Tsao, G.T. (1973). Immobilized glucoamylase on porous glass. Biotechnol. Bioeng. 15: 483-492.

Martinek, K., Kilbanov, A.M., Goldmacher, V.S., Berezin, I.V. (1977). The principles of enzyme stabilization. Biochim. Biophys. Acta. 485: 1-12.

May, S.W. and Li, N.N. (1972). The immobilization of urease liquid-surfactant membranes. Biochem. Biophys. Res. Comm. 47(5), 1179-1185.

McLaren, A.D. (1954). The adsorption and reactions of enzymes and proteins on kaolinite. J. Phys. Che., 58, 129-137.

Messing, R.A. (1975). Immobilized enzymes for industrial reactors, Academic Press, New York.

Michaels, L. and Ehrenreich, M. (1908). The analysis of ferments by adsorption. Biochem. 10: 283-289.

Minamoto, Y., Yugari, Y. 1980. Polymethylglutamate as a new matrix for covalently immobilized enzymes: preparation and properties of urease and uricase. Biotechnol. Bioeng. XXII: 1225-1235.

Miyama, H., Kawata, M., Nosaka, Y. (1985). Immobilization of enzyme on dimethylaminated nylon gels. Biotechnol. Bioeng. 27, 1403-1410.

Miyama, H., Kobayashi, T. and Nosaka, Y. (1982). Immobilization of urease on synthetic polymers. Biotechnol. Bioeng. XXIV, 2757-2763.

Mogensen, A.V. and Vieth, W.R. (1973). Mass transfer and biochemical reaction with semipermeable microcapsules. Biotechnol. Bioeng. 15, 467-481.

Mori, T., Tosa, T. and Chibata, I. (1973). Enzymatic properties of microcapsules containing asparaginase. Biochimica et Biophys. Acta. 321, 653-661.

Mosbach, K. (Ed.) (1987). Methods in enzymology vol. 135, Academic Press, New York.

Nadruz, W.JR., Marques, E.T.A., Azevedo, W.M., Lima, F.J.L. and Carvalho, L.B.JR. (1996). Immbilization of xanthine oxidase on a polyaniline silicone support. Brazilian J. Med. and Biological Res. 29(3), 347-350.

Nelson, J. and Griffin, E.G. (1916). Adsorption of invertase. J. Am. Chem. Soci. 38: 1109-1115.

Nemat, G.M. and Karimain, K. (1986). Use of hexadecyl fractosil as a hydrophobic carrier for adsorption immobilization of proteins. Biotechnol. Bioeng., 28, 37-1043.

Neujahr, H.Y. (1980). Enzyme probe for catechol. Biotechnol. Bioeng. 22, 913-918.

- Nifhojkar, A., Srivastava, S. and Kumar, S. (1995). Production of low methoxyl pectin using immobilized pectinesterase bioreactors. *J. Ferment. Bioeng.* 80(4), 346-349.
- Norouzian, D. and Jaffar, M.B. (1993). Immobilization of glucoamylase produced by fungus *Arthrobotrys amerospora*. *Indian J. Experimental. Biology.* 31(8), 680-681.
- Oguntiemein, G.B. and Reilly, P.J. (1980). Purification and immobilization of *Aspergillus niger* β -xylosidase. *Biotechnol. Bioeng.*, 22, 1127-1142.
- Ohmiya, K., Tanimura, S., Kobayashi, T., Shimizu, S. (1978). Preparation and properties of proteases immobilized on anion exchange resin with glutaraldehyde. *Biotechnol. Bioeng.* 20, 1-15.
- Omar, I.C., Suguna, R. (1993). Characteristics of immobilized lipase by adsorption method on Amberlite MB-1. *As Pac. J . Mol. Bio. And Biotechnol.* 1: 103-107.
- Onyezili, F.N. and Onitiri, A.C. (1981). The effects of substrate flow-rate on immobilized urease assays. *Biochem. Biophys. Acta.* 659, 244-248.
- Okada, T., Karube, I. and Suzuki, S. (1982b). Hybrid urea sensor using nitrifying bacteria. *Eur. J. Appl. Microbiol. Biotechnol.* 14, 149-154.
- Ostergaard, J.C.W. and Martiny, S.C. (1973). The immobilization of β -galactosidase through encapsulation in water-insoluble microcapsules. *Biotechnol. Bioeng.*, 15, 561-563.
- Palmeieri, G., Giardina, P., Desiderio, B., Marzullo, L., Giamberini, M. and Sannia, G. (1994). A new enzyme immobilization procedure using copper alginate gel : application to a fungal phenol oxidase. *Enzyme. Microbial. Technol.* 16(2), 151-158.

Pande, R., Kamtekar, S., Ayyagari, M.S., Kamath, M., Marx, K.A., Kumar, J., Tripathy, S.K. and Kaplan, D.L. (1996). A biotinylated undecylthiophena copolymer bioconjugate for surface immobilization. Creating an alkaline phosphatase chemiluminescene-based biosensor. *Bioconjugate Chem.* 7(1), 159-164.

Pawar, H.S. and Deshmukh, D.R. (1994). Immobilization of D-xylose (D-glucose) isomerase from a chainia species. *Preparative Biochem.*, 24(2), 143-150.

Phillipis, C.R. and Poon, Y.C. (1988). Immobilization of cells. Springer-verlag, Berlin.

Pitcher, W.A. (1976). Immobilized lactase, *Milk Industry*, 78: 4-8.

Plaza, M., Montes, C. and Herrera, J.R. (1971). Purification and biochemical characteristics of urease from *Proteus rettgeri*. *Biochim. Biophys. Acta.* 242, 230-237.

Pozniak, G., Krajewska, B., Trochimczuk, W. (1995). Urease immobilized on modified polysulphone membrane : preparation and properties. *Biomaterials* 16, 129-134.

Puvanakrishnan, R. and Bose, S.M. (1980). Studies on the immobilization of trypsin on sand. *Biotechnol. Bioeng.* 22, 919-928.

Presnell, T.L., Swaisgood, H.E., Joyce, T.W. and Chang, H.M. (1994). Investigation into the kinetic properties of immobilized lignin peroxidase. *J. Biotechnol.* 35(1), 77-85.

Raghunath, K., Rao, K.P. and Joseph, K.T. (1984). Preparation and characterization of urease immobilized onto collagen-poly (glycidyl methacrylate) graft copolymer. *Bioeng.* XXVI, 104-109.

Ramachandran, K.B., Perlmutter, D.D. (1976). Effects of immobilization on the kinetics of enzyme-catalyzed reactions. II. Urease in a packed-column differential reactor system. *Biotechnol. Bioeng.* 18: 685-699.

Ravito, B.J. and Kittrell, J.R. (1973). Film and pore diffusion studies with immobilized glucose oxidase. *Biotechnol. Bioeng.* 15: 143-161.

Rehm, H.J. and Reed, G. (1987). *Biotechnology*, Volume 7a. VCH, Weinheim, Germany.

Reimerdes, E.H. (1979). Model proteolysis of β -casein by immobilized trypsin. *J. Davy Research*, 468: 223-226.

Reimerdes, E.H. (1980). The effect of binding systems on immobilized enzyme suitability in food process engineering. Vol. 2 Enzyme engineering in food processing, Linko, P. and Larinkari, J. Applied Science Publishers, Ltd, London.

Riesel, E., Katchalski, E. (1964). Preparation and properties of water insoluble derivatives of urease. *J. Biol. Chem.* 239, 1521-1524.

Roig, M.G. , Slade, A., Kennedy, J.F., Taylor, D.W. and Garaita, M.G. (1995). Investigations of stabilities, pH and temperature profiles and kinetic parameters of glucoamylase immobilized on plastic supports. *Appl. Biochem. Biotechnol.* 50(1), 11-33.

Sastray, C.A. (1994). Immobilized enzymes, proceedings workshop on bioproduct processing, IPT, University Malaya, KL, Jan, 1994.

Sevast'yanova, E.V. and Davidenko, T.I. (1993). Immobilization of proteolytic enzymes on carbon materials. *Prikladnaya Biokhimiya. Mikrobiologiya* 2a(3): 375-380.

Sharp, A.K., Kay, G. and Lilly, M.D. (1969). The kinetics of β -galactidase attached to process cellulose sheets. Biotech. Bioeng, 11: 363-380.

Shemer, L.; Granot, R.; Freeman, A.; Sokolovsk, M; Goldstein, L. Mutilayer immobilized-enzyme filter reactors: Urease bound to nylon fabric filters. Biotech. Bioeng. XXI (1979) 1607-1627.

Shimizu, K. and Ishihara, M. (1987). Immobilization of cellulolytic and Hemicellulolytic enzymes on inorganic supports. Biotechnol. Bioeng. 29: 236-241.

Stanbury, P.F. and Whitaker, A. (1984). Principles of fermentation technology, Pergamon press, oxford, England.

Sumner, J.B. (1926). J. Biol. Chem. 69, 435 : In Zerner, B. (1991). Recent advances in the chemistry of an old enzyme urease. Bioorg. Chem. 19, 116-131.

Sundaram, P. V. (1973). The kinetic properties of microencapsulated urease. Biochim. Biophys. Acta. 321, 319-328.

Sundaram, P. V. (1979) . Immobilized enzyme pipette : scope and limitations of a simple device. Biochem. J. 179, 445-447.

Sundaram, P. V., Crook, E. M. (1971). Preparation and properties of solid supported urease. Canadian Journal of Biochem. 49, 1388-1394.

Sundaram, P. V., Hornby, W.E. (1970). Preparation and properties of urease chemically attached on nylon. FEBS Letter. 10, 325-327.

Sungur, S. and Akbulut, U. (1994). Immobilization of β -galactosidase onto gelatin by glutaraldehyde and chromium (III) acetate. J. Chem. Tech. Biotechnol. 59(3): 303-306.

Sungur, S. and Elcin, M. (1992). Immobilization of urease into carboxymethyl cellulose-gelatine system. Macromolecular Reports, A29 (Supp L.3), 251-265.

Tarafdar, J.C. (1987). Activity of enzymes added to the soils. Polish. J. Soil. Sci. XX7, 5-10.

Tarafdar, J.C. and Chhonkar, P.K. (1982). Urease clay interactions : I-adsorption of urease on clays saturated with different cations. J. Indian, Soc. Soil. Sci. 30(1)27-32.

Theng, B.K.G. (1979). Formation and properties of clay-polymer complexes. Elsevier, New York.

Underkoefler, L.A. (1976). "Microbial enzymes" in industrial microbiology, Miller, B.M. and Litsky, W. (eds.), McGraw-Hill Book Co., New York.

Waliak, D.T. and Carbonell, R.G. (1975). Kinetic behavior of micro encapsulated β -galactosidase. Biotechnol. Bioeng. 17: 1157-1181.

Wang, I.C.D., Cooney, C.L., Demain, A.L., Dunhill, P., Humphrey, A.B. and Lily, M.D. (1979). Fermentation and enzyme technology, John Wiley and Sons, New York.

Wang, X. and Ruckenstein, E. (1993). Preparation of porous polyurethane particles and their use in enzyme immobilization. *Biotechnol. Progress* 9(2): 101-105.

Weetall, H.H., Messing, R.A. (1972). Insolubilized enzymes on inorganic materials. In : Halt, M.L. (Ed.) The chemistry of biosurfaces, Vol.2, pp. 562-595, Marcel Dekker Inc. New York.

Weetall, H.H. and Weliky, Y.N. (1966). A new technique for the enzymatic detection of hydrogen peroxide. *Anal. Biochem.* 14: 160-162.

Wykes, J.R., Dunnill, P. and Lilly, M.D. (1971). Immobilization of α -amylase by attachment to soluble support materials. *Biochem. Biophys. Acta*, 250: 222-229.

Yildirim, O.I., Akbulut, U., Arinc, E. and Sungur, S. (1994). Stability and storage conditions of NADH-cytochrome b5 reductase cross-linked into gelatin by chromium (III) acetate. *Biomaterials*. 15(8): 587-592.

Yoshiki, M., Yasumi, Y. (1980). Polymethylglutamate as a new matrix for covalently immobilized enzymes. Preparation and properties of urease and uricase. *Biotechnol. Bioeng.* 22, 1225-1235.

Yu, J., Tian, R. and Li, X. (1994). A study of starch as a supporter in the enzyme immobilization. *Starch* 46(2): 49-51.

Zabrosky, O.R. (1974). *Immobilized enzymes*, CRC Press, Chemical Rubber, Claveland, USA.

Zamorani, A., Spettoli, P., Lante, A., Crapisi, A. and Pasini, G. (1993). Immobilized laccase and tyrosinase. An approach for wine stabilization. *Italian J. Food Sci.* 5(4): 409-414.

Zerner, B. (1991). Recent advances in the chemistry of an old enzyme, urease. *Bioorg. Chem.* 19, 116-131.

Zingaro, R.A. and Uziel, M. (1970). Preparation and properties of active, insoluble alkaline phosphatase. Biochimica et Biophys Acta. 213: 371-379.

PERPUSTAKAAN INSTITUT PENGAJIAN
SISWAZAH DAN PENYELEDIKAN
UNIVERSITI MALAYA