

CHAPTER 7.0 REFERENCE

Aislabie, J. M., Chhour, K., Saul, D. J., Miyauchi, S., Ayton, J., Paetzold, R. F., & Balks, M. R. (2006). Dominant bacteria in soils of Marble Point and Wright Valley, Victoria Land, Antarctica. *Soil Biology & Biochemistry*, *38*, 3041–3056.

Alef, K., & Nannipieri, P. (1995). *Methods in applied soil microbiology and biochemistry*. San Diego: Academic Press.

Altschul, S. F., Gish, W., Miller, W., Myers E. W., & Lipman, D. J. (1990). Basic local alignment search tool. *Journal of Molecular Biology*, *215*, 403-410.

Antonova-Nikolova, S., Tzekova, N., & Yocheva, L. (2005). Taxonomy of *Streptomyces* sp. strain 3b. *Journal of Culture Collections*, *4*, 36-42.

Ayuso, A., Clark, D., González, I., Salazar, O., Anderson, A., & Genilloud, O. (2005). A novel actinomycete strain de-replication approach based on the diversity of polyketide synthase and nonribosomal peptide synthetase biosynthetic pathways. *Applied Microbiology & Biotechnology*, *67*, 795–806.

Ayuso-Sacido, A., & Genilloud, O. (2005). New PCR Primers for the Screening of NRPS and PKS-I Systems in Actinomycetes: Detection and distribution of these biosynthetic gene sequences in major taxonomic groups. *Microbial Ecology*, *49*, 10–24.

Baltz, R. H. (2006). Marcel Faber Roundtable: Is our antibiotic pipeline unproductive because of starvation, constipation or lack of inspiration? *Journal of Industrial Microbiology Biotechnology*, *33*, 507–513.

Basilio, A., González, I., Vicente, M. F., Gorrochategui, J., Cabello, A., González, A., & Genilloud, O. (2003). Patterns of antimicrobial activities from soil actinomycetes isolated under different conditions of pH and salinity. *Journal of Applied Microbiology*, *95*, 814–823.

Bauer, A. W., Kirby, W. M. M., Sherris J. C., and Tuck, M. (1966). Antibiotic susceptibility testing by a standardized disc diffusion method. *American Journal of Clinical Pathology* *45*, 493-496.

Becker, B., Lechevalie, M. P., Gordon, R. E., & Lechevalier, H. A. (1964). Rapid differentiation between *Nocardia* and *Streptomyces* by paper chromatography of whole-cell hydrolysates. *Applied Microbiology*, *12*, 421-423.

Becker, B., Lechevalier, M. O., & Lechevalier, H. A. (1965). Chemical composition of cell-wall preparations from strains of various form-genera of aerobic Actinomycetes. *Applied Microbiology*, *13*, 236-243.

Bowman, J. P., McCammon, S. A., & Skerratt, J. H. (1997d). *Methylosphaera hansonii* gen. nov., sp. nov., a psychrophilic, group I methanotroph from Antarctic marine-salinity, meromictic lakes. *Microbiology*, *143*, 1451-1459.

- Bowman, J. P., McCammon, S. A., Brown, J. L., Nichols, P. D., & McMeekin, T. A. (1997a). *Psychroserpens burtonensis* gen. nov., sp. nov., and *Gelidibacter algens* gen. nov., sp. nov., psychrophilic bacteria isolated from Antarctic Lacustrine and sea ice habitats. *International Journal of Systematic Bacteriology*, *47*, 670–677.
- Boyd, W. L., & Boyd, J. W. (1963). Soil microorganisms of the McMurdo Sound Area, Antarctica. *Applied Microbiology*, *11*, 116-121.
- Brambilla, E., Hippe, H., Hagelstein, A., Tindall, B. J., & Stackebrandt, E. (2001). 16S rDNA diversity of cultured and uncultured prokaryotes of a mat sample from Lake Fryxell, McMurdo Dry Valleys, Antarctica. *Extremophiles*, *5*, 23-33.
- Bredholdt, H., Galatenko, O. A., Engelhardt, K., Fjærvik, E., Terekhova, L. P., & Zotchev, S. B. (2007). Rare actinomycete bacteria from the shallow watersediments of the Trondheim fjord, Norway: Isolation, diversity and biological activity. *Environmental Microbiology*, *9*, 2756–2764.
- Brutner, C., Binder, T., Pathom-aree, W., Goodfellow, M., Bull, A. T., Potterat, O., Puder, C., Hörer, S., Schimd, A., Bolek, W., Wagner, K., Mihm, G., & Fiedler, H. (2005). Frigocyclinone, a novel Angucyclinone antibiotic produced by a *Streptomyces griseus* strain from Antarctica. *Journal of Antibiotics*, *5*, 346–349.
- Cameron, R., Morelli, F. A., & Johnson, R. M. (1972). Bacterial species in soil and air of the Antarctic continent. *Antarctic Journal*, *7*, 187-189.
- Castillo, U. F., Strobel, G. A., Ford, E. J., Hess, W. M., Porter, H., Jensen, J. B., Albert, H., Robison, R., Condron, M. A. M., Teplow, D. B., Stevens, D., & Yaver, D. (2002). Munumbicins, wide-spectrum antibiotics produced by *Streptomyces* NRRL 30562, endophytic on *Kennedia nigricans*. *Microbiology*, *148*, 2675-2685.
- Changa, Z., Flattb, P., Gerwickb, W. H., Nguyenc, V-A., Willisc, C. L., & Shermana, D. H. (2002). The barbamide biosynthetic gene cluster: A novel marine cyanobacterialsystem of mixed polyketide synthase (PKS)-non-ribosomal peptidesynthetase (NRPS) origin involving an unusual trichloroleucyl starter unit. *Gene*, *296*, 235–247.
- Cho, S. H., Han, J. H., Seong, C. N. & Kim, S. B. (2006). Phylogenetic diversity of acidophilic sporactinobacteria isolated from various soils. *The Journal of Microbiology*, *44*, 600-606.
- Chong, C. W., Dunn, M. J., Convey, P., Tan, G. Y. A., Wong, R. C. S., & Tan, I. K. P. (2009b). Environmental influences on bacterial diversity of soils on Signy Island, maritime Antarctic. *Polar Biology*, *32*, 1571-1582.
- Clegg, C. D., Ritz, K., & Griffiths, B. S. (1997). Direct extraction of microbial community DNA from humified upland soils. *Letters in applied microbiology*, *25*, 30-33.
- Cook, A. E., & Meyers, P. R. (2003). Rapid identification of filamentous actinomycetes to the genus level using genus-specific 16S rRNA gene restriction fragment patterns. *International Journal of Systematic & Evolutionary Microbiology*, *53*, 1907–1915.

- Cowan, D. A., & Tow, L. A. (2004). Endangered Antarctic environments. *Annual Review of Microbiology*, 58, 649-690.
- Crook, P., Carpenter, C. C., & Klens, P. F. (1950). The use of sodium propionate in isolating actinomycetes from soils. *Science*, 112, 656.
- Debono, M., & Gordee, R. S. (1994). Antibiotics that inhibit fungal cell wall development. *Annual Review of Microbiology*, 48, 471-497.
- Dietz, A., & Currie, S. A. (1996). Actinomycetes. In *Maintaining cultures for biotechnology and industry*. San Diego: Academic Press.
- Dittmann, E., Neilan, B. A., & Börner. (2001). Molecular biology of peptide and polyketide biosynthesis in cyanobacteria. *Applied Microbiology & Biotechnology*, 57, 467-473.
- El-Nakeeb, M. A., & Lechevalier, H. A. (1963). Selective isolation of aerobic actinomycetes. *Applied Microbiology*, 11, 75-77.
- Esther, W. N., Gathogo, Alastair, C. W., Waugh, Nataša Peri'c-Concha, Maria, B. R., & Paul, F. L. (2004). Rapid detection of 'rare' *Actinomycetes* in environmental samples. *Biotechnology Letters*, 26, 897-900.
- Fiedler, H-P., Bruntner, C., Bull, A. T., Ward, A. C., Goodfellow, M., Potterat, O., Puder, C., & Mihm, G. (2005). Marine actinomycetes as a source of novel secondary metabolites. *Antonie van Leeuwenhoek*, 87, 37-42.
- Finking, R., & Marahiel, M. A. (2004). Biosynthesis of nonribosomal peptides. *Annual Review of Microbiology*, 58, 453-488.
- Gandhimathi, R., Arunkumar, M., Selvin, J., Thangavelu, T., Sivaramakrishnan, S., Kiran, G. S., Shanmughapriya, S. & Natarajaseenivasan, K. (2008). Antimicrobial potential of sponge associated marine actinomycetes. *Journal de Mycologie Médicale*, 18, 16-22.
- Gavriash, E., Bollman, A., Epstein, S., & Lewis, K. (2008). A trap for in situ cultivation of filamentous actinobacteria. *Journal of Microbiological Methods*, 72, 257-262.
- Ginolhac, A., Jarrin, C., Gillet, B., Robe, P., Pujic, P., Tuphile, K., Bertrand, H., Vogel, T. M., Perriere, G., Simonet, P. & Nalin, R. (2004). Phylogenetic analysis of polyketide synthase I domains from soil metagenomic libraries allows selection of promising clones. *Applied & Environmental Microbiology*, 70, 5522-5527.
- Giudice, A. L., Bruni, V. & Michaud, L. (2007). Characterization of Antarctic psychrotrophic bacteria with antibacterial activities against terrestrial microorganisms. *Journal of Basic Microbiology*, 47, 496-505.
- Goodfellow, M. (1983). Ecology of actinomycetes. *Annual Review of Microbiology*, 37, 189-216.

Griffiths, R. I., Whiteley, A. S., O'Donnel, A. G., & Bailey, M. J. (2000). Rapid method for coextraction of DNA and RNA from natural environments for analysis of ribosomal DNA and rRNA-Based microbial community composition. *Applied & Environmental Microbiology*, *66*, 5488–5491.

Groth, I., Schumann, P., Rainey, F. A., Martin, K., Schuetze, B., & Augsten, K. (1997). *Demetria terragena* gen. nov., sp. nov., a new genus of actinomycetes isolated from compost. *International Journal of Systematic Bacteriology*, *47*, 1129-1133.

Groth, I., Schumann, P., Weiss, N., Martin, K., & Rainey, F. A. (1996). A new genus of *Actinomycetes* with Diaminobutyric acid in the cell wall. *International Journal of Systematic Bacteriology*, *46*, 234-239.

Guglielmin, M., Evans, C. J. E., & Cannone, N. (2008). Active layer regime under different vegetation conditions in permafrost areas. A case study at Signy Island (Maritime Antarctica). *Geoderma*, *73*-85.

Gupta, P., Reddy, G. S. N., Delille, D., & Shivaji, S. (2004). *Arthrobacter gangotriensis* sp. nov and *Arthrobacter kerguelensis* sp. nov. from Antarctica. *International Journal of Systematic & Evolutionary Microbiology*, *54*, 2375-2378.

Gurtler, V., Wilson, V. A., & Mayall, B. C. (1991). Classification of medically important clostridia using restriction endonuclease site differences of PCR-amplified 16S rDNA. *Journal of Genetic Microbiology*, *137*, 2673-2679.

Gushterova, A., Vasileva-Tonkoyal, E., Dimova, E., Nedkov, P., & Haertle, T. (2005). Keratinase production by newly isolated Antarctic actinomycete strains. *World Journal of Microbiology & Biotechnology*, *21*, 831–834.

Hahn, M. & Stachelhaus, T. (2004). Selective interaction between nonribosomal peptide synthetases is facilitated by short communication-mediating domains. *Proceedings of the National Academy of Sciences*, *44*, 15585-15590.

Hamaki, T., Suzuki, M., Fudou, R., Jojima, Y., Kajiura, T., Tabuchi, A., Sen, K. & Shibai, H. (2005). Isolation of novel bacteria and Actinomycetes using soil-extract agar medium. *Journal of Bioscience & Bioengineering*, *99*, 485-492.

Harvey, I., Cormier, Y., Beaulieu, C., Akimov, V. N., Mériaux, A., & Duchaine, C. (2001). Random amplified ribosomal DNA restriction analysis for rapid identification of thermophilic actinomycete-like bacteria involved in hypersensitivity pneumonitis. *Systematic Applied Microbiology*, *24*, 277–284.

Heyndrickx, M., Vauterin, L., Vandamme, P., Kersters, K., & De Vos, P. (1996). Applicability of combined amplified ribosomal DNA restriction analysis (ARDRA) patterns in bacterial phylogeny and taxonomy. *Journal of Microbiological Methods*, *26*, 247-259.

Hirsch, F., & Christensen, D. L. (1983). Novel method for selective isolation of actinomycetes. *Applied & Environmental Microbiology*, *46*, 925-929.

- Holdgate, M. W. (1967). Signy Island. A discussion on the Terrestrial Antarctic Ecosystem. *Philosophical Transactions of the Royal Society of London. Series B, Biological Sciences*, 252, 173-177.
- Hong, S. G., Lee, Y. K., Yim, J. H., Chun, J., & Lee, H. K. (2008). *Sanguibacter antarcticus* sp. nov., isolated from Antarctic sea sand. *International Journal of Systematic & Evolutionary Microbiology*, 58, 50-52.
- Hsu, C., & Lockwood, J. L. (1975). Powdered chitin agar as a selective medium for enumeration of actinomycetes in water and soil. *Applied Microbiology*, 29, 422-426.
- Iivanainen, E. K., Martikainen, P. J., Vaananen, P. K., & Katila, M. L. (1993). Environmental factors affecting the occurrence of *Mycobacteria* in Brook Waters. *Applied & Environmental Microbiology*, 59, 398-404.
- Imada, C., Kosekil, N., Kamata, M., Kobayashi, T., & Hamada-Sato, N. (2007). Isolation and characterization of antibacterial substances produced by marine actinomycetes in the presence of seawater. *Actinomycetologica*, 21, 27-31.
- Jiang, S., Li, X., Zhang, L., Sun, W., Dai, S., Xie, L., Liu, Y. & Lee, K. J. (2008). Culturable actinobacteria isolated from marine sponge *Iotrochota* sp.. *Marine Biology*, 153, 945-952.
- Katayama, T., Kato, T., Tanaka, M., Douglas, T. A., Brouchkov, A., Fukuda, M., et al. (2009). *Glaciibacter superstes* gen. nov., sp. nov., a novel member of the family Microbacteriaceae isolated from a permafrost ice wedge. *International Journal of Systematic & Evolutionary Microbiology*, 59, 482-286.
- Kawamoto, I., Oka, T., & Nara, T. (1981). Cell wall composition of *Micromonospora olivoasterospora*, *Micromonospora sagamiensis*, and related organisms. *Journal of Bacteriology*, 146, 527-534.
- Kawato, M., & Shinobu, R. (1959). Cover slip culture of *Streptomyces herbaricolour* nov. sp. supplement; a simple technique for the microscopic observation. *Memoirs of the Osaka University Liberal Arts & Education*, 8, 114-119.
- Kitouni, M., Boudemagh, A., Oulmi, L., Reghioua., S., Boughachiche., F., Zerizer, H., Hamdiken, H., Couble, A., Mouniee, D., Boulahrouf, A. & Boiron, P. (2005). Isolation of actinomycetes producing bioactive substances from water, soil and tree bark samples of the north-east of Algeria. *Journal de Mycologie Médicale*, 15, 45-51.
- Kowalchuk, G. A., Bodelier, P. L. E., Heilig, G. H. J., Stephen, J. R., & Laanbroek, H. J. (1998). Community analysis of ammonia-oxidising bacteria, in relation to oxygen availability in soils and root-oxygenated sediments, using PCR, DGGE and oligonucleotide probe hybridisation. *FEMS Microbiology Ecology*, 27, 339-350.
- Kumar, S., Nei, M., Dudley, J & Tamura, K. (2008). MEGA: A biologist-centric software for evolutionary analysis of DNA and protein sequences. *Briefings in Bioinformatics*, 9, 299-306.

Kunimoto, S., Lu, J., Esumi, H., Yamazaki, Y., Kinoshita, N., Honma, Y., Hamada, M., Ohsono, M., Ishizuka, M. & Takeuchi, T. (2003). Kigamicins, novel antitumor antibiotics: Taxonomy, Isolation, Physico-chemical Properties and Biological Activities. *The Journal of Antibiotics*, 56, 1004-1011.

Kuster, E., & Williams, S. T. (1964). Selection of media for isolation of streptomycetes. *Nature*, 22, 928-929.

Labeda, D. P. (1990). Isolation of biotechnological organisms from nature. In *The Isolation of Actinomycetes for Biotechnological Applications* (p. 1-14). New York: Mc Graw Hill.

Lamot, E., & Voets, J. P. (1976). Cellulolytic activity of aerobic soil actinomycetes. *Zeitschrift für Allgemeine Mikrobiologie*, 19, 345-351.

Lane, D. J. (1991). 16S/23S rRNA sequencing. In E. Stackebrandt & M. Goodfellow (Eds.), *Nucleic acid techniques in bacterial systematics* (p. 115-175). New York: Wiley & Sons.

Lanoid, B., Skidmore, M., Priscu, J. C., Han, S., Foo, W., Vogel, S. W., Tulaczyk, S. & Engelhardt, H. (2009). Bacteria beneath the west Antarctic ice sheet. *Environmental Microbiology*, 11, 609-615.

Laurent, F. J., Provost, F., & Boiron, P. (1999). Rapid identification of clinically relevant *Nocardia* species to genus level by 16S rRNA gene PCR. *Journal of Clinical Microbiology*, 37, 99-102.

Laurent, F., Rodríguez-Nava, V., Noussair, L., Couble, A., Nicolas-Chanoine, M. & Boiron, P. (2007). *Nocardia ninae* sp. nov., isolated from a bronchial aspirate. *International Journal of Systematic & Evolutionary Microbiology*, 57, 661-665.

Lazzarini, A., Cavaletti, L., Toppo, G., & Marinelli, F. (2000). Rare genera of actinomycetes as potential producers of new antibiotics. *Antonie van Leeuwenhoek*, 78, 399-405.

Lee, S. D. (2007). *Marmoricola aequoreus* sp. nov., a novel actinobacterium isolated from marine sediment. *International Journal of Systematic & Evolutionary Microbiology*, 57, 1391-1395.

Li, W. J., Zhang, L. P., Xu, P., Cui, X. L., Lu, Z. T, Xu, L. H., & Jiang, C. L. (2002). *Streptomyces beijiagensis* sp. nov. a psychrotolerant actinomycete isolated from soil in China. *International Journal of Systematic & Evolutionary Microbiology*, 52, 1695-1699.

Li, Z. Y., & Liu, Y. (2006). Marine sponge *Craniella australiensis*-associated bacterial diversity revelation based on 16S rDNA library and biologically active Actinomycetes screening, phylogenetic analysis. *Letters in Applied Microbiology*, 43, 410-416.

- Lim, S. H. J. (2008). Isolation, characterization and identification of actinomycetes from agriculture soils at Semongok, Sarawak. *African Journal of Biotechnology*, 7, 3697-3702.
- Liu, H., Xu, Y., Ma, Y., & Zhou, P. (2000). Characterization of *Micrococcus antarcticus* sp. nov., a psychrophilic bacterium from Antarctica. *International Journal of Systematic & Evolutionary Microbiology*, 50, 715-719.
- Liu, Z., Shi, Y., Zhang, Y., Zhou, Z., Lu, Z., Li, W., Huang, Y., Rodríguez, C., & Goodfellow, M. (2005). Classification of *Streptomyces griseus* (Krainsky 1914) Waksman and Henrici 1948 and related species and the transfer of '*Microstreptospora cinerea*' to the genus *Streptomyces* as *Streptomyces yanii* sp. nov.. *International Journal of Systematic & Evolutionary Microbiology*, 55, 1605-1610.
- Lyons, A. J., & Pridham, T. G. (1965). Colorimetric determination of color of aerial mycelium of streptomycetes. *Journal of Bacteriology*, 87, 159-169.
- Mackay, S. J. (1977). Improved enumeration of *Streptomyces* spp. on a starch casein salt medium. *Applied & Environmental Microbiology*, 33, 227-230.
- Mangano, S., Michaud, L., Caruso, C., Brilli, M., Bruni, V., Fani, R., & Giudice, A. L. (2008). Antagonistic interactions between psychrotrophic cultivable bacteria isolated from Antarctic sponges: a preliminary analysis. *Research in Microbiology*, 160, 1-11.
- Matsuyama, H., Yumota, I., Kudo, T., & Shida, O. (2003). *Rhodococcus tukisamuensis* sp. nov., isolated from soil. *International Journal of Systematic & Evolutionary Microbiology*, 53, 1333-1337.
- Mayer, L. M., & Xing, B. (2001). Organic matter-surface area relationships in acid soils. *Soil Science Society of American Journal*, 65, 250-258.
- McCammon, S. A., Innes, B. H., Bowman, J., Franzmann, P. D., Dobson, S. J., Holloway, P. E., Skeratt, J. H., Nichols, P. D., & Rankin, L. M. (1998). *Flavobacterium hibernum* sp. nov., a lactose-utilizing bacterium from a freshwater Antarctic lake. *International Journal of Systematic Bacteriology*, 48, 1405-1412.
- Mckerrow, J., Vagg, S., McKinney, T., Seviour, E. M., Maszenan, A. M., Brooks, P., & Seviour, R. J. (2000). A simple HPLC method for analysing diaminopimelic acid diastereomers in cell walls of Gram-positive bacteria. *Letters in Applied Microbiology*, 30, 178-182.
- Mevs, U., Stackebrandt, E., Schumann, P., Gallikowski, C. A., & Hirsch, P. (2000). *Modestobacter multiseptatus* gen. nov., sp. nov., a budding actinomycete from soils of the Asgard Range (Transantarctic Mountains). *International Journal of Systematic & Evolutionary Microbiology*, 50, 337-346.
- Midayoh, S., Hamada, M., Hotta, K., Kudo, T., Seino, A., Vobis, G. & Yokota, A. (Eds.). (1997). *Atlas of actinomycetes*. Japan: Asakura Publishing Co., Ltd.
- Moncheva, P., Tishkov, S., Dimitroval, N., Chipeva, V., Antonova-Nikolova, S., & Bogatzevska, N. (2002). Characteristics of soil actinomycetes from Antarctica. *Journal of Culture Collections*, 3, 3-14.

- Moosvi, S. A., McDonald, I. R., Pearce, D. A., Kelly, D.P., & Wood, A. P. (2005). Molecular detection and isolation from Antarctica of methylotrophic bacteria able to grow with methylated sulfur compounds. *Systematic & Applied Microbiology*, 28, 541–554.
- Mountfort, D. O., Rainey, F. A., Burghardt, J., Kaspar, H. F., & Stackebrandt, E. (1998). *Psychromonas antarcticus* gen. nov., sp. nov., a new aerotolerant anaerobic, halophilic psychrophile isolated from pond sediment of the McMurdo ice shelf, Antarctica. *Archives of Microbiology*, 169, 231-238.
- Nedialkova, D., & Naidenova, M. (2005). Screening the antimicrobial activity of actinomycetes strains isolated from Antarctica. *Journal of Culture Collections*, 4, 29-35.
- Nichols, D. S., Sanderson, K., Buia, A., Van de Kamp, J., Holloway, P., Bowman, J. P., Smith, M., Nichols, C. M., Nichols, P. D. & McMeekin, T. A. (2002). Bioprospecting and biotechnology in Antarctica. In J. Jabour-Green & M. Haward (Eds.), *The Antarctic: Past, Present & Future* (p. 85-103). Hobart: Antarctic CRC Research Report.
- Nichols, D., Bowman, J., Sanderson, K., Nichols, C. M., Lewis, T., McMeekin, T., & Nichols, P. D. (1999). Developments with Antarctic microorganisms: culture collections, bioactivity screening, taxonomy, PUFA production and cold-adapted enzymes. *Current Opinion in Biotechnology*, 10, 240-246.
- Niederberger, T. D., McDonald, I. R., Hacker, A. L., Soo, R. M., Barrett, J. E., Wall, D. H., & Cary, S. C. (2008). Microbial community composition in soils of Northern Victoria Land, Antarctica. *Environmental Microbiology*, 10, 1713-1724.
- Niva, M., Hernesmaa, A., Haatela, K., Salkinoja-Salonen, M., Sivonen, K., & Haukka, K. (2006). Actinobacterial communities of boreal forest soil and lake water which are rich in mycobacteria. *Boreal Environmental Research*, 11, 45-53.
- Nolan, R., & Cross, T. (1988). Isolation and screening of *Actinomycetes*. In M. Goodfellow, S. T. Williams, & M. Mordarski (Eds.), *Actinomycetes in Biotechnology* (p. 1-32). London: Academic Press.
- O'Brien, A., Sharp, R., Russell, N. J., & Roller, S. (2004). Antarctic bacteria inhibit growth of food-borne microorganisms at low temperatures. *FEMS Microbiology Ecology*, 48, 157–167.
- Okazaki, T., & Naito, A. (1986). Studies on *Actinomycetes* isolation from Australian soil. In G. Szabo, S. Biro & M. Goodfellow (Eds.), *Biological, Biochemical & Biomedical Aspects of Actinomycetes* (p. 739-741). Budapest: Akademiai Kiado.
- Oskay, M., Tamer, A. Ü., & Azeri, C. (2004). Antibacterial activity of some *Actinomycetes* isolated from farming soils of Turkey. *African Journal of Biotechnology*, 3,441-446.
- Ottow, J. C. G. (1972). Rose Bengal as a selective aid in the isolation of fungi and actinomycetes. *Natural Sources Mycologia*, 64, 304-315.

- Pathom-aree, W., Stach, J. E. M., Ward, A. C., Horikoshi, K., Bull, A. T., & Goodfellow, M. (2006). Diversity of actinomycetes isolated from Challenger Deep sediment (10,898 m) from the Mariana Trench. *Extremophiles*, *10*, 181–189.
- Pearce, D. A. (2003). Bacterioplankton community structure in a maritime Antarctic oligotrophic lake during a period of holomixis, as determined by denaturing gradient gel electrophoresis (DGGE) and fluorescence *in situ* hybridization (FISH). *Microbial Ecology*, *46*, 92-105.
- Pearce, D. A., van der Gast, C. J., Lawley, B., & Ellis-Evans, J. C. (2003). Bacterioplankton community diversity in a maritime Antarctic lake, determined by culture-dependent and culture-independent techniques. *FEMS Microbiology Ecology* *45*, 59-70.
- Pearce, D. A., van der Gast, C. J., Woodward, K., & Newsham, K. K. (2005). Significant changes in the bacterioplankton community structure of a maritime Antarctic freshwater lake following nutrient enrichment. *Microbiology*, *151*, 3237-3248.
- Prabahar, V., Dube, S., Reddy, G. S. N., & Shivaji, S. (2004). *Pseudonocardia antarctica* sp. nov. an *Actinomycetes* from McMurdo Dry Valleys, Antarctica. *Applied Microbiology*, *27*, 66-71.
- Recktenwald, J., Shawky, R., Puk, O., Pfennig, F., Keller, U., Wohlleben, W. & Pelzer, S. (2002). Nonribosomal biosynthesis of vancomycin-type antibiotics: a heptapeptide backbone and eight peptide synthetase modules. *Microbiology*, *148*, 1105-1118.
- Reddy, G. S. N., Prakash, J. S. S., Srinivas, R., Matsumoto, G. I., & Shivaji, S. (2003a). *Leifsonia rubra* sp. nov. and *Leifsonia aurea* sp. nov., psychrophiles from a pond in Antarctica. *International Journal of Systematic & Evolutionary Microbiology*, *53*, 977-984.
- Reddy, G. S. N., Prakash, J. S. S., Prabahar, V., Matsumoto, G. I., Stackebrandt, E., & Shivaji, S. (2003b). *Kocuria polaris* sp. nov., an orange-pigmented psychrophilic bacterium isolated from an Antarctic cyanobacterial mat sample. *International Journal of Systematic & Evolutionary Microbiology*, *53*, 183-187.
- Ronald, M. A. (1993). Handbook of microbiological media. In L. C. Parks (ed), Boca Raton, New York, London, Tokyo: CRC Press.
- Ruberto, L. A. M., Vazquez, S., Labalbo, A., & Cormack, W. R. M. (2005). Psychrotolerant hydrocarbon-degrading *Rhodococcus* strains isolated from polluted Antarctic soils. *Antarctic Science*, *17*, 47-56.
- Russell, N. J. (2006). Antarctic micro-organisms: Coming in from the cold. *Culture*, *27*, 1-4.
- Russell, N. J., & Cowan, D. A. (2006). Handling of psychrophilic microorganisms. In *Extremophiles* (p.371-394). United Kingdom: Elsevier Ltd.

- Sacramento., D. R., Coelhol., R. R. R., Wigg, M. D., Linhares, L. F. d. T. L., Santos., M. G. M. d. S., Semêdo., L. T. d. A. S., & Silva, A. J. R. d. (2004). Antimicrobial and antiviral activities of an actinomycete (*Streptomyces* sp.) isolated from a Brazilian tropical forest soil. *World Journal of Microbiology & Biotechnology*, *20*, 225–229.
- Saitou, N., & Nei, M. (1987). The neighbour-joining method: a new method for reconstructing phylogenetic trees. *Molecular biology & evolution*, *4*, 406-425.
- Sambrook, J., Fritsch, E. F. & Maniatis, T. (1989). *Molecular cloning: A laboratory manual, Volume 2*. (3rd ed.). New York: Cold Spring Harbour Laboratory Press.
- Schön, R., & Groth, I. (2006). Practical thin layer chromatography techniques for diaminoimelic acid and whole cell sugar analyses in the classification of environmental actinomycetes. *Journal of Basic Microbiology*, *46*, 243-249.
- Schumann, P., Prauser, H., Rainey, F. A., Stackebrandt, E., & Hirsch, P. (1997). *Fviedmanniella antarctica* gen. nov., sp. nov., an LL-Diaminopimelic Acid-Containing Actinomycete from Antarctic Sandstone. *International Journal of Systematic Bacteriology*, *47*, 278-283.
- Schwarzer, D., Finking, R., & Marahiel, M. A. (2003) Nonribosomal peptides: from genes to products. *Natural Products Reports*, *20*, 275-287.
- Selyanin, V. V., Oborotov, G. E., Zenovaand, G. M., & Zvyagintsev, D. G. (2005). Alkaliphilic Soil Actinomycetes. *Microbiology*, *74*, 729-734.
- Shirling, E. B., & Gottlieb, D. (1966). Methods for characterization of *Streptomyces* species. *International Journal of Systematic Bacteriology*, *16*, 313-340.
- Sivakumar, K., Sahu, M. K., Thangaradjou, T., & Kannan, L. (2007). Research on marine actinobacteria in India. *Indian Journal of Microbiology*, *47*, 186-196.
- Sjöding, S., & Cowan, D. A. (2003). High 16S rDNA bacterial diversity in glacial meltwater lake sediment, Bratina Island, Antarctica. *Extremophiles*, *7*, 275-282.
- Smith, J. J., Tow, L. A., Stafford, W., Cary, C., & Cowan, D. A. (2006). Bacterial diversity in three different Antarctic cold desert mineral soils. *Microbial Ecology*, *51*, 413-421.
- Speck, M. L. (1943). A study of the genus *Microbacterium*. *Journal of Dairy Science*, *26*, 533-543.
- Srinivasan, M. C., Laxman, R. S., & Deshpande, M. V. (1991). Physiology and nutritional aspects of actinomycetes: an overview. *World Journal of Microbiology & Biotechnology*, *7*, 171-184.
- Stach, J. E. M., Maldonado, L. A., Ward, A. C., Goodfellow, M., & Bull, A. T. (2003). New primers for the class Actinobacteria: Application to marine and terrestrial environments. *Environmental Microbiology*, *5*, 828–841.

- Stackebrandt, E., & Schumann, P. (2006). Introduction to the Taxonomy of Actinobacteria. In *The Prokaryotes* (p. 297-321) New York: Springer.
- Stackebrandt, E., Koch, C., Gvozdiak, O., & Schumann, P. (1995). Taxonomic Dissection of the Genus *Micrococcus*: *Kocuria* gen.nov., *Nesterenkonia* gen. nov., *Kytococcus* gen. nov., *Dermacoccus* gen. nov., and *Micrococcus* Cohn 1872 gen. emend. *International Journal of Systematic & Evolutionary Microbiology*, *45*, 682-692.
- Stackebrandt, E., Rainey, F. A., & Ward-Rainey, N. L. (1997). International union of microbiological societies proposal for a new hierarchic classification system, *Actinobacteria* classis nov. *International Journal of Systematic bacteriology*, *47*, 479-491.
- Staneck, J.L., & Roberts, G. D. (1974). Simplified approach to identification of aerobic actinomycetes by thin-layer chromatography. *Applied Microbiology*, *28*, 226-231.
- Steingrube, V. A., Wilson, R. W., Brown, B. A., Jost, K. C., J, Blacklock, Z., Gibson, J. L., & Wallace, R. J., J. (1997). Rapid identification of the clinically significant species and taxa of aerobic actinomycetes, including *Actinomadura*, *Gordona*, *Nocardia*, *Rhodococcus*, *Streptomyces*, and *Tsukamurella* isolates, by DNA amplification and restriction endonuclease analysis. *Journal of Clinical Microbiology*, *35*, 817-822.
- Strzelczyk, E., Rouatt, J. W., & Peterson, E. A. (1969). Studies on Actinomycetes from soils of Baffin Island. *Artic*, *22*, 130-139.
- Tamura, K., Dudley, J., Nei, M. & Kumar, S. (2007). MEGA4: Molecular evolutionary genetics analysis (MEGA) software version 4.0. *Molecular Biology & Evolution*, *24*, 1596-1599.
- Tan, G. Y. A., Ward, A. C., & Goodfellow, M. (2006). Exploration of *Amycolatopsis* diversity in soil using genus-specific primers and novel selective media. *Applied & Systemic Microbiology*, *29*, 557-569.
- Tarkka, M., & Hampp, R. (2008). Secondary metabolites of soil *Streptomyces* in biotic interactions. In *Secondary metabolites in soil ecology* (p.107-126). Germany: Spinger Berlin Heidelberg.
- Telenti, A., Marchesi, F., Balz, M., Bally, F., Botrger, E. C., & Bodmer, T. (1993). Rapid identification of *Mycobacteria* to the species level by Polymerase Chain Reaction and Restriction Enzyme Analysis. *Journal of Clinical Microbiology*, *31*, 175-178.
- Thakur, D., Yadav, A., Gogoi, B. K., & Bora, T. C. (2007). Isolation and screening of *Streptomyces* in soil of protected forest areas from the states of Assam and Tripura, India, for antimicrobial metabolites. *Journal de Mycologie M édicale*, *17*, 242-249.
- Tvrzová L., Schumann, P., Sedláček, I., Páčová, Z., Spröer, C., Verberg, S., & Kroppenstedt. R. M. (2005). Reclassification of strain CCM 132, previously classified as *Kocuria varians*, as *Kocuria carniphila* sp. nov.. *International Journal of Systematic & Evolutionary Microbiology*, *55*, 139-142.

- Urzì C., Salamone, P., Schumann, P., & Stackebrandt, E. (2000). *Marmoricola aurantiacus* gen. nov., sp. nov., a coccoid member of the family *Nocardioideaceae* isolated from a marble statue. *International Journal of Systematic & Evolutionary Microbiology*, *50*, 529–536.
- Van den Bogaard, A. E. & Stobberingh, E. E. (2000). Epidemiology of resistance to antibiotics links between animals and humans. *International Journal of Antimicrobial Agents*, *14*, 327-335.
- Waksman, S. A. (1961). *The actinomycetes. Classification, identification and description of genera and species*, Baltimore: Williams and Wilkins Co.
- Waksman, S. A. (1967). *The Actinomycetes. A summary of current knowledge*, New York: The Ronald Press Company.
- Waksman, S. A., & Henrici, A. T. (1943). The nomenclature and classification of the *Actinomycetes*. *Journal of Bacteriology*, *46*, 337-341.
- Watve, M. G., Tickoo, R., Jog, M. M., & Bhole, B. D. (2001). How many antibiotics are produced by the genus *Streptomyces*? *Archives of Microbiology*, *176*, 386–390.
- Whyte, L. G., Smits, T. H. M., Labbe, D., Witholt, B., Greer, C. W., & Van Bellen, J. B. (2002a). Gene cloning and characterization of multiple alkane hydroxylase systems in *Rhodococcus* strains Q15 and NRRL B-16531. *Applied & Environmental Microbiology*, *68*, 5933-5942.
- Williams, S. T., Sharpe, M. E. & Holt, J. G. (Eds). (1989). *Bergey's Manual of Systematic Bacteriology*, Volume 4. Baltimore: Williams and Wilkins.
- Wilson, R. W., Steingrube, V. A., Brown, B. A., & Wallace, R. J., Jr (1998). Clinical application of PCR-restriction enzyme pattern analysis for rapid identification of aerobic actinomycete isolates. *Journal of Clinical Microbiology*, *36*, 148–152.
- Yassin, A. F., & Schaal, K. P. (2005). Reclassification of *Nocardia corynebacterioides* Serrano et. al. 1972 (Approved List 1980) as *Rhodococcus corynebacterioides* comb. Nov. *International Journal of Systematic & Evolutionary Microbiology*, *55*, 1345-1348.
- Yassin, A. F., Rainey, F. A., Brzezinka, H., Burghardt, J., Rifai, M., Seifert, P., Feldmann, K. & Schaal, K. P. (1996). *Tsukamurella pulmonis* sp. nov.. *International Journal of Systematic Bacteriology*, *46*, 429-436.
- Yassin, A. F., Rainey, F. A., Burghardt, J., Brzezinka, H., Schmitt, S., Seifert, P., Zimmermann, O., Mauch, H., Gierth, D., Lux, I & Schaal, K. P. (1997). *Tsukamurella tvrosinosolvans* sp. nov. *International Journal of Systematic Bacteriology*, *47*, 607-614.
- Yoon, J. H., Kang, S. J., Jung, S. Y., & Oh, T. K. (2007). *Humicoccus flavidus* gen. nov., sp. nov., isolated from soil. *International Journal of Systematic & Evolutionary Microbiology*, *57*, 56-59.

- Yoon, J. H., Lee, S. T., Kim, S-B., Kim, W. Y., Goodfellow, M., & Park, Y. H. (1997). Restriction fragment length polymorphism analysis of PCR-amplified 16S ribosomal DNA for rapid identification of *Saccharomonospora* strains. *International Journal of Systematic Bacteriology*, *47*, 111-114.
- Zakalyukina, Y. V., Zenova, G. M., & Zvyagintsev, D. G. (2002). Acidophilic Soil Actinomycetes. *Microbiology*, *71*, 342-345.
- Zhang, H., Lee, Y. K., Zhang, W., & Lee, H. K. (2006). Culturable actinobacteria from the marine sponge *Hymeniacidon perleve*: Isolation and phylogenetic diversity by 16S rRNA gene-RFLP. *Antonie van Leeuwenhoek*, *90*, 159–169.
- Zhang, J. W., & Zeng, R. Y. (2008). Purification and characterization of a cold-adapted α -Amylase Produced by *Nocardiosis* sp. 7326 isolated from Prydz Bay, Antarctic. *Marine Biotechnology*, *10*, 75-82.
- Zhang, W., Li, Z., Miao, X., & Zhang, F. (2008). The screening of antimicrobial bacteria with diverse novel nonribosomal peptide synthetase (NRPS) genes from South China Sea sponges. *Marine Biotechnology*, *11*, 346-355.
- Zhao, J., Yang, N., & Zeng, R. (2008). Phylogenetic analysis of type I polyketide synthase and nonribosomal peptide synthetase genes in Antarctic sediment. *Extremophiles*, *12*, 97-105.
- Zhi, X. Y., Li, W. J., & Stackebrandt, E. (2009). An update of the structure and 16S rRNA gene sequence-based definition of higher ranks of the class *Actinobacteria*, with the proposal of two new suborders and four new families and emended descriptions of the existing higher taxa. *International Journal of Systematic & Evolutionary Microbiology*, *59*, 589-608.