

REFERENCES

- AGOSIN, E. and ODIER, E. (1985) Solid-state fermentation, lignin degradation and resulting digestibility of wheat straw fermented by selected white-rot fungi. *Applied Microbiology and Biotechnology* 21, 397-403.
- AGRICULTURAL STATISTICS OF SARAWAK (1993) *Department of Agriculture, Kuching, Sarawak*. Perangkaan Pertanian Sarawak, Jabatan Pertanian Sarawak, Malaysia.
- AHMED, M.I. and SIM, E.S. (1975) Utilization of peat soil for sago palm cultivation in Sarawak. In: *Proceedings of 3rd ASEAN Soil Conference*, Kuala Lumpur, July 1975, pp. 433-440.
- AIBA, S., HUMPHREY, A.E. and MILLIS, N.F. (1973) *Biochemical Engineering*. 2nd Ed. Academic Press, New York.
- AIDOO, K.E., HENDRY, R. and WOOD, B.J.B. (1982) Solid substrate fermentations. *Advances in Applied Microbiology* 28, 201-237.
- ALLEN, S.E. (1987) Analysis of Vegetation and other Organic Materials. In: *Chemical Analysis of Ecological Materials*. 2nd. Ed. (Ed. Allen, S.E.) pp 4-61, Blakwell Scientific Publications, London.
- ANON (1990) UPM expert finds new use for sago starch. *Report in the New Straits Times*, 5th February.
- ANON (1995) Sarawak officer gets PhD in sago palm cultivation. *Report in the New Straits Times*, 24th July.
- ANTON, A. (1992) Waste management and pollution control - a challenging problem in the sago industry. Paper presented at National Workshop on 'The Sago Industry in Sarawak', 21 February. The Ministry of Industrial Development of Sarawak and Sarawak Economic Development Corporation, Sibu, Sarawak.
- AOAC (1990) *Official Methods of Analysis* (15th Ed.) Vol. II, Washington D.C., Association of Official Analytical Chemists.
- ARBIGE, M.V. and PITCHER, W.H (1989) Industrial enzymology: a look towards the future. *Trends in Biotechnology* 7, 330-335.
- AZUDIN, M.N. (1992) Opportunities for biotechnological applications of local sago starch. Paper presented at the National Workshop on 'The Sago Industry in Sarawak', 21 February. The Ministry of Industrial Development of Sarawak and Sarawak Economic Development Corporation. Sibu, Sarawak.
- BAILEY, J.E. AND OLLIS, D.F. (1986) *Biochemical engineering fundamentals*. 2nd Ed. McGraw-Hill Book Co., USA: New York, 984 p.
- BAILEY, M.J., BIELY, P. and POUTANEN, K. (1992) Interlaboratory testing of methods for assay of xylanase activity. *Journal of Biotechnology* 23, 257-270

- BAJPAI, P., BHARDWAJ, N. K., BAJPAI, P.K. and JAUHARI, M.B. (1994) The impact of xylanases on bleaching of eucalyptus Kraft pulp. *Journal of Biotechnology* 38, 1-6.
- BANO, Z., RAJARATHNAM, S. and MURTHY, K.N. (1986) Studies on the fitness of 'spent straw' obtained during cultivation of the mushroom *Pleurotus sajor-caju* for safe consumption of cattle feed. *Mushroom Newsletter for the Tropics* 6(3), 11-16.
- BANO, Z., SHASHIREKHA, M.N. and RAJARATHNAM, S. (1993) Improvement of the bioconversion and biotransformation efficiencies of the oyster mushroom (*Pleurotus sajor-caju*) by supplementation of its rice straw substrate with oil seed cakes. *Enzyme and Microbial Technology* 15, 985-989.
- BASTAWDE, K.B. (1992) Xylans structure, microbial xylanases, and their mode of action. *World Journal of Microbiology and Biotechnology* 8, 353-368.
- BERTRAND, G. (1896) Sur la presence simultanee de la laccase et de la tyrosinase dans le suc de quelques champignons. *C R Hebd Seances Acad. Sci.* 123, 463-465. Cited in Schubert (1965).
- BIELY, P. (1985) Microbial xylanolytic systems. *Trends in Biotechnology* 3, 286-290.
- BINTORO, H.M.H. (1995) To accelerate sago pith residue decomposition to be a green manure. In: *Acta Horticulturae* No. 389. (Eds. Subhadrabandhu, S. and Sdoodee, S.) pp. 261-267. Fifth International Sago Symposium, Hat Yai, Songkhla, Thailand, 27-29 Jan., 1994.
- BISARIA, R., MADAN, M AND BISARIA, V.S. (1987) Biological efficiency and nutritive value of *Pleurotus sajor-caju* cultivated on different agro-wastes. *Biological Wastes* 19, 239-255.
- BISARIA, R., VASUDEVAN, P. AND BISARIA, V.S. (1990) Utilization of spent agro-residues from mushroom cultivation for biogas production. *Applied Microbiology and Biotechnology* 33, 607-609.
- BOLLAG, J. -M., SHUTTLEWORTH, K.L. and ANDERSON, D.H. (1988) Laccase-mediated detoxification of phenolic compounds. *Applied and Environmental Microbiology* 54(12), 3086-3091.
- BOLLAG, J.-M. and LEONOWICZ, A. (1984) Comparative studies of extracellular fungal laccases. *Applied and Environmental Microbiology* 48(4), 849-854.
- BONNEN, A.M., ANTON, L.H. and ORTH, A.B. (1994) Lignin-degrading enzymes of the commercial button mushroom, *Agaricus bisporus*. *Applied and Environmental Microbiology* 60(3), 960-965.
- BOOMINATHAN, K. and REDDY, C.A. (1992) Fungal degradation of lignin. In: *Handbook of Applied Mycology, Vol.4: Fungal Biotechnology* (Eds. D.K. Arora, R.P. Elander and K.G. Mukerji), pp. 763-822. Marcel Dekker, New York.
- BRADFORD, M.M. (1976) A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Analytical Biochemistry* 72, 248-254.

- BUCHERT, J., TENKANEN, M., KANTELINEN, A. and VIIKARI, L. (1994) Application of xylanases in the pulp and paper industry. *Bioresource Technology* 50, 65-72.
- BUCHHOLZ, K., PULS, J., GODELMANN, B. and DIETRICHS, H.H. (1980) Hydrolysis of cellulosic wastes. *Process Biochemistry* 16, 37-43.
- BURKILL, I.H. (1966) *A dictionary of economic products of the Malay Peninsular*. Vol. II, Ministry of Agriculture and Cooperatives, p. 1486, Kuala Lumpur, Malaysia.
- CAI, Y.J., BUSWELL, J.A. and CHANG, S.T. (1993) Effect of lignin-derived phenolic monomers on the growth of the edible mushrooms *Lentinus edodes*, *Pleurotus sajor-caju* and *Volvariella volvacea*. *World Journal of Microbiology and Biotechnology* 9, 503-507.
- CALZADA, J.F., DE PORRES, E., DE LEON, R., ROLZ, C. AND FRANCO, L.F. (1987) Production of food and feed from wheat straw by *Pleurotus sajor-caju*. *Mushroom Journal for the Tropics* 7, 45-46.
- CANNEL, M. and MOO-YOUNG, M. (1980) Solid-state fermentations systems. *Process Biochemistry* 15, 2-7.
- CECIL, J.E., LAU, G., HENG, S.H. and KU, C.K. (1982) The sago starch industry: a technical profile based on a preliminary study made in Sarawak. *Report of the Tropical Product Institute*, L58, iv+31pp. (London).
- CHAHAL, D.S. (1982) Bioconversion of lignocellulosics into food and feed rich in protein. In: *Advances in Microbiology* (Ed. Rao, S.N.S.), Butterworth Scientific, London.
- CHANG, S.T. (1980) Mushroom production in Southeast Asia. *Mushroom Newsletter for the Tropics* 1(2), 18-22.
- CHANG, S.T. and MILES, P.G. (1991) Recent trends in world production of cultivated edible mushrooms. *Mushroom Journal* 504, 15-18.
- CHANG, S.T., LAU, O.W. and CHO, K.Y. (1981) The cultivation and nutritional value of *Pleurotus sajor-caju*. *European Journal of Applied Microbiology and Biotechnology* 12, 58-62.
- CHERNY, J.H., ANLIKER, K.S., ALBRECHT, K.A. and WOOD, K.V. (1989) Soluble phenolic monomers in forage crops. *Journal of Agricultural and Food Chemistry* 37, 345-350.
- CHEW, T.Y. and SHIM, Y.L. (1990) A survey of sago processing wastes. *Report to the Environmental Biotechnology, National Biotechnology Council*, MARDI, Malaysia.
- CHEW, T.Y. and SHIM, Y.L. (1991) Management of sago processing wastes. Paper presented at *Seminar for Disposal of Domestic, Industrial and Agricultural Wastes*, Kuching, Sarawak.

- CHEW, T.Y. and SHIM, Y.L. (1993) Management of sago processing wastes. In: *Waste management in Malaysia: Current status and prospects for bioremediation. A monograph prepared by the Environmental Biotechnology Research Group of the National Working Group on Biotechnology.* (Eds. Yeoh, B.G. et al.). Ministry of Science, Technology and the Environment, Kuala Lumpur, Malaysia, pp. 159-167.
- COLL, P.M., FERNÁNDEZ-ABALOS, J.M., VILLANUEVA, J.R., SANTAMARÍA, R. and PÉREZ, P. (1993) Purification and characterization of a phenoloxidase (laccase) from the lignin-degrading basidiomycete PM1 (CECT 2971). *Applied and Environmental Microbiology* 59, 2607-2613.
- COUGHLAN, M.P. and HAZLEWOOD, G.P. (1993) β -1,4-D-Xylan-degrading enzyme systems: biochemistry, molecular biology and applications. *Biotechnology Applied Biochemistry* 17, 259-289.
- DAVIS, S. and BURNS, R.G. (1990) Decolorization of phenolic effluents by soluble and immobilized phenol oxidases. *Applied Microbiology and Biotechnology* 32, 721-726.
- DE JONG, E., DE VRIES, F.P., FIELD, J.A., VAN DE ZWAN, R.P. and DE BONT, J.A.M. (1992) Isolation of basidiomycetes with high peroxidative activity. *Mycological Research* 96, 1098-1104.
- DEINUM, H. and SETIJOSO, L. (1932) Producten van den sagopalmen "Products of the sago palm". Landbouw - landbouwkundig tijdschrift Nederlandsch-Indië (Netherlands East Indies), 8(3), 105-142. Cited in Schuiling et al. (1993).
- DEMAIN, A.L. (1971) Increasing enzyme production by genetic and environmental manipulations. In: *Methods in Enzymology*. Vol XXII. Enzyme purification and related techniques. (Ed. Jakoby, W.B.), pp. 86-95, Academic Press, New York and London.
- DETROY, R.W. and HESSELTINE, C.W. (1978) Availability and utilization of agricultural and agro-industrial wastes. *Process Biochemistry* 13, 2-8.
- DHALIWAL, R.P.S., GARGHA, H.S. and KHANNA, P.K. (1992) High laccase producing mutants of *Pleurotus florida*. *World Journal of Microbiology and Biotechnology* 8, 39-41.
- DIEMNONT, W.H. and SCHUILING, D.L. (1995) Potential for sago palm in buffer zones in Aceh Selatan, Indonesia. *Institute for Forestry and Nature Research* (IBN-DLO), Wageningen, The Netherlands, IBN Research Report 95/3, 18 pp.
- DOELLE, H.W. (1994) *Microbial Process Development*. World Scientific, Singapore. 308 pp.
- DONG, W.K., TAE, S.K., YOUNG, K.J. and JAE, K.L. (1992) Adsorption kinetics and behaviours of cellulase components on microcrystalline cellulose. *Journal of Fermentation and Bioengineering* 73(6), 461-466.
- DUBERNET, M., RIBEREAU-GAYON, P., LERNER, H.R., HAREL, E. and MAYER, A.M. (1977) Purification and properties of laccase from *Botrytis cinerea*. *Phytochemistry* 16, 191-193.

- ELSHAFEI, A.M., VEGA, J.L., KLASSON, K.T., CLAUSEN, E.C. and GADDY, J.L. (1990) Cellulase and hemicellulase formation by fungi using corn stover as the substrate. *Biological Wastes* 32, 209-218.
- ERIKSSON, K.-E. (1989) A biotechnological approach to pulp bleaching. In: *Enzyme systems for lignocellulose degradation* (Ed. M.P. Coughlan) pp. 101-109. Elsevier Applied Science, London.
- ERIKSSON, K.-E. and KIRK, T.K. (1985) Biopulping, biobleaching and treatment of kraft bleaching effluents with white-rot fungi. In: *Comprehensive Biotechnology - The principles, applications and regulations of biotechnology in industry, agriculture and medicine. Vol. 4.* (Eds. C.L. Cooney and A.E. Humphrey) pp 271-294, Pergamon Press Ltd., Oxford.
- F.A.O. (1985) *Animal Production Yearbook*. Vol. 39, Food and Agriculture Organization, Rome, Italy.
- FÄHRAEUS, G. (1952) Formation of laccase by *Polyporus versicolor* in different culture media. *Physiologia Plantarum* 5, 284-291.
- FÄHRAEUS, G. and REINHAMMAR, B. (1967) Large scale production and purification of laccase from cultures of the fungus *Polyporus versicolor* and some properties of Laccase A. *Acta Chemica Scandinavica* 21(9), 2367-2378.
- FÄHRAEUS, G., TULLANDER, V. and LJUNGGREN, H. (1958) Production of high laccase yields in cultures of fungi. *Physiologia Plantarum* 11, 631-643.
- FLACH, M. (1977) Yield potential of the sago palm and its realisation. In: *Sago-76, Papers of the 1st International Sago Symposium 'The Equatorial Swamp as a Natural Resource'* (Ed. K. Tan), pp. 157-177. Kuala Lumpur, Malaysia: Kemajuan Kanji Sdn. Bhd.
- FLACH, M. (1983) The sago palm. *FAO Plant Production and Protection. Paper 47*, pp. 1-85. Food and Agriculture Organization, Rome.
- FLYNN, J., SCHILLER, Z., CAREY, J. and COXETER, R. (1994) Novo Nordisk's mean green machine. *Report in Business Week*, pp. 48-50, November 14.
- FREITAG, M. and MORRELL, J.J. (1992) Changes in selected enzyme activities during growth of pure and mixed cultures of the white-rot decay fungus *Trametes versicolor* and the potential biocontrol fungus *Trichoderma harzianum*. *Canadian Journal of Microbiology* 38, 317-323.
- FROEHNER, S.C. and ERIKSSON, K.-E. (1974) Purification and properties of *Neurospora crassa* laccase. *Journal of Biotechnology* 120(1), 458-465.
- FROST, G.M. and MOSS, D.A. (1987) Production of enzymes by fermentation. In: *Biotechnology Vol. 7a. Enzyme Technology*. (Eds. H. -J. Rehn and G. Reed) pp 65-144. VCH Verlagsgesellschaft Weinheim, Federal Republic of Germany.
- GACESA, P. and HUBBLE, J. (1987) *Enzyme technology*. Open University Press, Milton Keynes, England, 185 pp.

- GALLIANO, H., GAS, G., SERIS, J.L. and BOUDET, A.M. (1991) Lignin degradation by *Rigidoporus lignosus* involves synergistic action of two oxidizing enzymes : Mn peroxidase and laccase. *Enzyme and Microbial Technology* 13, 478-482.
- GAO, Y. and BREUIL, C. (1995) Extracellular lipase production by a sapwood-staining fungus, *Ophiostoma piceae*. *World Journal of Microbiology and Biotechnology* 11, 638-642.
- GERHARTZ, W. (1990) *Enzymes in industry: production and applications*. (Ed. Gerhartz, W.) Weinheim; Basel, Switzerland, 321 pp.
- GETHA, K. (1995) *Growth and production of the phototrophic bacterium Rhodopseudomonas palustris strain B1 in sago starch processing wastewater*. Master of Philosophy thesis, University of Malaya, Kuala Lumpur: Malaysia.
- GHOSH, P. and SINGH, A. (1993) Physicochemical and biological treatments for enzymatic/microbial conversion of lignocellulosic biomass. *Advances in Applied Microbiology* 39, 295-333.
- GIGI, O., MARBACH, I. and MAYER, A.M. (1980) Induction of laccase formation in *Botrytis*. *Phytochemistry* 19, 2273-2275.
- GIGI, O., MARBACH, I. and MAYER, A.M. (1981) Properties of gallic acid-induced extracellular laccase of *Botrytis cinerea*. *Phytochemistry* 20, 1211-1213.
- GILBERT, H.J. and HAZLEWOOD, G.P. (1993) Bacterial cellulases and xylanases. *Journal of General Microbiology* 139, 187-194.
- GIOVANNOZZI, S. G., LUNA, M., FELICI, M., ARTEMI, F. and BADIANI, M. (1986) Enzyme activities during *Pleurotus ostreatus* growth on wheat straw under controlled conditions. In: *Microbial Biomass Protein* (Eds. M. Moo-Young and F. Gregory) pp. 79-91. Elsevier, New York.
- GROHMANN, K. and HIMMEL, M.E. (1991) Enzymes for fuels and chemical feedstocks. In: *Enzymes in Biomass Conversion, ACS Symposium Series 460*. (Eds. G.F. Leatham and M.E. Himmel), pp. 2-11. American Chemical Society, Washington DC.
- GUILLÉN, F., MARTÍNEZ, A.T. and MARTÍNEZ, M.J. (1992) Substrate specificity and properties of the aryl-alcohol oxidase from the ligninolytic fungus *Pleurotus eryngii*. *European Journal of Biochemistry* 209, 603-611.
- GUTIÉRREZ, A., CARAMELO, L., PRIETO, A., MARTÍNEZ, J. and MARTÍNEZ, A.T. (1994) Anisaldehyde production and aryl-alcohol oxidase and dehydrogenase activities in ligninolytic fungi of the genus *Pleurotus*. *Applied and Environmental Microbiology* 60(6), 1783-1788.
- HAARS, A. and HÜTTERMANN, A. (1980) Function of laccase in the white-rot fungus *Fomes annosus*. *Archives of Microbiology* 125, 233-237.
- HARKIN, J.M. and OBST, J.R. (1973) Syringaldazine, an effective reagent for detecting laccase and peroxidase in fungi. *Experientia* 29(4), 381-387.

- HARYANTO, and PANGLOLI (1991) The use of sago waste for making particle board. In: *Proceedings of 4th International Sago Symposium, Towards greater advancement of the sago industry in the '90s.* 6-9th August 1990, Kuching, Sarawak, Malaysia: Ministry of Agriculture & Community Development.
- HESSELTINE, C.W. (1972) Solid state fermentations. *Biotechnology and Bioengineering* 14, 517-532.
- HIGUCHI, T. (1982) Biodegradation of lignin: Biochemistry and potential applications. In: *New trends in research and utilization of solar energy through biological systems.* (Eds. H. Mislin and R. Bachofen) pp. 87-94. Birkhäuser Verlag, Basel.
- HIGUCHI, T. (1993) Biodegradation mechanisms of lignin by white-rot basidiomycetes. *Journal of Biotechnology* 30, 1-8.
- HORIGOME, T., SAKAGUCHI, E., TAKAMURA, Y., BINTARO, M.H., HARYANTO, B., TANDI, E.J. and MARANGKEY, M.P. (1991) The feeding value of pith and pith residue from sago palms. In: *Proceedings of 4th International Sago Symposium, Towards greater advancement of the sago industry in the '90s.* 6-9th August 1990, Kuching, Sarawak, Malaysia: Ministry of Agriculture & Community Development.
- HUANG, S.Y., WANG, H.H., WEI, C.-J. MALANEY, G.W. and TANNER, R.D. (1985) Kinetic responses of the koji solid state fermentation process. In: *Topics in enzyme and fermentation biotechnology 10.* (Ed. A. Wiseman) pp. 88-108. Ellis Horwood Ltd., Chichester.
- HUSSEIN, Y.A., EL-SAYED, S.A. and EL-KATTAN, M.H. (1988) Degradation of lignin by oyster mushrooms. *Mushroom Journal for the Tropics* 8, 85-91.
- INDUSTRY INFORMATION REPORT (1985) *Biogas from cassava solid waste.* ASEAN working group on food waste materials-ASEAN-Australia economic co-operation program, no. II, 4 p.
- IUB (International Union of Biochemistry) (1982). *Enzyme Nomenclature.* Academic Press, London
- IWAHARA, H., YOSHIMOTO, T. and FUKUZUMI, T. (1981) *Mokuzai Gakkaishi* 27, 331-336. Cited in RAJARATHNAM *et al.* (1992)
- JICA (1986) Large-scale production of amylolytic enzymes capable of saccharifying raw starch. JICA-BIOTECH-Joint study project. Annual Technical Report, Japan International Cooperation Agency-National Institute of Biotechnology and Applied Microbiology, University of the Philippines at the Los Baños College, Laguna, Philippines. 113 pp.
- JOHANSSON, M. and HÄGERBY, E. (1974). Influence of growth conditions, metabolic inhibitors, and phenolic compounds on the ATP pool in *Fomes annosus.* *Physiologia Plantarum* 32, 23-32.
- KANNAN, K., OBLISAMI, G. and LOGANATHAN B.G. (1990) Enzymology of ligno-cellulose degradation by *Pleurotus sajor-caju* during growth on paper-mill sludge. *Biological Wastes* 33, 1-8.

- KANTELINEN, A., HATAKKA, A. and VVIKARI, L. (1989) Production of lignin peroxidase and laccase by *Phlebia radiata*. *Applied Microbiology and Biotechnology* 17, 234-239.
- KEREM, Z., and HADAR, Y. (1995) Effect of manganese on preferential degradation of lignin by *Pleurotus ostreatus* during solid-state fermentation. *Applied and Environmental Microbiology* 61(8), 3057-3062.
- KEREM, Z., FRIESEM, D. and HADAR, Y. (1992) Lignocellulose degradation during solid-state fermentation: *Pleurotus ostreatus* versus *Phanerochaete chrysosporium*. *Applied and Environmental Microbiology* 58(4), 1121-1127.
- KIEW, R. (1977) Taxonomy, ecology and biology of sago palms in Malaya and Sarawak. In: *Sago-76, Papers of the 1st International Sago Symposium 'The Equatorial Swamp as a Natural Resource'* (Ed. K. Tan) pp. 147-154. Kemajuan Kanji Sdn. Bhd, Kuala Lumpur, Malaysia.
- KIEW, R. (1989) Utilization of palms in Peninsular Malaysia. *Malayan Naturalist* 43: 43-67.
- KIM, C.H., LEE, G.M., ZAINAL, A., HAN, M.H. and RHEE, S.K. (1988) Immobilization of *Zymomonas mobilis* and amyloglucosidase for ethanol production from sago starch. *Enzyme and Microbial Technology* 10, 416
- KIM, C.H., ZAINAL, A., CHONG, C.K. and RHEE, S.K. (1992) Pilot-scale ethanol fermentation by *Zymomonas mobilis* from simultaneously saccharified sago starch. *Bioresource Technology* 40, 1-6.
- KIMURA, Y., ASUDA, Y. and KUWAHARA, M. (1990) Screening of basidiomycetes for lignin peroxidase genes using DNA probe. *Applied Microbiology and Biotechnology* 32, 435.
- KIRK, T.K. (1983) Degradation and conversion of lignocelluloses. In: *The filamentous fungi. Vol. 4. Fungal Technology*. (Eds. J.E. Smith, R. Berry and B. Kristiansen), pp. 266-295. Edward Arnold, London.
- KIRK, T.K. and FARRELL, R.L. (1987) Enzymatic "combustion": The microbial degradation of lignin. *Annual Review of Microbiology* 41, 465-505.
- KIRKPATRICK, N., REID, I. D., ZIOMECK, E., HO, C. and PAICE, M.G. (1989) Relationship between fungal biomass production and the brightening of Hardwood Kraft pulp by *Coriolus versicolor*. *Applied and Environmental Microbiology* 55(5), 1147-1152.
- KIRT, T.K. and KELMAN, A. (1965) Lignin degradation as related to the phenoloxidases of selected wood-decaying Basidiomycetes. *Phytopathology* 55, 739-745.
- KITPREECHAVANICH, V., SRISUK, W. and LOTONG, N. (1992) Production of β -xylanase and β -xylosidase by *Aspergillus fumigatus* using solid state cultivation. In: *Xylans and Xylanases* (Eds. J. Visser et al.), pp 519-522. Elsevier Science Publishers B.V.
- KOBAYASHI, M. (1982) The role of phototrophic bacteria in nature and their utilization. In: *Advances in Agricultural Microbiology*. (Ed. N.S.S. Rao) pp. 643-661, Butterworth Scientific, London.

- KRESSE, G.-B. (1995) Analytical uses of enzymes. In: *Biotechnology. Vol. 9. Enzymes, Biomass, Food and Feed.* (Eds. H.-J. Rehm and G. Reed in cooperation with A. Pühler and P. Stadler) pp. 137-163, VCH Verlagsgesellschaft mbH, Weinheim and VCH Pubs. Inc., New York.
- KUEH, H.S. and JONG, F.S. (1993) Sago palm as a possible plantation crop in Sarawak. *The Planter* 69(811), 486-498.
- KUEH, H.S. and LIM, E.T. (1993) The sago palm - the plant and its uses. *Encyclopaedia of Food Science, Food Technology and Nutrition.* Academic Press, London.
- KUNLAL, A.A.M., GHILDYAL, N.P., LONSANE, B.K., AHMED, S.Y. and NATARAJAM, C.P. (1981) Studies on production of alcohol from saccharified waste residue from cassava starch processing industries. *Starch/Stärke* 33(8): 275-279.
- LEATHAM, G.F. and STAHHMANN, M.A. (1981) Studies on the laccase of *Lentinus edodes*: Specificity, localization and association with the development of fruiting bodies. *Journal of General Microbiology* 125, 147-157.
- LEATHAM, G.F., FORRESTER, I.T. and MISHRA, C. (1991) Enzymes from solid substrates - recovering extracellular degradative enzymes from *Lentinula edodes* cultures grown on commercial wood medium. In: *Enzymes in Biomass Conversion*, ACS Symposium Series 460. (Eds. G.F. Leatham and M.E. Himmel) pp. 95-110, American Chemical Society, Washington DC.
- LEE, B.S. (1992) Solid fermentation on supplemented rubberwood sawdust for the production of exotic mushrooms. *Proceedings of the National Symposium on Fermentation Technology: Fermentation in Food and Agricultural Biotechnology*, pp. 27-31, 26-27 August 1992, Kuala Lumpur.
- LEONOWICZ, A. and GRZYWNOWICZ, K. (1981) Quantitative estimation of laccase forms in some white-rot fungi using syringaldazine as a substrate. *Enzyme and Microbial Technology* 3, 55-58.
- LEONOWICZ, A. and TROJANOWSKI, J. (1975a) Induction of a new laccase form in the fungus *Pleurotus ostreatus* by ferulic acid. *Microbios* 13, 167-174.
- LEONOWICZ, A. and TROJANOWSKI, J. (1975b) Induction of laccase by ferulic acid in Basidiomycetes. *Acta Biochimica Polonica* 22(4), 291-295.
- LEONOWICZ, A. and TROJANOWSKI, J. (1978) Induction of laccase in Basidiomycetes: The laccase-coding messenger. *Acta Biochimica Polonica* 25(2), 147-156.
- LEONOWICZ, A., TROJANOWSKI, J. and NOWAK, G. (1972) Ferulic acid as the inductor of messenger RNA synthesis related to laccase formation in the wood rotting fungus *Pleurotus ostreatus*. *Microbios* 6, 23-28.
- LEONOWICZ, A., TROJANOWSKI, J. and ORLICZ, B. (1978) Induction of laccase in Basidiomycetes: Apparent activity of the inducible and constitutive forms of the enzyme with phenolic substrates. *Acta Biochimica Polonica* 25(4), 369-378.

- LIM, H.K. (1967) Animal feeding stuffs. *Malaysian Agriculture Journal* 46, 63-79.
- LINEWEAVER, R.P. and BURK, D. (1934) The determination of enzyme dissociation constants. *Journal of the American Chemical Society* 56, 658-666.
- LING, S.K. (1994) *Biochemical changes associated with growth of Pleurotus sajor-caju on oil palm frond parenchyma tissue*. Master of Biotechnology thesis, University of Malaya, Kuala Lumpur.
- LINKO, M., POUTANEN, K. and VIIKARI, L. (1989) New developments in the application of enzymes for biomass producing. In: *Enzyme Systems for Lignocellulose Degradation* (Ed. M.P. Coughlan) pp. 331-346, Elsevier Applied Science, New York.
- MACRIS, B.J. and KEKOS, D. (1989) Enhanced cellulase activities using straw as growth substrate. In: *Enzyme systems for lignocellulose degradation* (Ed. M.P. Coughlan) pp. 261-271. Elsevier Applied Science, London.
- MADAN, M. and BISARIA, R. (1983) Cellulolytic enzymes from an edible mushroom, *Pleurotus sajor-caju*. *Biotechnology Letters* 5(9), 601-604.
- MADAN, M., VASUDEVAN, P. and SHARMA, S. (1987) Cultivation of *Pleurotus sajor-caju* on different wastes. *Biological Wastes* 22(4), 241-250.
- MALMSTRÖM, B.G., ANDRÉASSON, L.-E. and REINHAMMAR, B. (1975) Copper-containing oxidases and superoxide dismutase. In: *The Enzymes. Vol XIII. Oxidation-reduction. Part B.* (Ed. P.D. Boyer) pp. 507-579. Academic Press: New York.
- MALTSEVA, O.V., NIKU-PAAVOLA, M.L., LEONTIEVSKI, A., MYASOEDOVA, N.M. and GOLOVLEVA, L.A. (1991) Ligninolytic enzymes of the white-rot fungus *Panus tigrinus*. *Applied Biotechnology and Biochemistry* 13, 291-302.
- MARTÍNEZ, M.J., MUÑOZ, C., GUILLÉN, F. and MARTÍNEZ, A.T. (1994) Studies on homoveratric acid transformation by the ligninolytic fungus *Pleurotus eryngii*. *Applied Microbiology and Biotechnology* 41, 500-504.
- MATCHAM, S.E. and WOOD, D.A. (1992) Purification of *Agaricus bisporus* extracellular laccase from mushroom compost. *Biotechnology Letters* 14(4), 297-300.
- MAYER, A.M. (1987) Polyphenol oxidases in plants: recent progress. *Phytochemistry* 26, 11-20.
- MERCK (1989) THE MERCK INDEX. An encyclopedia of chemicals, drugs and biologicals. (Ed. Budavari, S.) Merck & Co., Inc. Rahway, N. Jersey.
- MILLER, G.L. (1959) Use of dinitrosalicylic acid reagent for determination of reducing sugar. *Analytical Chemistry* 31(3), 426-428.
- MOO-YOUNG, M., MOREIRA, A.R. and TENTERDY, R.P. (1983) Principles of solid-substrate fermentation. In: *The filamentous fungi*. Vol. 4. (Eds. J.E. Smith, D.R. Berry and B. Kristiansen) pp. 117-144, Edward Arnold, London.

- MORGAN, W.L. (1940) Pasting and identification of starches. *Industrial and Engineering Chemistry, Analytical Edition* 12, 313-317.
- MORRIS, H.S. (1977) Melanau sago: 1820-1975. In: *Sago-76, Papers of the 1st International Sago Symposium 'The Equatorial Swamp as a Natural Resource'* (Ed. K. Tan), pp. 121-142. Kemajuan Kanji Sdn. Bhd., Kuala Lumpur, Malaysia.
- MOYSON, E. and VERACHTERT, H. (1991) Growth of higher fungi on wheat straw and their impact on the digestibility of the substrate. *Applied Microbiology and Biotechnology* 36, 421-424.
- MUDGETT, R.E. (1986) Solid-state fermentations. In: *Manual of Industrial Microbiology and Biotechnology*. (Eds. A.L. Demain and N.A. Solomon) pp. 66-83. American Society for Microbiology, Washington D.C.
- MÜLLER, H.W. and TRÖSCH, W. (1986) Screening of white-rot fungi for biological pretreatment of wheat straw for biogas production. *Applied Microbiology and Biotechnology* 24, 180-185.
- MÜLLER, Z.O. (1977) An animal nutritionist's view on the equatorial swamp potential. In: *Sago-76, Papers of the 1st International Sago Symposium 'The Equatorial Swamp as a Natural Resource'* (Ed. K. Tan) pp. 255-264. Kemajuan Kanji Sdn. Bhd., Kuala Lumpur, Malaysia.
- MUNISWARAN, P.K.A. and CHARYULU, N.C.L.N (1994) Solid substrate fermentation of coconut coir pith for cellulase production. *Enzyme and Microbial Technology* 16, 436-440.
- NISHIZAWA, Y., NAKABAYASHI, K. and SHINAGAWA, E. (1995) Purification and characterization of laccase from white rot fungus *Trametes sanguinea* M85-2. *Journal of Fermentation and Bioengineering* 80, 91-93.
- OLSEN, H.S. (1995) Enzymes in food processing. In: *Biotechnology: a multi volume comprehensive treatise. Vol 9. Enzymes, biomass, food and feed*, (Eds. H.-J. Rehm and G. Reed in cooperation with A. Pühler and P. Stadler) pp. 663-736. VCH Verlagsgesellschaft mbH, Weinheim (Federal Republic of Germany).
- ORTEGA, G.M., MARTÍNEZ, E.O., BETANCOURT, D., GONZÁLEZ, A.E. and OTERO, M.A. (1992) Bioconversion of sugar cane crop residues with white-rot fungi *Pleurotus* sp. *World Journal of Microbiology and Biotechnology* 8, 402-405.
- ORTEGA, G.M., MARTINEZ, E.O., GONZÁLEZ, BETANCOURT, D. and OTERO, M.A. (1993) Enzyme activities and substrate degradation during white rot fungi growth on sugar-cane straw in a solid state fermentation. *World Journal of Microbiology and Biotechnology* 9, 210-212.
- OZAWA,T., OKAMOTO, A., IMAGAWA, H. and ARAI, Y. (1991) Oxidases for phenolic compounds contained in sago palm pith. In: *Towards greater advancement of the sago industry in the '90s, Proceedings of 4th Int. Sago Symposium*, (Eds. Ng, T.T., Tie, Y.L. and Kuch, H.S.), pp. 173-187. Ministry of Agriculture and Community Development, Kuching, Sarawak, Malaysia.

- PAICE, M.G., BERNIER JR., R. and JURASEK, L. (1988) Viscosity enhancing bleaching of harwood kraft pulp by xylanase from a cloned gene. *Biotechnology and Bioengineering* 32, 235-239.
- PALMIERI, G., GIARDINA, P., MARZULLO, L., DESIDERIO, B., NITTI, G., CANNIO, R. and SANNIA, G. (1993) Stability and activity of a phenol oxidase from the ligninolytic fungus *Pleurotus ostreatus*. *Applied Microbiology and Biotechnology* 39, 632-636.
- PARIDAH, M.T. (1992) The potential of utilization of sago waste in the paper and wood industry. Paper presented at *Workshop on Sago Industry*, 21 February, Sibu, Sarawak, Malaysia.
- PEARCE, K.G. (1989) Utilization of palms in Sarawak. *Malayan Naturalist* 43: 68-91
- PELÁEZ, F., MARTÍNEZ, M.J. and MARTÍNEZ, A.T. (1995) Screenings of 68 species of basidiomycetes for enzyme involved in lignin degradation. *Mycological Research* 99, 37-42.
- PETTIPHER, G.L. (1987) Cultivation of the oyster mushroom (*Pleurotus ostreatus*) on lignocellulosic waste. *Journal of the Science of Food and Agriculture* 41, 259-265.
- PLATT, M.W., HADAR, Y. and CHET, I. (1984) Fungal activities involved in lignocellulose degradation by *Pleurotus*. *Applied Microbiology and Biotechnology* 20, 150-154.
- PLATT, M.W., HADAR, Y. and CHET, I. (1985) The decolorization of the polymeric dye Poly-Blue (polyvinalamine sulfonate-anthroquinone) by lignin degrading fungi. *Applied Microbiology and Biotechnology* 21, 394-396.
- PONGSAPAN, P., TANGDILINTIN, F.K., PANTJAWIDJAJA, S. and SITURU (1984) Penggunaan berbagai tingkat ampas sagu dalam ransum sapi peranakan ongole yang sedang tumbuh (The utilization of some levels of sago waste in rations for growing ongole grades) *Ilmu dan Peternakan* 1(5), 163-166. (Malay text with English abstract).
- POUTANEN, K., TENKANEN, M., KORTE, H. and PULS, J. (1991) Accessory enzymes involved in the hydrolysis of xylans. In: *Enzymes in Biomass Conversion*, ACS Symposium Series 460. (Eds. G.F. Leatham and M.E. Himmel) pp. 426-436, American Chemical Society, Washington DC.
- PRASERTSAN, P. and OI, S. (1992) Production of cellulolytic enzymes from fungi and use in the saccharification of palm cake and palm fibre. *World Journal of Microbiology and Biotechnology* 8, 536-538.
- QUIMIO, T.H., CHANG, S.T. and ROYSE, D.J. (1990) *Technical guidelines for mushroom growing in the tropics*. FAO Plant Production and Protection Paper 106. Food and Agriculture Organization of the United Nations. 155 pp.
- RAGHUKUMAR, C., RAGHUKUMAR, S., CHANDRAMOHAN, D., D'SOUZA, T.M. and REDDY, C.A. (1994) Laccase and other lignocellulose modifying enzymes of marine fungi isolated from the coast of India. *Botanica Marina* 37, 515-523.
- RAIMBAULT, M. and ALAZARD, D. (1980) Culture method to study fungal growth in solid fermentation. *European Journal of Applied Microbiology and Biotechnology* 9, 199-209.

- RAJARATHNAM, S., SHASHIREKA, M.N. and ZAKIA BANO (1992) Biopotentialities of the Basidiomacromycetes. *Advances in Applied Microbiology* 37, 233-361.
- RAJARATHNAM, S., WANKHEDE, D.B. and ZAKIA BANO (1987) Degradation of rice straw by *Pleurotus flabellatus*. *Journal of Chemical Technology and Biotechnology* 37, 203-214.
- RASYAD, S. (1993) Kemungkinan penamaatan limbah sagu (Possible uses of sago pith residue) Prosiding Simposium Sagu Nasional, Ambon, 12-13 Oct., 1992. Cited in Bintoro (1995).
- READE, A.E. and MCQUEEN, R.E. (1983) Investigation of white-rot fungi for the conversion of poplar into a potential feedstuff for ruminants. *Canadian Journal of Microbiology* 29: 457-463.
- REINHAMMAR, B. (1984) Laccase. In: *Copper Proteins and Copper Enzymes* (Ed. R. Lontie) pp 1-35, Boca Raton, Fla: CRC.
- ROXON, J.E. and JONG, S.C. (1977) Sexuality of an edible mushroom, *Pleurotus sajor-caju*. *Mycologia* 69, 203-205.
- ROY-ARCAND, L. and ARCHIBALD, F.S. (1991). Direct dechlorination of chlorophenolic compounds by laccases from *Trametes (Coriolus) versicolor*. *Enzyme and Microbial Technology* 13, 194-203.
- ROYER, J.C. and NAKAS, J.P. (1989) Xylanase production by *Trichoderma longibrachiatum*. *Enzyme and Microbial Technology* 11, 405-410.
- ROYSE, D.J. (1992) Recycling of spent shiitake substrate for production of the oyster mushroom, *Pleurotus sajor-caju*. *Applied Microbiology and Biotechnology* 38, 179-182.
- RYU, D.D.Y. and MANDELS, M. (1980) Cellulase biosynthesis and applications. *Enzyme and Microbial Technology* 2, 91-102.
- SANDERS, M. (1986) Market for starch and derived products: high fructose syrup. In: *The development of the sago palm and its products*. Report FAO/BPPT consultation, pp. 225-237, Jakarta, 16-21 January 1984. Food and Agriculture Organization, Rome.
- SANNIA, G., GIARDINA, P., LUNA, M., ROSSI, M. and BUONOCORE, V. (1986) Laccase from *Pleurotus ostreatus*. *Biotechnology Letters* 8(11), 797-800.
- SASTRY, C. A. (1995) Bioprocessing of new and natural products. In: *Proceedings of the Asian Science and Technology Congress 1995 "Innovative Technology for an Industrial Economy"*, (Eds. Lau, W.Y., Soon, T.K. and Goh, S.H.), Dec. 5-7, Malaysian Scientific Assoc. and COSTAM, Kuala Lumpur, Malaysia.
- SCHIESSER, A., RUZZI, M., ERCOLI, L. and BURLA, G. (1992) Optimization of the process stages for enzymatic hydrolysis and fermentation of lignocellulosic materials - growth conditions for lignin degradation by *Trametes trogii*. In: *Cellulose Hydrolysis and Fermentation*. Proceedings of a CEC Workshop (Jan 1992 - Brussels) (Eds. Coombs, J. and Grassi, G.) pp. 146-154. CPL Scientific Ltd., United Kingdom.

- SCHUBERT, W.J. (1965) *Lignin Biochemistry*. Academic Press, London. 131pp.
- SCHUILING, D.L., JONG, F.S. and FLACH, M. (1993) Exploitation and natural variability of the sago palm (*Metroxylon sagu* Rottb.): Report of a Sarawak and all-Indonesia study tour: January - February 1992. Wageningen: Department of Agronomy, Section Tropical Crop Science, Wageningen Agricultural University, Netherlands. 82 pp.
- SHAMALA, T.R. and SREEKANTIAH, K.R. (1986) Production of cellulases and D-xylanase by some selected fungal isolates. *Enzyme and Microbial Technology* 8, 178-182.
- SHAMALA, T.R. and SREEKANTIAH, K.R. (1987) Successive cultivation of selected cellulolytic fungi on rice straw and wheat bran for economic production of cellulases and D-xylanase. *Enzyme and Microbial Technology* 9, 97-101.
- SHIM, Y.L. (1992) *Utilization of sago "hampas" by microfungi*. Master of Biotechnology thesis. University of Malaya.
- SHUTTLEWORTH, K.L. and BOLLAG, J.-M. (1986) Soluble and immobilized laccase as catalysts for the transformation of substituted phenols. *Enzyme and Microbial Technology* 8, 171-177.
- SIM, J. (1986) Sago industry in the state of Sarawak, Malaysia. In: *Sago- '85: Proceedings of the 3rd International Sago Symposium*, pp. 39-49, Tokyo.
- SINGER, R. (1986) *The Agaricales in modern taxonomy*. 4th. Ed. Germany: Koeltz Scientific Books.
- SINGH, R.P. (1983) Cultivation of *Pleurotus sajor-caju* (Fr.) Sing. mushroom. *Mushroom Journal for the Tropics* 3(3), 8-15.
- SOLICHIEN, B.W. (1995) Sago starch as a substrate for cyclodextrin production. In: *Acta Horticulturae* No. 389. (Eds. Subhadrabandhu, S. and Sdoodee, S.) pp. 179-200. Fifth International Sago Symposium, Hat Yai, Songkhla, Thailand, 27-29 Jan., 1994.
- SRINIVASAN, C., D'SOUZA, T.M., BOOMINATHAN, K. and REDDY, C.A. (1995) Demonstration of laccase in the white rot basidiomycete *Phanerochaete chrysosporium* BKM-F1767. *Applied and Environmental Microbiology* 61, 4274-4277.
- STEIERT, J.G. and CRAWFORD, R.L. (1985) Microbial degradation of chlorinated phenols. *Trends in Biotechnology* 3, 300-305.
- SUNDHAGUL, M. (1977) Potential by-product recovery from sago-starch processing. In: *Sago-76, Papers of the 1st International Sago Symposium 'The Equatorial Swamp as a Natural Resource'* (Ed. K. Tan) pp. 214-216. Kemajuan Kanji Sdn. Bhd., Kuala Lumpur, Malaysia.
- SYED JALALUDIN, WONG, W.C., ANUWAR, M. and CHANG, G.C. (1970) Utilization of sago for growth in the fowl. *Malaysian Agriculture Journal* 47, 492-498.
- TAN, K. (1980) Sago production in Southwest Peninsular Malaysia. In: *Proceedings of the 2nd International Sago Symposium*, (Eds. Stanton, W. R. and Flach, M.) pp. 56-83. Martinus Nijhoff Pubs., The Hague.

- TAN, K. (1981) Sago farming in Peninsular Malaysia. *The Planter* 57, 452-456.
- TAN, K. (1983) *The swamp-sago industry in West Malaysia: a study of the Sungai Batu Pahat floodplain*. Institute of Southeast Asian Studies, Singapore. 174 pp.
- TANTICHAROEN, M. and LERTTRILUCK, S. (1986) Biogas production from tapioca starch factory wastewater. *Proceedings of the ASEAN Conference on Energy from Biomass*, 13-15 October, Penang, Malaysia.
- THURSTON, C. F. (1994) The structure and function of fungal laccases. *Microbiology* 140, 19-26.
- TIE, Y.L. and LIM, K.E.T. (1991) The current status and prospects of harvestable sago palms in Sarawak. In: *Towards greater advancement of the sago industry in the 90s'*. *Proceedings of the 4th International Sago Symposium*, pp. 11-16, Ministry of Agriculture & Community Development, Kuching, Sarawak, Malaysia.
- TIE, Y.L., LOI, K.S. and LIM, K.E.T. (1991) The geographical distribution of sago (*Metroxylon* spp.) and the dominant sago-growing soils in Sarawak. In: *Towards greater advancement of the sago industry in the 90s'*. *Proceedings of 4th International Sago Symposium*, Ministry of Agriculture & Community Development, Kuching, Sarawak, Malaysia.
- TIEN, M. and KIRK, T.K. (1983) Lignin-degrading enzyme from the Hymenomycete *Phanerochaete chrysosporium* Burds. *Science* 221, 661-663.
- TROJANOWSKI, J. and LEONOWICZ, A. (1969) The biodegradation of lignin by fungi. *Microbios* 3, 247-251.
- TUEN, A.A. (1994) Effect of partially replacing commercial concentrate with sago pith meal on dry matter intake and digestion by goats. *Malaysian Applied Biology* 22(2), 137-142.
- VALMASEDA, M., MARTÍNEZ, M.J. and MARTÍNEZ, A.T. (1991) Kinetics of wheat straw solid-state fermentation with *Trametes versicolor* and *Pleurotus ostreatus* - lignin and polysaccharide alteration and production of related enzymatic activities. *Applied Microbiology and Biotechnology* 35, 817-823.
- VAN SOEST, P.J. and WINE, R.H. (1968) Determination of lignin and cellulose in acid-detergent fibre with permanganate. *Journal of American Official Methods of Analysis* 51, 780-785.
- VIIKARI, L., KANTELINEN, A., POUTANEN, K. and RANUA, M. (1990) Characterization of pulps treated with hemicellulolytic enzymes prior to bleaching. In: *Biotechnology in pulp and paper manufacture* (Eds. Kirk, K.T. and Chang, H.-M) pp. 145-151, Butterworth-Heinemann, Boston.
- VIIKARI, L., KANTELINEN, A., RÄTTÖ, M. and SUNDQUIST, J. (1991) Enzymes in pulp and paper processing. In: *Enzymes in Biomass Conversion*, ACS Symposium Series 460. (Eds. G.F. Leatham and M.E. Himmel) pp. 12-21, American Chemical Society, Washington DC.

- VIKINESWARY, S. and NADARAJ, P. (1992) Fermentation of sago processing residue *hampas* by submerged fungal cultures. In: *Proceedings of National Symposium of Fermentation Technology: Fermentation in Food and Agricultural Biotechnology*, pp. 118-121. 26-27 Aug, Subang, Kuala Lumpur, Malaysia.
- VIKINESWARY, S., SHIM, Y.L., THAMBIRAJAH, J.J. and BLAKEBROUGH, N. (1994) Possible microbial utilization of sago processing wastes. *Resources, Conservation and Recycling* 11, 289-296.
- WALDNER, R., LEISOLA, M.S.A. and FLETCHER, A. (1988) Comparison of lignolytic activities of selected white rot fungi. *Applied Microbiology and Biotechnology* 29, 400-407.
- WANG, D.I.C., COONEY, C.L., DEMAIN, A.L., DUNNILL, P., HUMPHREY, A.E. and LILLY, M.D. (1979). Regulation of enzyme production. In: *Fermentation and Enzyme Technology*. pp. 46-56. John Wiley & Sons, Inc. New York.
- WARD, O.P. (1989) *Fermentation biotechnology - Principles, processes and products*. Open University Press, Milton Keynes, 227 pp
- WEIL, J., WESTGATE, P., KOHLMANN, K. and LADISCH, M.R. (1994). Cellulose pretreatments of lignocellulosic substrates. *Enzyme and Microbial Technology* 16:1002-1004.
- WEILAND, P. (1988) Principles of solid state fermentation. In: *Treatment of lignocellulosics with white rot fungi*. (Eds. F. Zadrazil and P. Reiniger), pp. 64-76. Elsevier Applied Science, London.
- WERNER, R. (1992) *Essential Biochemistry and Molecular Biology. A comprehensive review*. Prentice Hall, 2nd Ed.
- WONG, K.K.Y., TAN, L.U.L. and SADDLER, J.N. (1988) Multiplicity of β -1,4-xylanase in microorganism: Functions and applications. *Microbiological Reviews* 52, 305-317.
- WOOD, D.A. (1980a) Inactivation of extracellular laccase during fruiting of *Agaricus bisporus*. *Journal of General Microbiology* 117, 339-345.
- WOOD, D.A. (1980b) Production, purification and properties of extracellular laccase of *Agaricus bisporus*. *Journal of General Microbiology* 117, 327-338.
- WOOD, D.A. and GOODENOUGH, P.W. (1977) Fruiting of *Agaricus bisporus* - changes in extracellular enzyme activities during growth and fruiting. *Archives of Microbiology* 114, 161-165.
- WOOD, D.A., MATCHAM, S.E. and FREMOR, T.R. (1988) Production and function of enzymes during lignocellulose degradation. In: *Treatment of lignocellulosics with white rot fungi*. (Eds. F. Zadrazil and P. Reiniger) pp. 43-49. Elsevier Applied Science, London.
- WOOD, T.M. (1971) The cellulases of *Fusarium solani*. *Biochemistry Journal* 121, 353-362.

- WOOD, T.M. (1989) Mechanisms of cellulose degradation by enzymes from aerobic and anaerobic fungi. In: *Enzyme systems for lignocellulose degradation* (Ed. M.P. Coughlan) pp. 17-35. Elsevier Applied Science, London.
- YAHYA, M., MAHYUDDIN, M.D., ALIMON, A.R. and ABDULLAH, N. (1992) Physico-chemical characteristics of sago pith meal. In: *Towards more efficient and effective animal production strategies. Proceedings of the 15th MSAP Annual Conference*, 26-27 May, pp. 78-82. Kuala Trengganu, Malaysia.
- YOSHIDA, H. (1883) Chemistry of Lacquer (Urushi) part 1. *Journal of the Chemical Society* 43, 472-486, cited in Schubert (1965).
- YOUN, H. -D., KIM, K. -J., MAENG, J. -S., HAN, Y. -H., JEONG, I. -B., JEONG, G., KANG, S. -O. and HAH, Y.C. (1995) Single electron transfer by an extracellular laccase from white-rot fungus *Pleurotus ostreatus*. *Microbiology* 141, 393-398.
- ZADRAZIL, F. (1977) The conversion of straw into feed by Basidiomycetes. *European Journal of Applied Microbiology* 4, 273-281.
- ZADRAZIL, F. (1978) Cultivation of *Pleurotus*. In: *The biology and cultivation of edible mushrooms*. (Eds. S.T. Chang and W.A. Hayes) pp. 521-557, Academic Press, New York.
- ZADRAZIL, F. (1980) Conversion of different plant waste into feed by basidiomycetes. *European Journal of Applied Microbiology and Biotechnology* 9: 243-248.
- ZADRAZIL, F. (1984) Microbial conversion of lignocellulose into feed. In: *Straw and Other Fibrous By-products as feed*. (Eds. Sundstol, F. and Owen, E.) pp. 276-292, Elsevier, Amsterdam.
- ZADRAZIL, F. and BRUNNERT, H. (1981) Investigation of physical parameters important for the solid state fermentation of straw by white rot fungi. *European Journal of Applied Microbiology and Biotechnology* 11, 183-188.
- ZADRAZIL, F. and BRUNNERT, H. (1982) Solid state fermentation of lignocellulose containing plant residues with *Sporotrichum pulverulentum* Nov. and *Dichomitus squalens* (Karst.) Reid. *European Journal of Applied Microbiology and Biotechnology* 16, 45-51.
- ZADRAZIL, F. and REINIGER, P. (1988) *Treatment of lignocellulosics with white rot fungi*. Elsevier Applied Science, London and New York, 122 pp.
- ZULPHILIP, H.T., AZUDIN, M.N., HUSSAINI, S.H. and LIM, K.E.T. (1991) Production and utilization of sago starch in Malaysia - an overview. In: *Proceedings of 4th International Sago Symposium, Towards greater advancement of the sago industry in the 90s'*. 6-9th August, 1990, Kuching, Sarawak, Malaysia: Ministry of Agriculture & Community Development.