

BIBLIOGRAPHY

BIBLIOGRAPHY

Alias, A. 1997. pers. comm.

Abbott, I. A., Zhang Junfu and Xia Bangmei. 1991. *Gracilaria mixta*, sp. nov.
and other Western Pacific species of the Genus *Gracilaria* (Rhodophyta:
Gracilariaceae). **Pacific Science** 45 (1) : 12-27.

Anderson, R. J., Monteiro, P. M. S. and Levitt, G. J. 1996. The effect of
localised eutrophication on competition between *Ulva lactuca* (Ulveae,
Chlorophyta) and a commercial resource of *Gracilaria verrucosa*
(Gracilariaceae, Rhodophyta). **Hydrobiologia** 326/327: 291-296

Andrews, J. H. 1976. The pathology of marine algae. **Biol. Rev.**, 51: 211-253.

Andrews, J. H. 1977. Observations on the pathology of seaweeds in the Pacific
Northwest. **Can. J. Botany**, 55: 1019-1027.

Andrews, J. H., 1979. Pathology of Seaweeds: Current status and future
prospects. **Experientia** 35/4: 429-570.

Andrew, J. H. and Goff, L. J. 1984. Pathology. In: M. M. Littler and D. S. Littler (eds.), **Handbook of Phycological Methods. Ecological Field Methods: Macroalgae**. Cambridge University Press, Cambridge. pp. 573-591.

Apt, K. E. 1984. Effects of the symbiotic red alga *Hypneocolax stellaris* on its host *Hypnea musciformis* (Hypneaceae, Gigartinales). **J. Phycol.**, 20: 148-150.

Apt, K. E. 1988. Galls and tumour-like growths on marine macroalgae. **Dis. Aquat. Org.**, 4: 211-217.

Armisen, R. 1995. World-wide use and importance of *Gracilaria*. **J. Appl. Phycol.**, 7: 231-243.

Austin, B. 1988. Identification. In: B. Austin (ed.), **Methods in Aquatic Bacteriology**. John Wiley and Sons Ltd., Great Britain. pp. 95-112.

Barraca, R. 1989. *Eucheuma* and *Gracilaria lichenoides* co-farming possibilities. **Gracilaria Production in the Bay of Bengal Region, Bay of Bengal Programme Report**, 45: 18-19.

Barron, G. L. 1968. **The Genera of Hyphomycetes from Soil**. Williams and Wilkins, Baltimore.

Biolog, Inc. 1992. Manual of Biolog Microstation System.

Black, J. G. 1996. Host-microbe relationships and disease processes. In: **Microbiology: Principles and Applications**, 3rd. ed. Prentice-Hall, Inc. pp. 397-398.

Buschmann, A. 1990. Intertidal macroalgae as refuge and food for amphipods in central Chile. **Aquat. Bot.**, 36: 237-245.

Buschmann, A. H. and Gomez, P. 1993. Interaction mechanisms between *Gracilaria chilensis* (Rhodophyta) and epiphytes. **Hydrobiologia** 260/261: 345-351.

Cancino, J. M., Munoz, M. and Orellana, M. C. 1987. Effects of epifauna on algal growth and quality of the agar produced by *Gracilaria verrucosa* (Hudson) Papenfuss. **Hydrobiologia** 151/152: 233-237.

- Chan, E. C. S. and McManus, E. A. 1968. Distribution, characterization, and nutrition of marine microorganisms from the algae *Polysiphonia lanosa* and *Ascophyllum nodosum*. **Can. J. Microbiol.**, 15: 409-420.
- Chapman, V. J. 1961. **The Marine Algae of Jamaica**. Science Series, No. 12, PT. 1. The Institute of Jamaica, Kingston, Jamaica.
- Chapman, V. J. 1963. **The Marine Algae of Jamaica**. Science Series, No. 12, PT. 2. The Institute of Jamaica, Kingston, Jamaica.
- Chapman, V. J. 1970. **Seaweeds and their Uses**. Methuen Publishing, London.
- Chesters, C. G. C. and Bull, A. T. 1962. The enzymatic degradation of of Laminarin I. The distribution of laminarase among microorganisms. **Biochem. J.**, 86: 28-31.
- Chiang, Y. M. 1981. Cultivation of *Gracilaria* (Rhodophyta, Gigartinales) in Taiwan. **Proc. Int. Seaweed Symp.**, 10: 569-573.
- Cook, M. L. and Stevens, J. G. 1970. Replication of Varicella-Zoster virus in cell culture: an ultrastructural study. **J. Ultrastructural Research** 32: 334-350.

Cooke, R. C. and Whipps, J. M. 1993. **Ecophysiology of Fungi**. Blackwell Scientific Publications. University Press. Cambridge.

Coppen, J. J. W. 1989. Production of agar from seaweed with special reference to India. **Paper presented at the Seminar on *Gracilaria* Production and Utilisation in the Bay of Bengal, 23-27 October 1989, Songkhla, Thailand.**

Correa, J., Nielsen, R., Grund, D. W. and McLachlan, J. 1987. Endophytic algae of Irish moss (*Chondrus crispus* Stackh.). **Hydrobiologia** 151/152: 223-228.

Correa, J. A. 1990. Pigmented algal endophytes of *Chondrus crispus* Stackhouse: Host specificity, fine structure and effects on host performance in infections by *Achrochaete operculata* and *A. heteroclada* Correa & Nielsen. Ph.D. thesis, Dalhousie University, Halifax. In: J. A. Correa and J. L. McLachlan. 1992. Endophytic algae of *Chondrus crispus* (Rhodophyta). IV. Effects on the host following infections by *Acrochaete operculata* and *A. heteroclada* (Chlorophyta). **Mar. Ecol. Prog. Ser.**, 81: 73-87.

- Correa, J. A., and Craigie, J. S. 1991. Algal pathology. In: Garcia Reina, G., Pedersen, M. (eds.) **Proceedings of the COST-48 workshop**. Seaweed cellular biotechnology, physiology and intensive cultivation. Universidad de Las Palmas de Gran Canaria, Las Palma, pp. 67-82.
- Correa, J. A. and McLachlan, J. L. 1992. Endophytic algae of *Chondrus crispus* (Rhodophyta). IV. Effects on the host following infections by *Acrochaete operculata* and *A. heteroclada* (Chlorophyta). **Mar. Ecol. Prog. Ser.**, 81: 73-87.
- Correa, J. A., Flores, V. and Garrido, J. 1994. Green patch disease in *Iridaea laminarioides* (Rhodophyta) caused by *Endophyton* sp. (Chlorophyta). **Dis. Aquat. Org.**, 19: 203-213.
- Correa, J. A. and Flores, V. 1995. Whitening, thallus decay and fragmentation in *Gracilaria chilensis* associated with an endophytic amoeba. **J. Appl. Phycol.**, 7: 421-425.
- Correa, J. A. 1998. pers. comm.
- Craigie, J. S. and McLachlan, J. 1964. Excretion of coloured ultra-violet absorbing substances by marine algae. **Can. J. Botany**, 42: 23-33.

Craigie, J. S. 1995. Infectious diseases in tank cultivation: Etiology and management. Abstract from **Int. Seaweed Symp.**, 15: 56

Craigie, J. S. and Correa, J. A. 1996. Etiology of infectious diseases in cultivated *Chondrus crispus* (Gigartinales, Rhodophyta). **Hydrobiologia** 326/327: 97-104.

Critchley, A. T. 1993a. Introduction - Seaweed Resources. In: M. Ohno and A.T. Critchley (eds.), **Seaweed Cultivation and Marine Ranching**. Japan International Fisheries Training Center. Japan International Cooperation Agency. 1st. ed. pp. 1-6

Critchley, A. T. 1993b. *Gracilaria* (Rhodophyta, Gracilariales): An Economically Important Agarophyte. In: M. Ohno and A.T. Critchley (eds.), **Seaweed Cultivation and Marine Ranching**. Japan International Fisheries Training Center. Japan International Cooperation Agency. 1st. ed. pp.89-112.

Dawson, E. Y. 1954. Marine plants in the vicinity of the Institute Oceanographique de Viet Nam. **Pacific Science**, Vol. VIII. No. 4.

Doty, M. S. 1978. Status of marine agronomy with special references to the tropics. **Int. Seaweed Symp.**, 9: 35-58.

Doty, M. S. and Fisher, J. 1987. Experimental Culture of Seaweeds (*Gracilaria* spp.) in Penang, Malaysia. In: **Development of Small-scale Fisheries in Bay of Bengal**, Madras, India: Report of Agronomic Research, Development and Production Inc. Hawaii.

Enright, C. T. 1979. Competitive interaction between *Chondrus crispus* (Florideophyceae) and *Ulva lactuca* (Chlorophyceae) in *Chondrus* aquaculture. **Proc. Int. Seaweed Symp.**, 9: 209-218.

Evans, L. V., Callow, J. A. and Callow, M. A. 1978. Parasitic red algae: an appraisal. In: D. E. Irvine (ed.), **Modern Approaches to the Taxonomy of Red and Brown Algae**, Systematics Association Special Volume No. 10. Academic Press, London. pp. 87-109.

Faazaz, A. L. 1986. Preliminary results of the experimental culture of the red seaweed *Gracilaria* sp. in Malaysia. In: **Bulletin Perikanan Bil. 40**, Jabatan Perikanan Malaysia.

- Fletcher, R. L. 1995. Epiphytism and fouling in *Gracilaria* cultivation: an overview. **J. Appl. Phycol.**, 7: 325-333.
- Friedlander, M. and Ben-Amotz, A. 1991. The effects of outdoor culture on growth and epiphytes of *Gracilaria conferta*. **Aquat. Bot.**, 39: 367-373.
- Friedlander, M. 1992. *Gracilaria conferta* and its epiphytes: The effect of culture conditions on growth. **Bot. Mar.**, 35: 423-428.
- Friedlander, M. and Gunkel, W. 1992. Factors leading to thallus disintegration and control of these factors in *Gracilaria* sp. In B. Moav, V. Hilge and Rosenthal, H. (eds.), **Proc. 4th. German-Israeli Status Seminar**. EAS Spec. Publ. No. 17; Oostende, Belgium. pp. 221-243.
- Friedlander, M. and Levy, I. 1995. Cultivation of *Gracilaria* in outdoor tanks and ponds. **J. Appl. Phycol.**, 7: 315-324.
- Friedlander, M., Gonen, Y., Kashman, Y., and Beer, S. 1996. *Gracilaria conferta* and its epiphytes: 3. Allelopathic inhibition of the red seaweed by *Ulva* cf. *lactuca*. **J. Appl. Phycol.**, 8: 21-25.

- Friess-Klebl, A. K. 1995. Brown algal disease: Characterization and effects on their hosts. Abstract from **Int. Seaweed Symp.**, 15: 81.
- Fujita, R. M. 1985. The role of nitrogen status in regulating transient ammonium uptake and nitrogen storage by macroalgae. **J. Exp. Mar. Biol. Ecol.**, 92: 283-301.
- Gibbs, A., Skotnicki, A. H., Gardiner, J. E., Walker, E. S. and Hollings, M. 1975. A tobamovirus of a green alga. **Virology** 64: 571-574.
- Goff, L. J. 1975. A developmental, physiological and ultrastructural study of the Rhodophycean allopasite *Harveyella mirabilis* (Choreocolaceae, Cryptonemiales). Ph. D. Thesis, University of British Columbia, Canada.
- In: Andrews, J. H. 1976. The Pathology of Marine Algae. **Biol. Rev.**, 51: 211-253.
- Goff, L. J. 1982. The biology of red algae. In: F. E. Round and D. J. Chapman (eds.), **Progress in Phycological Research**, Vol. 1. Elsevier, New York. pp. 289-369.

Groleau, D. and Yaphe, W. 1977. Enzymatic hydrolysis of agar: purification and characterization of β -neoagarotetraose hydrolase from *Pseudomonas atlantica*. **Can. J. Microbiol.**, 23: 672-679.

✓ Guiry, M. D. and Blunden, G. (eds.). 1991. **Seaweed Resources in Europe, Uses and Potential**. John Wiley and Sons. pp. 379.

Hanisak, M. D. 1987. Cultivation of *Gracilaria* and other macroalgae in Florida for energy production. In: K. T. Bird and P. H. Benson (eds.), **Seaweed Cultivation for Renewable Resources**. Developments in Aquaculture and Fisheries Science, 16. Elsevier, Amsterdam: 191-218.

Harlin, M. M. 1987. Allelochemistry in marine macroalgae. **CRC Critical Reviews in Plant Sciences** 5: 237-249.

Harlin, M., Thursby, M. and Thursby, G. B. 1979. Ammonium uptake by *Gracilaria* sp. (Florideophyceae) and *Ulva lactuca* (Chlorophyceae) in closed system fish culture. **Proc. Int. Seaweed Symp.**, 9: 205-292.

Holt, J. G., Krieg, N. R., Sneath, P. H. A, Staley, J. T., Williams S. (eds.). 1994. **Bergey's Manual of Determinative Bacteriology**, 9th. ed. Williams & Wilkins. pp. 81, 139.

Humm, H. J. and Wicks, S. R. 1980. **Introduction and Guide to the Marine Blue-Green Algae**. John Wiley and Sons.

Hurtado-Ponce, A.Q. and Umezaki, I. 1988. Physical properties of gels from *Gracilaria* (Rhodophyta). **Bot. Mar.**, 31: 171-174.

Imai, I. Ishida, Y. and Hata, Y. 1993. Killing of marine phytoplankton by a gliding bacterium *Cytophaga* sp., isolated from the coastal sea of Japan. **Mar. Biol.**, 116: 527-532.

Jacobsen, A. 1996. Isolation and characterization of a virus infecting *Phaeocystis pouchetii* (Prymnesiophyceae). **J. Phycol.**, 32: 923-927.

Jaffray, A. E. and Coyne, V. E. 1996. Development of an in situ assay to detect bacterial pathogens of the red alga *Gracilaria gracilis* (Stachhouse) Steentoft, Irvine et Farnham. **J. Appl. Phycol.**, 8: 409-414.

Jahara, J. and Phang, S. M. 1989. Seaweed marketing and agar industries in Malaysia. **Paper presented at the Seminar on Gracilaria Production and Utilisation in the Bay of Bengal**, 23-27 October 1989, Songkhla, Thailand.

Jensen, A. 1993. Present and future needs for algae and algal products.

Hydrobiologia 260/261: 15-23.

Jones, E. B. G. 1971. Aquatic Fungi. In: C. Booth (ed.). **Methods in Microbiology**, Vol. 4. Academic Press. pp. 335-336.

Jones, G. 1997. pers. comm.

Kazama, F.Y. and Fuller, M. S. 1973. Mineral nutrition of *Phytium marinum*, a marine facultative parasite. **Can. J. Botany** 48: 2103-2107.

Kirk, P. W., Fell, J. W. and Porter, D. 1985. Marine Fungi: Taxonomic and Ecological Considerations. I. Higher Fungi and Yeasts. In: **Frontiers in Applied Microbiology**, Vol. II. Academic Press. pp. 201-233.

Kohlmeyer, J. and Kohlmeyer, E. 1979. **Marine Mycology: The Higher Fungi**. Academic Press. New York.

Kong, M. K. and Chan, K. 1979. Bacterial flora isolated from marine algae. **Bot. Mar.**, 22: 83-97.

Kooistra, W. H. C. F., Boele-Bos, S. A. and Stam, W. T. 1991. A method for obtaining axenic algal cultures using the antibiotic cefotaxime with emphasis on *Cladophoropsis membranacea* (Chlorophyta). **J. Phycol.**, 27: 656-658.

Kuschel, F. A. and Buschmann, A. H. 1991. Abundance, effects and management of epiphytism in intertidal cultures of *Gracilaria* (Rhodophyta) in southern Chile. **Aquaculture** 92: 7-19.

Kusuda, R., Kawai, K., Salati F., Kawamura, Y. and Yamashita, Y. 1992. Characteristics of *Flavobacterium* sp. causing 'suminori' disease in cultivated *Porphyra*. **Suisanzoshoku** 40: 457-461.

✓ Largo, D. B., Fukami, K., Nishijima, T. and Ohno, M. 1995a. Laboratory-induced development of the 'ice-ice' disease of the farmed red algae *Kappaphycus alvarezii* and *Eucheuma denticulatum* (Solieriaceae, Gigartinales, Rhodophyta). **J. Appl. Phycol.**, 7: 539-543.

Largo, D. B., Fukami, K. and Nishijima, T. 1995b. Occasional pathogenic bacteria promoting ice-ice disease in the carrageenan-producing red algae *Kappaphycus alvarezii* and *Eucheuma denticulatum* (Solieriaceae, Gigartinales, Rhodophyta). **J. Appl. Phycol.**, 7: 545-554.

✓ Lavilla-Pitogo, C. R. 1992. Agar-digesting bacteria associated with 'rotten thallus syndrome' of *Gracilaria* sp. **Aquaculture** 102: 1-7.

Lemos, L. M., Toranzo, A. E., and Barja, J. L. 1985. Antibiotic activity of epiphytic bacteria isolated from intertidal seaweeds. **Microb. Ecol.**, 11: 149-163.

Lewmanomont, K. 1994. The species of *Gracilaria* from Thailand. In: Abbott, I. A. (ed.). **Taxonomic of Economic Seaweeds : with reference to some Pacific species. Vol. IV.** California Sea Grant College, University of California, La Jolla, California. pp. 135-148.

Liao, L. 1997. pers. comm.

Lin, D. and Lin, Y. 1984. Studies on the green disease of *Porphyra haitanensis* Chang and Zheng caused by nitrogen deficiency. **Hydrobiologia** 116/117: 453-455.

✓ Luning, K. 1990. **Seaweeds. Their Environment, Biogeography and Ecophysiology.** Wiley and Sons. New York.

- Luxton, D. M. 1993. Aspects of the farming and processing of *Kappaphycus* and *Eucheuma* in Indonesia. **Hydrobiologia** 260/261: 365-371.
- Markey, D. R. 1974. A possible virus infection in the brown alga *Phylaiella littoris*. **Protoplasma** 80: 223-232
- McHugh, D. J. and Lanier, B.V. 1983. World seaweed industry and trade. **Joint ABD/FAO (SCSP. Infofish) Market Studies, Vol. 6.** Food and Agricultural Organization of the United Nations, Manila. pp. 1-8.
- McHugh, D. J. 1991. Worldwide distribution of commercial sources of seaweeds including *Gelidium*. **Hydrobiologia** 221: 19-21.
- McLachlan, J. and Bird, C. J. 1986. *Gracilaria* (Gigartinales, Rhodophyta) and productivity. **Aquat. Bot.**, 26: 27-49.
- Meyers, S.P. 1974. Contribution of fungi to biodegradation of *Spartina* and other brackish marshland vegetation. **Veroff. Inst. Meeresforsch. Bremerh. Suppl.**, 5: 339-356. In: J. D. Miller and N. J. Whitney, 1981. Fungi from the Bay of Fundy II. Observations on fungi from living and cast seaweeds. **Bot. Mar.**, Vol. 24: 405-411.

Miller, J. D. and Whitney, N. J. 1981. Fungi from the Bay of Fundy II. Observations on fungi from living and cast seaweeds. **Bot. Mar.**, 24: 405-411.

✓ Mshigeni, K. E. 1987. Marine algal resources of Seychelles: A survey of the species occurring on the islands and an assessment of their potential for agriculture, commerce, phycocolloid industry and other uses. **CSC Technical Publication Series**, No. 196-CSC(87)EPP-7.

Muller, D. G., Kawai, H., Stache, B. and Lanka, S. 1990. A virus infection in the marine brown alga *Ectocarpus siliculosus* (Phaeophyceae). **Bot. Acta** 103: 72-82.

Muller, D. G., and Frenzer, K. 1993. Virus infections in three marine brown algae: *Feldmannia irregularis*, *F. simplex* and *Ectocarpus siliculosus*. **Hydrobiologia** 260/261: 37-44.

Muller, D. G. 1996. Host-virus interactions in marine brown algae. **Hydrobiologia** 21: 21-28.

- Naganuma, T., Coury, D., Polne-Fuller, M., Giba, A. and Horikoshi, K. 1993. Characterisation of agarolytic *Microscilla* isolates and their extracellular agarases. **Syst. and Appl. Microbiol.**, 16: 183-190.
- Nielsen, R. and McLachlan, J. 1986. Investigation of the marine algae of Nova Scotia. XVI. The occurrence of small green algae. **Can. J. Botany** 64: 808-814.
- Norambuena, R. 1996. Recent trends of seaweed production in Chile. **Hydrobiologia** 326/327: 371-379.
- Ohno, M. and Critchley, A. T. 1993. **Seaweed Cultivation and Marine Ranching**. Japan International Fisheries Training Center. Japan International Cooperation Agency. 1st. ed.
- Pedersen, M., Collen, J., Abrahamsson, K., Mtolera, M., Semesi, A. and Garcia-Reina, G. 1995. Non-infectious diseases. Abstract from **Int. Seaweed Symp.**, 15: 188
- Peters, A. F. and Schaffelke, B. 1996. *Streblonema* (Ectocarpales, Phaeophyceae) infection in the kelp *Laminaria saccharina* (Laminariales, Phaeophyceae) in the western Baltic. **Hydrobiologia** 326/327: 111-116.

Phang, S. M. and Maheswary, V. 1989. Phycocolloid content of some Malaysian seaweeds. **12th. Ann. Sem. Malaysian Society of Marine Sciences**, Nov 1989.

Phang, S. M. 1994. Some species of *Gracilaria* from Peninsular Malaysia and Singapore. In: I. A. Abbott (ed.). **Taxonomy of economic seaweeds with reference to some Pacific and Western Atlantic species. Vol. IV.** California Sea Grant College, California., pp.125-133.

Phang, S. M. 1998. The Seaweed Resources of Malaysia. In: A. T. Critchley & M. Ohno (eds.). **Seaweed Resources of the World.** Kanagawa International Fisheries Training Centre. Japan International Cooperation Agency. pp. 79-91.

Pizarro, A. and Santelices, B. 1993. Environmental variation and large-scale *Gracilaria* production. **Hydrobiologia** 260/261: 357-363.

Polne-Fuller, M. and Gibor, A. 1987. Microorganisms as digestors of seaweed cell walls. **Hydrobiologia** 151/152: 405-409.

Prescott, G. W. 1962. **Algae of the Great Western Lakes Area.** W. M. C. Brown Company Publishers. Iowa.

- Pugh, G. J. F. 1962. Studies on fungi in coastal soils II. Fungal Ecology of developing salt marsh. **Trans. Br. Mycol. Soc.**, 45: 560-566.
- Pugh, G. J. F. 1974. Fungi in intertidal regions. **Veroff. Inst. Meeresforsch. Bremerh. Suppl.**, 5: 403-418. In: J. D. Miller and N. J. Whitney, 1981. Fungi from the Bay of Fundy II. Observations on Fungi from Living and Cast Seaweeds. **Bot. Mar.**, 24: 405-411.
- Put-Ang, Jr. 1995. Disease and Predation in Seaweed Farms. In: **Lecture Notes from Training Course on the Identification and Culture of Commercially Important Seaweed**. 30 July- 2 August, University of Malaya, Kuala Lumpur.
- Quatrano, R. S. and Caldwell, B. A. 1978. Isolation of a unique marine bacterium capable of growth on a wide variety of polysaccharides from macroalgae. **Appl. Envir. Microbiol.**, 36: 979-981.
- Raghukumar, C., Nagarkar, S. and Raghukumar, S. 1992. Association of thraustochytrids and fungi with living marine algae. **Mycol. Res.**, 96(7): 542-546.

- Ramaiah, N. and Chandramohan, D. 1992. Densities, cellulases, alginate and pectin lyases of luminous and other heterotrophic bacteria associated with marine algae. **Aquat. Bot.**, 44: 71-81.
- Raper, K. B. and Thomson, C. 1968. **A manual of the *Penicillia***. Hafner. New York.
- Rawlence, D. J. 1972. An ultrastructural study of the relationship between rhizoids of *Polysiphonia lanosa* (L.) Tandy (Rhodophyceae) and tissue of *Ascophyllum nodosum* (L.) Le Jolis (Phaeophyceae). **Phycologia** 11: 279-290.
- Rawlence, D. J. and Taylor, A. R. A. 1972. A light and electron microscopic study of rhizoid development in *Polysiphonia lanosa* (L.) Tandy. **J. Phycol.**, 8: 15-24.
- Renn, 1984. Agar and agarose: indispensable partners in biotechnology. **Ind. Eng. Chem. Prod. Res. Dev.**, 23, 17-21.
- Ruger, H. J. and Krambeck, H. J. 1994. Evaluation of the BIOLOG substrate metabolism system for classification of marine bacteria. **Syst. and Appl. Microbiol.**, 17: 281-288.

Ryther, J. H., DeBoer, J. A. and Lapointe, B. E. 1979. Cultivation of seaweeds for hydrocolloids, waste treatment and biomass for energy conservation.

Proc. Int. Seaweed Symp., 9: 1-6.

Sand-Jenssen, K., Revsbech, N. P. and Barker-Jorgensen, B. 1985. Microprofiles of oxygen in epiphyte communities on submerged macrophytes. **Mar. Biol.**, 89: 55-62.

✓ Santelices, B. and Doty, M. S. 1989. A Review of *Gracilaria* farming. **Aquaculture**, Vol. 78: 95-133.

✓ Santelices, B. and Lopehandia, J. 1981. Chilean seaweed resources: a quantitative review of potential and present utilisation. **Proc. Int. Seaweed Symp.**, 10: 725-730.

✓ Santelices, B. and Ugarte, R. 1987. Production of Chilean *Gracilaria*: problems and perspectives. **Hydrobiologia** 151/152: 295-299.

Santelices, B. and Ugarte, R. 1990. Ecological differences among Chilean populations of commercial *Gracilaria*. **J. Appl. Phycol.**, 2: 17-26

Sarwar, G., Sakata, T. and Kakimoto, D. 1983. Isolation and characterization of carrageenan-decomposing bacteria from marine environment. **J. Gen. Appl. Microbiol.**, 29: 145-155.

Sasaki, M. and Sakurai, Y. 1972. Comparative observations on the growth among the five strains in *Phytium porphyrae* under the same cultural conditions. **Bull. Tohoku Regional Fish. Res. Lab.**, 32: 83-87.

Schaumann, K. and Weide, G. 1990. Enzymatic degradation of alginate by marine fungi. **Hydrobiologia** 204/205: 589-596.

Schramm, W. 1991. Cultivation of unattached seaweeds. In: M. D. Guiry and G. Blunden (eds.), **Seaweed Resources in Europe, Uses and Potential**. John Wiley and Sons. pp. 379.

Shaharuddin, S., Phang, S. M. and Sasekumar, A. 1994. Agar quality of *Gracilaria changii* extracted under various acid and alkali treatments. In: Phang *et al.* (eds.), **Algal Biotechnology in the Asia-Pacific Region**. University of Malaya, Kuala Lumpur. pp. 64-69.

Shang, Y. C. 1976. Economic aspects of *Gracilaria* culture in Taiwan. **Aquaculture** 8: 1-7.

- Sieburth, J. McN. 1971. An instance of bacterial inhibition in oceanic surface water. **Mar. Biol.**, 11: 98-100.
- Singh, R. P. 1982. **Plant Pathogens: The Fungi**. Oxford and Ibh Publishing Co. New Delhi.
- Smith, A. H., Nichols, K. and McLachlan, J. 1984. Cultivation of seamoss *Gracilaria* in St. Lucia, West Indies. **Hydrobiologia** 116/117: 249-251.
- Smith, G. 1969. **An Introduction to Industrial Mycology**. 6th. ed. Edward Arnold Ltd. London.
- Smith, K. M. 1974. **Plant Viruses**. 5th. ed. Chapman and Hall.
- Sparrow, F. K., Jr. 1960. In: Ann Gabor (ed.), **Aquatic Phycomycetes**. University of Michigan Press. 2nd. ed. p. 1187.
- Sturch, H. H. 1926. *Choreocolax polysiphoniae*, Reinsch. **Annals of Botany** 40: 585-605. In: J. H. Andrews. 1976. Pathology of Marine Algae. **Biol. Rev.**, 51: 211-253.

- Toth, R. and Wilce, R. T. 1972. Virus-like particles in the marine alga *Chorda tomentosa* Lyngbye (Phaeophyceae). **J. Phycol.**, 8: 126-130.
- Trono, G. C. Jr. and Ganzon-Fortes, E. T. 1988. **Philippine Seaweeds**. Metro Manila. Philippine.
- Tseng, C. K. (ed.).1983. **Common Seaweeds of China**. Science Press, Beijing, China.
- Tsukidate, J. 1983. On the systematic relationship between *Porphyra* species and attached bacteria and bacterial pathogen in white rot. **Bull. Nansei Reg. Fish. Res. Lab.**, 15: 29-96.
- Ugarte, R. and Santelices, B. 1992. Experimental tank cultivation of *Gracilaria chilensis* in central Chile. **Aquaculture** 101: 7-16.
- Umezaki, I. 1961. **The Marine Blue-Green Algae of Japan**. Kyoto University, Kyoto, Japan.
- Uyenco, F. R., Saniel, L. S. and Jacinto, G. S. 1981. The 'ice-ice' problem in seaweed farming. **Proc. Int. Seaweed Symp.**, 10: 626-636.

- Van Der Meulen, H. J., and Harder, W. 1976. Characterisation of neoagarotetrase and neoagarobiase of *Cytophaga flevensis*. **J. Microbiol. Serol.**, 40: 329-346.
- Van Etten, J. L., Lane, L. C. and Meints, R. H. 1991. Virus and virus-like particles of eukaryotic algae. **Micobiol. Rev.**, 55: 586-620.
- Weinberger, F., Friedlander, M. and Gunkel, W. 1994. A bacterial facultative parasite of *Gracilaria conferta*. **Dis. Aquat. Orgs.**, 18: 135-141.
- West, J. A., Smith, C. M. and McBride, D. L. 1988. Observations on the marine unicellular endophyte *Chlorochytrium porphyrae* (Chlorophyceae). **Bot. Mar.**, 31: 299-305.
- Wheeler, W., Neushul, M. and Harger, B. 1981. Development of a coastal marine farm and its associated problems. **Int. Seaweed Symp.**, 10: 631-636.
- Womersley, H. B. S. 1996. **The Marine Benthic Flora of Southern Australia. Part 111A.** Richmond. S. Australia. pp. 43-72.

Wong, W. H., Goh, S. H. and Phang, S. M. 1994. Antibacterial properties of Malaysian seaweeds. In: Phang *et al* (eds.), **Algal Biotechnology in the Asia-Pacific Region**. University of Malaya. pp. 75-81.

Xia Bangmei and Abbott I. A. 1987. New species of *Polycavernosa* Chang & Xia (Gracilariaceae, Rhodophyta) from the western Pacific. **Phycologia** 26: 405-418.

Yamamoto, H. 1986. *Congracilaria babae* gen. et sp. nov. (Gracilariaceae), an adelphoparasite growing on *Gracilaria salicornia* of Japan. **Bull. Fac. Fish. Hokkaido Univ.**, 37: 281-290.

Yamamoto, H. 1991. Observations on the adelphoparasite *Congracilaria babae* Yamamoto (Gracilariaceae, Rhodophyta) of the Phillipines. **Jpn. J. Phycol.**, 39:381-384.

Yamamoto, H. and Phang, S. M. 1997. An adelphoparasite alga growing on *Gracilaria salicornia* from Malaysia. In: I. A. Abbott (ed.), **Taxonomy of economic seaweeds with reference to some Pacific and Western Vol. VI** . California Sea Grant College, California. pp. 91-96.

Yang, S. S., Wang, C. Y. and Wang, H. H. 1981. Seasonal variation of agar produced in Taiwan area. **Proc. Int. Seaweed Symp.**, 10: 737-742.

Yoshida, T. and Akiyama, K. 1979. *Streblonema* (Phaeophyceae) infection in the frond of cultivated *Undaria* (Phaeophyceae). **Proc. Int. Seaweed Symp.**, 9: 219-223

Yumoto, I., Ezura, Y. Kimura, T 1989a. Distribution of the *Alteromonas* sp., the causative agent of red-spots on the culture bed of makombu *Laminaria japonica*. **Nippon Suisan Gakk.**, 55: 453-462.

Yumoto, I., Yamaguchi, K., Yamada, K., Ezura, Y. and Kimura, T. 1989b. Relationship between bacterial flora and occurrence of the *Alteromonas* sp., the causative agent of red-spots on the culture bed of makombu *Laminaria japonica*, in the coastal area of Funka Bay, **Nippon Suisan Gakk.**, 55: 1907-1914.