

TABLE OF CONTENTS

| | Page |
|--|-------------|
| ACNOWLEDGEMENTS | ii |
| ABSTRACT | iv |
| ABSTRAK | vi |
| TABLE OF CONTENTS | viii |
| LIST OF TABLES | xiii |
| LIST OF FIGURES | xvi |
| LIST OF APPENDICES | xxii |
| 1. CHAPTER ONE: GENERAL INTRODUCTION | 1 |
| 1.1 ANIMAL DISTRIBUTION AND ABUNDANCE | 1 |
| 1.1.1 Fish | 5 |
| 1.1.2 Macroenthos | 13 |
| 1.2 RAINFALL | 21 |
| 1.3 CURRENTS AND TIDES | 22 |
| 1.4 WATER PARAMETERS | 23 |
| 1.4.1 Temperature | 23 |
| 1.4.2 Salinity | 25 |
| 1.4.3 Turbidity | 27 |
| 1.4.4 Dissolved Oxygen | 28 |
| 1.4.5 pH | 30 |
| 1.4.6 Depth | 31 |
| 1.5 BOTTOM AND SEDIMENT CHARACTERISTICS | 32 |
| 1.5.1 Sediment Texture and Characteristics | 32 |
| 1.5.2 Organic Matter Content | 33 |

| | | |
|---------|--|----|
| 1.5.3 | Fishing Impact | 35 |
| 1.6 | IMPORTANCE OF THE STUDY | 35 |
| 1.7 | AIMS OF STUDY | 37 |
| 2. | CHAPTER TWO: MATERIALS AND METHODS | 38 |
| 2.1 | FIELD SAMPLES | 38 |
| 2.1.1 | Study Area and Sampling Stations | 38 |
| 2.1.2 | Rainfall and Hydrology | 39 |
| 2.1.3 | Collection Of Fish and Macrobenthos | 41 |
| 2.1.4 | Water Parameters | 42 |
| 2.1.5 | Sediment Collection | 42 |
| 2.2 | LABORATORY ANALYSIS | 43 |
| 2.2.1 | Sediment Analysis | 43 |
| 2.2.2 | Sorting and Identification Of Fish and Macroinvertebrates | 44 |
| 2.3 | DATA ANALYSIS | 45 |
| 2.3.1 | Multivariate Analysis | 45 |
| 2.3.1.1 | Sediments and Water Parameters | 47 |
| 2.3.1.2 | Fish and Macroinvertebrate Distribution | 47 |
| 2.3.1.3 | Cluster Analysis | 49 |
| 2.3.1.4 | Community Structure | 50 |
| 2.3.1.5 | Fish and Macroinvertebrate Species Abundance in Relation to Abiotic Variables | 51 |
| 3. | CHAPTER THREE: RESULTS | 52 |
| 3.1 | RAINFALL AND HYDROLOGY | 52 |
| 3.2 | WATER PARAMETERS | 52 |
| 3.2.1 | Temperature | 52 |

| | |
|---|-----|
| 3.2.2 Salinity | 54 |
| 3.2.3 Turbidity | 54 |
| 3.2.4 Dissolved Oxygen | 54 |
| 3.2.5 pH | 55 |
| 3.2.6 Depth | 55 |
| 3.3 BOTTOM AND SEDIMENT CHARACTERISTICS | 55 |
| 3.3.1 Comparison Between Coulter Particle Sizing Method and Hydrometer Method | 55 |
| 3.3.2 Sediment Texture and Characteristics | 60 |
| 3.3.3 Sediment Parameters | 61 |
| 3.4 MULTIVARIATE ANALYSIS | 66 |
| 3.4.1 Sediment and Water Parameters | 66 |
| 3.5 DISTRIBUTION AND ABUNDANCE OF FISH AND MACROBENTHOS | 70 |
| 3.5.1 Fish | 70 |
| 3.5.1.1 Demersal Fish | 72 |
| 3.5.1.1.1 Sciaenidae | 82 |
| 3.5.1.1.2 Leiognathidae | 87 |
| 3.5.1.1.3 Ariidae | 90 |
| 3.5.1.1.4 Dasyatidae | 94 |
| 3.5.1.1.5 Cynoglossidae | 96 |
| 3.5.1.1.6 Gerridae | 96 |
| 3.5.1.1.7 Mullidae | 99 |
| 3.5.1.1.8 Platycephalidae | 99 |
| 3.5.1.1.9 Pomadasyidae | 103 |
| 3.5.1.1.10 Siganidae | 103 |

| | | |
|------------|---|-----|
| 3.5.1.1.11 | Ambassidae | 106 |
| 3.5.1.1.12 | Dorosomidae | 106 |
| 3.5.1.1.13 | Sillaginidae | 109 |
| 3.5.1.1.14 | Trichuridae | 109 |
| 3.5.1.1.15 | Trygonidae | 109 |
| 3.5.1.1.16 | Trypanchenidae | 113 |
| 3.5.1.2 | Pelagic fish | 113 |
| 3.5.1.2.1 | Carangidae | 123 |
| 3.5.1.2.2 | Engraulididae | 127 |
| 3.5.1.2.3 | Clupeidae | 130 |
| 3.5.1.2.4 | Stromatidae | 133 |
| 3.5.1.2.5 | Polynemidae | 133 |
| 3.5.2 | Macroinvertebrates | 138 |
| 3.5.2.1 | Prawns | 138 |
| 3.5.2.2 | Crabs (including Xiphosuran – horse shoe crab) | 146 |
| 3.5.2.3 | Stomatopoda | 150 |
| 3.5.2.4 | Cephalopoda | 155 |
| 3.5.2.5 | Echinodermata | 158 |
| 3.6 | SPECIES DIVERSITY AND SIMILARITY | 161 |
| 3.7 | RELATIONSHIP BETWEEN ABUNDANCE OF SPECIES AND ENVIRONMENTAL FACTORS | 163 |
| 3.7.1 | Demersal fish | 167 |
| 3.7.2 | Pelagic fish | 171 |
| 3.7.3 | Prawns | 175 |
| 3.7.4 | Crabs | 178 |

| | |
|--|------------|
| 3.7.5 Cephalopoda, Stomatopoda, and Echinodermata Species | 182 |
| 4. CHAPTER FOUR: DISCUSSION | 186 |
| 4.1 WATER PARAMETERS OF KLANG STRAIT | 186 |
| 4.2 SEDIMENT TYPE AND DISTRIBUTION IN KLANG STRAIT | 186 |
| 4.3 ANIMAL DISTRIBUTION AND ABUNDANCE | 188 |
| 4.4 RELATIONSHIP BETWEEN ABIOTIC FACTORS AND ANIMAL DISTRIBUTION IN KLANG STRAIT | 191 |
| 5. CHAPTER FIVE: CONCLUSIONS | 197 |
| 6. REFERENCES | 201 |
| 7. APPENDICES | 223 |