

REFERENCES

- Abeliovich, A. and Azov, Y. (1976). Toxicity of ammonia to algae in sewage oxidation ponds. *Appl. Environ. Microbiol.* **31**: 801.
- Abeliovich, A. (1980). Factors limiting algae growth in high rate oxidation ponds. In: Shelef, G. and Soeder, C.J. (eds.). *Algae Biomass*. Elsevier/North Holland Biomedical Press, Amsterdam, pp: 205.
- Abeliovich, A. (1983). The effects of unbalanced ammonia and BOD concentrations on oxidation ponds. *Water Res.* **17**: 299.
- Abeliovich, A. (1986). Algae in wastewater oxidation ponds. In: Richmond, A. (eds.) *CRC Handbook of Microalgal Mass Culture*. CRC Press, Boca Raton, pp: 331-338.
- Adam, D. R., Mark,H. Sid, H., Paul, P. and John, M.(2001). The successful demonstration of aerobic landfilling. The potential for a more sustainable solid waste management approach. *Journal of Resources, Conservation and Recycling*. **32**(2), pp:115-146.
- Adan, B. and Lee, E.W. (1980). *High rate algae growth pond study under tropical conditions* (abstract). Wastewater Treatment and Resources Recovery (IDRC-154e). Ottawa: International Development Research Centre. pp:42
- Agamuthu, P. (1999). *Malaysia Journal of Science*. **18**: 99-103
- Agamuthu, P. (2001) *Solid Waste : Principles and Management*. University Malaya.
- Agamuthu, P. and Nather Khan,(1997), *Effective Solid Waste Management*. Ecotone Management Sdn Bhd.
- Allen, M.D.B and Garrett, M.K. (1977). Bacteriological changes accruing during the culture of algae in the liquid phase of animal slurry. *J. Appl. Bacteriol.* **42**: 27-43.
- Ames, M. and Wayne, S.J.(2002).*A Review of Factors Affecting Plant Growth*. University of Nevada, Reno.
- Angelo Chianese, Rolando Ranauro and Nicola Verdone, (1999). Treatment of landfill leachate by reverse osmosis. *Journal of Water Research*, **33**(3) : 647-652.
- APHA, AWWA, WPCF (American Public Health Association.American Waterworks Association. Water Pollution Control Federation).(1998). *Standard methods for the examination of water and wastewater*. 18th ed. Madrid:Diaz de Santos.
- Apt, K.E. and Paul, B.W. (1999). Commercial development in microalgal biotechnology. *J. Phycol.* **35**: 215-226.
- ASTM. (1993). Standard guide for conducting Renewal life-cycle Toxicity Test with *Daphnia magna*. Method E1193-87. In: *Selected ASTM Standards Related to Algae Studies*. **1**. Philadelphia, Pennsylvania.

- Ayala, F., Vargas, T. and Cardena, A. (1988). Chilean experiences on microalgae culture. In : Stadler, T., Mollion, J., Verdus, M.C., Karamanos, Y., Morvan, H. and Christiaen, D. (eds). *Biotechnology*. Elsevier Applied Science. p229-236.
- Azov, Y. (1982). Effect of pH on inorganic carbon uptake in algal cultures. *Applied and Environmental Microalgae*. 43 : 1300-1306.
- Azov, Y. and Goldman, J.C. (1982). Free ammonia inhibition of algal photosynthesis in intensive cultures. *Appl. Env. Microbiol.* 43: 735-739.
- Bae, Jae-Ho, Kim, Sang-Keun and Chang, Hyun-Sik. (1997). Treatment of landfill leachates : ammonia removal via nitrification and denitrification and further COD reduction via Fenton's treatment followed by activated sludge. *Journal of Water Science & Technology*, 36(12) : 341-348.
- Barlaz, A.M. and Ham, K.(1993). *Leachate and Gas Generation-Geotechnical Practice for Waste Disposal*. Chapman and Hall.
- Becker, E.W. (1980). *Algae mass cultivation-Production and utilization*
- Bernard, J.N. and Richard, T.W. (1996). *Environmental Science*. 5th ed. Prentice Hall International, Inc.
- Blankey,N.C. and Maris,P.J (1987). *On site leachate management-Anaerobic processes*: ISWA-International Sanitary Landfill Symposium, Cagliari.
- Borowitzka, M.A. & Borowitzka, L.J. (1988).Dunaliella. In Borowitzka, M.A. & L.J.Borowitzka (eds.). *Microalgal Biotechnology*. Cambridge University Press. Cambridge. Pp: 27-58.
- Borowitzka, M.A. & Borowitzka L.J. (1989). Industrial production: methods and economics. In: Cresswell RC, Rees TAV, Shah N (eds.). *Algal and Cyanobacterial Biotechnology*, Longman Scientific & Technical, USA. Pp: 294-313.
- Bruce.A.M, Colin. F & Newman. P.J;(1989). *Treatment of Sewage Sludge*, pp: 80-91.
- Campbell,D.J. (1982). *Absorptive capacity of refuse. Symposium on landfill leachate*, Harwell Laboratory.
- Chian, E.S.K and DeWalle, F.B. (1976). *Compilation of Methodology for measuring Pollutational Parameters of Landfill Leachates USEPA-600/3-75-001*. Cincinnati, Ohio.
- Chiang, Li-Choung, Chang Juu-En and Wen Ten-Chin, (1995). Indirect oxidation effect in electrochemical oxidation treatment of landfill leachate. *Journal of water research*, 29(2), pp: 671-678.
- Chui, Y.Y. (1993). *Heterotrophic growth of Chlorella vulgaris*. M. Biotechnology Thesis. Institute of Advanced Studies, University of Malaya, Kuala Lumpur.

Clair, N. S., Perry, L.M. and Gene, F.P. (1994). *Chemistry for Environmental Engineering*. 4th ed. McGraw-Hill, Inc.

Cohen, Z., Reungjitchawali, M., Siangdung, W. and Tantichareon, M. (1993). Production and partial purification of gamma linolenic acid and some pigments from *Spirulina platensis*. *J. appl. Phycol.* 5: 109

Cohen, Z. (1997). The chemicals of Spirulina. In: Vonshak, A. (ed.). *Spirulina platensis (Arthrospira) Physiology, Cell Biology and Biotechnology*. Taylor and Francis, London. pp; 175-204.

Craig, D.M. and Keith, D.J.(1995). The use of extended aeration and in series surface-flow wetlands for landfill leachate treatment. *Journal of Water Science & Technology*, Vol. 32(3), pp: 119-128.

Crormar, N.J. and Fallowfield, H.J. (1992). Separation of components of the biomass from high rate algal ponds using Percoll® density gradient centrifugation. *J. Appl. Phycol.* 4 : 31-37.

David C. Wilson, (1981), *Waste Management Planning, Evaluation, Technologies*, Clarendon Press Oxford, pp: 9-12.

Debra,R.Reinhart and Timothy,G.Townsend. (1998), *Landfill bioreactor Design & Operation*, Lewis Publishers

Department of Environment, Ministry of Science, Technology and the Environment Malaysia (DOE). (2000), *Malaysia Environmental Quality Report 2000*.

De Pauw, N., Verlet, H. and De Leenheer, L. (1980). Heated and unheated outdoor cultures of marine algae with animal manure. In: Shelef, G. and Soeder, C.J. (eds.). *Algae Biomass*. Elsevier/North Holland Biomedical Press, Amsterdam. pp: 315-341.

De Pauw & Persoone, G. (1998). Microalgae for aquaculture. In: *Microalgal Biotechnology*. M.A.Borowitzka & L. Borowitzka(eds.) Cambridge Univ. Press, Cambridge. Pp 197-221.

Dodd, J.C. and Anderson, J.L. (1977). An integrated high-rate ponds algae harvesting system. *Progress of Water Technology*. 8: 713-726.

Dodd, J.C. (1986). Elements of design and construction. In: Richmond, A. (eds.). *Handbook of Microalgal Mass Culture*. CRC Press, Boca Raton, FL. pp: 256-263.

Dor, I. (1980). Effect of the green algae isolated from wastewater on the activity of sewage bacteria. In: Shelef, G., Soeder, C.J. (eds.) *Algal Biomass*. Elsevier/North Holland Biomedical Press, Amsterdam. pp: 431-435.

Dor, I. and Svi, B. (1980). Effect of heterotrophic bacteria on the green algae growing wastewater. In: Shelef, G., Soeder, C.J. (eds.) *Algal Biomass*. Elsevier/North Holland Biomedical Press, Amsterdam. pp: 421-429.

Edwards, P. (1980). A review of recycling waste into fish with emphasis on the tropics. *Aquaculture*. 21: 261-279.

Edward, P., Sinchumpasak, O. and Quano, E.D.O. (1980). A study of a sewage fed high rate stabilization pond in Thailand. Wastewater Treatment and Resource Recovery. Report of a workshop on high-rate algae ponds. IDRC. p154.

Edwards, P. and Sinchumpasak, O. A. (1981). The harvest of microalgae from the effluent of a sewage fed high rate stabilization pond by *Tilapia nilotica*. *Aquaculture*. 23: 149-170.

Ehrig, H.J.(1983). *Quality and quantity of sanitary landfill leachate*, Waste Management & Research, pp:1,1,53-68

Emcone Associate (1982). *Methane Production and Recovery from landfills*. Ann Arbor Science.

Eric, E.C., Paul, K.S., George, B. and Roy, H.D.(1995). Outline of Biochemistry. 5th ed. John Wiley & Sons, Inc. New York.

Farvolden, R.N. (1994). *Hydrogeologic aspects of solid waste disposal*.

Fettig, J., Stapel,H., Steinert, C. and Geiger, M.,(1996). Treatment of landfill leachate by preozonation and adsorption in activated carbon columns. *Journal of Water Science & Technology*, 34 (9), pp:33-40.

Fontes, A.G., Vargas, M.A., Moreno, J., Guerrero, M.G. and Losada, M. (1987). Factors affecting the production of biomass by a nitrogen-fixing blue-green alga in outdoor culture. *Biomass*. 13: 33-43.

Forsberg, C. (1976). Nitrogen and Phosphorus as algal growth-limiting nutrients in waste-receiving waters. In: Harvesting Polluted Waters-Waste Heat and Nutrient Loaded Effluent in Aquaculture, ed. O.Devik. Plenum Press, New York. pp: 27-38.

Geetha, K., Phang,S.M, Blakebrough, N. and Hashim, M.A. (1991). Algal Production in a High-rate Algal Pond System for Rubber Effluent Treatment. IAWPRC International Conference on Appropriate Waste Management Technologies, eds. Ho, G. and Mathew, K., pp. 43-46.

Geetha, K., Phang,S.M, Blakebrough, N. and Hashim, M.A.(1992). Rubber Effluent Treatment in a High-rate Algal Pond System.First Asia-Pacific Conference on Algal Biotechnology, University of Malaya, January 1992. Proceedings in Press.

Geetha, K., (1992). *Algal production in a High Rate Algal Pond treating rubber effluent*. M. Biotechnology Thesis. Institute of Advanced Studies, University of Malaya, Kuala Lumpur.

Genedebian, A., Pauwels, M., Constant, M., Willumsen, H.C., Buston, J., Fabry, R., Ferrero, G.L. and Nuns, E.J. (1991). Landfill gas, from environment to energy. State of the art in the European Community contex. In: *Biogas disposal and utilization*,

choice of materials and quality control, landfill completion and aftercare.
Environmental Monitoring. Third International Landfill Symposium Sardinia, pp. 69-76.

George, M., Edward, A.M., and Frank, R. (1999). *Constructed Wetlands for the Treatment of Landfill leachates*. CRS Press LLC.

Gerber, A., Mostert, E.S., Winter, C.T and de Villiers, R.H. (1986). *Water Sci. Tech.*, 19, 183

Gideon, O., Shelef, G., Levi, A., Meydan, A. and Azov, Y, (1979). Algae/ bacteria ratio in High rate Ponds Used for waste treatment. *Appl. Env. Microbiology*. 38: 570-576.

Goldman, J.C. (1979). Outdoor mass culture-I. Application. *Water Res.* 13: 1-9.

Grobbelaar, J.U. and Soeder, C.J. (1985). Respiration losses in green algal cultivated in raceway ponds. *J. Plankton Res.* 7: 497.

Graham, L.E., and Wilcix, L.W. (2000). *Algae*. Prentice Hall, Inc.

Grobbelaar, J.U. (1993). Turbulence in mass algal cultures and the role of light/dark fluctuation. In: J. Masojidek & I. Setlik (eds.). *Book of abstracts for 6th International Conference on Applied Algology Microorganisms*. pp: 3.

Grobbelaar, J.U. (1994). Turbulence in mass algal cultures and the role of light/dark fluctuations. *J. appl. Phycol.* 6: 331-335.

Guillart, R.R.L. (1973). Division rate. In: Tanbier, J. and Pierson, R.W. (eds.). *Handbook of Phycological Culture Methods and Growth Measurements*.

Hartman, H.T., Flocker, W.J. and Kofrack, A.M. (1981). *Plant Science Growth, Development and Utilization of Cultivated Plants*. Prentice-Hall, Inc. pp. 676.

Henry, J.G.(1985). In Proceeding of International Conference on New Directions and Research in *Waste Treatment and Residuals Management*. University of British Columbia, Vancouver, BC, Canada. 1,139.

Honglay Chen Paris (1996), Assessment of leachates from sanitary landfills : impact of age, rainfall and treatment, *Abstract-Journal-Environment International*, 22 (2), 2, pp: 225-237

IEM/ICE (1994). Conference on solid wastes management system, The institution of Engineers, Malaysia.

Janick, J. (1979). *Horticulture Science*, W.H. Freeman and Company, San Francisco. pp. 608.

Jans, J.M., Van der Schroeff,A. and Jaap,A,(1987). *A treatment concept for leachate from sanitary landfills*. ISWA-International Sanitary Landfill Symposium, Cagliari.

Jeanfils, J. Canisius, M.F., Burlion, N. (1993). Effect of high nitrate concentrations on growth and nitrate uptake by free-living and immobilized *Chorella vulgaris* cells. *J. Appl. Phycol.* **5**: 369-374.

Kaplan, A. (1981). Photosynthethic response to alkaline pH in *Anabaena variabilis*. *Plant physiol.* **67**: 201-204.

Kawaguchi, K. (1980). Microalgae production systems in Asia. In Shelef, G. and Soeder, C.J. (eds). *Algae Biomass: Production and use*. Elsevier/North-Holland Biomedical Press, pp. 25.

Keenan, J.D., Steiner, R.L. and Fungaroli, A.A. (1983). Chemical-Physical leachate Treatment. ASCE. *Journal Env. Eng. Div.* **109**: 1371-1384.

Kim, Soo-M., Geissen Sven-U. and Alfons Vogelpohl. (1997). Landfill leachate treatment by a photoassisted fenton reaction. *Journal of Water Science & Technology*, **35(4)**, pp: 239-248.

Kristina Linde, Ann-Sofi Jonsson and Roland Wimmer-Stedt, (1995). Treatment of three types of landfill leachate with reverse osmosis. *Journal of Desalination*, **101(1)**, pp: 21-30.

Laws, E.A., Terry, K.L., Wickman, J. and Chalup, M.S. (1983). A simple algal production system designed to utilize the flashing light effect. *Biotechnol. Bioeng.* **25**: 2319.

Lee, B.Y., Lee, K.W., McGarry, G. and Graham, M. (1980). *Waste Treatment and Resource Recovery*, IDRC-154e, 47p.

Lee, H.L., Chen, T.W., Teo, L.H. and Shim, K.F. (1983). Culture of *Moina* sp. with waste materials. In: Proceedings of the 2nd workshop on Technology of Animal Feed Production Utilizing Food waste materials, Singapore. pp: 207-222

Lee, Y.K. (1997). Commercial production of microalgae in the Asia-Pacific rim. *J. Appl. Phycol.* **9** : 403-411.

Lincoln, E.P. and Hill, D.T. (1980). An integrated microalgae system. In: Shelef, G. and Soeder, C.J. (eds.). *Production and use of microalgae biomass*. North/Holland Biomedical Press. Elsevier Press, Amsterdam.

Lincoln, E.P. and Hall, T.W. (1981). *Critical factors in the large scale production of microalgae*. Presented at the Workshop on waste treatment and nutrient recovery from High rate algae ponds, Singapore, 27-29 February 1980.

Lotter, L.H.(1984). *Water Sci. Tech.* **17**(11/12), 127.

Loukidou, M.X. and Zouboulis, A.I. (2000), Comparison of two biological treatment processes using attached growth biomass for sanitary landfill leachate treatment. *Journal of Environmental Pollution*, **13(2)**, pp: 273-281.

Mantell,C.L. (1975). *Solid Waste: Origin, Collection, Processing & Disposal*

- Martin,A.M. (1991). *Biological degradation of waste*. pp: 207-230.
- Marttinen, S.K., Kettunen, R.H., Sormunen, K.M., Soimasuo, R.M. and Rintala, J.A.,(2002). Screening of physical-chemical Methods for removal of organic material, nitrogen and toxicity from low strength landfill leachate. *Journal of Chemosphere*, **1**, 46(6), pp: 851-858.
- Martinez, F. Avendano, M.C., Marco, E., Isabel-Orus, M. (1987). Algal population and auxotrophic adaptatipn in a sugar refinery wastewaer environment. *J. Gen. Appl. Microbiol.* **33**: 331-341.
- Massoud P., Varadarajan R., Badri, N., Badriyha and Kim S.H., (1996). Hybrid membrane filtration process for leachate treatment. *Journal of Water Research*, **30**(11), pp:2691-2706.
- Mastalerz, J.W. (1977). *The Greehouse Environment*. John Wiley and Sons. Pp.629.
- McGarry, M.G. and Tongkasame, C. (1971). Water Reclamation and Algae Harvesting. *J. Wat. Pollut. Control Fed.* **43**: 824.
- Miah, M.S. (2001). *Spirulina biomass production in High Rate Algal Ponds treating sago starch factory wastewater*. PhD. Thesis, Institute of Postgraduate Studies, University of Malaya.
- Nichols, H.W. and Bold, H.C. (1965). *Trichorsarcira polymorpha* gen. Et sp. nov. *J. Phycol.* **1**: 34-38.
- Nigel, J. Horan, Paul Lowe, Stentiford, ED.I.,(1991). *Nutrient Removal from Wastewater*.
- Norberg-King, T.J. (1993). Alinear interpolation method for sublethal toxicity : The inhibition concentration (ICP) Approach (Version 2.0). U.S. Environmental Protection Agency. Environmental Research Laboratory, Duluth, MN. Tech. Report 03-93 of the National Effluent Toxicity Assessment Center, 39pp.
- Nordin Ab. Kadir Bakti and Mohd Zin Ab. Karim. (1989). "Treatment of rubber effluent with high rate algal pond.". *J.Nat.Rubb.Res.* **4** (3), 179-185.
- Oswald, W.J. and Gotaas, H.B. (1957). Photosynthesis in sewage treatment. *Trans. Am. Soc. Civ. Eng.* **122**: 73-105.
- Oswald,W.J., H.B.Gotaas, C.G.Golueke & W.R.Kellen (1957). Algae in wastewater treatment. *Sewage and Industrial Wastes*. **29**: 437-457.
- Oswald, W.J. (1991). Algal pond system-habitats. In: Borowitzka, M.A. and Mathew, K. (eds.). *Proc. of a seminar on waſte treatment by algal cultivation*. pp: 61-69
- Owens, S. and Owens, P.L. (1991). Environment, Resources and Conservation. Cambridge Univ. Press, Cambridge, U.K. pp: 24-25.

Phang, S.M. (1990). Research on algal production from agro-industrial and agricultural wastes in Malaysia. *Ambio*. **19**: 415-418.

Phang, S.M. (1991). The Use of Microalgae to Treat Agro-indusrial Wastewaters. Proceedings Seminar on Waste Treatment by Algal Cultivation, eds. Borowitzka, M.A. and Mathew, K., Murdoch University, pp. 21-26.

Phang, S.M., Lee, Y.K., Borowitzka, M.A. and Whitton, A.B. (1994). *Algal Biotechnology in the Asia-Pasific Region*: Proc. Of the first Asia-Pacific Conf. Institute of Advanced Studies, University of Malaya, Kuala Lumpur. 29-31 January, 1992.

Phang, S.M. (1995). Algal Ponding Systems. p205-219 In: Sastry, C.A., Hashim, M.A., Agamuthu, P. (eds). *Waste Treatment Plants*. Narosa Publishing House.p257.

Phang, S.M., Miah, M.S., Yeoh, B.G. and Hashim, M.A. (2000). Spirulina cultivation in digested sago starch factory wastewater. *J. appl. Phycol.* **12**: 395-400.

Phang, S.M., Chui, Y.Y., Geetha, K., Susila, J. and Hashim, M.A. (2001). High Rate Algal Ponds for treatment of wastewater. A case study for the rubber industry. In: Kojima, H. and Lee, Y.K. (eds.). *Photosynthetic microorganisms in environmental Biotechnology*. Springer-verlag Hong Kong. pp: 51-76.

Pohland, F.G. (1976). Landfill Management with Leachate Recycle and Treatment: An Overview. Proceedings Research Symposium, Rutgers University, USEPA-600/9/-76-004, pp: 159-167.

Reeves, T.G. (1972). Nitrogen removal: a literature review. *J. Wat. Pollut. Cont. Fed.* **44**: 1895-1908.

Richmond, A and Grobbelaar, J.U. (1986). Factors affecting the output rate of *Spirulina platensis* with reference to mass cultivation. *Biomass*. **10** : 253-264.

Richmond,A.E. (1986).Microalgal culture. *Biotechnology*. **4**: 369-438.

Richmond, A. and Hu, Q. (1997). Principle for efficient utilization of light for mass production of photoautotrophic microorganisms. *Appl. Biochem. and Biotech.* **63**:649-658.

Ridhuan, M.I. (1995). Sanitary landfill development in Malaysia. Paper presented at a short course on "Practicality of Landfill Design". School of Civil Engineering, USM.

Robinson, H.D. (1985). In Proceeding of International Conference on New Directions and Research in *Waste Treatment and Residuals Management*. University of British Columbia, Vancouver, BC, Canada. 1,166.

Ruttner, F. (1963). Fundamentals of Limnology. Univ. Toronto Press., Toronto, Ont., 295 pp.

Samina, H.(1999).*Bioaccumulation and Toxicity Studies on Heavy metals in Ankistrodesmus convolutes CORDA*. M. Phil. Thesis. IPSP, University of Malaya.

Sassaon, A. (1991). Cultures of microalgae: achievements and prospects, Keynote address, presented at the Seminar and workshop on Mass cultures of microalgae, November, Silpakorn University, Thailand.

Sastray, C.A., Hashim, M.A., Agamuthu, P. (1995). *Waste Treatment Plants*. Narosa Publishing House.

Shelef, G., R. Moraine & G. Oron. (1978). Photosynthetic biomass production for sewage. *Arch. Hydrobiol. Beih. Ergebn. Limnol.* 11: 3-14.

Shelef, G., and Soeder, C.J. (1980). Algae biomass-production and use. Elsevier/North Holland Biomedical Press. *Amsterdam*: 852.

Shelef, G., Y. Azov. R. Moraine, E. Sandbank & G. Oron. (1980). Waste treatment and nutrients removal by high rate ponds wastewater treatment and resource recovery. *Report of a workshop on High Rate Algal Ponds, Singapore IDRC*, 154e.

Soeder, C.J. (1980). Massive cultivation of microalgae: results and prospects. *Hydrobiologia*. 72: 197-209.

Stegmann, R. (1980). In Proceeding of Leachate Management Seminar, University of Toronto, Ontario, November, pp:63.

Steiner, R.L., Keenan, J.E & Fungaroli, A.A., (1977). Demonstration of a leachate treatment plant-Interim report. Report prepared for USEPA, Office of Solid Waste, Washington, DC.

Tchobanoglous, G., Theisen, H. and Eliassen, R. (1993). *Solid Waste: Engineering Principles and Management Issues*. McGraw Hill Book Company, New York.

Tanticharoen, M. et al. (1992). 'The cultivation of Spirulina by using tapioca starch wastewater'. In: Goh, S.H. et al., eds., *Management and Utilization of Agricultural and Industrial Waste*, Univesity Malaya-Unesco Publ., pp. 136-140.

Thomas, W.H., Hastings, J. and Fujita, M. (1980). Ammonium input to the sea via large sewage outfalls. 2. Effects of ammonia on growth and photosynthesis of Southern California Phytoplankton Cultures. *Mar. env. Res.* 3: 291-296.

Todd, D.K. and Mc Nulty, D.E. (1976). Polluted Groundwater, Water Information Center, Inc. N.Y.

Torzillo, G., Sacchi, A., Materassi, R. (1991). Temperature as an important factor affecting productivity and night biomass loss in *Spirulina platensis* grown outdoors in tubular photobioreactors. *Bioresource Technol.* 38: 95-100.

Torzillo, G., and Vonshak, A. (1994). Effect of light and temperature on the photosynthetic activity of the cyanobacterium *Spirulina platensis*. *Biomass and Bioenergy*. **6** : 399.

Tracy, K.D. and Flammino, A. (1987) *Biological Phosphorus Removal from Wastewater*. Ed. R.Ramadori. Pergamon Press, London, p.15.

Trebouet, D., Schlumpf, J.P.; Jalonuen, P.; Quemeneur, F., (2001). Stabilized landfill leachate treatment by combined physicochemical nanofiltration processes. *Journal of water research*, **35(12)**, pp:2935-2942.

Tredici, M.R and Materassi, R.(1992). From open ponds to vertical alveolar panels: The Italian experience in the development of reactors for the mass cultivation of phototrophic microorganisms. *Journal of Applied Phycology*. **4**: pp 221-231.

Uloth, V.C., Mavanic, D.S. (1977). Aerobic Bio-Treatment of A High Strength Leachate, ASCE, *Journal of Env. Eng. Div.* **103**: 647-661.

Venkataraman, L.V. and Becker, E.W. (1984). Production and Utilization of the blue-green alga spirulina in India. *Biomass*. **4**:105-125.

Vesilind, P.A. and Peirce, J.J. (1983).*Environmental Pollution and Control*. 2nd ed. Ann Arbor Science.

Vonshak, A., Abeliovich, A., Boussiba, S., Arad, S. and Richmond, A. (1982). On the production of *Spirulina* biomass: effects of environmental factors and of the population density. *Biomass*. **2**: 175.

Vonshak, A. , and Richmond, A. (1988). Mass production of the blue-green algae *Spirulina*. *Biomass*. **15**: 233-247.

Vonshak, A. (1997). *Spirulina platensis (Arthrospira) Phycology, Cell Biology and Biotechnology*. Taylor and Francis, London. pp: 233

Wang, P., Lau, I.W., Fang,H.H.(2001). Landfill leachate treatment by anaerobic process and electrochemical oxidation, Abstract-*Journal of Huan Jing Ke Xue*, **22(5)** : 70-73

Warmer Bulletin, (2000). Waste strategy for England and Wales, Warmer Bulletin, J. of Sustainable Waste Management, No.73, July 2000, pp. 4-7.

Welander, U., Henrysson, T. and Welander, T.,(1998). Biological nitrogen removal from municipal landfill leachate in a pilot scale suspended carrier biofilm process, Abstract-*Journal Water Research*,**32(5)**, pp: 1564-1570.

Wolin, M.J. and Miller, T.L. (1985), *Biology of Industrial Microorganisms*, eds A.L. Demins and N.A. Solomon. Benjamin/ Cuming Publications, 189 – 221 pp.

Worldwide Landfills Sdn Bhd. (2001). The Air Hitam Sanitary Landfill pamphlet.

Wong, Y.S. and Tam, N.F.Y. (1997). *Wastewater Treatment with Algae*. Springer-Verlag Berlin Heidelberg New York.

Yoo, H.C., Cho, S.H., Ko, S.O.,(2001). Modification of coagulation and Fenton oxidation processes for cost-effective leachate treatment. *Journal of Environmental Science and Health*, **36**(1), pp: 39-48.

Zouboulis, A.I., Loukidou, M.X., Christodoulou,K., (2001), Enzymatic treatment of sanitary landfill leachate. Abstract-*Journal Chemosphere*, **44**(5), pp: 1103-1108.