

BIBLIOGRAPHY

- Abshire, K.Z.** and **Neidhart, F.C.** (1993). Analysis of proteins synthesised by *Salmonella typhimurium* during growth within a host macrophage. *J. Bacteriol.* 175: 3734- 3743.
- Afzalpurkar A** and **Gupta SK.** (1997). Identification of epitopes of monoclonal antibodies to porcine zona pellucida 3 beta glycoprotein, a homologue of the mouse/human sperm receptor. *Am J Reprod Immunol* 38(1): 26- 32.
- Altemeyer, R.M.,** Mc Nern, J.K., Bossio, J.C., Roshenshine, I., Finlay, B.B., Galan, J.E. (1993). Cloning and molecular characterization of a gene involved in *Salmonella* adherence and invasion of cultured epithelial cells. *Mol. Microbiol.* 7: 89- 98.
- Appassakij, H.,** Bunchuin, N., Sarasombath, S., Rungpitarangsi, B., Manatsathit, S., Komolpit, P. and Sukosol, T. (1987). Enzyme-linked immunosorbent assay for detection of *Salmonella typhi* protein antigen. *J. Clin. Microbiol.* 25: 273- 277.
- Aron, L.,** Faundez, G., Aguero, J., Fernandez-Beros, M.E., Gonzales, C., Cabello, F. (1993a). Humoral immune response to *Salmonella typhi* outer membrane proteins. In: Cabello *et al*, eds. *Biology of Salmonella*. New York: Plenum Press, pp. 237- 247.

- Aron, L.**, Faundez, G., Gonzalez, C., Rossler, E., Cabello, F. (1993b). Lipopolysaccharide- independent radioimmunoprecipitation and identification of structural and in vivo induced immunogenic surface proteins of *Salmonella typhi* in typhoid fever. *Vaccine* 11: 10-17.
- Ashcroft, M.T.**, Nicholson, C.C., Balwant, S., Ritchie, J.M., Sorvan, E. & William, F. (1967). A seven-year field trial of two typhoid vaccines in Guiana. *Lancet* 2: 1056- 1060.
- Atassi, M.Z.** (1984). Antigenic Structures of Proteins: Their determinataion has revealed important aspects of immune recognition and generated strategies for synthetic mimicking of protein binding sites. *Eur.J. Biochem.*145: 1- 20.
- Avendano, A.**, Herrera, I., and Horwitz, I., Duarte, E., Prenzel, I., Lanata, C.and Levine, M.L. (1986). Duodenal string cultures: Practicality and sensitivity in enteric fever. *J. Infect. Dis.* 153: 359- 362.
- Barlow, D.J.**, Edwards, M.S.,and Thornton, J.M. (1986). Continuous and discontinuous protein antigenic determinants. *Nature* 322: 747- 748.
- Bangsborg, J.M.**, Collins, M.T., Hoiby, N. and Hindersson,P. (1989). Cloning and expression of the *Legionella micdadei* "common antigen in *Escherichia coli*. *APMIS* 97: 14- 22.
- Beasley, W.J.**, Joseph, S.W., Blake, P.A. and Felley, J.C. (1982). Enzyme- linked immunosorbent assay for detection of *Salmonella typhi* Vi antigen in urine from typhoid patients. *J. Clin. Microbiol.* 15:235- 237.

- Beck, B.W.**, Campbell, C.G., Weens, H.S., et al. (1957). Salmonella osteomyelitis in patients with sickle cell anemia. *N. Eng. J. Med.* 257: 403-407.
- Beckmann, R.P.**, Mizzen, L.E. and Welch, W.J. (1990). Interaction of Hsp 70 with newly synthesized proteins: implications for protein folding and assembly. *Science* 248: 850- 854.
- Benjamin, D.C.**, Berzofsky, J.A., East, I.J., Gurd, F.R., Hannum, C., Leach, S.J., Margoliash, E., Michael, J.G., Miller, A., Prager, E.M. et al. (1984). The antigenic structure of proteins: a reappraisal. *Annu Rev Immunol* 2: 67- 101.
- Berzofsky, J.A.**, Buckenmeyer, G.K., Hicks, G., Gurd, F.R., Feldmann, R.J. and Minna, J. (1982). Topographic antigenic determinants recognized by monoclonal antibodies to sperm whale myoglobin. *J Biol Chem* 257(6): 3189- 3198.
- Berzofsky, J.A.** (1985). Intrinsic and extrinsic factors in protein antigenic structure. *Science* 219: 932- 940.
- Bhaskaram, P.**, Sahay, B.K., Rao, N.S.P. (1990). Specific immune responses in typhoid fever and after TAB vaccination. *Indian J. Med. Res.* 91: 115- 119.
- Bhutta, Z.A.**, Naqvi, S.H., Razzaq, R.A., and Farooqui, B.J. (1991) Multidrug-resistant typhoid in children: presentation and clinical features. *Rev. Infect. Dis.* 13: 826- 836.

- Birkhead, G.S.,** Morse, D.L. and Levine, W.C. (1993). Typhoid fever at a resort hotel in New York: A large outbreak with an unusual vehicle. *J. Infect. Dis.* 167: 1228- 1232.
- Blanden R.V.,** Mackaness, G.B., Collins,F.M. (1966). Mechanisms of acquired resistance in mouse typhoid. *J.Exp. Med.* 124: 585- 600.
- Boersma, W.J.A.,** Haijman, J.J and Classen, E. (1993). Use of synthetic peptide determinants for the production of antibodies. P1477 In Cullo, A.C. (ed.), *Immunochemistry*. Vol II. John Wiley & Sons, Inc. New York, N.Y.
- Bray, A.M.,** Maeji, N.J., Jhingram, A.G., and Valerio, R.M. (1991). Gas phase cleavage of peptides from a solid support with ammonia vapour. Application in simultaneous multiple peptide synthesis. *Tetrahed. Lett.* 32: 6136- 6166.
- Brodsky, F.M.** (1991). Intracellular routes for antigen processing and presentation. *Res Immunol* 142 (5-6): 453- 458.
- Brookes, R.,** Bergmeier, L.A., Mitchell, E., Walker, J., Tao, L., Klavinskis, L., Meyers, N.J., Layton, G., Adams, S.E. and Lehner, T. (1995). Generation of diversity in the hierarchy of T-cell epitope responses following different routes of immunization with simian immunodeficiency virus protein. *AIDS* 9: 1017- 1024.
- Brown, A.** and Hormache, C.E. (1989) The antibody response to Salmonellae in mice and humans studied by immunoblots and ELISA. *Microb. Pathog.* 6: 445- 454.

- Buchmeier, N.A.** and Heffron, F. (1990). Induction of *Salmonella* stress proteins upon infection of macrophages. *Science* 248: 730- 732.
- Burrows, S.R.**, Gardner, J., Khanna, R., Steward, T., Moss, D.J., Rodda, S., and Shurbier, A. (1994). Five new cytotoxic T cell epitopes identified within Epstein - Barr virus nuclear antigen 3. *J. Gen. Virol.* 75: 2489-2493.
- Butler, T.**, Ho, M., Acharya, G., Tiwari, M., Gallati, H. (1993) Interleukin-6, gamma interferon and tumor necrosis factor receptors in typhoid fever related to outcome of antimicrobial therapy. *Antimicrob. Agents Chemother.* 37: 2418- 2421.
- Butler, T.**, Islam, A., Kabir, I. and Jones, P.K. (1991). Patterns of morbidity and mortality in typhoid fever dependent on age and gender: review of 552 hospitalized patients with diarrhea. *Rev. Infect. Dis.* 13: 85-90.
- Carmali, Y.**, Raz, R., Schapiro, J.M. and Alkan, M. (1993). Typhoid fever in Ethiopian immigrants to Israel and native-born Israelis: a comparative study. *Clin. Infect. Dis.* 16: 213- 215.
- Celum, C.L.**, Chairsson, R.E., Rutherford, G.S.W., Barnhart, J.L. and Echenberg, D.F. (1987). Incidence of Salmonellosis in patients with AIDS. *J.Infect. Dis.* 156: 998- 1002.
- Chatfield, S.N.**, Strahan,K., Pickard, D., Charles, I.G., Hormache, C.E. & Dougan, G. (1992). Evaluation of *Salmonella typhimurium* strains

harbouring defined mutations in *htrA* and *aroA* in the murine salmonellosis model. *Microb. Pathog.* 12: 145-151.

Chau, P.V., Wan, K.C. and Tsang, R.S.W. (1984). Crossed immunoelectrophoretic analysis of anti-*Salmonella typhi* antibodies in sera of typhoid patients and carriers. Demonstration of the presence of typhoid-specific antibodies to non-O, non-H, non-Vi antigens. *Infect. Immun.* 43: 1110- 1113.

Chau, P.Y., Tsang, R.S.W., Lam, S.K., La Brooy, J.T., Rowley, D. (1981). Antibody response to the lipopolysaccharide and protein antigens of *Salmonella typhi* during typhoid infection. II. Measurements of intestinal antibodies by radioimmunoassay. *Clin. Exp. Immunol.* 46: 515-520.

Chau, P.Y., Wan, K.C., Tsang, R.S.W. (1984). Crossed immunoelectrophoretic analysis of anti- *Salmonella typhi* antibodies in sera of typhoid patients and carriers: demonstration of the presence of typhoid- specific antibodies to a non- O, non- H, non- Vi antigen. *Infect. Immun.* 43: 1110- 1113.

Cheng, H.M., Foong, Y.T., AbuSamah, A.J., Dillner, J., Sam C.K., Prasad, U. (1995). Linear epitopes of the replication-activator protein of Epstein-Barr virus recognised by specific serum IgG in nasopharyngeal carcinoma. *Cancer Immunol. Immunother.* 40 (4): 251- 256.

Cheng, S.H., Harvey, R., Piwnica-Worms, H., Espino, P.C., Roberts, T.M. and Smith, A.E. (1989). Mechanism of activation of complexed pp60c-

src by the middle T antigen of polyomavirus. *Curr Top Microbiol Immunol* 144: 109- 120.

Chong, P., Zobrist, G., Sia, C., Loosmore, S. and Klein. M. (1992) Identification of T- and B-cell epitopes of of the S2 and S3 subunits of pertussis toxin by use of synthetic peptides. *Infect. Immun.* 60: 4640-4647.

Chong, P., Wang, Y.P., Fahim, R., McVerry, P., Sia, C. and Klein, M. (1993). Immunogenicity of overlapping synthetic peptides covering the entire sequence of *Haemophilus influenzae* type B outer membrane protein P2. *Infect. Immun.* 61: 2653- 2661.

Chong, P., Yang, Y.P., Persaud, D., Haer, M., Tripet, B., Tam, E., Sia , C. and Klein, M. (1995). Immunogenicity of synthetic peptides of *Haemophilus influenzae* type B outer membrane protein P1. *Infect. Immun.* 63: 3751- 3758.

Choo, K.E., Oppenheimer, S.J., Ismail, A.B. and Ong, K.H. (1994). Rapid serodiagnosis of typhoid fever by dot enzyme immunoassay in an endemic area. *Clin Infect Dis* 19:172-176.

Christie, A.B. (1987). Typhoid and Paratyphoid fevers. In: Infectious diseases: epidemiology and clinical practice. 4th ed. Edinburgh: Churchill Livingston, Medical Division of Longman Group , U.K. pp. 100-164.

Chuang, S.E. and Blattner, F.R. (1993). Characterization of twenty-six new heat shock genes of *Escherichia coli*. *J. Bacteriol.* 175: 5242- 5252.

- Chulay, J.**, Lankerani, M. (1976). Splenic abscess. *Am. J. Med.* 61: 513-522.
- Clegg**, Passey, M., Omena, M., Karigifa, K., Suve, N. (1994). Re-evaluation of the Widal agglutination test in response to the changing pattern of typhoid fever in the highlands of Papua New Guinea. *Acta Trop.* 57(4): 255-263.
- Clerget, M.** and Polla, B.S. (1990). Erythrophagocytosis induces heat shock protein synthesis by human monocytes-macrophages. *Proc Natl Acad Sci U S A* 87 (3): 1081- 1085.
- Cohen, J.L.**, Bartlett, J.A., Corey, G.R. (1987). Extra- intestinal manifestations of Salmonella infections. *Medicine* 66: 349- 388.
- Cohen, P.S.**, Brien, T.F., Schonenbaum, S.C. and Medeiros, A.A. (1978). The risk of endothelial infection in adults with Salmonella bacteremia. *Ann. Int. Med.* 89: 931-932.
- Collins, F.M.**, Mackaness, G.B., Blanden, R.V. (1966). Infection-immunity in experimental salmonellosis. *J. Exp. Med.* 124: 601- 619.
- Conlon, J.W.**, Clarke, I.W. and Ward, M.E. (1988). Epitope mapping with solid-phase peptides: identification of type-, sub-species- and genus-reactive antibody binding domains on the major outer membraneprotein of *Chlamydia trachomatis*. *Mol. Microbiol.* 2: 673-679
- Coovadia, Y.M.**, Gathiram, V., Bhamjee, A., Garratt, R.M., Mlisana, K., Pillay, N., Madlalose, T. and Short, M. (1992). An outbreak of multiresistant *Salmonella typhi* in South Africa. *Q.J. Med.* 298: 91-100.

- Corrado, M.L.**, DuPont, H.L., Cooperstock, M., Fekerty, R. and Murray, D.M. (1992). Evaluation of new anti-infective drugs in the treatment of chronic carriage of *Salmonella*. *Clin. Infect. Dis.* 15(Suppl. 1): S259- 262.
- Cryz, S.J.J.**, Vanprapar, N., Thisyakorn, U., Olanratmanee, T., Losonsky, G., Levine, M.M., Chearskul, S.(1993). Safety and immunogenicity of *Salmonella typhi* Ty21a vaccine in young Thai children. *Infect. Immun.*61: 1149-1151.
- Curtiss III, R.**, & Kelly, S.M. (1987), *Salmonella typhimurium* deletion mutants lacking adenylate cyclase and cyclic AMP receptor protein are avirulent and immunogenic. *Infect. Immun.*55:3035-3043
- Curtiss III, R.**, Kelly, S.M., Tinge, S.A., Tacket, C.O., Levine, M.M., Srinivasan, J. and Koopman, M. (1994). Recombinant *Salmonella* vectors in vaccine development. *Dev. Biol. Stand.*82: 23-33.
- David, J.R.**, Jack, R.L. (1960). *Salmonella* arthritis. *Medicine* 39: 385-403.
- Delves, P.J.**, Lund, T. and Roitt, I.M. (1997). Can epitope-focused vaccines select advantageous immune responses? *Molecular Medicine Today* Feb 1997: 55-60.
- DeNagel, D.C.** and **Pierce, S.K.** (1993). Heat shock proteins in immune responses. *Crit. Rev. Immunol.* 13: 71- 81
- DeSilva, U.**, Massa, H., Trask, B.J. and Green, E.D. (1999). Comparative mapping of the region of human chromosome 7 deleted in Williams syndrome. *Genome Res* 9(5): 428- 436

- Diggs, L.W.** (1986). Bone and joint lesions in sickle cell disease. *Clin. Orthop.* 52: 119-143.
- Doshi, M.** and Taylor, A.G.(1984). Comparison of the Vi indirect fluorescent antibody test with the Widal agglutination method in the serodiagnosis of typhoid fever. *J. Clin. Pathol.* 37: 805-808.
- Edelman, R.** and Levine, M.M. (1986). Summary of an international workshop on typhoid fever. *Rev. Infect. Dis.* 8: 329-349.
- Ellis, M.E.,** Moosa, A., Hillier, V. (1990). A review of typhoid fever in South African black children. *Postgrad.Med. J.* 66:1032-1036.
- Elzer, P.H.,** Phillips, R.W., Robertson, G.T. and Roop II, R.M. (1996). The HtrA stress response protease contributes to resistance of *Brucella abortus* to killing by murine phagocytes. *Infect. Immun.* 64: 4838- 4841.
- Engels, E.A.,** Falgas, M.E., Lau, J., Bennish, M.L.(1998). Typhoid fever vaccines : a meta-analysis of studies on efficacy and toxicity. *B.M.J.* 316: 110- 116.
- Engraber, M.** and Loos, M. (1992). A 66-kDa heat shock protein of *Salmonella typhimurium* is responsible for binding of the bacterium to intestinal mucus. *Infect. Immun.* 60:3072- 3078.
- Evans, D.J. Jr.,** Evans, D.G., Engstrand, L. and Graham. D.Y. (1992). Urease-associated heat shock protein of *Helicobacter pylori*. *Infect. Immun.* 60:2125- 2127.

Farmer, J.J., Kelly, M.T.. Enterobacteriaceae , Manual of Clinical Microbiology,V. Washington,D.C.; American Society of Microbiology; 1991:371-373.

Fayet, O., Ziegelhoffer, T. and Georgopoulos, C. (1989). The groES and groEL heat shock gene products of Escherichia coli are essential for bacterial growth at all temperatures. J. Bact. 171: 1379- 1385.

Ferreccio, C., Levine, M.M., Rodriguez, H. and Contreras, R. (1989). Comparative efficacy of two, three, or four doses of Ty21a live oral typhoid vaccine in enteric-coated capsules: a field trial in an endemic area. *J. Infect. Dis.*159: 766-769.

Forest, K.T., Bernstein, S.L., Getzoff, E.D., So, M., Tribbick, G., Geysen, H.M., Deal, C.D. and Tainer, J.A. (1996). Assembly and antigenicity of the *Neisseria gonorrhoeae* pilus mapped with antibodies. Infect Immun 2: 644-652.

Francis, M.J., Hastings, G.Z., Sangar, D.V., Clark, R.P., Syred, A., Clarke, B.E., Rowlands, D.J. and Brown, F. (1987). A synthetic peptide which elicits neutralizing antibody against human rhinovirus type 2. *J. Gen. Virol.* 68(Pt.10): 2687- 2691.

Gainnasca, P.J. and Neutra, M.R. (1994). Interactions of microorganisms with intestinal M cells: mucosal invasion and induction of secretory immunity. *Infect. Agents Dis.* 2: 242-248.

Galan, J.E. & Curtiss III, R. (1989). Cloning and molecular characterization of genes whose products allow *Salmonella typhimurium*

to penetrate tissue culture cells. *Proc. Natl. Acad. Sci. USA.* 86: 6383-6387.

Galan, J.E. and Curtiss III, R. (1991). Distribution of the *invA*, *-B*, *-C* and *-D* genes of *Salmonella typhimurium* among other *Salmonella* serovars : *invA* mutants of *Salmonella typhi* are deficient for entry into mamalian cells. *Infect. Immun.* 59: 2901- 2908.

Galan, J.E. (1994). Interactions of bacteria with non- phagocytic cells. *Curr. Opin. Immunol.* 6: 590- 595.

Garduño, R.A., Garduño, E. and Hoffman, P.S. (1998). Surface-Associated Hsp60 Chaperonin of *Legionella pneumophila* Mediates Invasion in a HeLa Cell Model. *Infect. Immun* 66(10): 4602- 4610.

Geething, M.J. and Sambrook, J. (1992). Protein folding in the cell. *Nature* 355: 33- 45.

Germanier, R. & Furer, E. (1975). Isolation and characterization of gale mutant Ty21a of *Salmonella typhi*: A candidate strain for a live oral typhoid vaccine. *J. Infect. Dis.* 141: 553-558.

Germanier, R. Typhoid fever. In Germanier, R. ,ed. Bacterial vaccines. New York: Academic Press. 1984, pp. 137-165.

Getzoff, E.D., Geysen, H.M., Rodda, S.J., Alexander, H., Tainer, J.A., and Lerner, R.A. (1987). Mechanisms of antibody binding to a protein. *Science* 235: 1191- 1196.

Geysen, H.M., Meoloen, R.H., and Varteling, S.J. (1984). Use of peptide synthesis to probe viral antigens for epitopes to a resolution of a single amino acid. *Proc. Natl. Acad. Sci. USA* 81: 3998- 4002.

Geysen, H.M., Barteling, S.J. and Meloen, R.H. (1985). Small peptides induce antibodies with a sequence and structural requirement for binding antigen comparable to antibodies raised against the native protein. *Proc. Natl. Acad. Sci. U S A* 82(1): 178- 182.

Geysen, H.M., Rodda, S.J., Mason, T.J., Tribbick, G., and Schoofs, P.G. (1987a). Strategies for epitope analysis using peptide synthesis. *J. Immunol. Methods* 102: 259- 274.

Geysen, H.M., Tainer, J.A., Rodda, S.J., Mason, T.J., Alexander, H., Getzoff ,E.D. and Lerner, R.A. (1987b). Chemistry of antibody binding to a protein. *Science* 235: 1184- 1190.

Geysen, H.M., Mason, T.J. and Rodda, S.J. (1988). Cognitive features of continuous antigenic determinants. *J. Mol. Recognit.* 1: 32- 41

Georgopoulos,C. and Welch, W.S. (1993). Role of the heat shock proteins as molecular chaperones. *Ann. Rev. Cell Biol.* 9: 601- 634.

Gilleland, L.B., and Gilleland Jr., H.E. (1995). Synthetic peptides representing two protective, linear B cell epitopes of the outer membrane protein of *Pseudomonas aeruginosa* elicit whole-cell-reactive antibodies that are functionally pseudomonad specific. *Infect. Immun.* 63:2347- 2351.

Gotuzzo, E., Friscahnco, O., Sanchez, J., Liendo, G., Carrillo, C., Black, R.E. and Morris, J.G. Jr. (1991). Association between the acquired

immunodeficiency syndrome and infection with *Salmonella typhi* or *Salmonella paratyphi* in an area endemic for typhoid fever. *Arch. Intern. Med.* 151: 381- 382.

Groisman, E.A., Fields, P.I., Heffron, F. (1990). Molecular biology of *Salmonella* pathogenesis. In : Iglewski, B.H., Clark, V.I., eds. Molecular biology of bacterial pathogenesis. San Diego: Academic Press, pp. 251-272.

Groisman, E.A. and Ochman, H. (1993). Cognate gene clusters govern invasion of host epithelial cells by *Salmonella typhimurium* and *Shigella flexneri*. *EMBO J.* 12(10): 3779- 3787.

Gromkowski, S.H., Yagi, J, and Janeway, C.A. Jr. (1989). Elevated temperature regulates tumor necrosis factor-mediated immune killing. *Eur J Immunol* 19(9): 1709- 1714.

Guerrant, R.L. (1987). *Salmonella* infections. In: Braunwald, E., Esselbacher, K.J., Petersdorf, R.G., et al., eds. *Harrison's Principles of Internal Medicine*. 11th Ed., vol.1. New York: McGraw Hill pp. 592-596.

Gupta, A. (1994). Multidrug-resistant typhoid fever in children: epidemiology and therapeutic approach. *Pediatr. Infect. Dis. J.* 13: 134-140.

Gupta, A.K. and Rao, K.M.(1979). Simultaneous detection of *S. typhi* antigen and antibody in serum by counterimmunoelectrophoresis for an early and rapid diagnosis of typhoid fever. *J. Immunol. Methods* 30:349-353.

- Hartmann, E. and Lingwood, C.** (1997). Brief heat shock treatment induces a long- lasting alteration in the glycolipid receptor binding specificity and growth rate of *Haemophilus influenzae*. *Infect. Immun.* 65(5): 1729- 1733.
- Hashimoto Y, Li, N., Khan, A.Q., Yamamoto, H and Ezaki, T.** (1994). Development of a nested polymerase chain reaction to detect *Salmonella typhi*. ASM 1994 Meeting , Abstract No.C-380.
- Hendrick, J.P. and Hartl, F.** (1993). Molecular chaperone functions of heat- shock proteins. *Ann. Rev. Biochem.* 62: 349- 384.
- Hermann, E., Mayet, W.J., Lohse, A.W., Grevenstein , J., Meyer zum Büschenfelde, K.H. and Fleischer, B.**(1990). Proliferative response of synovial fluid and peripheral blood mononuclear cells to arthritogenic and non-arthritogenic microbial antigens and to the 65-kDa mycobacterial heat-shock protein. *Med Microbiol Immunol (Berl)* 179(4): 215- 224.
- Hoffman, S.L., Punjabi, N.H., Kumala, S., Moechtar, M.A., Pulungsih, S.P., Rivai,R., Rockhill, R.C., Woodward, T.E. and Loedin, A.A.** (1984). Reduction of mortality in chloramphenicol-treated severe typhoid fever by high dose dexamethasone. *N. Eng. J. Med.* 310: 82- 88.
- Hoffman, T.A., Ruiz, C.J. and Counts, G.W.** (1975). Water- borne typhoid in D. County, FL.: Clinical and therapeutic evaluations of 105 bacteremic patients. *Am. J. Med.* 59: 481

- Hohmann, E.L.**, Oletta, C.A. and Miller, S.L. (1996a). Evaluation of a *phoP/phoQ*-deleted, *aroA*-deleted live oral *Salmonella* vaccine strain in human volunteers. *Vaccine* 14:19-24.
- Hohmann, E.L.**, Oletta, C.A., Killeen, K.P. & Miller, S.I. (1996b). *phoP/phoQ*-deleted *Salmonella typhi* (Ty800) is a safe and immunogenic single-dose typhoid fever vaccine in volunteers. *J. Infect. Dis.* 173: 1408-1414.
- Hone, D. and** Hackett, J. (1989). Vaccination against enteric bacterial diseases. *Rev Infect Dis.* 11(6): 853- 877.
- Honeyman, M.C.**, Brusic, V., Stone, N.L. and Harrison, L.C. (1998). Neural network-based prediction of candidate T-cell epitopes. *Nat. Biotechnol.* 16(10): 966-969.
- Hook, E.W.** (1990). *Salmonella* species (including typhoid fever). In Mandell *et al*, eds. Principles and practice of infectious diseases, 3rd ed. New York: Churchill Livingstone 1990: 1700- 1716.
- Hsu, H.S.** (1989). Pathogenesis and immunity in murine Salmonellosis. *Microbiol. Rev.* 53:390- 409.
- Hsu, H.S.** (1992). Pathogenesis of typhoid fever: An experimental model. In Pang, T., Koh, C.L., Puthuchear, S.D., eds. Typhoid fever: Strategies for the 90s. Singapore: World Scientific, pp. 148-153.
- Hsu, H.S.** (1989). Pathogenesis and immunity in murine salmonellosis. *Microb. Rev.* 53: 390- 409.

Huckstep, R.L (1962). Typhoid fever and other Salmonella infections. Edinburgh and London: E & S Livingston.

Hughes, E.E. and Gilleland, Jr., H.E. (1995). Ability of synthetic peptides representing epitopes of outer membrane protein F of *Pseudomonas aeruginosa* to afford protection against *P.aeruginosa* infection in a murine acute pneumonia model. *Vaccine* 13: 1750- 1753.

Hussain, R., Dockrell, H.M. and Chiang, T.J. (1999). Dominant recognition of a cross-reactive B-cell epitope in *Mycobacterium leprae* 10 K antigen by immunoglobulin G1 antibodies across the disease spectrum in leprosy. *Immunology* 96(4): 620- 627.

Ivanoff, B. and Levine, M.M. (1997). Typhoid fever: continuing challenges from a resilient bacterial foe. *Bull Inst. Pasteur* 95, 129-142.

Ivanoff, B., Levine, M.M., and Lambert, P.H. (1994). Vaccination against typhoid fever: present status. *Bull. WHO* 72: 957- 971.

Johnson, A.O.K. and Adlerle, W.I. (1981) Enteric fever in childhood. *J. Trop. Med. Hyg.* 84: 29- 35.

Johnson, K., Charles, I., Dougan, G., Pickard, D., O'Gaora, P., Costa, G., Ali, T., Miller, I. and Hormaeche, C. (1991). The role of a stress-response protein in *Salmonella typhimurium* virulence. *Mol. Microbiol.* 5(2): 401- 407.

Jones, B.D., Ghori, N. and Falkow, S. (1994). *Salmonella typhimurium* initiates murine infection by penetrating and destroying the specialized epithelial M cells of the peyer's patches. *J. Exp. Med.* 180: 15- 23.

- Kagwa-Nyanzi, J.A.** (1971). Typhoid fever in African children. *Environ. Child. Health.* 17:105- 109.
- Kang, G.** Sridharan, G., Jesudason, M.V. and John, T.J. (1992). Evaluation of modified passive haemagglutination assay for Vi antibody estimation in Salmonella typhi infections. *J. Clin. Pathol.* 45:740- 741.
- Karlsson-Parra, A.,** Soderstrom, K., Ferm, M., Ivanyi, J., Kiessling, R. and Klareskog, L. (1990). Presence of human 65 kD heat shock protein (hsp) in inflamed joints and subcutaneous nodules of RA patients. *Scand. J. Immunol.* 31: 283- 288.
- Kaufmann, S.H.E.** (1990). Heat shock proteins and the immune response. *Immunol. Today* 11: 129- 136.
- Kaufmann, S.H.E.** and Kabelitz, D. (1991). Gamma/delta T lymphocytes and heat shock proteins. *Curr. Top. Microbiol. Immunol.* 167: 191- 207.
- Kaufmann, S.H.E.,** Schoel, B., van Embden, J.D.A., Koga, T., Wand-Wurtenberger, A., Munk, M.E. and Steinhoff, U. (1991). Heat shock protein 60: implications for pathogenesis of and protection against bacterial infections. *Immunol. Rev.* 121: 67- 90.
- Kelly, C.G.,** Todryk, S., Kendal, H.L., Munro, G.H. and Lehner, T. (1995). T-cell, adhesion, and B-cell epitopes of the cell surface *Streptococcus mutans* protein antigen I/II. *Infect. Immun.* 63(9): 3649- 3658.
- Khosla, S.N.** (1991). Unusual neuropsychiatric manifestations of enteric fever. *J. Trop. Med. Hyg.* 94(1): 32- 34.

- Kita, E.**, Nishikawa, F., Kamikaidou, N., Oku, D., Yasui, K., Kashiba, S. (1992). Mechanism of the protective immunity against murine typhoid: persistence of *Salmonella* L forms in the liver after immunization with live-cell vaccines. *FEMS Microbiol. Immunol.* 105: 191- 200.
- Koelman, J.G.**, Regensburg, D.F., van-Katwijk, F., Maclaren, D.M. (1992). Retrospective study to determine the diagnostic value of the Widal test in a non-endemic country. *Eur. J. Clin. Microbiol. Infect. Dis.* 11:167-170.
- Kohbata, S.**, Yokoyama, H. and Yabuuchi, E. (1986). Cytopathogenic effect of *Salmonella typhi* GIFU 10007 on M cells of murine ileal Peyer's patches in ligated ileal loops: an ultrastructural study. *Microbiol. Immunol.* 30:1225- 1237.
- Kumar, V.**, Jayasuryan, N., Reddi, H., Sahal, D. and Panda, S.K. (1998). A monoclonal antibody against the X protein of hepatitis B virus: fine mapping of its epitope and application in a quantitative ELISA of the X protein in sera of hepatitis B patients. *Hybridoma* 17(2): 157- 164.
- Lachumanan, R.**, Devi, S., Cheong, Y.M., Rodda, S.J. and Pang, T. (1993). Epitope mapping of the Sta58 major outer membrane protein of *Rickettsia tsutsugamushi*. *Infect. Immun.* 61:4527- 4531.

Langer, T., Pfeifer, G., Martin, J., Baumeister, W. and Hartl, F.U. (1992). Chaperonin-mediated protein folding: GroES binds to one end of the GroEL cylinder, which accommodates the protein substrate within its central cavity. *EMBO J.* 11(13): 4757- 4765.

Langeveld, J.P.M., J.L. Casal, E.Cortes, G.van de Wetering, R.S. Boshuizen, W.M.M. Schaaper, K. Dlsgaard, and R.H. Meloen. (1994). Effective induction of neutralizing antibodies with the amino terminus of VP2 of canine parvovirus as a synthetic peptide. *Vaccine* 12: 1473- 1480.

Le Minor, L. (1984) Genus III. Salmonella: Bergey's Manual of Systemic Bacteriology. Baltimore: Williams & Wilkins 427- 458.

LeMinor L., Popoff MY. (1988). Antigenic Formulas of the *Salmonella* Serovars and Alphabetical List of Names of Serovars Belonging to Subspecies I with their Antigenic Formulas, 5th Revision. Institut Pasteur, Paris, W.H.O. Collaborating Center for Reference and Research on Salmonella pp. 4- 14.

LeMinor L, Rohde, R and Rowe, B. (1974) Supplement No XVII to Kaufmann-White scheme. *Ann Microbiol (Inst. Pasteur)* 125A: 427- 432.

Levine, M,M., Grados, O., Gilman, R.H., Woodward, W.E., Solis-Plaza, R. and Waldman, W. (1978). Diagnostic value of the Widal test in areas endemic for typhoid fever. *Am. J. Trop. Med. Hyg.* 27: 795- 800.

Levine, M.M. (1994). Typhoid fever vaccines, in *Vaccines*, 2nd edition, Plotkin, S. & Mortimer, E., Jr., eds. Philadelphia, W.B. Saunders.

Levine, M.M., Taylor, D.N., & Ferreccio, C. (1989). Typhoid vaccines come of age. *Pediatr. Infect. Dis. J.* 8: 374- 381.

Levine, W.C., Buehler, J.W., Bean, N.H., and Tauxe, R.V. (1991). Epidemiology of nontyphoidal *Salmonella* bacteremia during the immunodeficiency virus epidemic. *J. Infect. Dis* 164:81-87.

Levine, M.M., Ferreccio, C., Black, R.E., Tacket, C.O. and Germainer, R. (1989). Progress in vaccines against typhoid fever. *Rev. Infect. Dis.* 11 Suppl. 3: S 552- S567.

Levine, M.M., Ferreccio, C., Cryz, S. & Ortiz, B. (1990). Comparison of enteric- coated and liquid formulation of Ty21a typhoid vaccine in randomised controlled field trial. *Lancet* 336: 891- 894.

Levine, M.M., Tacket, C.O., Galen, J.E., Barry, E.M., Chatfield, S.M., Dougan, G., Noriega, F. and Sztein, M.B. (1997). Progress in development of new attenuated strains of *Salmonella typhi* as live oral vaccines, in "New generation vaccines, Second Ed. (Levine, M.M., Woodrow, G.C., Kaper, J.B. and Cobon, G.S.). Marcel Dekker, New York.

Levine, M.M., Grados, O., Ilman, R.H., Woodward, W.E., Solis-Plaza, R. and Waldman, W. (1978). Diagnostic value of the Widal test in areas endemic for typhoid fever. *Am. J. Trop. Med. Hyg.* 27: 795- 800.

Li, S.R., Dorell, N., Everest, P.H., Dougan, G. and Wren, B.W. (1996). Construction and characterization of a *Yersinia enterocolitica* O: 8 high-

temperature requirement (*htrA*) isogenic mutant. *Infect. Immun.* 64:2088-2094

Lindler, L.E. and Hayes, J.M. (1994). Nucleotide sequence of the *Salmonella typhi* *groEL* heat shock gene. *Microb. Pathog.* 17(4): 271-275.

Lindquist, S. (1986). The heat shock response. *Ann. Rev. Biochem.* 55: 1151- 1191.

Lindquist, S. and Craig, E. (1988). The heat shock proteins. *Ann. Rev. Genet.* 22: 631- 637.

Ling-ling An and Whitton, J.L. (1997). A multivalent minigene vaccine, containing B- cell, cytotoxic T-lymphocyte, and Th epitopes from several microbes, induces appropriate responses in vivo and confers protection against more than one pathogen. *J.Virol.* 71(3): 2292- 2302.

Lipinska, B., Fayet, O., Baird, L. and Georgopoulos, C. (1989). Identification, characterization, and mapping of the *Escherichia coli* *htrA* gene whose product is essential for bacterial growth only at elevated temperatures. *J. Bacteriol.* 171: 1574- 1584.

Losonsky, G.A., Ferreccio, C., Kotloff, K.L., Kaintuck, S., Robbins, J.B. and Levine, M.M. (1987). Development and evaluation of an enzyme-linked immunosorbent assay for serum Vi antibodies for detection of chronic *Salmonella typhi* carriers. *J. Clin. Microbiol.* 25: 2266- 2269.

- Lowrie, D.B.,** Silva, C.L., Colston, M.J., Ragno, S. and Tascon, R.E. (1997): Protection against tuberculosis by a plasmid DNA vaccine. *Vaccine* 15(8): 834 - 838.
- Lydard, P.M. and van Eden, W.** (1990). Heat shock proteins: immunity and immunopathology. *Immunol. Today* 11(7): 228- 229.
- Macario, A.J.L.** and deMacario, E.C. Gene Probes for Bacteria. San Diego: Academic Press, 1990; p.515
- Maeji, N.J.,** Bray, A.M., and Geysen, H.M. (1990). Multipin peptide synthesis strategy for T cell determination analysis. *J. Immunol. Methods* 134: 23- 33.
- Maeji, N.J.,** Bray, A.M., Valerio, R.M., and Wang, W. (1995). Larger scale multipin peptide synthesis. *Pept. Res.* 8: 33-38.
- Maeji, N.J.,** Valerio, R.M., Bray, A.M., Campbell, R.A., and Geysen, H.M. (1994). Grafted supports used with the multipin method of peptide synthesis. *Reactive Polymers* 22: 203- 212.
- Mandal, B.K.** (1991). Modern treatment of typhoid fever. *J. Infect.* 22: 1- 4.
- Mandell, L.A.** (1995). Community- acquired pneumonia: Etiology, epidemiology and treatment. *Chest* 108(2): Suppl. 35S- 42S.
- Mastroeni, P.,** Villareal-Ramos, B., Hormaeche, C. (1993). Adoptive transfer of immunity to oral challenge with virulent *Salmonella* in innately susceptible BALB/c mice requires both immune serum and T cells. *Infect. Immun.* 61: 3981- 3984.

McCoy , J.H. (1974). Enteric and Salmonella infection: the carrier state. In: Skinner, F.A., Carr, J.G., eds. The normal microbial flora of man. London: Academic Press, pp.221-228.

McGhee, J.R. and Kiyono,H. (1993). New perspectives in vaccine development: mucosal immunity to infections. *Infect. Agents Dis.* 2: 55-73.

McGuinness, B., A.K. Barlow, I.N. Clarke, J.T. Poolman, and J.E. Heckels. (1990). Comparative sequence analysis of the class I protein gene (porA) from the three strains of *Neisseria meningitidis*: synthetic peptides define the epitopes responsible for serosubtype specificity. *J. Exp. Med.* 171: 1871- 1882.

Meldrum, D.R. (1998). Tumor Necrosis Factor in the heart. *Am. J. Physiol.* 274(3) Pt.2: R577- 595.

Meloan R.H. & Barteling S.J. (1986). Epitope mapping of the outer structural protein VP1 of three different serotypes of foot-and-mouth disease virus. *Virology* 149(1): 55- 63.

Michetti, P., Mahan, M.J., Slauch, J.M., Mekalonos, J.J. and Neutra, M.R. (1992). Monoclonal secretory immunoglobulin A protects mice against oral challenge with the invasive pathogen *Salmonella typhimurium*. *Infect. Immun.* 60: 1786- 1792.

Mirza, S.H. & Hart, C.A. (1993). Plasmid encoded multi-drug resistance in *Salmonella typhi* from Pakistan. *Ann. Trop. Med. Parasitol.* 87: 373-377.

Mishra, S., Patawari, A.K., Anand, V.K., Pillai, P.K., Aneja, S., Chandra, J. and Sharma, D. (1991). A clinical profile of multidrug resistant typhoid fever. *Indian Pediatr.* 28: 1171- 1174.

Moore, M.L. (1992) Peptide design considerations. In G.A.Grant (ed.), *Synthetic peptides- a user's guide*. W.H. Freeman & Co., New York, pp. 9- 75.

Mroczenski-Wildley, M.J., Di Fabio, J.L. and Cabello, F.C. (1989). Invasion and lysis of HeLa cell monolayers by *Salmonella typhi*: the role of the polysaccharide. *Microb. Pathog.* 6: 143- 152.

Murphy, J.R., Wasserman, S., Baqar, S., Schlesinger, L., Ferreccio, C., Lindberg, A.A. and Levine, M.M. (1989). Immunity to *Salmonella typhi*: Considerations relevant to measurement of cellular immunity in typhoid-endemic regions. *Clin. Exp. Immunol.* 75: 228- 233.

Murphy, J.R., Baqar, S., Munoz, C., Schlesinger, L., Ferreccio, C., Lindberg, A.A., Svenson, S., Losonsky, G., Koster, F. and Levine, M.M (1987). Characteristics of humoral and cellular immunity to *Salmonella typhi* in residents of typhoid- endemic and typhoid- free regions. *J. Infect. Dis.* 156: 1005- 1009.

Murray, P.J. and **Young, R.A.** (1992). Stress and immunological recognition in host- pathogen interactions. *J. Bacteriol.* 174: 4193- 4197.

Mutch, D.A., Rodda, S.J., Benstead, M., Valerio, R.M., and Geysen, H.M. (1991). Effects of end groups on the stimulatory capacity of minimal length T cell determinant peptides. *Pept. Res.* 4: 132- 137.

- Nardiello, S.,** Pizzella, T., Russo, M. and Galanti, B. (1984). Serodiagnosis of typhoid fever by enzyme-linked immunosorbent assay determination of anti- *Salmonella typhi* lipopolysaccharide antibodies. *J. Clin. Microbiol.* 20:718- 721.
- Neefjes, J.J. and Ploegh, H.L.** (1992). Intracellular transport of MHC class II molecules. *Immunol. Today* 5: 179- 184.
- Niedhart, F.C.** (1987). *Escherichia coli* and *Salmonella typhimurium* : cellular and molecular biology . Washington, D.C.: American Society for Microbiology Press.
- Noskin, G.A.,** Clarke, J.T. (1990). *Salmonella arizonae* bacteremia as the presenting manifestation of human immunodeficiency virus infection following rattlesnake meat ingestion. *Rev. Infect. Dis.* 12: 514- 517.
- Ogawa, T.,** Yasuda, K., Yamada, K. Mori, H., Ochiai, K. and Hasegawa M (1995). Immunochemical characterisation and epitope mapping of a novel fimbrial protein (Pg-II fimbria) of *Porphyromonas gingivalis*. *FEMS Immunol. Med. Microbiol.* 11(3): 247- 255.
- Ostermann, J.,** Voos, W., Kang , P.J., Craig, E.A., Neupert, W. and Pfanner, N. (1990). Precursor proteins in transit through mitochondrial contact sites interact with hsp70 in the matrix. *FEBS Lett.* 277(1-2): 281- 284.

- Ortiz, V.,** Isibasi, A., Garcia-Ortigoza, E. and Kumate, J. (1989). Immunoblot detection of class- specific humoral immune response to outer- membrane isolated from *Salmonella typhi* in humans with typhoid fever. *J.Clin.Microbiol.* 27: 1640- 1645.
- Owen, R.L.** (1994). M cells- entryways of opportunity for enteropathogens. *J.Exp. Med.* 180:7- 9.
- Panchanathan, V.,** Naidu, B.R., Devi, S., Di Pasquale, A., Mason, T. & Pang, T. (1998). Immunogenic epitopes of *Salmonella typhi* GroEL heat shock protein reactive with both monoclonal antibody and patients sera. *Immunol. Lett.* 62: 105- 109.
- Pang, T.,** Levine, M.M., Ivanoff, B., Wain, J. and Finlay, B.B. (1998). Typhoid fever - important issues remain. *Trends Microbiol.* 4:131- 133.
- Pang, T.** and Puthuchear, S.D. (1983). Significance and value of the Widal test in the diagnosis of typhoid fever in an endemic area. *J. Clin. Pathol.* 36: 471- 475.
- Partidos, C.,** Stanley, C. and Steward, M. (1992). The effect of orientation of epitopes on the immunogenicity of chimeric synthetic peptides representing measles virus protein sequences. *Mol Immunol:* 5 651- 658.
- Pelham, H.** (1988). Heat shock proteins: coming in from the cold. *Nature* 322: 776- 777.
- Perez- Perez, G.L.,** Thiberge, J.M., Labigne, A. and Blaser, M.J. (1996): Relationship of immune response to heat shock protein A and

characteristics of *Helicobacter pylori*-infected patients. *J. Infect. Dis.* 174(5): 1046- 1050.

Persing, D.H., Smith, T.F., Tenover, F.C. and White, T.J. (1993). Diagnostic Molecular Microbiology- Principles and Applications. Washington; American Society for Microbiology, pp. 641.

Pfeiffer, R. & Kolle, W. (1896). Experimentelle Untersuchungen zur Frage der Schutzimpfung des Menschen gegen Typhus abdominalis. *Dtsch. Med. Wochenschr.* 22: 735- 737.

Polla, B.S. (1988). A role for heat shock proteins in inflammation ? *Immunol. Today* 9: 134- 137.

Polish Typhoid Committee (1966). Controlled field trial and laboratory studies on the effectiveness of typhoid vaccines in Poland 1961-1964. *Bull. WHO* 34: 211- 222.

Przepiorka, D. and Srivastava, P.K. (1998). Heat shock protein- peptide complexes as immunotherapy for human cancer. *Mol.Med.Today* 4(11): 478-484.

Quiroga, T., Goyciilea, M., Tagle, R., Gonzalez, F.,Rodriguez, L., Villarvoel, L. (1992). Diagnosis of typhoid fever by two serologic methods: Enzyme-linked immunosorbent assay of anti-lipopolysaccharide of *Salmonella typhi* antibodies and Widal test. *Diagn. Microbiol. Infect. Dis.* 15: 651- 656.

Radford, A.J., P.R. Wood, H.Bilman-Jacobe, H.M. Geysen, T.J. Mason, and G. Tribbick. (1990). Epitope mapping of *Mycobacterium bovis*

secretory protein MPB70 using overlapping peptide analysis. *J. Gen. Microbiol.* 136: 265- 272.

Rao, P.T. and Rao, K.V.K. (1959). Typhoid fever in children. *Indian J. Pediatr.* 26: 258- 263.

Rogerson, S.J., Spooner, V.J., Smith, T.A. and Richens, J. (1991) Hydrocortisone in chloramphenicol-treated severe typhoid fever in Papua New Guinea. *Trans. R. Soc. Trop. Med. Hyg.* 85: 113- 116.

Robbins, J.B., Chu,C., Schneerson, R. (1992). Hypothesis for vaccine development: protective immunity to enteric disease caused by nontyphoidal *Salmonella* and *Shigella* may be conferred by serum IgG antibodies to the O-specific polysaccharide of their lipopolysaccharides. *Clin. Infect. Dis.* 15: 346- 361.

Robbins, J.D. and Robbins,J.B. (1984). Reexamination of the protective role of the capsular polysaccharide (Vi antigen) of *Salmonella typhi*. *J. Infect. Dis.* 150: 436- 449.

Robinson, K., Bellaby, T., Chan, W.C. and D.Wakelin. (1995). High levels of protection induced by a 40-mer synthetic peptide vaccine against the intestinal nematode parasite *Trichinella spiralis*. *Immunology* 86: 495- 498.

Rodda, S.J., Geysen, H.M., Mason, T.J., and Schoofs, P.G. (1986). The antibody response to myoglobin-I. systematic synthesis of myoglobin peptides reveals location and substructure of species dependent contiguous antigenic determinants. *Mol. Immunol.* 23: 603- 610.

Rowe,B., Ward,L.R. and Threfall,E.J. (1990). Spread of multiresistant *Salmonella typhi*. *Lancet* 336: 1065- 1066.

Rubin, F.A., Kopecko,D.J., Noon, K.F., Baron, L.S. (1985). Development of a DNA probe to detect *Salmonella typhi*. *J. Clin. Microbiol.* 22: 600-605.

Rubin, F.A., McWhirter, P.D., Punjabi, N.H., Lane, E., Sudarmono, P., Pulungsih, S.P., Lesmana, M., Kumala, S., Kopecko, D.J. and Hoffman, S.L. (1989). Use of a DNA probe to detect *Salmonella typhi* in the blood of patients with typhoid fever. *J.Clin.Microbiol.* 27: 1112- 1114.

Rubin, F.A. (1990) Nucleic acid probes for the identification of *Salmonella*. in Macario AJL, deMarcoEC, eds. Gene probes for Bacteria., Academic Press, San Diego. pp.323- 352.

Rubin, F.A., Kopecko, D.J., Sack, R.B., Sudarmono, P., Yi, A., Maurta, D., Meza, R., Moechtar, M.A., Edman, D.C. & Hoffman, S.L. (1988). Evaluation of a DNA probe for identifying *Salmonella typhi* in Peruvian and Indonesian bacterial isolates. *J. Infect. Dis.* 157: 1051 - 1053.

Rubin, R.H. & Tolkoff-Rubin, N.E. (1989). Infection: the new problems. *Transplant. Proc.* 21 (1 Pt 2): 1440-1445.

Rubin, R.H. & Weinstein, L. (1977). *Salmonellosis*: Microbiologic, Pathologic, and clinical features. New York: Stratton Intercontinental.

Salyers, A. and Whit (1994) .Bacterial pathogenesis: a molecular approach. American Society for Microbiology Press, Washington,DC.

- Saphra, I.** and Winter, J.W. (1957). Clinical manifestations of salmonellosis in man: An evaluation of 7779 human infections identified at The New York Salmonella Center. *N. Eng.J. Med.* 256: 1128
- Sarasombath, S.,** Banchuin, N., Sukosol,T., Rungpitarangsi, B.and Manasatit, S.(1987). Systemic and intestinal immunities after natural typhoid infection. *J. Clin. Microbiol.* 25: 1088- 1093.
- Saul, F.A. and Alzari, P.M.** (1996) Crystallographic studies of antigen-antibody interactions. *Methods Mol.Biol.* 66: 11-23.
- Scherer, P.E.,** Krieg, U.C., Hwang, S.T., Vestweber, D. and Schatz, G. (1990). A precursor protein partly translocated into yeast mitochondria is bound to a 70 kD mitochondrial stress protein. *EMBO J.* 13: 4315- 4322.
- Smith, J.A.,** Hurrell, J.G. and Leach, S.J. (1977). A novel method for delineating antigenic determinants: peptide synthesis and radioimmunoassay using the same solid support. *Immunochemistry* 8: 565- 568.
- Smith, G.P. & Scott, J.K.** (1993) Libraries of peptides and proteins displayed on filamentous phage. *Methods Enzymol.* 217: 228- 257.
- Smith-Gill, S.J.,** Wilson, A.C., Potter, M., Prager, E.M., Feldmann, R.J. and Mainhart, C.R. (1982). Mapping the antigenic epitope for a monoclonal antibody against lysozyme. *J. Immunol.* 128(1): 314- 322.

Sharma, A.M. and Sharma, O.P. (1992). Pulmonary manifestations of typhoid fever: Two case reports and a review of the literature. *Chest*. 101: 1144- 1146.

Simanjuntak, C., Paleologo, F., Punjabi, N., Darmowitogo, R., Soeprawanto, Totosudirjo, H., Haryanto, P., Suprijanto, E., Witham, N. & Hoffman, S.L. (1991). Oral immunization against typhoid fever in Indonesia with Ty21a vaccine. *Lancet* 338: 1055- 1059.

Sippel, J.E., Hanafy, H.M., Diab, A.S., Prato, C. and Arroyo, R. (1987) Serodiagnosis of typhoid fever in paediatric patients by anti-LPS ELISA. *Trans. R. Soc. Trop. Med. Hyg.* 81: 1022- 1026.

Sivadasan, K., Kurien, B. and John, T.J. (1984). Rapid diagnosis of typhoid fever by antigen detection. *Lancet* 1: 134- 135.

Smith, G.P. and Scott, J.K. (1993). Libraries of peptides and proteins displayed on filamentous phage. *Methods Enzymol.* 217: 228- 257.

Smith, J.A., Hurrell, J.G.R. and Leach, S.J. (1997). A novel method for delineating antigenic determinants: peptide synthesis and radioimmunoassay using the same solid support. *Immunochemistry* 14: 565- 568.

Song, J.H., Cho, H., Park, M.Y., Na, D.S. & Moon, H.B. (1993). Detection of *Salmonella typhi* in the blood of patients with typhoid fever by the polymerase chain reaction. *J. Clin. Microbiol.* 31: 1439- 1443.

Sperber, S.J. and Schleupner, C.J. (1987). Salmonellosis during infection with the human immunodeficiency virus. *Rev. Infect. Dis.* 9: 925- 934.

Stover, C.K., Marana, D.P., Carter, J.M., Roe, B.A., Mardis, E. and Oaks, E.V. (1990). The 56-kilodalton major protein antigen of *Rickettsia tsutsugamushi*: molecular cloning and sequence analysis of the sta56 gene and precise identification of a strain-specific epitope. *Infect. Immun.* 58(7): 2076- 2084.

Stuart, B.M. and Pullen, R.L. (1946). Typhoid: Clinical analysis of three hundred and sixty cases. *Arch. Int. Med.* 78: 629- 661.

Suhrbier, A. (1997). Multiepitope DNA vaccines. *Immunology and Cell Biology* 75: 402- 408.

Szu, S.C., Li, X., Schneerson, R., Vickers, J.H., Bryla, D., & Robbins, J.B. (1989). Comparative immunogenicities of Vi-polysaccharide- protein conjugates composed of cholera toxin or its B subunit as a carrier bound to high- or low- molecular weight -Vi. *Infect. Immun.* 57: 3823- 3827.

Szu, S.C., Stone, A.L., Robbins, J.D., Schneerson, R. & Robbins, J.B. (1987). Vi capsular polysaccharide- protein conjugates for prevention of typhoid fever. Preparation, characterization and immunogenicity in laboratory animals. *J. Exp. Med.* 166: 1510- 1524.

Szu, S.C., Taylor, D.N., Trofa, A.C., Clements, J.D., Shiloach, J., Sadoff, J.C., Bryla, D.A. and Robbins, J.B. (1994). Laboratory and preliminary clinical characterization of Vi capsular polysaccharide- protein conjugate vaccines. *Infect. Immun.* 62: 4440- 4444.

- Tabatabai, L.B.** and G.W.Pugh, Jr. (1994). Modulation of immune responses in Balb/c mice vaccinated with *Brucella abortus* Cu-Zn superoxide dismutase synthetic peptide vaccine. *Vaccine* 12: 919- 924.
- Tacket, C.O.**, Hone, D.M., Losonsky, G.A., Guers, L., Edelman, R. & Levine, M.M. (1992b). Clinical acceptability and immunogenicity of CVD 908 *Salmonella typhi* vaccine strain. *Vaccine* 10: 443- 446.
- Tacket, C.O.**, Sztein,M., Losonsky,G.A, Wasserman,S.S., Nataro,J.P., Edelman,R., Pickard,D., Dougan,G., Chatfield,S. and Levine, M.M. (1997). Safety of live oral *Salmonella typhi* vaccine strains with deletions in *htrA* and *aroC aroD* and immune response in humans. *Infect. Immun* 65(2): 452- 456.
- Tagliabue, A.** (1989). Immune response to oral Salmonella vaccines. *Curr. Top. Microbiol. Immunol.* 146: 225- 231.
- Tang S.W.**, Abubakar S., Devi S., Puthucheary S. and Pang T. (1997). Induction and characterization of heat shock proteins of *Salmonella typhi* and their reactivity with sera from patients with typhoid fever. *Infect. Immun.* 65(7): 2983- 2986.
- Taubman, M.A.**, Holmberg, C.J. and Smith, D.J. (1995). Immunization of rats with synthetic peptide constructs from the glucan-binding or catalytic region of mutants treptococcal glycosyltransferase protects against dental caries. *Infect. Immun.* 63: 3088- 3093.
- Taylor, D.N.**, Harris, J.R., Barrette, T.J., Hargrett, N.T., Prentzel, I., Valdivieso, C., Palomino, C., Levine, M.M. and Blake, P.A. (1987).

Detection of urinary Vi antigen as a diagnostic test for typhoid fever. *J. Clin. Microbiol* 25: 273- 277.

Teyton, L. and Peterson, P.A. (1992). Assembly and transport of MHC class II molecules. *New Biol.* 5: 441- 447.

Tribbick, G., Triantafyllou, B., Lauricella, R., Rodda, S.J., Mason, T.J. and Geysen, H.M. (1991). Systematic fractionation of serum antibodies using multiple antigen homologous peptides as affinity ligands. *J. Imm. Meth.* 139(2): 155- 166.

Trifilieff, E., Dubs, M.C., and van Regenmortel, M.H.V. (1991). Antigenic cross- reactivity potential of synthetic peptides immobilized on polyethylene rods. *Mol. Immunol.* 28: 889 - 896.

Tsang, R.S.W., Chau, P.Y., Lam, S.K., LaBrooy, J.T. and Rowley, D. (1981). Antibody response to the lipopolysaccharide and protein antigens of *Salmonella typhi* during typhoid infection. I. Measurements of serum antibodies by radioimmunoassay. *Clin. Exp. Immunol.* 46: 508- 514.

Tsang, R.S.W. and Chau, P.Y.(1992).Laboratory diagnosis of typhoid fever. In Typhoid fever: Strategies for the 90s (T. Pang, C.L. Koh, S.D. Puthucherry, eds). World Scientific Publishing, Singapore. pp. 188.

Umansankar, S., Wall, R.A. & Berker, J. (1992). A case of ciprofloxacin resistant typhoid fever. *Comm. Dis. Rep.* 2: 139-140.

Valerio, R.M., Bray, A.M., Campbell, R.A., Dipasquale, A., Margellis, C., Rodda, S.J., Geysen , H.M., and Maeji, N.J. (1993). Multipin peptide

synthesis at the micromole scale using 2-hydroxyethyl methacrylate grafted polyethylene supports. *Int. J. Pept. Prot. Res.* 42: 1-9.

van Regenmortel, M.H.V. (1989). Structural and functional approaches to the study of protein antigenicity. *Immunol.Today* 10: 266

Wahdan,M.H., Serie, C.,Cerisier,Y.,Sallam,S.& Germainer,R. (1982). A controlled field trial of live *Salmonella typhi* strain Ty21a oral vaccine against typhoid: Three year results. *J. Infect. Dis.* 145: 292- 296.

Walden, P.(1996). T-cell epitope determination. *Current Opinion in Immunology* 8: 68- 74.

Wallace, M.R., Yousif, A.A., Mahroos, G.A., Mapes, T., Threlfall, E.J., Rowe, B. and Hyams, B. (1993). Ciprofloxacin versus ceftriaxone in the treatment of mutiresistant typhoid fever. *Eur. J. Clin. Microiol. Infect. Dis.* 12(12): 907- 910.

Ward, R.L., Hawkins, N.J., Coomber, D. and Disis, M.L. (1999). Antibody immunity to the HER-2/neu oncogenic protein in patients with colorectal cancer. *Hum.Immunol.* 60(6): 510- 515.

Warren, C.P.W. Arthritis associated with *Salmonella* infection. (1970). *Ann. Rheum. Dis* 29: 483- 487.

Whitton, J.L., Sheng, N., Oldstone, M.B. and McKee,T.A. (1993). A "string-of-beads" vaccine, comprising linked minigenes, confers protection from lethal-dose virus challenge. *J.Virol.* 67(1): 348- 352

Widal, F. (1896). Serodiagnostic del la fièvre typhoids. *Bull. Soc. Med. Hop. Pans.* 13: 561- 566.

- Wilson, G.S.**, Miles, A.A. Enteric infections. In: Topley, W.W.C., Wilson, A.A., eds. Principles of bacteriology and immunology. 5th ed. Baltimore: Williams and Wilkins, 1964. pp. 1833- 1875.
- Wilson, K.** and Feldman, R. (1981). Reported isolates of *Salmonella* from cerebrospinal fluid in the United States, 1968- 1979. *J. Infect. Dis.* 143: 504- 506.
- Wright, A.E.** & Semple, D. (1897). Remarks on vaccination against typhoid fever. *Br. Med. J.* 1: 256- 258.
- Wu, Y.L.**, Lee, L.H., Rollins, D.M. and Ching, W.M. (1994). Heat shock- and Alkaline pH-Induced Proteins of *Campylobacter jejuni*: Characterization and Immunological Properties. *Infect. Immun.* 62(10): 4256- 4260.
- Yabuuchi, E.**, Ikedo, M. and Ezaki T. (1986). Invasiveness of *Salmonella typhi* strains in HeLa S3 monolayer cells. *Microbiol. Immunol.* 30: 1213- 1224.
- Yi, Y.**, Zhong, G. and Brunham, R.C. (1993). Continuous B-Cell Epitopes in *Chlamydia trachomatis* Heat Shock Protein 60. *Infect. Immun.* 61(3): 1117- 1120.
- Yokoyama, H.**, Ikedo, M., Kohbata, S., Ezaki, T. and Yabuuchi, E. (1987). An ultrastructural study of HeLa cell invasion with *Salmonella typhi* GIFU 10007. *Microbiol. Immunol.* 31: 1-11.
- Young, R.A.** and Elliot, T.J. (1989). Stress proteins, infection, and immune

surveillance. *Cell* 59(1): 5- 8.

Young, R.A. (1990). Stress proteins and immunology. *Ann. Rev. Immunol.* 8: 401- 420.

Yugoslav Typhoid Committee (1964). A controlled field trial of the effectiveness of acetone- dried and inactivated and heat-phenol-inactivated typhoid vaccines in Yugoslavia. *Bull WHO* 30: 623-630.

Zak, F.G., Strauss, L. and Saphra, I. (1958). Rupture of large arteries in the course of enterobacterial (*Salmonella*) infection. *N. Eng. J. Med.* 258: 824- 828.

Zhu, Q., Lim, C.K. & Chan, Y.K. (1996). Detection of *Salmonella typhi* by polymerase chain reaction. *J. Appl. Bacteriol.* 80: 244- 251.