

REFERENCES

References

- Amrane, A. and Prigent, Y. (1999) Differentiation of pH and free lactic acid effects on the various growth and production phases of *Lactobacillus helveticus*; **J.Chem.Technol.Biotechnol**; 74:pp33-40.
- Asenio, C., Gomez,R. and Pelaez, C. (1995) Effects of heat treatment on proteolytic activity of mesophilic bacteria isolated from goats' milk cheese; **Letters in Applied Microbiology**; 21: pp25-30.
- Barker, S.B. & Summerson, H.S.; (1941). The colorimetric determination of lactic acid in biological materials. **Journal of Biological Chemistry**. 138:pp 535-554
- Bender, G.R., Thibodeau, E.A. and Marquis, R.E.; (1985) Reduction of acidurance of streptococcal growth and glycolysis by fluoride and gramicidin.; **J.Dent. Res.**; 64: pp90-95.
- Bruno-Barcena, J.M., Ragout, Al., Cordoba, P.R. and Sineriz, F.; (1999) Continuous production of L(+)-lactic acid by *Lactobacillus casei* in two stage system. **Appl. Microbiol. Biotechnol.** In two stage system.; 51: pp316-325.
- Buchta, K.; (1983) Lactic Acid; pp 409-410; Dellweg, H. (volume editor); in Biomass Microorganisms for Special Applications, Microbial Products I, Energy from Renewable esources, H., Rehm, H.J. and Reed, G., (eds) in **Biotechnology: A comprehensive Treatise**; Verlag-Chemie;
- Cai, Y., Okada, H., Mori, H., Benno, Y., and Nakase, T.; (1999) *Lactobacillus paralimentarius* sp.nov., isolated from sourdough; **Int. J. Syst. Bacteriol.**; 49:pp 1451-1455.
- Cecchi,L. & Malaspina, P. (1991). Lactic acid enantiomers: Separation by thin layer chromatography on silica gel plates impregnated with Cu²⁺. **Analytical Biochemistry**. 192: pp 219-221.
- Datta, R., Tsai, S.P, Bonsignore, P., Moon, S.H. and Frank, J.R.; (1995) Technological and economic potential of poly(lactic acid) and lactic acid derivatives; **FEMS Microbiology Reviews**; 16: pp 221-231.
- De Man, J.C., Rogosa, M. & Sharpe, M.E.; (1960) Medium for the cultivation of lactobacilli; **J.Appl. Bact.**; 23(1) pp 130-135
- DeVries, W., Kapteijn, W.M.C., van der Beek, E.G. and Stouthammer, A.H.; (1970) Molar growth yields and fermentation balances of *Lactobacillus casei* L3 in batch cultures and continuous cultures. **J.Gen.Microbiol.**; 63: pp333-345.
- Edwards, C.G., Powers, J.R., Jensen, K.A., Weller, K.M., and Peterson, J.C.; (1993) *Lactobacillus* sp. From Washington State Wines: Isolation and Characterisation. **J.Food Science**; 58; pp453-458.

Evans, J.B. & Nivens, C.F.; (1951) Nutrition of heterofermentative lactobacilli that cause greening of cured meat products, **J.Bact.**, 62, pp 599

Figueroa, C., Davila, A.M. and Pourquie, J.; (1995) Lactic acid bacteria of sour cassava starch fermentation. **Letters in Applied Microbiology**; 21: pp126-130.

Garvie, E.I.; (1980) Bacterial Lactate Dehydrogenases; **Microbiological Reviews**; 44 (1): pp 106-139.

Gasser, F.; (1970) Electrophoretic characterisation of lactic dehydrogenase in the genus *Lactobacillus*; **J.Gen.Microbiol.**; 62: pp223-239

Gibson, T. & Ab-del Malek, T.; (1945) The formation of carbon dioxide by lactic acid bacteria and *Bacillus licheniformis* and a cultural method of detecting the process. **J. Dairy Res.**; 14:pp35-44.

Glaasker, E., Tjan, F.S.B., Steeg, P.F.T., Konings, W.N. and Poolman, B.; (1998) Physiological response of *Lactobacillus plantarum* to salt and nonelectrolyte stress. **J.Bacteriol.**; 180; pp4718-4723

Hammes, W.P., Weiss, N. and Holzgfeil, W.; (1992) The genera Lactobacilli and Carnobacterium; pp1535-1594; Balows, A., Truper, H.G., Dworkin, M.S., Harder, W. and Schleifer, K.H. (eds). In **The Prokaryotes: A handbook on the Biology of Bacteria: Ecophysiology, Isolation, Identification, Application.**, 2nd Edition. Volume II.; Springer-Verlag.

Holten, C.M. (ed) with Muller, A. and Rehbinder, D.; (1971) **Lactic Acid**; Verlag-Chemie.

Hujanen, M. & Linko, K.K.; (1996) Effect of temperature and various nitrogen sources on L(+)-lactic acid production by *Lactobacillus casei*; **Appl. Microbiol.Biotechnol.**; 15:pp307-313

Hutkins, R.W., Ellefson, W.L. and Kashket, E.R.; (1987) Betaine transport imparts osmotolerance on a strain of *Lactobacillus acidophilus*; **Appl.Environ.Microbiol.**; 43; pp2275-2281.

Imhoff, J.F.; (1986) Osmoregulation and compatible solutes in eubacteria.; **FEMS Microbiol. Rev.**; 39: pp 57-66.

Ishizaki, A., Osajima, K., Nakamura, K., Kimura, K., Hara, T. and Ezaki, T.; (1990a) Biochemical characterisation of *Lactococcus lactis* IO-1 whose optimal temperature is high as 37°C. ; **J.Gen. Appl. Microbiol.**; 36:pp1-6

Kandler, O.; (1983) Carbohydrate metabolism in lactic acid bacteria. **Antonie van Leeuwenhoek**. 49: pp209-224

Kashket, E.R., (1987) Bioenergetics of lactic acid bacteria: cytoplasmic pH and osmotolerance. **FEMS Microbiology Reviews**. 46: pp 233-244

Kharras, G.B., Sanchez-Riera, F. and Severson, D.K.; (1993) Polymers of Lactic Acid; pp 93-137; Molby, D.P. (ed) in **Plastics from Microbes: Microbial synthesis of Polymers and Polymer precursors**; Hanser Publishers.

Krischke, W., Schroder, M. and Trosch, W.; (1991) Continuous production of L-lactic acid from whey premeate by immobilized *Lactobacillus casei* subsp. *casei*; **Appl. Microbiol.Biotechnol.**; 34:pp573-578

Kricheldorf, H.R.; (2001) Syntheses and application of polylactides; **Chemosphere**; 43:pp 49-54.

Kulkarni, R.K., Moore, E.G., Hegyeli, A.F. and Leonard, F.; (1971) Biodegradable Poly(lactic acid) Polymers; **J.Biomed.Mater.Res.**; 5:pp 169-181.

Larone, D.H.; (1987) **Medically Important Fungi: A Guide to Identification**; Elsevier Science Publishing Co., Inc. New York.

Lawrence, A.J.; (1975) Determination of lactic acid in cream. **Aust. J. Dairy Technol.** 20: pp 14-15

Lawson, P.A., Papademas, P., Wacher, C., Falsen, E., Robinson, R., and Collins, M.D.; (2001) *Lactobacillus cypricasei* sp. nov., isolated from Halloumi chesse.; **Int. J. Syst. Evol. Microbiol.**, 51:pp45-49.

Leisner, J.J., Vancanneyt, M., Goris, J., Christensen, H., and Rusul, G.; (2000) Description of *Paralactobacillus selangorensis* gen. nov., sp.nov., a new lactic acid bacterium isolated from chili bo, a Malaysian food ingredient; **Int. J. Syst. Evol. Microbiol.**, 50:pp19-24.

Leisner, J.J., Vancanneyt, M., Rusul, G., Pot, B., Lefebvre, Fresi, A., and Tee, L.K.; (2001) Identification of lactic acid bacteria constituting the predominating microflora in an acid fermented condiment (tempoyak) popular in Malaysia; **International Journal of Food Microbiology**; 63:pp 149-157.

Litchfield, J.H.; (1995) Microbiological Production of Lactic Acid; **Advances in Applied Microbiology**; Neidleman, S.L. and Laskin, A.I. (eds.) 42: pp45-95

Lipinsky, E.S.; (1981) Chemicals from biomass: petrochemical substitution options. **Science**; 212: pp 1465-1471

Liu, S.Q., Asmundson, R.V., Gopal, P.K., Holland, R., and Crow, V.L.; (1998) Influence of reduced water activity on lactose metabolism by *Lactococcus lactis* subsp. *cremoris* at different pH values.; **Appl.Environ.Microbiol.**; 64: pp2111-2116.

Magni, C., de Mendoza, D., Konnigs, W.N., and Lolkema, J.S.; (1995) Mechanism of citrate metabolism in *Lactococcus lactis*: resistance against lactate toxicity at low pH; **J.Bacteriol.**; 181:pp 1451-1457.

- McDonald, L.C., Fleming, H.P., and Hassan, H.M.; (1996) Acid tolerance of *Leuconostoc mesenteroides* and *Lactobacillus plantarum*; *Appl.Env.Microbiol.*; 56:pp2120-2124
- Milliere, J.B., Abidi, F.Z. and Letebure, G.; (1990) Taxonomic characterisation of *Lactobacillus delbrueckii* subsp. *bulgaricus*, isolates from a Cameroonian zebu's fermented raw milk., *J.Appl.Bact.* 80:pp 583-588.
- Morlon-Guyot, J., Guyot, J.P., de Haut, J., and Raimbault, M.; (1998) *Lactobacillus manihotivorans* sp.nov., a new starch-hydrolysing lactic acid bacterium isolated during cassava sour starch fermentation.; *Int. J. Syst. Bacteriol.*; 48:pp1101-1109.
- Narayan, R.; (1993) Biodegradable Plastics; Busche, R.M. (ed); in **Opportunities for Innovation :Biotechnology**; Technomic Publishings Company.
- Reid, G.; (1999) The scientific basis for probiotic strains of *Lactobacillus*. *App. Environ.Microbiol.*; 65:pp 3763-3766.
- Rhee, S.K. and Pack, M.Y.; (1980) effect of environmental pH on fermentation balance of *Lactobacillus bulgaricus*; *J.Bacteriol.*; 144: pp 217-221.
- Roach, S., Savage, D.C. and Tannock, G.W.; (1977) Lactobacilli isolated from the stomach of conventional mice; *App. Environ.Microbiol.*; 33: pp 1197-1203.
- Rogosa, M., Franklin, J.G. and Perry, K.D.; (1961) Correlation of vitamin requirement with cultural and biochemical Characters of *Lactobacillus* spp.; *J.Gen.Micobiol.*; 25; pp473-482
- Stainer, R.Y., Ingraham, J.C. Wheelis, M.C. and Painter, P.R., (1987) In **General Microbiology**, 5th Edition, pp 495, MacMillan Press.
- Stiles, M.E. and Holzapfel, W.H.; (1997) Lactic acid bacteria of foods and their current taxonomy; *Int.J.Food Microbiol.*; 36:pp 1-29.
- Tanasupawat, S., Ezaki, T., Suzuki, K., Okada, S., Komagata, K. and Kozaki, M.; (1992) Characterisation and identification of *Lactobacillus pentosus* and *Lactobacillus plantarum* strains from fermented foods in Thailand. *J.Gen.Appl.Microbiol.*; 38: pp 121-134.
- Tanasupawat, S., Shida, O., Okada, S., and Komagata, K.; (2000) *Lactobacillus acidipiscis* sp.nov. and *Weisella thailandensis* sp.nov., isolated from fermented fish in Thailand.; *Int. J. Syst. Evol. Microbiol.*; 50:pp1479-1485.
- Teuber, M.; (1993) **Biotechnology** vol 1, pp325-364, (eds) Rehm & Reed, VCH, New York
- Teuber,M., Geis, A., Novo, H., (1992) The Genus *Lactoccoccus*. Pp1482-1501. In Balows, A., Truper, H.G., Dworkin, M.S., Harder, W. and Schleifer, K.H. (eds). **The Prokaryotes: A handbook on the Biology of Bacteria: Ecophysiology, Isolation, Identification, Application.**, 2nd Edition. Volume II.; Springer-Verlag.

Thomas, T.D., Ellwood, D.C. and Longyear, V.M.C.; (1979) Change from homo to heterolactic fermentation by *Streptococcus lactis* resulting from glucose limitation in anaerobic chemostat cultures; **J.Bacteriol.**; 138: pp 109-117.

Tsai, S.P., Coleman, R.D., Moon, S.H., Schneider, K.A. and Millard, C.S.; (1993) Strain Screening and Development for Lactic Acid Fermentation.; **Applied Biochemistry and Biotechnology**; 39/40: pp323-335

Uguen, P., Hamelin, J., Le Pennec, J., and Blanco, C.; (1999) Influence of Osmolarity and the Presence of Osmoprotectant on *Lactococcus lactis* Growth and Bacteriocin Production. **Appl. Environ. Microbiol.** 63:pp291-293

Vaccari, G., Gonzalez-Vara, A., Campi, A.L., Dosi, E., Brigidi, P. and Matteuzzi, D. (1993). Fermentative production of L-lactic acid by *Lactobacillus casei* DSM_20011 and product recovery using ion exchange resins. **Appl. Microbiol. Biotechnol.** 40:pp23-27

Vickroy, T.B.; (1985) Lactic Acid; pp 761-775; Blanch, H.W., Drew, S. and Wang, D.I.C. (volume eds.); The Practice of Biotechnology: current commodity products; Moo-Young, M. (ed); **Comprehensive Biotechnology**, Pergamon Press.

Wood, B.J.B and Holzapfel, W.H.; (1995) **The Genera of Lactic Acid Bacteria**, 1st edition, Glasgow, U.K.; Blackie Academic and Professional.

Wouters, J.A., Kamphuis, H.H., Hugenholtz, J., Kuipers, P., De Vos, W.M. and Abbe, T.; (2000) Changes in glycolytic activity of *Lactococcus lactis* induced by low temperature; **Appl. Environ. Microbiol.**; 66:pp 3686-3691.

Yoon, J.H., Kang, S.S., Mheen, T.I., Ahn, J.S., Lee, H.J., Kim, T.K., Park, C.S., Kho, Y.H., Kang, K.K., and Park, Y.H.; (2000) *Lactobacillus kimchii* sp. nov., a new species from kimchi; **Int. J. Syst. Evol. Microbiol.**; 50:pp 1143-1149.

Zayed, G. and Zahran, A.S., (1991) Lactic acid production from salt whey using free and agar immobilised cells; **Letters in Applied Microbiology**; 12: pp 241-243