REFERENCES

REFERENCES

- Abdul Halim, B. A. (1998): Studies on the distribution of heavy metals in soil Derived Industrial water, M.Sc Thesis, University of Malaya. Kuala Lumpur, Malaysia
- Adamo, P.S., Dudka, M., Wilson, J. and McHardy (1996): Chemical and mineralogical forms of Cu and Ni in contaminated soils from the Sudbury mining and smelting region, Canada. Environmental Pollution, 91:11-19.
- Adriano, D.C. (1986): Trace Elements in the Terrestrial Environment Springer-Verlag, New York United States
- Ahmed, I. (1995): The background levels of heavy metals concentrations in surface soils near the roadsides of Peninsular Malaysia, Biology Symposium, UKM Bangi, Malaysia.
- Ahmed, I., Joslenns, B and Rosina R. (1995): Trace metals in Soil and plants from Seri Petaling Landfill site, Kuala Lumpur, Biology Symposium, UKM Bangi, Malaysia.
- Ainsworth, C.C., Pilon, J.L., Gassman, P.L. and Van der Sluys, W.G. (1994): Cobalt, cadmium and lead sorption to hydrous iron oxide: Residence time effect. Soil Science Society of America Journal 58: 1615-1623.
- Albasel, N. and Cottenie, A. (1985) : Heavy metal contamination near major highways, industrial and urban areas in Belgian grassland. Water, Air and Soil Pollution, 24 (1): 103-110.
- Alfani, A., Batroli, G., Rutigliano, F.A., Maisto, G. and Virzo De Saanto, A. (1996) : Trace metal bomonitoring in the soil and the leaves of Quercus Ilex in the urban area of Naples. Biological Trace Element Research, 51 (1): 117-131.
- Ali, E.A (1993): Damage to plants due to industrial-pollution and their use as bioindicators in Egypt. Environmental pollution, 81 (3): 251-255.
- Allen, H.E. (1993): The significance of trace metal speciation for water, sediment and soil quality criteria and standards. Science of the Total-Environment. 93, 23-45
- Allen, H.E, Huang, C.P, Baily, G.W and Bowers, A.R. (1995): Metal speciation and contaminated soils. Lewis Publishers Roca Raton, Florida, USA, 538pp
- Allison, J.D., Brown, D.S., and Novo-Gradac, K.J., (1990): MINTEQA2/PRODEFA2–A geochemical assessment model for environmental systems-version 3.0 user's manual: Environmental Research Laboratory, Office of Research and Development, U.S. Environmental Protection Agency, Athens, Georgia, 106 p.
- Allison, J.D. and Brown, D.S. (1995): MINTEQA2/PRODEFA2 A geochemical speciation model and interactive processor. In: Loeppert, R.H., Schwab, A.P. and Glodberg, P. (ed) Chemical

Equilibrium and Reaction Models. Soil Science Society of America special publication, Madison, Wisconsin, USA: 241-252.

- Alloway, B.J and Ayres, D.C, (1993): Chemical Principles of Environmental Pollution, Blackie Academic and Professional, Glasgow.
- Alloway, B.J. Heavy Metals in Soils, 2nd edn. Chapman and Hall (1995)
- Amacher, M.C., Selim, H.M. and Iskandar, I.K. (1988) Kinetics of chromium (VI) and cadmium retention in soils; A nonlinear multireaction model. Soil Science Society of America Journal 52: 398-408.
- Andreu, V. and Gimeno-Gracia (1996). Total content and extractable fraction of cadmium, cobalt, copper nickel, lead and zinc in calcarcous orchard soils, Communications in Soil Science and Plant Analysis 27 (13&41): 2633-2648
- Arnesen, A.K.M. and Singh, B.R. (1998) :Plant uptake and DTPA-extractability of Cd, Cu, Ni and Zn in a Norwegian alum shale soil as affected by previous addition of dairy and big manures and peat. Canadian Journal of Soil Science 78: 531-539
- Asami, T. (981): Maximum allowable limits of trace elements in rice and soils. In: Heavy metal pollution in soils of Japan, K. Kahuzo and I. Yamane, (Eds.). Japan Scientific Societies Press, Tokyo, Japan, pp. 257-274.
- Badri, M. A. (1986): Heavy metals Pollution Problems in a Developing Tropical City: Case of Kuala Lumpur. In Pawlowski, L., Alaerts, C., and Lacy, W. J Chemistry For Protection of Environment. Elsevier Sci. Publ New York pp 71-88.
- Badri, M. A., (1994): Lake Sediments as Indicators of Heavy Metals Pollution in Kuala Lumpur-Petaling Jaya area, Proc. Kuala Lumpur Ecoville Seminar on urbanization, University of Malaya, Kuala Lumpur.
- Badri, M. A. (1995): Heavy Metals Pollution in the Urban Environment, National Workshop on Environmental Monitoring and Assessment, Kuala Lumpur
- Backes, C.A., McLaren, R.G., Rate, A.W. and Swift, R.S. (1997): Kinetics of cadmium and cobalt desorption from iron and mamangese oxides. Soil Science Society of America Journal, 59: 778-785.
- Basta, N.T., Pantone, D.J. and Tabatabai, M.A. (1993): Patch analysis of heavy metals adsorption by soil. Agronomy Journal, 85 1054-1057.
- Bazzaz, F.A., Car.son, R.W and Rolfe, G.L., (1974): The effect of heavy metals on plants. Environmental Pollution, 7: 241-249

1

- Benitez L N, Dubois J P.(1999):Evaluation of the selectivity of sequential extraction procedures applied to the speciation of cadmium in soils, International Journal of Environmental Analytical Chemistry, 1999, V74, N1-4, pp 289-303
- Berthelsen, B.O., Steinnes, E., Solberg, W. and Jingsen, L. (1995): Heavy metal concentrations in plants in relation to atmospheric heavy metal deposition. Journal of Environmental Quality, 24 (5) 1018-1026.
- Blackemore, L.C., P. Searle and B.K Daly (1978): Methods for chemical analysis of soils. Bureau Scientific: Elsevier Publishing Co New Zealand
- oekhold, A.E., van der Zee. S.E.A.T.M. and de Haan, F.A.M (1991) : Spatial patterns of cadmium contents related to soil heterogeneity. Water, Air and Soil Pollution, 57-58: 479-788.
- Bockhold, A.E., Temminghoff, E.J.M. and van der Zee. S.E.A.T.M. (1993) Influence of electrolyte composition and pH on the cadmium adsorption by an acidic soil. Journal of Soil Science, 44: 85-96.
- Bolton, K.A and Evans, L.J (1996) : Cadmium adsorption capacity of selected Ontario soils. Canadian Journal of Soil Science 76: 183- 189.
- Boon, D.Y.and Soltanpou, P.N (1991) Pb, Cd and Zn in contaminated soils from NHLHCO₃-DTPA extractable levels Estimating. Commun. Soil Science and Plant. Analalysis. 22:369-378.
- Boon, D.Y.and Soltanpou, P.N (1992) Lead, cadmium and zinc contamination of Aspen garden soils and vegetation. Journal of Environmental Quality 21: 82-86
- Brady, N.C. and Wiel, R.R (1999) :. The Nature and Properties of Soils 12th edition, Prentice-Hall, Inc. Upper Saddle River, New Jersey, USA
- Brallier, S., Harrison, R.B., Henry, C.L., Xue, D. and Xue, D.S. (1996) Liming effects on availability of Cd, Cu, Ni and Zn in a soil amended with sewage sludge 16 years previously. Water, Air, and Soil Pollution, 86(1-4): 195-206
- Brian, E, D. (1980). Trace Element Pollution In: ed Brian: Applied Soil Trace Elements. 288-351 The Pitman Press United Kingdom
- Bruemmer, G.W Gerth, J. anf Tiller, K.C. (1988) Reaction Kinetics of the adsorption and desorption of nickel, zinc and cadmium by goethite. 1. Adsorption and diffusion of metals. Journal of Soil Science 39: 73-52.

- Bunzl K, M Trautmannsheimer; P Schramel (1999). Heavy metals in the environment: Partitioning of heavy metals in a soil contaminated by slag: A redistribution study. Journal of Environmental Quality, 28, (4): 1168-1181
- Canet, R., Pomares, F., Tarazona, F., Estela, M. (1998) Sequential fractionation and plant availability of heavy metals as affected by sewage sludge applications to soil. Communications-in-Soil-Science-and-Plant-Analysis, 29: 5-6, 697-716
- Campbell, G.D., Galicia, H.F. and Schindler, P.W. (1987) Binding of cadmium by Montmorillite humic acid mixture. Australian Journal of Soil Research25: 391-403.
- Cavallaro, N. and McBride, M.B. (1978) Copper and cadmium adsorption characteristics of selected acid and calcareous soils. Soil Science Society of America Journal, 42: 550-556.
- Chaney, R.L., Clapp, C.E., Larson, W.E., and Dowdy, R.H. (1994) Trace metal movement: soil-plant systems and bioavailability of biosolids-applied metals. Proceeding Sewage sludge Conference: land utilization and the environment: Sheraton Airport Inn, Bloomington, MN, USA.
- Chaney, R.L. and U. Kukier. (998) Remediating Ni-Phytotoxicity of Contaminated Muck Soil Using Lime and Hydrous Iron Oxide. Report to Inco Ltd., Toronto, Ontario, Canada. 40 pp.
- Chang, A.C., Granto, T.C. and Page, A.L (1992) A methodology for establishing phytotoxicity criteria for chromium, copper, nickel and zinc in agricultural land application of municipal sewages sludges. Journal of Environmental Quality 21: 521-536.
- Chlopecka, A, Bacon, J.R, Wilson, M.J and Kay, J (1996) Forms of cadmium, lead and zinc in contaminated soils from southwest Poland. Journal of Environmental Quality 25: 69-79.
- Comans, R.N.J (1987) Adsorption and desorption and isotopic exchange of cadmium on illite: Evidence for complete reversibility. Water Research 21 (12): 1572-1576
- Cowan, C.E., Zachara, J.M., Smith, S.c. and Resch, C.T. (1992) Individual sorbent contribution of cadmium sorption by Ultisols of mixed mineralogy. Soil Science Society of America Journal, 98: 1084-1094
- Cumming, J.R. and Tomsett, A.B (1992) Metal tolerance in plants: signal transduction and acclimation mechanisms pp 329-364. In Adriano, D.C (ed) Biogeochemistry of trace elements. Lewis Publishers.
- Dang, Y.P., Tiller, KG., Dalal, R.C. and Edwards, D.G. (1996) Zinc speciation in soil solutions of Vertisols. Australian Journal of Soil Research, 34 (3): 369-383
- Daniel, G.S. and Sparks D.L (1999) Sorption kinetics of trace elements in soil and soil materials. PpmI-28. In: Selim and Iskandar. (ed.) Fate and Transport of heavy Metals in the Vadose Zone. Lewis Publishers, New York ,

- David, G.I., Leslie, J.E and Kim, B. (1995) Influence of pH and chloride on the retention of cadmium, lead, mercury and zinc. Journal of Soil Contamination, 4 (2): 1-14.
- Dean, J.G., Bosqui, F.L., and Lanouette, V.H., (1972) Removing heavy metals from waste water: Environmental Science and Technology, v. 6, p. 518-522.
- Dix, H.M. (1981) Environmental Pollution: Atmosphere, land, water and Noise. Wiley International Edition New York 81-97. Environmental Science Series), Vail-Ballon Press Inc, N.Y pp77-79
- Douglas, I., (1983) The Urban Environment, Edward Arnold London
- Dusley, L.M., McLean, R.C., Sims, R.C. and Jurinak, J.J. (1988) Sorption of copper and cadmium from water-soluble fraction of an acid mine waste by two calcareous soils Soil Science, 145: 207-214
- Dusley, L.M., McLean, R.C., Furst, T.H. and Jurinak, J.J. (1991) Sorption of Cd and Cu from an acid mine waste by two calcareous soils: column studies. Soil Science, 151: 121-135.
- Duke, M. (1990) Nickel in the Environment, ed. by J. Nriagu. John Wiley & Sons: New York
- Dudka, S. and Chlopecka, A. (1990) Effect of solid phase speciation on metal mobility and phytoavailability in sludge amended soils. Water Air Soil Pollution. 51:153-160
- Dudka, S., Hernandez, R., Tate, G. and Hutchinson, T.C. (1996) Forms of Cu, Ni, and Zn in soils of Sudbury, Ontario [Canada] and the metal concentrations in plants. Water, -Air, -and-Soil-Pollution. 90 (3-4): 531-542
- Elliott. H.A. (1983) Adsorption Behavior of cadmium in respective to soil surface charge. Soil Science, 136: 317-321.
- Eklund, M. (1995) Cadmium and lead deposition around a Swedish battery plant as recorded in oak tree rings. Journal-of-Environmental-Quality. 24: 1, 126-131
- Elliott. H.A., Liberati, M.R. and Huang, C.P. (1989) Effect of iron oxide removal on heavy metal sorption by acid subsoils. Water Air Soil Pollution, 27: 379-389.
- Fifadara, H.H (1999) Heavy metals distribution in soils environment around a landfill. M.Sc Thesis, Institute of Postgraduate Studies and Research, University of Malaya, Kuala Lumpur, Malaysia

- Fischer, K., Rainer, C., Bieniek, D. and Kettrup, A. (1992) Desorption of heavy metals from typical soils components (clay, peat) with glycine. International Journal of Environmental Analytical Chemistry, 46: 53-62.
- Fotovat, A. and Naidu, R. (1997) Ion exchange resin and MINTEQA2 speciation of Zn and Cu in alkaline sodic and acidic soil extracts. Australian-Journal-of-Soil-Research., 35 (4), 711-726.
- Franz, Z. and Walter, W.W. (1999) Adsorption Isotherms of Nickel in Acid Forest Soils, 29-58. In: Selim and Iskandar. (ed.) Fate and Transport of heavy Metals in the Vadose Zone. Lewis Publishers. New York
- Frost, R.R. and Griffin, R.A (1977) Effect of pH on adsorption of copper, zinc and cadmium from landfill by clay minerals. Journal of Environmental Science and Health 4-5: 139-156.
- Ge, Y.; Murray, P.; Hendershot, W. H. (2000). Trace metal speciation and bioavailability in urban soils. Environmental Pollution. 107 (1): 137-14.
- Gerritse, R.G and van Driel, W. (1984) The relationship between adsorption of trace metals, organic matter and pH in temperate soils. Journal of Environmental Quality; 13: 179-204.
- Gray, C.W., McLaren, R.G., Roberts, A.H.C. and Condron, L.M. (1998). Sorption and desorption of cadmium from some New Zealand soils: effect of pH and contact time. Australian Journal of Soil Research 36: 199-216.
- Gray, C.W., McLaren, R.G., Roberts, A.H.C. and Condron, L.M. (1999). Solubility, sorption and desorption of native and added Cd from a range of New Zealand soils in relation to soil properties European Journal of Soil Science 50: 127-137.
- Gray, C.W., McLaren, R.G., Roberts, A.H.C. and Condron, L.M. (1999). Cadmium phytoavailability in some New Zealand soils. Australian Journal of Soil Research 37: 461-477.
- Gray, C.W., McLaren, R.G., Roberts, A.H.C. and Condron, L.M. (1999). Effect of soil pH on cadmium phytoavailability in some New Zealand soils. New Zealand Journal of Crop and Horticultural Science 27: 169-179.
- Hahne, H.C.H and Kroontje, W. (1973) Significance of pH and chloride concentration on behavior of heavy metal pollutant: mercury (II), cadmium (II), zinc (II) and lead (II). Journal of Environmental Quality 2: 444-450.
- Hambers, D.B., R.L. Chaney, B.R. Conard, N.C. Garisto, U. Kukier, H.A. Phillips and Fernandes, S. (1998). Risk Assessment for Nickel in Soil, with a Critical Review of Soil-Nickel Phytotoxicity. White Paper Report to Ontario Ministry of the Environment for Inco Ltd. 72 pp.

- Hamon, R.E., Lorenz, S.E., McGrath, S.P., Holm, P.E., Christensen, T.H. (1992) The use of soil solution parameters to predict uptake of Cd and Zn in Radish. In: Beese F. (ed.) Root-Soil-Interactions: From basic concepts to model descriptions, Proceedings of an International Conference, European Science Foundation, Scheyern, Germany.
- Hani, H., Hood, T.M., and Benton, J.J (1996) Soil Analysis as a Tool to predict effect on the environment. Soil and plant analysis in sustainable agriculture and environment. Marcel Dekker Inc. New York 13-30
- Hawley, J.K. (1985). Assessment of Health risk from exposure to contaminated soil. Risk Analysis 5(4): 289-302.
- Heinz, H. (1996) Soil Analysis as a Tool to Predict Effect on the Environment. Commun. Soil.Plant.Anal, 27 (3 & 4): 289-306
- Helmke, P.A (1999) Chemistry of cadmium in soil solution. In: McLaughlin and Singh (ed) Cadmium in soils and plants. Development in Plant and Soil Science volume 85. Kluwer Academic Publishers 39-65.
- Hernandez, L.M., Rico, C., Gonzalez, J. and Hernan, A. (1987) Environmental contamination by lead and cadmium in plants from an urban area of Madrid, Spain. Bulletin of Environmental Contamination and Toxicology, 38 (2): 203-208
- Hickey, M.G. and Kittric, J.A. (1984) Chemical partitioning of cadmium, copper, nickel and zinc in soils and sediments containing high levels of heavy metals. Journal of Environmental Quality 13: 371-376.
- Ho, Mark D.; Evans, Greg J (2000): Sequential Extraction of Metal Contaminated Soils with Radiochemical Assessment of Re adsorption Effects. Environ. Science and Technology, 34 (6), 1030-1035.

Holdgate, D.A., (1979). Perspective of Environmental Pollution, University Press,

- Holm, P.E., Andersen, B.B.H., Christensen, T.H. (1993) Solubility of cadmium in polluted soil. In: Arendt, F. et al. (eds), and Contaminated Soil '93. Kluwer Academic Publishers. Dordrecht, NL, Vol. 1, 503-504.
- Holm, P.E., Andersen, S., Christensen, T.H. (1995) Speciation of dissolved cadmium: Interpretation of dialysis, ion exchange, and computer (GEOCHEM) methods. Water Research, 29, 803-809.
- Holm, P.E., Christensen, T.H., Tjell, J.C., McGrath, S.P. (1995) Speciation of cadmium and zinc with application to soil solutions. Journal of Environmental Quality, 24, 183-190.

- Holmgren, G.G.S, Meyer, M.W., Chaney, R.L and Daniel, R.B (1993). Cadmium, lead, zinc, copper, and nickel in agricultural soils of the United States of America. Journal of Environmental Ouality 22: 335-348
- Hus, P.H (1963) Effect of initial pH, Phosphate and Silicate on the determination of Aluminum. Soil Science. 96: 230-238
- Jeng, A.S. and Singh, B.R (1993) Partition and distribution of cadmium and zinc fractions in selected cultivated soils in Norway. Soil Science, 156: 240-250.
- Jenne, E.A. (1968) Controls on Mn, Fe, Co, Cu and Zn concentrations in soils and water: the significant role of hydrous Mn and Fe oxides, pp. 337-387. In Advances in Chemistry, Series No. 73 American Chemical Society, Washington, DC.
- Jinadasa, K.B.; Milham, P.J.; Hawkins, C.A.; Cornish, P.S.; Williams, P.A.; Kaldor, C.J and Conroy, J.P. (1997). Survey of cadmium levels in vegetables and soils of Greater Sydney, Australia. Journal of Environmental Quality, 26: 4, 924-933
- Jopony, M. and Young S. (1994). The solid-solution equilibria of lead and cadmium in polluted soils, European Journal of Soil Science 45, 59-70.
- Kabat-Pendias, A. and Pendias, H., (1992). Trace Elements in Soils and Plants. CRC Press, Boca Raton, FL, 2nd, ed., 365 pp.
- Kalbasi, M., Peryca, F.J., Lindasy, W.L. and Drake, S.R. (1995) Measurement of divalent lead activity in lead asenate contaminated soils. Soil Science Society of America Journal, 59: 1274-1280.
- Kastori, R., M. Petrovic, and N. Petrovic, (1992). Effect of Excess Lead, Cadmium, Copper, and Zinc on Water Relations in Sunflowers, Journal of Plant Nutrition. 15, (11) pp.2427-2439.
- Keller, C. and Vedy, J.C (1994) Distribution of cooper and cadmium fractions in two forest soils. Journal of Environmental Quality 23: 978-999
- Kim, K.W. and Thornton, I., (1993) Environmental Geochemistry and Health 15 119-133.
- Knight, B.P., Chaudri, A.M., McGrath, S.P., and Giller, K.E. (1998) Determination of chemical availability of cadmium and zinc in soils using inert soil moisture samplers. Environmental-Pollution. 99 (3): 293-298.

- Kookana, R.S., Naidu, R. Barry, D.A., Tran Y.T. and Bajraacharya, K. (1999) Sorption-desorption equilibria and dynamics of cadmium during transport in soil, 59-90. Fate and Transport of heavy Metals in the Vadose Zone. Lewis Publishers, New York
- Krishnamurti, G.S.R; Huang, P.M.; Kozak, L.M.; Rostad, H.P.W. and Vanrees, K.C.J. (1997) Distribution of cadmium in selected profiles of Saskatchewas, Canada. Speciation and Availability 77 (4): 613-619.
- Kulli, B.; Balmer, M.; Krebs, R.; Lothenbach, B.; Geiger, G.; Schulin, R. (1999). Heavy metals in the environment: the influence of nitrilotriacetate on heavy metal uptake of lettuce and ryegrass Journal of Environmental Quality. 28(6), 1699-1705
- Kuo, S. and Mikkelesen, D.S. (1980) Kientics of zinc desorption from soils. Plant and Soil, 56: 355-364
- Kuo, S. Heilman, P.E. and Baker, A.S (1983) Distribution and forms of copper, zinc cadmium iron and manganese in soils near a copper smelter, Soil Science, 135: 101-109.
- Legret, M. (1993). Speciation of Heavy Metals in Sewage Sludge and Sewage Sludge amended soils. Intern. J. Environ. Anal. Chem., 51 161-165
- Levy, D., B.; Barbarik, K.A.; Siemer, E.L. and Sommmers, L.E (1992). Distribution and partitioning of trace metals in contaminated soils near Leadville, Colorado. Journal of Environmental Quality, 21:185-195.
- Linda, M.C and Chang, A.C (1992) Cadmium activities, solution speciation and solid phase distribution of Cd in cadmium nitrate and sewage sludge-treated systems. Soil Science 162 (10) 722-732
- Lindsay, W.L. Chemical equilibria in soils (1979). John Wiley & Sons, New York 449pp
- Liang, J., Schoenau, J.J. (1996) Speciation in metal contaminated soils as revealed by an ion exchange resin membrane fractionation procedure. Communications in Soil Science and Plant Analysis, 27 (18-20): 3013-3026.
- Lo, K.S.L., Yang, W.F. and Lin, Y. C. (1992). Effect of organic matter on the specific absorption of heavy metals by soil. Pp 139-153 in: Toxicolology. And Environmental Chemistry, 34 (2-4) Gordon and Breach Publishers.
- Logan, T.J.; Lindsay, B.J.; Goins, L.E. and Ryan, J.A. (1997a). Field assessment of sludge metal bioavailability to crops: sludge rate response. Journal of Environmental Quality, 26: 2, 534-550

- Logan, T.J.; Goins, L.E; Lindsay, B.J (1997b) Field assessment of trace element uptake by six vegetables from N-Viro Soil.Water-Environment-Research. 69: 1, 28-33
- Lorenz, S.E., Hamon, R.E., McGrath, S.P., Holm, P.E., Christensen, T.H. (1993). The effect of fertilizer applications on the bioavailability of Cd and Zn. In: 4th Conference on Current Research Developments in Soil and Related Science, British Soil Science Society, London.
- Lorenz, S.E., Hamon, R.E., McGrath, S.P., Holm, P.E., Christensen, T.H. (1994). Applications of fertilizer cations affect cadmium and zinc concentrations in soil solutions and uptake by plants. European Journal of Soil Science. 45, 159-165.
- Lorenz, S.E., Hamon, R.E., Holm, P.E., Domingues, H.C., Sequeira, T.H., Christensen, T.H. and McGrath, S.P (1997). Cadmium and zinc in plants and soil solutions from contaminated soils. Plant and Soil 198: 21-31
- Ma, Y.B. and Uren N.C (1996).. The effect of cropping corn on the extractability of zinc added to calcareous soil. Plant and Soil 181: 221-226.
- Mattigod, S.V. (1995) Chemical Equilibrium and Reaction Models: Application and Future Trends, In: Loeppert, R.H., Schwab, A.P. and Glodberg, P. (ed) Chemical Equilibrium and Reaction Models. Soil Science Society of America special publication, Madison, Wisconsin, USA: 1-30.
- McBride, M.B., (1989) Reactions controlling heavy metal solubility in soils. In Stewart, B.A (ed) Advances in Soil Science, Volume 10. Springer-Verlag, New York, 1-56.
- McBride, M., Sauve, S. and Hendershot, W. (1997a) Solubility control of Cu, Zn, Cd and Pb in contaminated soils. European Journal of Soil Science, 48: 337-346.
- McBride, M.B., Richards, B.K., Steenhuis, T., Russo, J.J. and Sauve, S. (1997b) Mobility and solubility of toxic metals and nutrients in soil fifteen years after sludge application. Soil Science 162 (7): 487-499.
- McGrath, S.P. and Cegarra, J. (1992) Chemical extractability of heavy metals during and after long term application of sewage sludge to soil. Journal of Soil Science, 43: 313-321.
- McKenzie, R.G. (1980) The adsorption of lead and other heavy metals on oxides of manganese and iron. Australian Journal of Soil Research 18: 61-71.

- McLaren, R.G and Smith, C.J. (1996). Issues in the disposal of industrial and urban wastes. In Contaminants and the Soil Environment in the Australasian-Pacific Region (R. Naidu, R.S. Kookana, D.P. Oliver, S. Rogers and M.J. McLaughlin, editors). Kluwer Academic Publishers, 183-212.
- McLean, K.S., Robinson, A.R. and MacConnel, H.J. (1987) The effect of sewage-sludge on the heavy metal content of soils and plant tissue. Communications in Soil Science and Plant Analysis, 27 (18): 1003-1316.
- McLaren, R.G., Lawson, D.M. and Swift, R.S. (1986) Sorption of cobalt by soil and soil components Journal of Soil Science. 37: 413-426
- McLaughlin, M.J., Tiller, K.G. and Smart, M.K. (1997) Speciation of cadmium in soil solutions of saline/sodic soils and relationship with cadmium concentrations in potato tubers (Solanum tuberosum L). Australian Journal of Soil Research, 35 (1) 183-198.
- McLaughlin, M.J and Singh, B.R (1999) Cadmium in Soils and Plants. Development in Plant and Soil Science volume 85. Kluwer Academic Publishers 271pp
- Mehra, D.Y.and H.L. Jackson (1960) Iron Oxide Removal from Soils and Clays Dithionate-citrate system buffered with sodium bicarbonate: In 7th National Conference on Clays and Clay minerals.
- Mench, M.J.D and Horonug, M (1993); Speciation and Bioavailability, In: Jeijisackers H.J.P \& Hamer (eds); Integrated Soil and Sediments Research A basis for proper protection, 213-214.
- Mench, M., Vangronsveld J. Didier V. and Clijsters, H. (1994) Evaluation of metal mobility, plant availability and immobilization by chemical agents in a limed-silty soil. Environmental Pollution, 86 (3) 279-286.
- Merrington, G. & Alloway, B.J. (1994) The transfer and fate of Cd, Cu. Pb and Zn from two historic metalliferous mine sites in the U.K. Applied. Geochemistry. 9. 677-687.
- Merrington, G. & Alloway, B.J. (1997) Determination of the residual metal binding characteristics of soils polluted by Cd and Pb. Water Air and Soil Pollut, 100: 49-62.
- Merrington, G. and Madden, C. (2000) Changes in Cd and Zn Phytoavailability in an Agricultural Soil after Amendment with Papermill Sludge and Biosolids. Communications in Soil Science and Plant Analysis 31, 759-776.

- Merrington, G., Winder, L. & Green, I. (1997) The bioavailability of Cd and Zn from soils amended with sewage sludge to winter wheat and subsequently to the grain aphid Sitobion avenae. Science of Total Environment. 205: 245-254.
- Menzies, N.W., Bell, L.C. and Edwards, D.G (1991) Effect of incubation time and filtration technique on soil solution composition with particular reference to inorganic and organically complexed aluminum. Australian Journal of Soil Research, 29: 223-28
- Mikelke, H.W. (1991) Lead in residential soils: Background and preliminary results in New Orleans. Water, Air and Soil Pollution 57-58; 11-119.
- Miner, G.S., Gutierrez, R. and King, L.D. (1997) Soil factors affecting plant concentrations of cadmium, copper, and zinc on sludge-amended soils. Journal of Environmental Quality. 26: (4) 989-994
- Misra, S.G., Dinesh, M. and Mani, D. (1994) Uptake of heavy metals by vegetable crops grown in sewage irrigated and sludge added soils. Current Agriculture, 18 (1-2): 49-53
- Mohamed, N.M.Y (1990): Treatment of toxic and hazardous wastes: The need and early attempt, Symposium on critical issues in science and technology for development, Kuala Lumpur.
- Muller, M and Anke, M. (1994). Distribution of Cd in the food chain (soil-plant-human) of a Cd exposed area and the health risks of the general population." Science of the Total Environment: 156(2) 151-158
- Narwal R. P.; Singh B. R. and Salbu B., (1999) Association of Cadmium, Zinc, Copper, and Nickel with Components in Naturally Heavy Metal-Rich Soils Studied by Parallel and Sequential Extractions. Communications in Soil Science and Plant Analysis 30 (7-8) 1209 – 1230
- Nemeth, T.; Molnar, E.; Csillag, J.; Bujtas, K.; Lukacs, A.; Partay,G.; Feher, J.; Genuchten, M.T and Van, G.M.T. (1993) Mobility of some heavy metals in soil-plant systems studied on soil monoliths. Water Science and Technology, 28 (3-5): 389-398
- Nogales, A., Gallardo-Lara,; Soto E, Hervas, J. D. and Polo, A. (1997). Metal extractability and availability in a soil after heavy application of either lead or nickel in different forms, Water, Air and Soil Pollution 94: 33-44.
- Oliver, M.A. (1997); Soil and Human Health; A review, European Journal of Soil Science, 48, 573-592.
- Page, A.L., Miller, R.H and Keeney, D.R. (1986) Methods of Soil Analysis, part 2- chemical and Microbial properties. 2nd edn. Agronomy, No 9 ASA, Soil Science Society of America Publications. Maison, Winsconsin, USA.

- Parker, D.R., Norvell, W.A. and Chaney, R.L. (1995) geochemical speciation program for IPM and compatible personal computers, In: Loeppert, R.H., Schwab, A.P. and Goldberg, P. (ed) Chemical Equilibrium and Reaction Models. Soil Science Society of America special publication, Maison, Wisconsin, USA: 253-271.
- Papadopolous, P. and Rowell (1988) The reaction of cadmium with calcium carbonate surfaces. Journal of Soil Science 39: 23-36.
- Paterson, S. and Mackay, D. (1991) Current Studies on Human Exposure to chemicals with Emphasis on the plant route. In Travis C.C. (ed) Municipal Waste Incineration Risk Assessment. Plenum Press New York
- Preer, J.R., Abdi, A.N., Sekhon, H.S. and Murchison, G.B. (1995) Journal-of-Environmental-Science and Health. Part-A, Environmental Science and Engineering and Toxic Hazardous Substance Control., 30: (9) 2041-2056;
- Percival, H. (1999). Fate of Heavy Metals added to Soils. Soil Horizon. On line Newsletter www.landcare.cri.nz, Landcare Center, New Zealand
- Percival, H.I., Sprir, T.W. and Parshotam, A. (1999). Soil solution chemistry of contrasting soils amended with heavy metals. Australian Journal of Soil Research, 37: 993-1004.
- Peterson, P.J. 1981. Adaptation to toxic metals. In R.A. Robb and W.S. Pierpoint (eds.), Metals and Micronutrients: Uptake and Utilization by Plants. Applied Science. UK, pp.
- Phillips, I. And Chapple, L. (1995) Assessment of a heavy metals-contaminated site using sequential extraction, TCLP, and risk assessment techniques. Journal of Soil Contamination, 4: 4, 311-325
- Poulik Z. (1997). The Danger of accumulation of nickel in Cereals on Contaminated Soils. Agriculture, Ecosystems and Environment, 63: 25-29.
- Poulik, Z (1999). Influence of nickel contaminated soils on lettuce and tomatoes. Sci. Hortic. (Amsterdam), 81(3), 243-250
- Reddy, K.J., Wang, L. and Gloss, S.P. (1995) Solubility and mobility of copper, zinc and lead in acidic environments. Plant and Soil, 171 (1): 53-58
- Robert, W., Taylor, H.X., Ahmed, A.M., James, W., James, W.S. and Wubishet, T. (1995) Fractionation of residual cadmium, copper, nickel, lead and zinc in previously sludge-amended soil. Communications in Soil Science and Plant Analysis, 26 (13&14): 2193-2204.

- Roca, J. and Pomares, F. (1991) Prediction of available heavy metals by six chemical extractants in a sewage-amended soil. Communications in Soil Science and Plant Analysis, 22: (19-20): 2119-2136
- Rooney, C.P., McLaren, R.G. and Cresswell, R.J. (1999). Distribution and Phytoavailability of lead in a soil contaminated with lead shot. Water, Air and Soil Pollution 116: 535-548.
- Rose, A.W., Hawkes, H. E. and Webb, J.S., (1979) Geochemistry in Mineral Exploration, 2nd edn. Academic Press, London.
- Ross, S.M., Ross, S.M. (1993) Retention, transformation and mobility of toxic metals in soils. In: Ross, S.M. (ed) Toxic-metals-in-soil-plant-system, John Wiley & Sons Ltd; Chichester; UK
- Sadig, M. and Zaidi, T.H. (1981) The adsorption characteristics of soils and removal of cadmium and nickel from wastewater. Water, Air and Soil Pollution, 16: 293-299.
- Sadig, M. and En field, C.G (1984a) Solid phase distribution and solution chemistry of nickel: 1. Theoretical. Soil Science, 138: 262-270
- Sadig, M. and En field, C.G (1984a) Solid phase distribution and solution chemistry of nickel: 21. Experimental. Soil Science, 138: 262-270
- Sager, M. and Stoeppler, M. (1992) Chemical speciation and environmental mobility of heavy metals in soils. In: Sager, M. and Stoeppler, M (ed) Hazardous metals in the environment, Elsevier Science Publishers: Amsterdam; Netherlands: 133-175
- Salomons, W. (1993). Non-linear responses of toxic chemicals in the environment: a challenge for sustainable development. In: . G.R.B. Meulen, W.M. Stigliani, W. Salomons, E.M. Bridges, A.C. Imeson (eds.). Chemical Time Bombs: Proceedings of the European State-of-the-Art Conference on Delayed Effects of Chemicals in Soils and Sediments. The Netherlands.
- Salomons, W, Stigliani, W. M (1995). Biogeodynamics of Pollutants in Soils and Sediments, Springer-Verlag Berlin Heidelberg pp 198-199
- Sauerbeck, D. R. (1991). Plant, element and soil properties governing uptake and availability of heavy metals derived from sewage sludge. Water, Air, and Soil Pollution 57-58: 227-237.

- Scheidegger, A.M., Lamble G.M., and Sparks, D.L. (1996) Investigation of nickel sorption on pyrophilite: An XAFS study. Journal of Environmental Science and Technology, 30(2): 548-554.
- Schultz, M.F., Benjamin, M.M. and Ferguson, J.F. (1987) Adsorption and desorption of metals on ferrihydrite: reversibility of reaction and sorption properties of the regenerated solid. Environment Science and Technology, 21 (9) 863-869.
- Schumacher, M., Bosque, M.A., Domingo, J.L and Corbella, J. (1991) Dietary intake of lead and cadmium from foods in the Tsrragona Province, Spain. Bull. Environmental Contamination and Toxicology
- Schumacher, M. Meneses, S.; Llobet. J.M.; Domingo, J.L., (1997) Trace Element Pollution of Soils. Bull. Environmental Contamination and Toxicology, 59: 861-867.
- Schuman, L.M (1977) Adsorption of Zn by Fe and Al hydrous oxides as influenced by aging and pH. Soil Science Society of America Journal41: 703-706.
- Seaker, E.M, (1991) Zinc, cooper, cadmium and lead in miesspoil, water and plants from reclaimed mine and amended with sewage sludge. Water, Air and Soil Pollution 57-58: 849-859.
- Sebastien, S., Murray, B. and William H. (1997). Speciation of lead in contaminated soils, Environmental Pollution, 98 (2) 149-155.
- Selim, H.M. (1999) Modeling the kinetics of heavy metals reactivity in soils, 91-106. Fate and Transport of heavy Metals in the Vadose Zone. Lewis Publishers, New York
- Skinner, C.D. and Salin, E.D. (1995) Determination of lead in soils surrounding a lead-acid battery manufacturer. Water-Pollution Research Journal of Canada. 30: 2, 299-304

Sillanpaa, M. (1972). Trace elements in soils and agriculture. FAO Soils Bulletin 17.

- Singh, B.R and Steinnes (1993) Soil and Water Contamination by heavy metals. Pp 233-271. In: Lai and Sterwart (eds). Soil Processes and Water Quality. Lewis Publishers, Boca Raton, Finland
- Singh, B.R., Narwal, R.S., Jeng, A.S. and Almas, A. (1995) Crop uptake and extractability of cadmium in soils naturally high in metals at different pH levels. Communications in Soil Science and Plant Analysis, 26 (13 and 14): 2132-2142.
- Singh, D., McLaren, R.G. and Cameron, K.C. (1997). Desorption of native and added zinc from a range of New Zealand soils in relation to soil properties. Australian Journal of Soil Research 35: 1242-1252.

- Sloan, J.J., Dowdy, R.H., Dolan, S. and Linden, D.R. (1997) Long-term effects of biosolids applications on heavy metal bioavailability in agricultural soils. Journal of Environmental Quality. 26: (4), 966-975.
- Smit, C.E., Corenelis, A.M. and Van Gestel, (1998) Effect of soil type, per percolation and aging on bioaccumulation and toxicity of zinc for the springtail *Folsomia camdida*. Environmental toxicology and chemistry, 17 1132-1141.
- Soon, Y.K abd Bates, T. E. (1982). Chemical pools of cadmium, nickel and zinc in polluted soils and some preliminary indication of their availability to plants, Journal of Soil Science, 33, 477-488.
- Sposito, G. and Coves, J. (1995). SOLICHEM on the Macintosh. In: Loeppert', R.H., Schwab, A.P. and Glodberg, P. (ed) Chemical Equilibrium and Reaction Models. Soil Science Society of America special publication, Madison, Wisconsin, USA: 271-288
- Stigliani, W.M. (1988). Changes in valued "capacities" of soils and sediments as indicators of nonlinear and time-delayed environmental effects. *Environmental Monitoring and Assessment* 10: 245-307.
- Sthal, R.S. and James (1991) Zinc adsorption by iron oxide-coated sand as a function of pH. Soil Science Society of America Journal, 55: 1287-1290.
- Street, J., Sabey, B.R. and Lindsay, W.L. (1978) Influence of pH, phosphorous, cadmium, sewage sludge and incubation time on the solubility and plant uptake of cadmium. Environmental Quality. 7: 286-290
- Sterrett, S.B., Chaney, R.L., Gifford, C.H. and Mielke, H.W. (1996) Influence of fertilizer and sewage sludge compost on yield and heavy metal accumulation by lettuce grown in urban soils. Environmental Geochemistry and Health, 18: 4, 135-142.
- Tack, F.M.G and Verloo, M. G. (1995). Chemical Speciation and Fractionation in Soil and Sediments heavy metals: A review, International Journal of Environmental Analytical Chemistry. 59: 225-238.
- Tadesse (1995), Fractionation of residual cadmium, copper, nickel, lead and zinc in previously sludgeamended soil. Communications in Soil Science and Plant Analysis, 26 (13&14) 2193-2204
- Tambasco G.; Sauvé S.; Cook N.; McBride, M. and Hendershot W. (1999) Phytoavailability of Cu and Zn to lettuce (Lactuca sativa) in contaminated urban soils. Canadian Journal of Soil Science. 80: 309–317.

- Tu, C. and Tu, C. (1996) Study on transfer of Ni in soil-plant system using 63Ni tracer method. Pedosphere. 6 (3): 273-278
- Uren, N.C (1992) Forms, reaction and availability of nickel in soils. Advanced Agronomy 48: 141-203.
- USEPA (1986) Test methods for evaluating solid waste: Physical/Chemical methods. SW-846. USEPA, Office of Solid Waste and Emergency Response. Washington DC.
- USEPA (1990a) Summary of Treatment Technology Effectiveness for Contaminated Soils. EPA/540/2-89/053, Washington DC, USA. 510p
- USEPA (1990b) Exposure Factors Handbook. Office of Health and Environmental Assessment, Exposure Assessment Group, Washington DC.
- USEPA (1992) Technical Support Document for Land Application of Sewage Sludge, Volume I and II. EPA 882/R-93-001a. Office of Water, Washington DC.
- Verburg, K. and Wenzel, W.W.; Pollak, M.A and Blum, W.E.H (1992). Dynamics of heavy metals in soils of a reed bed system. International Journal of Environmental Analytical Chemistry, 46 41-52
- Vereijken, P. (1992) A methodic way to more sustainable farming systems. Netherlands Journal of Agricultural Science, 40: 209-223.
- Viets, F.G., (1962) Chemistry and availability of micronutrients in soils. Journal of Agricultural and Food chemistry 10: 174-178.
- Wallance G.A and Wallance A. (1994) Lead and other potentially toxic metals in soil. Communications in Soil Science and Plant Analysis, 25 (1 &2): 137-141.
- Wilkenes, B.J. and Loch, J.P.G. (1995) Accumulation of cadmium and zinc from diffuse emission on acid sandy soils, as a function of soil composition. Water, Air and Soil Pollution 96: 1-16.
- Winistorfer, D., (1995) Speciation of heavy metals in extracted soil solutions by a cation exchange batch equilibrium method. Communications in Soil Science and Plant Analysis, 26 (7&8): 1073-1093.

- Wood, J.M., (1974) Biological cycles for toxic elements in the environment: Science, volume. 183, 1049-1052.
- Ylaranta, T. (1995) Effect of road traffic on heavy metal concentrations of plants. Agricultural Science in Finland, 4: 1, 35-48; 34
- Zachara, J.M., Smith, S.C., Resch, C.T. and Cowan, C.E. (1992) Cadmium sorption to soil separates containing layer silicates and iron and aluminum oxides. Soil Science Society of America Journal
- Zdenek Poulik (1996) The danger of accumulation of nickel in cereals on contaminated soil. Agriculture Ecosystems and Environment 63: 25-29.