

# REFERENCES

- Aalbersberg, W. G. L., S. Hussein, S. Sotheswara, S. Parkinson (1993). Carotenoids in the leaves of *Morinda citrifolia*. *J. of Herbs, Spices and Medicinal Plants.*
- Ahmad Shuhaimi (1994). per. comm.
- Akram, M., S. H. Hanjra, M. A. Qazians and J. A. Bhatti (1989). Availability and use of shrubs and tree fodder in Pakistans, in *IDRC Proc.* of a workshop in Denpasar, Indonesia. 24 - 29 July, 1989. ed. : C. Devendra.
- Alex, P. C., K. Rajakutty, K. V. Valala, K. M. N. Nair and K. N. Muraleedhan-Nair (1991). Mimosa poisoning in a heifer. *J. of Vet. and An. Sc.* **22** (1) : 134 - 136.
- Ammerman, C. B. and P. R. Henry (1985). Ruminant nutrition : a century of progress. *Cornell Vet.* **75** : 174 - 190.
- Anderson, R. (1979). Deer farming in Australia. *Deer refresher course*, 14 - 15 Sept. Sydney, N. S.W. Proc. No. **49** : 113.
- Andy, L. (1992). Deer and tree, do they mix? Proc. of a deer course for veterinarian, Dunech. *Deer Branch Course* **9**.
- AOAC (1982). Official methods of analysis association of official analytical chemist, Washington D. C.
- AOAC (1984). Official methods of analysis association of official analytical chemist, Washington D. C.
- AOAC (1990). Official methods of analysis association of official analytical chemist, Washington D. C.
- Arnold, G. W. (1981). in Morley, F. H. W., ed. *Grazing Animals*, World Animal Science, 79 - 104, Elviesier Amsterdam.
- Aruna-Krishnakuma, V. M. Sivaramakrishnan, S. N. Sivaswamy and A Krishnakumar (1991). Inhibition of nitrosation reaction by some spice/leafy vegetables. *Advances in Plants Sciences* **4** (1) : 189 - 193.
- Austin, P.J. , L. A. Suchar, C. T. Robbins and A. E. Hagerman (1989). Tannin - binding proteins in saliva of deer and their absence in the saliva of sheep and cattle. *J. Chem. Ecol.* **15** : 1335 - 1347.
- Babjee, A. M. and F. Y. Chin (1991). Introduction of non - conventional fodder tree / shrubs for livestock feeding - a new experience in Malaysia. *Asian Livestock (FAO & APHCA)* Oct. 1991.

- Babjee, A. M., C. E. Ibrchim, H. Hawari and O. Mohd. Daud (1984). Menterak rusa merah (*Cervus elaphus*) di Malaysia. Siri panduan pelaburan no. 2 , Dept. of Vet. Services. Kementerian Pertanian Malaysia, Kuala Lumpur.
- Bailey and Ulyatt (1970). Pasture quality and ruminant nutrition II. *N. Z. J. of Agric. Res.* **13** : 5.
- Barnes, T. G. (1989). Digestion dynamics of white-tailed deer. *Nut. Abs and Rev.* .
- Barry, T. N. and B. J. Blaney (1987). Secondary compounds of forages. In : Hacker, J. B. and J. H. Ternouth, (eds.) The nutrition of herbivores, Academic Press, Sydney, Australia.
- Bianchi, M., S. Lebel, J. C. Hurlin, P. Humblot, P. Chardonnet and M. Thibier (1994). Reproductive pattern of rusa deer (*Cervus timorensis rusa* ) in New Caledonia in 3rd *Int. Congress on Biology of Deer*, Edinberg, 1994.
- Bigalke, R. C. (1986). Utilizing wild species in ecosystem of the world 21 : Bioindustrial ecosystems. eds. : D. J. A. Cole and G. C. Brander. Elvesier.
- Blanchart, G., J. F. Picard, B. Boiseaubert and P. Oleffe (1993). IN VITRO forest plants digestibility by red deer (*Cervus elaphus*), roe deer (*Capreolus capreolus*) and sheep (*Ovis aries*). *Gibier Faune Sauvage* **10**. Sept. 1993 : 203 - 216.
- Blaxter, K. L. (1974). Deer farming. *Mammal Rev.* **4** (3) : 119 - 122.
- Bogdan, A. R. (1977). Tropical pasture and fodder plants. Longman.
- Brewbaker, J. L. (1985). Leguminous trees and shrubs for Southeast Asia and South Pacific in ' Forages in SEA and South Pacific Agriculture. *ACIAR Proc.* **12**. Eds : G. J. Blair, D. A. Ivory and T. R. Evans.
- Burrit, E. A., A. S. Bittner, J. S. Street and M. J. Anderson (1987). Comparison of lab. methods for the prediction of in vitro dry matter digestibility in 3 maturing grasses. *J. Agri. And Food Chemistry* **33** (4) : 725 – 728.
- Brooks, John III and P. J. Urness (1984). Comparison of IN VIVO and IN VITRO digestibility of forages by elk. *J. of Animals Science* **58** (4) : 963 - 970.
- Caceres, A., L. Fletes, L. Aguilar, O. Ramirez, L. Figueroa, A. M. Taracena and B. Samayoa (1993). Plants used in Guatemala for the treatment of gastrointestinal disorders. 3. Confirmation of activity against enterobacteria of 16 plants. *J. of Ethnopharmacology* **38** (1) : 31 – 38.
- Carlson, P. C., G. W. Tanner, J. M. Wood and S. R. Humprey (1993). Fire in key deer habitat improves browse, prevent succession and preserves endemic herbs. *J. Wildlife Manage.* **57** (4) : 914 - 928.

- Chang, T. F., S. A. Rahim and A. S. Awang Salleh (1989). The potential of deer farming in Sabah. Proc. of seminar on Animals Production and Health. June 12 - 14, 1989, Tawau.
- Chardonnet, P. (1993). per. comm.
- Chardonnet, P. (1993). Deer farming in Southeast Asia. *MSAP XVI Annual Conf.* June 8 - 9 , 1993, Langkawi, Malaysia.
- Cheeke, P. R. and R. T. Palo (1995). Plant toxins and mammalian herbivores ; co - evolutionary relationships and antinutritional effects. In : M. Journet, E. Grenet, M-H. Farce, M. Theriez, C. Demarquilly (eds). Recent development in the nutrition of herbivores. *Proc. Of the IVth Int. Sym. on the nutrition of herbivores.* 587 -610. INRA Editions, Paris.
- Church, D. C. (ed). Digestive Physiology and Nutrition of Ruminants, Vol. 3. O. B. Book, Oregon.
- Church, D. C. and W. G. Pond (1982). Basic Animal nutrition and Feeding. John Wiley & Sons, New York : 6 - 28.
- Close, W. and K. H. Menke (1986). Selected topic in Animal Nutrition (Manual) in cooperation with H. Steingrass & A. Troshner. DSE. Universitat Hohenhein.
- Colburn, M. W. and J. L. Evans (1967). Chemical composition of the cell - wall constituent and ADF fraction of forages. *J Dairy Sci.* **50** : 1130 - 1135.
- Coley, P.D., J.P. Byant and F.S. Chapin (1985). Resource availability and plant anti herbivores defence. *Science* **230**: 895-899
- Coley, P. D. and T. Mitchell Aide (1991). Comparison of herbivory and plant defences in temperate and tropical broad leafed forests, in Plant - Animals interaction : Evolutionary Ecology in Tropical and Temperate Region. eds. : W. Peter, T. M. Levinsohn, G. W. Fernandes and Benson, in A. Wiley Interscience Publication.
- Cowan, R. L., J. S. Jordan, J. L. Grimes and J. D. Gill (1970). Comparative nutritive values of forage species. Range and Wildlife Habitat Evaluation, U. S. D. A. *Misc. Publ.* **1147** ; 48 - 56.
- Crampton, E. W. and L. E. Harris (1969). Applied animal nutrition (2nd. Ed) W. H. Freeman & Co. San Francisco. pg 30 - 36.
- Crandall, L. S. (1965). The management of wild animals in captivity. Uni. of Chicago Press. Chicago & London. pg 55.
- Cullison, A. E. (1982). Feed and Feedings. Reston Publishing Co. pg. 42 - 50.

- Czerkawski, J. W. and G. Breckenridge (1977). Design and development of a long term rumen simulation technique (RUSITEC). *Br. J. Nutr.* **38** : 371.
- D'Mello, J. P. F. (1992). Chemical constraints to the use of tropical legumes in animal nutrition. *Animal Feed Science and Technology* **38** : 237 - 261.
- Dahlan, I., Y. Yamada and M. D. Mahyuddin (1993). Botanical composition and models of Metabolizable Energy availability from undergrowth in Oil Palm Plantations for Ruminant Production. *Agroforestry Systems* **24** (3).
- Dahlan, I. (1994). per. comm.
- Dawend, J. and A. A. Tuen (1995). feeding behaviour and quality of feed offered to Sambar deer (*Cervus unicolor*) under semi-natural environment. *Proc. 17th MSAP Ani. Conf.* 28th - 30th. May, 1995, Penang.
- Delholme, (1984). Nutritional characteristic of deer. *Proc. Of Sym. on Deer Farming.* A Howard Rec. Lab. , Vic. Aus.
- Dewan Bandaraya Kuala Lumpur (1994). per. comm.
- de Nahlik, A. J. (1974). Deer management : improve herds for greater profit. David & Carlese Inc.
- de Vos, A (1982) Deer Farming : Guidelines on practical aspects. FAO of the United Nation (Rome).
- Dept. of Veterinary Services (1992). Industri penternakan rusa di Semenanjung Malaysia menjelang Tahun 2020.
- Dept. of Veterinary Services (1980-1997). DVS Annual report.
- Devendra, C. (1987). Herbivores in the arid and and wets tropics. In : J. B Hacker and J. H. Ternouth (eds). *The nutrition of herbivores*, 23 - 46. Academic Press Sydney.
- Devendra, C. (ed) (1989) Comparative aspects of digestive physiology and nutrition in goats and sheep in "Ruminant Physiology and Nutrition in Asia". Devendra, C. and E. Imaizumi (ed). Japan Soc. of Zoo. Technical Sc.
- Devendra, C. (ed)(1989). Shrub and tree fodders for farm animals. IDRC Canada.
- Dietz, D. R., Udall, R. H. and Yeager, L. E. (1962). Chemical composition and digestibility by mule deer of selected forage species. Cache La Poudre Range Colorado. *Colo. Gam. Fish tech. Publ.* No. **14**.
- Dittmar, A. (1993). *Morinda citrifolia L*-uses in indigenous Samoan medicine. *J. of Herbs, Spices and Medicinal Plants* **1**(3) :77-92

- Dixon, E. H. (1975). Red deer farming in New Zealand. Millwood.
- Dolmat, T. and Y. Basiron (1995). Prospek integrasi rusa dalam ladang kelapa sawit sebagai usaha komersil. Persidangan Kebangsaan Kelapa Sawit (PORIM) - Teknologi untuk pekebun kecil, 11 - 12 Julai 1995, KL Hilton.
- Domingue, B. M. F., D. W. Dellow, P. R. Wilson and T. N. Barry (1991). Comparative digestion with deer, goats and sheep. *N. Z. J. of Agricultural Res.* 34 : 45 - 53.
- Drew, K. R. and M. F. McDonald, ed. (1976). Deer farming in New Zealand : Progress and Prospect. ELL, Wellington.
- Duplhy, J. P., J. P. Jowany, W. Martin-Rosset and M. Theriez (1994). A comparative study of intake and digestibility of forages in herbivores ; A review. *Ann Zootech* 43 : 11 - 32.
- Egan, A. R. , A. Wanapat, P. T. Doyle, R. M. Dixon and G. R. Pearce ( 1985). Production limitation of intake digestibility and rate of passage in *ACIAR* 12 Cisarua, Indonesia (19 - 23 August) :104 - 110.
- English, A. W. (1979). Veterinary aspect of deer farming in New South Wales. *Deer Refresher Course*; 14 - 15 Sept. 1979. Proc. no. 49 : 143.
- Fleisher, Z. and A. Fleisher (1992). Volatiles of *Ocimum basilicum* traditioanally grown in Israel. Aromatic plants of the Holy Land and the Sinai, Part VIII. *J. of Essential Oil Research* 4 (1).
- Fletcher, T. J. (1991). Other deer in evolution of domesticated animals, Mason I. L. (ed.) Longman : 138 - 145.
- Fonnesbeck, P. V. (1977). Estimating nutritive value from chemical analisis. Proc. Int. Symp. Feed Compoosition. Animal Nutr. Reg. and Computerization of Diets . 219 - 217.
- Freeland, W. J. and D. H. Jansen (1974). Strategies in herbivo.y by mammals : the role of secondary plant compounds. *Am Nat.* 108 : 269 - 289.
- Garret, W. N. (1980). Estimation of the nutritional value of feeds, "Animal Agriculture". Cole, H. H. and W. N. Garret (ed.) W. H. Freeman & Co. San Francisco, pg. 51.
- Garrido, A., A. Gomez-Cabrera, J. E. Guerrero and R. R. Marquardt (1991). Chemical composition and digestibility IN VITRO of *Vicia faba L.* cultivars varying in tannin content. Elvesier Science Publisher B. V.

- Gibson, R.S., E.L. Ferguson and K.R. Cavan (1993). Manganese intake of children. *TEMA 8: Proc. of the 8<sup>th</sup> Int. Symp. of Trace Elements in Man and Animals.* (ed. M. Anke, M., D. Meissner & C. F. Mills : 202-266
- Gill, R. B., L. H. Carpenter, R. M. Bartmann, D. L. Baker and G. G. Schoonveld (1983). Fecal analysis to estimate mule deer diets. *J. Wildl. manage.* **47** (4)
- Gill, R. M. A. (1992). A review of damage by mammals in north temperate forests : 3. Impact on trees and forests. *Forestry* **65** (4).
- Goering, H. K. and P. J. Van Soest (1970). Forage Fiber Analyses : apparatus, reagents, procedures and some application. Agricultural Research Services. US. Dept. of Agriculture (Handbook no. 379).
- Gorsira, B. and K. L. Risenhoover (1994). An evaluation of woodland reclamation on strip-mined lands in East Texas. *Environmental Management* **18** (5) : 787 - 793.
- Guerguen, L., M. Lamand and F. Meschy (1989). in ruminant nutrition : recommended allowances and feed tables. R. Jarrige ed. INRA. John Libbey Eurotext.
- Gutterbridge, R. C. and A. Rekib (1994). Opportunities and limitation in *Sesbania* sp.. *ACIAR 57*, Bogor, Indonesia (24 - 29 January, 1994).
- Habsah Muda (1983a). Ladang ternakan rusa dan pengurusannya. *Perhilitan* **3**.
- Habsah Muda (1983b). Some notes on deer (*Cervus unicolor equinus* and *Cervus timorensis*) in captivity in semiwild condition. *J. of Wildlife and Parks* **2** : 69 - 90.
- Habsah Muda (1984). Sambar deer (*Cervus unicolor*) biological data from 7 states of Peninsular Malaysia during hunting seasons, Oct. to Nov. 1982 and 1983. *J. of Wildlife and Parks* **3** : 1 - 12.
- Habsah Muda (1985). Some notes on management of deer in captivity. *J. of Wildlife and Parks* **4** : 51 - 61.
- Habtemariam S, A. I. Gray and P. G. Waterman (1993). A new antibacterial sesquiterpene from *Premna oligotricho*. *J. of Natural Products* **56** (1) ; 140 – 143.
- Halim, R. A. (1992). Productivity and nutritive value of 6 fodder tree species. In: *Proc. of the 6th. AAAP Animal Science Congress III*. Eds : Chandharat Roclecha, Sattarat Sangdid and Pakapun Bunyarejchewin.
- Halnan, E. T., M A. Frank and H. Garner (1953). The principle and practise of feeding farm animals, Longmans, Green & Co.

- Hanley, T. A., C. T. Robbins, A. E. Hagerman and C. McArthur (1992). Predicting digestible protein and digestible dry matter in tannin - containing forages consumed by ruminants. *Ecology* **73** (2) : 537 - 541.
- Harborne, J. B. (1973). Phytochemical methods: a guide to modern techniques of plant analysis. Chapman and Hall, London.
- Hegarty, M. P., J. B. Lowry and B. Tangendjaja (1985). Toxins in forages. In Forages in SEA and South Pacific Agriculture. *ACIAR Proc. 12*. eds. : G. J. Blair, D. A. Ivory and T. R. Evans.
- Hintz, R. W. and K. A. Albrecht (1994). Dry matter partitioning and forage nutritive value of soybean plant components. *Agronomy Journal* **86** (1) : 59 - 62.
- Hoffman, R. R. (1973). The ruminant stomach : stomach structure and feeding habits of East African Game Ruminant. *E. Afr. Lit. Bereau*. Nairobi, Kenya.
- Hoffman, R. R. (1985). Digestive physiology of the deer, their morphological specialization and adaptation. In : Biology of deer production. P. F. Tennessy & K. R. Drew (eds.) *R. Soc. N. Z. Bull.* **22** : 393 - 407.
- Holecheck, J. L., M. Vavra and R. D. Pieper (1988). Methods for determining the nutritive quality of range ruminants diets : a review. *J. of Animal Sc.* **54** (2) : 363 - 376.
- Hudson, R. J. and R. G. White (1985). Bioenergetics of wild herbivores. CRC Press.
- Huston, J. E., B. S. Rector, W. C. Ellis and M. L. Allen (1986). Dynamics of digestion in cattle, sheep, goats and deer. *J. Anim. Sc.* **62** : 208 - 215.
- Hvelplund, T., J. Andrieu, M. R. Weisbjerg and M. Vermorel (1995). Prediction of the energy and protein value of forages for ruminants. In : M. Journet, E. Grenet, M-H. Farce, M. Theriez, C. Demarquilly (eds). Recent development in the nutrition of herbivores. *Proc. Of the IVth Int. Sym. on the nutrition of herbivores*, 587 -610. INRA Editions, Paris.
- Ibrahim, T. M., M. D. Sanchez and K. P. Pond (1990). Production and nutritive value of selected tropical forages in North Sumatera, Indonesia. In : *Proc. 5th. AAAP Ani. Sc. Congress 1990*. Taipei Vol. 3.
- Idayu, Z. A., A. S. Hj. Baba, K. K. Md. Zain (1995). Nutritional value of selected tropical browse plants for commercial deer farming. *Proc. 17th MSAP Ann. Conf.* Penang . May 28th - 30th, 1995 : 260 - 261.
- Ishak, Y., M. K. Vidyadaran and B. Sinang (1991). An evaluation of two deer farms. In : Recent innovation in the animal and animal products industry. *Proc. 14th MSAP An. Conf.*, Genting Highland, Pahang, Malaysia. May 8th - 9th, 1991.

- Ivor, J. C. and C. P. Chen (1985). Tropical grasses : their domestication and role in animal feeding systems in forages in SEA and South Pacific agriculture. *ACCAR* 12 : 55 - 59
- Jalaludin, S. (1987). Feedingstuff for livestock in Malaysia : progression research and development. In : *Proc. 10th. Ann. Conf. MSAP* in Genting Highland. April 2th - 4th.
- Jebb, M.(1992). Edible barringtonias. *Kew Magazine* 9 (4) : 164 – 180.
- Jones, R. J. (1979). The value of *Leuceana leucocephala* as a feed for ruminants in the tropics. *World Animals Review* 31 : 13 - 23.
- Joshi, N. P. and S. B. Singh (1989). Availability and use of shrub and tree fodders in Nepal. In : *IDRC Proc.* in Denpasar, Indonesia. July 24th - 29th, 1989. ed. : C. Devendra.
- Kabaija, E. and O. B. Smith (1989). Influence of season and age of regrowth on the mineral profile of *Gliricidia sepium* and *Leuceana leucocephala*. *Tropical Agric. (Trinidad)* 66 (2) : 125 - 128.
- Kardin, S. (1992). 'Integration of deer with oil palm plantation' dibentang dalam Seminar Menternak Rusa Secara Integrasi di dalam Ladang Kelapa Sawit. 24th July, Petaling Jaya. 17 halaman. Fenganjur : Goatrade Farming Sdn. Bhd.
- Khairuddin, Hj. K. (1989). Teknik-teknik herbarium. *FRIM Report* 52, Dis. 1989.
- Khalid, O. (1994). per. comm.
- Klien, D. R. (1991). The status of deer in the changing world environment in 'The Biology of Deer'. Robert D. Brown, ed. Springer - Verlag.
- Kohn, B. E. and J. J. Mooy (1971). Summer habitat of white - tailed deer north - central Minnesota. *J. Wildl. Manage.*, 35 (3) : 476 - 487.
- Kumar, H. D. and H. N. Singh (1976). Plant metabolism. Macmillan Press. pg.256 - 274.
- Lassiter, T. W. and H. M. Edwards Jr. (1982). Animal Nutrition, Reston Publishing Co. Inc. Virgin'a. pg. 211 - 221.
- Lechner - Doll, M., I. D. Hume and R. R. Hofmann (1995). Comparison of herbivore forage selection and digestion. In : M. Journet, E. Grenet, M-H. Farce, M. Theriez, C. Demarquilly (eds). Recent development in the nutrition of herbivores. *Proc. Of the IVth Int. Sym. on the nutrition of herbivores*, 587 -610. INRA Editions, Paris.

- Leng, R. A. (1985). Determination of the nutritive value of forage. in Blair, G. J., D. A. Ivory and T. R. Evans (eds). Forages in Southeast Asia and South Pacific Agriculture. *ACIAR Proc.* **12**, Canberra : 111 - 123.
- Lowry , B. J., J. R. Petheram and Budi Tangendjaja (1981). Plant fed to village ruminants in Indonesia, *ACIAR Technical Reports* **22**.
- Mac Donald, P., R. A. Edwards and J. F. D. Greenhalgh (1981). Animal nutrition ELBS (Longhorn). pg. 187.
- Mala - Srivastava, J. Singh and M. Srivastava (1993). A new anthraquinone glycoside from *Morinda citrifolia*. *Inter. J. of Pharmacognosy* **31 (3)** : 182 – 184
- Maynard, L. A., J. K. Loosli, H. F. Hintz and R. G. Warner (1979). Animal nutrition. Mc Graw - Hill Book Co. N. Y. pg. 21 - 45.
- Mc Arthur, C., A. E. Hagerman and C. T. Robbins (1992). Physiological strategies of mammalian herbivores against plant defences.
- McArthur, C., C. T. Robbins, A. E. Hagerman and T.A. Hanley (1993). Diet selection by a ruminant generalist browser in relation to plant chemistry. *Can. J. Zool.* **71** : 2237 - 2243.
- McDowell, L. R. (1985). Nutrition of grazing ruminants in warm climates. Academic Press Inc.
- McDowell, L. R., J. H. Conrad and F. G. Hembry (1993). Minerals for Grazing Ruminants in Tropical Regions (2nd Ed.) Library of Congress Catalog Card No. 92 - 76027.
- McLeod, M. N. (1974). Plant tannins - their role in forage quality. *Nutr. Abstr. Rev.* **44**, 803 - 815.
- McMahan, C. A. (1964). Comparative food habits of deer and 3 classes of livestock. *J. Wildl. Manage.* **28 (4)** : 798 - 808.
- Mehansho, H., L. G. Butler and D. M. Carlson (1987). Dietary tannins and salivary proline rich protein : interactions, induction and defence mechanism. *Ann. Rev. of Nutrition* **7** : 423 – 440.
- Menke, K. H., L. Raab, A. Salewski, H. Steingass, D. Fritz and W. Schneider (1979). The estimation of the digestibility and metabolize energy (ME) content of ruminant feedstuffs from the gas production when they are incubated in rumen liquor 'IN VITRO'. *J. Agri. Sc. Camb.* **93** : 217.
- Milchunas, D.G., M. I. Dyer, O. C. Wallmo and D. E. Johnson (1978). IN VIVO / IN VITRO relationships of Colorado mule deer forages. *Spec. Rep.* **43** Colo. Div Wildl., Ft. Collins.

- Milligan, L. P., M. Journet, M. and W. J. Maeng (1995). Future area of research and expected advances in the nutrition of herbivores. In : M. Journet, E. Grenet, M-H. Farce, M. Theriez, C. Demarquilly (eds). Recent development in the nutrition of herbivores. *Proc. Of the IVth Int. Sym. on the nutrition of herbivores*, 587 -610. INRA Editions, Paris.
- Milne, J. A., J. C. Macrae, A. M. Spence and S. Wilson (1978). A comparison of voluntary intake and digestion of a range of forages at different times of the year by the sheep and the red deer (*Cervus elaphus*). *Br. J. Nitr.* **40** : 347 - 357.
- Minson, D. J. (1981). Nutritional differences between tropical and temperate pastures. In World Animal Sciences (ed : F. H. W. Morley) pp. 143 - 157. Netherland, Elviesier.
- Minson, D. J. (1981). Forage in ruminant nutrition. Academic Press, San Diego.
- Mohandass, S. and P. Ravindran (1993). Flavonoids from *Melastoma malabathricum*. *Fitoterapia* **64 (3)** : 277 - 278.
- Mohd Nasir, A., M. Y. Abdul Rahman, C. Abu Bakar and Z. Ahmad Tajuddin (1992). The husbandry of Timor deer. *Teknologi Ternakan* **8** : 1 - 13.
- Mohd Nasir, A., O. Abas Mazni, M. Y. M. Khusahry, M. A. Rohaya and K. Raghavan (1994). Effects of *Brachiaria decumbens* (Signal grass) on Timor deer *Cervus timorensis*. *Proc. 7th. AAAP Sci. Cong.*, Sustainable Animals Production and The Environment. Baii, Indonesia. 11th - 16th July, 1994. Vol II : 427 - 428
- Morand - Fehr, P. (1991). Goat nutrition. *EAAP Publication* **46**.
- Morcan, L. (1973). Deer farming for profit or conservation. *N. Z. J. of Agric.* **127 (2)** : 39 - 42.
- Mould, E. D. and C. T. Robbins (1981). Evaluation of detergent analysis in estimating nutritional value of browse. *J. Wildl. Manage.* **45** : 937 - 947.
- Murden, S. B. and K. L. Risenhoover (1993). Effects of habitat enrichment on patterns of diet selection. *Ecological Application* **3 (3)** : 497 - 505.
- Nag, A and S. Matai (1992). Chemical composition of some fodder trees in and around Calcutta. *Indian Veterinary Journal* **69 (5)** : 411 - 414.
- Nath, D., N. Sethi, R. K. Singh and A. K. Jain (1992). Commonly used Indian abortifient plants with special reference to their teratologic effects in rats. *J. of Ethnopharmacology* **36 (2)** : 147 - 154.

- Ngampongsai, C. (1987). Habitat use by the sambar *Cervus unicolor* in Thailand : a case study for Khoa- Tai National Park in Biology and Management of the Cervidae (ed : C. M. Wemmer) Washington D. C. Smithsonian Institute Press.
- Norton, B. W. (1982). Nutrition of the goat : a review. In : Goat production and research in the Tropics. (ed. J. W. Capbud) : 75 – 81. ACIAR. Canberra.
- Norton, B. W. (1994). The nutritive value of tree legumes in forage tree in tropical agriculture. eds : R. C. Gutteridge and H. M. Shelton. CAB International.
- Nout, M. J. R. (1993). Processed weaning foods for tropical climates. *Int. J. of Food Sc. And Nutrition* **43 (4)** : 213 – 221.
- Palmer, W. L. and R. L. Cowan (1980). Estimates digestibility deer food by an IN VITRO technique. *J. Wildl. Manage.* **44** : 469 - 472.
- Peerzada, N., S. Renaud and P. Ryan (1990). Vit. C and elemental composition of some bushfruits. *J. of Plant Nutrition*.
- Pekins, P. J. and W. M. Mautz (1988). Digestibility and nutritional value of autumn diets of deer. *J. Wildl. Manage.* **52 (2)** : 328 - 332
- Provenza F. D. and J. C. Malechek (1984). Diet selection by domestic goats in relation to blackbrush twig chemistry. *J. of Applied Ecology* **21** : 831 – 841.
- Qin, R. Q. and F. X. Liang (1983). Deer feeding. Jilin Agricultural Uni. Press. pp 23
- Quinones, N. C. (1976). Biology of the Philippine deer, *Cervus philippinus* in captivity. *SYLVATROP Philipp. For. Res. J.* **1 (4)** : 265 - 296.
- Raghavan, G. V. (1989). Availability and use of shrubs and tree fodders in India. *IDRC Proc.* in Denpasar, Indonesia. 24th - 29th July, 1989. ed ; C. Devendra
- Rahman, A. M. Y. and M. M. Y. Khusahry (1984). Effects of management systems and supplementary feeding on goats. *Proc. 8th Ann Conf. MSAP* at Genting Highlands, Mac 13th - 14th, 1984. eds : R. I. Hutangalung, V. F. Hew, C. Devendra and P. Vijchulata.
- Rajaguru, A. S. B. (1989). Availability and use of shrubs and tree fodders in Sri Lanka, in *IDRC Proc.* of Denpasar Workshop, Indonesia. 24th - 29th July. C. Devendra (ed).
- Rangkuti, M., M. E. Siregar and A. Roesyat (1989). Availability and use of shrubs and tree fodder in Indonesia, in *IDRC Proc.* of Denpasar Workshop, Indonesia 24th - 29th July. C. Devendra (ed).
- Rashid, A. K. (1994). per. comm.

- Ravindran, V. (1993). Utilization of cassava (*Manihot esculenta Crantz*) leaves in ruminant nutrition. *J. of the National Sc. Council of Sri Lanka* **21** (1) : 1 - 26.
- Reddy, M. S. and M. Radhakrishnaiah (1990). A note on the chemosystematics of *Premna L.* (Verbenaceae). *Feddes – Repertorium* **101** : 11 - 12.
- Reeves, J. B. (1987). Lignin and fiber compositional analysis with forages over a growing season and their effects on IN VITRO digestibility. *J. Dairy Sc.* **70** : 1583.
- Reiken, G. (1990). Deer farming : a practical guide for german technique. Farming Press.
- Robbins, C. T. and A. N. Moen (1975). Composition and digestibility of several deciduous browses in the northeast. *J. Wildl. Manage.* **37** : 337 - 341.
- Robbins, C. T., S. Mole, A. H. Hagerman and T. A. Hanley (1987). Role of tannin in defending plants against ruminants : reduction in dry matter digestion? *Ecology* **68** (6).
- Robbins, C. T. (1983). Wildlife feeding and nutrition. Academic Press. NY
- Robbins, C. T., A. E. Hagerman, P. J. Austin, C. Mc Arthur and T. A. Hanley (1991). Variation in mammalian physiological responses to a condensed tannin and its ecological implications. *J. Mammals* in press.
- Rosenthal, G. A. and D. H. Janzen (1979). Herbivores : Their interaction with secondary plant metabolites. Academic Press. NY USA, pp 718.
- Sanches, L. D., J. T. Nascimento Junior D.D., J. M. D. S. Diego, A. J. Reggazi and J. Meric (1993). Chemical composition of forage available in natural pastures compound to that in the diet of cattle. *Revista da Sociedade Brasileira de Zootecnia* **22** (5) : 852 - 861.
- Scheider, B. H. and W. P. Flett (1975). The evaluation of feeds through digestibility experiments, Uni. of Georgia Press, Athens.
- Seawright, A. A., M. P. Hergarty, L. F. James and R. F. Keeler (eds). Plant Toxicology. Queensland Dept. of Primary Industries, Yerongpilly, Australia. pp 120 - 126.
- Semidi, G. T. N. Barry, P. D. Muir and J. Hodgson (1995). Dietary preferences of sambar deer *Cervus unicolor* and red deer *Cervus elaphus* offered browse, forage legume and grass species. *J. of Agri. Sc. Camb.* **125** : 99 - 107.
- Shafer, E. L. (1963). The twig-count method for measuring hardwood deer browse. *J. Wildl. Manage.* **27** (3) : 428 - 437.

- Shelton, H. M. and R. J. Jones (1994). Opportunities and limitation in Leuceana. *ACIAR 57*, Bogor, Indonesia(24 - 29 January, 1994) . eds. : H. M. Shelton, C. M. Piggie and J. L. Brewbaker.
- Short, H. L. (1971). Forage digestibility and diet of deer on southern upland range. *J. Wildl. Manage. 35 ( 4)* : 698 - 706.
- Silanikove, N, D. Shinder, N. Gilboa, M. Eyal and Z. Nitsan(1996). Binding of poly (ethylene glycol ) to sample of forage plants as an essay of tannins and their negative effects on ruminal degradation. *J. of Agri. And Food Chemistry 44 (10)* 3230 – 3234.
- Siti Salamiah (1994). per. comm.
- Skerman, P. J. (1977). The pasture legumes in 'Tropical Forage Legume'. ed. F. Riveros. FAO of UN, Rome, Italy, pg. 219 - 429.
- Smith, N. and P. Novellie (1982). What should a clever ungulate eat ? *Am. Nat. 119* : 151 - 178.
- Steel, R. G. D. and J. H. Torrie (1980). Principle and procedures of statistics. McGraw - Hill Book Co. pg. 132 - 159.
- Street, H. E. and W. Cockburn (1972). Plant metabolism. 2nd. ed. Pergamon Press pg. 186 - 211.
- Sugar, L (1993). Browsing forest to improve food supply of farmed deer. IUGB XXI Congress 'Forest and Wildlife... Towards the 21st Century'. *Proc. Vol. 2*. Senior Editor : Ian Thompson. Canada, August 1993.
- Sugar, L., Z. Lassu-Merenyi and J. Kelemen (1990). Importance of copper supplementation in farmed red deer in the biology of deer. R. D. Brown (ed). Springer- Verlag.
- Suparjo, Nordin, Mokhtar and C. C. Wong (1988). A preliminary assesment on the feed values of *Asystasia gangetica* weed fed to adults ram. *Proc. 11<sup>th</sup>. Ann. Conf. MSAP*.
- Tee, E. S. and C. L. Lim (1992). Analysis of carotenoids in vegetables by HPLC. *ASEAN Food Journal 7 (2)* : 91 – 99.
- Thrill, R. E. and A. Martin (1989). Deer and cattle diets on heavily grazed pine-blue stern range. *J. Wildl. Manage 53 (3)* : 540 - 548.
- Tilley, J. M. and R. M. Terry (1963). A two tech. for the IN VITRO digestion of forage crops. *J. Br. Grassland Soc. 18* : 104 - 111.

- Tuen, A. A. and K. K. Kuan, (1990). Preference and nutritive value of local forages for goats. *Proc. 13th Ann Conf. MSAP* Malacca : 283 - 285.
- Tungtrakanoung, N. and K. Rhienpanish (1992). The toxicity of *Mimosa invisa* Mart var. *inermis* Adelbert to buffaloes. *Buffalo bulletin* **11** (2) : 30 - 31.
- Ullrey, D. E., J. T. Nellist, J. P. Duvendeck, P. A. Whetter and L. D. Tay (1987). Digestibility of vegetative rye for white - tailed deer. *J. of Wildlife Manage.* **51** (1) : 51 - 53.
- Ulyatt, M. J. (1981). The feeding value of herbage; can it be improved ? *N. Z. Agri. Sc.* **15** : 200 - 205.
- Urness, P. J. (1969). Nutritional analyses and IN VITRO digestibility of mistletoes browsed by deer in Arizona. *J. of Wildl. Manage.* **35** (3) : 499 - 505.
- Urness, P. J., W. Green and R. K. Watkins (1971). Nutrient intakes of deer in Arizona chaparral and desert habitats. *J. Wildl. Manage.* **35** (3) : 469 - 475.
- Vadiveloo, J. (1985). The nutritive value of *Leuceana leucocephala* . *Proc. 9th Ann. Conf. MSAP* UPM, Serdang, Mac 11th - 12th, 1985. eds : S. Sivarajasingam, R. I. Hutangalung and Kassim Hamid.
- Van Mele, P and S. Anthony Samy (1994). How goat exploit available resources. *3rd Sym.of Applied Biology*. 28th - 29th May, 1994 in Malacca. eds : M. K. Vidyadarshan and S. C. Quah.
- Van Soest, P. J. and Robertson (1980). System of analysis for evaluating fibrous feeds. eds : W. J. Pigden, C. C. Balch and M. Graham. Standardisation of Analytical Methodology for Feeds. Ottawa, IDRC : 49 - 60.
- Van Soest, P. J. (1963b). Use of detergents in the analysis of fibrous feeds.
  - (a) I. Preparation of fibrous residues of low nitrogen content
  - (b) II. A rapid method for the determination of fibre and lignin.*J. Assoc. Off. Agric. Chem.* **46** : 825 - 835.
- Van Soest, P. J. (1967). Development of a comprehensive systems of feed analyses and its application to forages. *J. Animal Sc.* **26** : 119 - 127.
- Van Soest, P. J. (1985) Physiochemical aspects of fibre digestion. In : Digestion and Metabolism in the ruminant. Univ. of New England. Armidale. Australia. I. W. McDonald and A. C. I. Warner (ed.)
- Van Soest, P. J. (1987). Nutritional Ecology of the Ruminant. Comstock Publ. Associates.
- Van Soest, P. J. and R. H. Wines (1968). Determination of lignin and cellulose in ADF with permanganate. *J. of A. O. A. C.* **51** (4).

- Vercoe, T. K.(1980). Fodder value of selected Australian tree and shrub sps.: 187-192.
- Vidyadaran, M. K., A. L. Huwazi, X. M. Richard and A. B. Manjanil (1991). Some aspects of the behaviour of the rusa deer *Cervus timorensis*. *Proc. 3rd Congress Vet. Assos. Malaysia* : 41 - 43.
- Vidyadaran, M. K., M. Jaafar and J. Ibrahim (1992). The deer industry in Malaysia.
- Wan Mohamad, W. E. (1977). Utilization of ground vegetation for animals weaning. In : *Proc. of the RRI of Malaysia Planters Conf.* K.L.Oct. 17 - 19 : 265 - 272.
- Ward, R. G., G. S. Smith, J. D. Wallace, N. S. Urquhart and J. S. Shank (1982). Estimates of intake and quality of grazed range forage by near infrared reflectance spectroscopy. *J. Anim. Sc.* **54** : 399.
- Westoby, M. (1974). An analysis of diet selection by large generalist herbivores *Am Nat.* **108** : 290.
- Wheaton, C. and R. D. Brown (1983). Feed intake and digestive efficiency of south Texas white-tailed deer. *J. Wildl. Manage.* **47 (2)** : 442 - 450.
- Whitehead, G. K.(1972).*Animals of the world*. Longman.
- Whitehead, G. K.(1984). *Deer of the world*. Constable & Co, London.
- Williams, S. N. and L R. McDowell (1985). Newly discovered and toxic elements in Nutrition of grazing ruminants in warm climates. ed : L. R. McDowell. Academic Press.
- Wong, C. C. (1989). Availability and use of shrubs and tree fodders in Malaysia. *IDRC Proc. of Denpasar Workshop, Indonesia*. 24th - 29th July, 1989. ed : C. Devendra.
- Yeoh, H. H. and F. M. Wong (1993). Food value of lesser utilised tropical plants *Food Chemistry* **46 (3)** : 239 - 241.
- Yerex, D. ed. (1982). The farming of deer : a review of world trends and modern tech. *Deer Farming Services* : Wellington, NZ.
- Yoshida, T., F. Nakata, K. Hosotai, A. Nitta and T. Okuala (1992). Tannins and related polyphenols of melastomaceous plants V. Three new complex tannin from *Melastoma malabathricum L.* *Chemical and Pharmaceutical Bulletin* **40 (7)** : 1727 - 1732.

- Yusoff, S. M., K. Aiple, F. Y. Chin and J. Ohly (1990). Evaluation of the gas test method for determination of metabolizable energy. *Proc. of 13th MSAP Ann. Conf.* eds : M. Wan Zahari, H. K. Wong, A. Engku Azahan and I. Dahlan.