

REFERENCES

1. Transportation Research Board, 1987 : " Lime stabilization state of the art report reactions,properties,design and construction-National Research Council, Washington.D.C.,USA.
2. Narasimha Rao,S., and Rajasekharan,G. 1996 " Lime Migration Studies in Marine clays", ASCE, vol.23, No.4, Elsevier Science Ltd, Great Britain, pp.325-355.
3. Rogers, C.D.F., Glendinning.S. 1996a: " Modification of clay soils using lime In" Rogers,C.D.F., Glendinning, C.D.F., and Dixon, N. (Eds). Lime stabilization. Thomas Telford,London, pp 99-114.
4. Rogers, C.D.F., Glendinning.S. 1994 : " Deep Slope Stabilisation using lime". Transportation Research Board 1440, Transportation Research Board,National Research Council, Washington.D.C. , USA, pp 63-70.
5. Glendinning, S., 1995: " Deep Stabilization of Slopes using Lime Piles." Ph.D Thesis, Loughborough University, UK.
6. Fohs, D.G., and Kinter,E.B. (1972) : " Migration of lime in compacted soil." Public Roads, 1-8.
7. Chummar,A.V., 1987: "Ground improvement by sand lime piles." Proceedings of the Ninth S.E. Asian Geotechnical Conference on Soil Engineering. pp 611-619.

8. Ayyar,T.S., Ramanatha.. Ramesan Kovilotan., 1989: " A study of Lime columns in an expansive clay." Indian Geotechnical Conference,1,pp. 185-189.

9. Venkatanarayana,P., Reddy,P., Suryanarayana, B.N., and Ramesh,V., 1989: " Ground improvement by Sand-Lime columns." Indian Geotechnical Conference, Vishakapatnam,1,pp 335-338.

10. Rajasekharan,G., Murali,K., and Srinivasa Raghavan,R., (June 1997) : " Soils and Foundations", vol.37, No.2, 105-115, Japanese Geotechnical Society.

11. Nagaraj,T.S., (1964) : " Soil structure and strength characteristics of compacted clay." Geotechnique,14,103-114.

12. Yong,R.N., and Warkentin,B.P. (1966). " Introduction to Soil behaviour." The MacMillan Co., New York,NY.

13. Baden,L., and Sides,G., (1969): " The influence of structure as the collapse of compacted clay." Second Conference.on collapsing Expansive Soil. Texas A&M Univ., College Station,Tex.

14. Clare,K.E., and Cruchley,A.F..(1957): "Laboratory experiments in the stabilization of clays with hydrated lime." Geotech., 7, 97-111.

15. Eades,J.L., and Grim,R.E.(960): "Reaction of hydrated lime with pure clay minerals in soil stabilization." Highways Res.Bull.No.262, Washington,D.C., 51-63.

16. Rogers,C.D.F., Glendinning, S., and Roff,T.E.J., (oct 1997): "Lime Modification of clay soils for construction expediency." Proc. Insts.Civ.Engrs Geotech.Engrg, 125,242-249.
17. Kujala, K., (1983): "The long term performance of lime and gypsum lime columns", Proc. of eighth European Conf. on SMFE,Finnish Geotech.Soc., pp 1309-1310.
18. Wu,D.Q., Broms,B.B., and Choa,V.(1983): " Soil improvement with Fly Ash Column," Eleventh Southeast Asian Geotech.Conf., Singapore,pp.425-439.
19. Shanmughanathan,R.T. and Oades,J.M (1983) : "Modification of soil properties by the addition of calcium compounds," J. of Soil Research,Vol.25, pp 285-300.
20. Mitchell,J.K.,(1986): "Practical problems from surprising soil behaviour," J.of Geotech.Engrg. Div., Proc.of ASCE,Vol.12,No.SM3.pp.259-289.
21. Hunter,D.(1987): "Lime- induced heave in sulphate bearing clay soils," J.of Geotech.Engrg., Proc. of ASCE,Vol.114,No.2,pp. 150-167.
22. Broms,B.B., and Somayazulu. (1987): "Stabilization of Soft clays in Southeast Asia. In fifth International Geotechnical Seminar on case Histories of soft clay, Singapore,pp.163-198.
23. Kitsugi,K., and Azakami, H. (1982): " Lime-column technique in the improvement of clay ground." In symposium on soil and Rock improvement techniques, Including Geotextiles,Reinforced Earth and Modern Piling Methods, Bangkok, pp.B-3.1-B-3.10.

24. Tystovich, N.A., Abelev, M., Yu., Takhirov, I.G., (1971): "Compacting saturated loess soils by means of lime piles," Proceedings of Fourth Conference on Soil Mechanics, Budapest, pp.837-842.
25. Diamond, S., White, J.L., and Dolch, W.L. (1965): "Transformation of clay minerals by Calcium Hydroxide attack," Proc., Twelvth Nat. Conf. on Clays and Clay Minerals. Pergamon Press, New York, N.Y., 359-379.
26. Rajasekharan, G. (1994): "Physico-chemical behaviour of lime treated marine clays," Ph.D Thesis, Indian Inst. of Tech, Madras, India.
27. Broms, B., and Boman, P. (1975): "Lime Stabilized columns". Fifth Asian regional conf. on SM and FE, Bangalore, India, 227-234.
28. Yanese, S. (1968): "Stabilisation of Alluvial clays with quick lime," Report of Port and Research Institute, 7 (in Japanese).
29. Terashi, M., Okumura, T., and Mitsumoto, T. (1977): "Basic properties of lime stabilised soil," Report on Port and Harbour research, Vol. 16, No. 1, pp 3-28 (in Japanese).
30. Kamon, M., and Bergado, D.T. (1991): "Ground improvement techniques," Theme lectures, Reprint of Ninth Asian Reg. Conf of SMFE, Vol. 1, pp 203-228.
31. Okumura, T., and Terashi, M. (1975): "Deep-Lime mixing method of stabilization for marine clays," Fifth Asian Regional Conf. on SMFE, Vol. 1, pp. 69-75.

32. Kamon, M.(1992): " Recent developments of soil improvements," Int.symp.on soil improvement and Pile foundation, Nanjing,China, Vol.1,pp 1-16.
33. Locat,Y., Berube, M.A., and Choquette,M.(1990): "Laboratory investigations on the lime stabilisation of sensitive clays; shear strength development". Can.Geotech.J., 27, 294-304.
34. Cullity,B.D., Text book on "Elements Of X-Ray Diffraction," Second Edition, Addison-Wesley publishing company Inc,1978 Edition.
35. Oliver,C.W., Alan Boyde, Eric Lifshin and Alex Rezanowich, Text book on "Scanning Electron Microscopy," McGraw Hill book company,1974 edition.
36. Terashi, M., Tanaka, H., Niidome,Y., and Sakanoi, H. (1980). " Permeability of Treated soils ". Proceedings, Fifteenth Japanese Conference on Soil Mechanics and Foundation Engineering", pp.773-776.
37. Holm,G., Trank,R., Ekstrom, A., and Torstensson, B.A. (1983) " Lime column under embankments- a full scale test" . Proceedings, Eighth European Conference on Soil Mechanics and Foundation Engineering, Helsinki,Finland,pp.909-912.
38. Buensuceso, B.R., (1990) . " Engineering Behavior of Lime treated soft Bangkok clay". Ph.D. Thesis, Asian Institute of Technology, Bangkok.
39. Brandl,H., (1981). " Alteration of soil parameters by stabilization with Lime". Proceedings, Tenth International Conference on Soil Mechanics and Foundation Engineering, Stockholm, Sweden,pp.587-594.

40. McCallister,L.D., and Petry,T.M., (1992). "Leach tests on Lime Treated clays". Geotechnical Testing Journal,15:106-114.
41. Narasimha Rao, S., and Rajasekharan,G. (1997). " The Microstructure of Lime-Stabilized Marine Clay". Ocean engrg, Vol.24, No.9, Elsevier Science Ltd, pp.867-878.
- 41(a) Narasimha Rao, S., and Rajasekharan,G. (1994). "Lime injection technique to improve the behaviour of soft marine clays",Ocean Engrg,Vol.21,No.1,pp.29-43,Great Britain.
42. Van Impe,W.F (1989). " Soil Improvement Techniques and their Evaluation". A.A.Balkema Publishers, Rotterdam,pp.89-98.
43. Wild,S., Arabi,M. and Ward, G.L.(1989). " Fabric Development in Lime treated clay soils". Ground Engineering,22,pp.35-37.
44. Berube,M.A., Choquette,M. and Locat,J. (1990). " Effects of Lime on common soil and rock forming minerals". Applied clay science 5, pp.145-163.
45. Kawamura, M. and Diamond, S., (1975). " Stabilization of clay soils against Erosion Loss". Clays and Clay Minerals, Vol.23, pp.443-489.
46. Somayazulu, J.R., "Experimental Studies of Lime Columns in Soils", Ph.D. Thesis, Indian Institute of Technology, Madras-36, Oct-1987.
47. Hilt,G.H., and Davidson,D.T., (1961)." Isolation and Investigation of a Lime-Montmorillonite Crystalline Reaction Product", Bull.Highways Res.Board 304, pp.51-64.

48. Heller, L. and Taylor, H.F.W., (1956). " Crystallographic Data for the Calcium Silicates", Dept. of Scientific and Industrial Res., Building Res. Station, H.M. Stationary Office, London.
49. Midgley, H.G., (1957). " Compilation of X-Ray powder Diffraction Data of cement Materials", Mag. of Concrete Research.
50. Diamond, S. and Kinter, E.B., (1966) . " Mechanisms of Soil-Lime Stabilization", Highway Res. Record 92.p.83.
51. Ormsby, W.C. and Bolz, L.H. (1966). " Microtexture and Composition of Reaction Products in the Kaolin-Lime-Water", Journal of Amer.Ceram.Soc., 49,p.364.
52. Goldberg, I., and Klein, A., (1952). " Some effects of treating expansive clays with calcium Hydroxide", Symposium on Exchange Phenomena in Soils, ASTM special publication 142.
53. Leonards, G.A. (1962). "Foundation Engineering", McGraw Hill Book Company, Int. Conf. Tokyo.
54. Michaelis, A.S.(1952). " Altering soil water relationship by chemical means", Proc. Conf. on soil stabilization, MIT.
55. ASTM D 4318-84.(1989). " Standard Test Method for Liquid Limit, Plastic Limit and Plasticity Index of soils", Annual Book of ASTM Standards, Vol.04.08, pp.579-589.

56. Ingles, O.G., (1962). " Bonding Forces in soils, Part-3: A Theory of Tensile Strength for stabilized and naturally coherent soils", Proc. of the First Conf. of the Australian Road Res. Board, Vol-1, pp. 1025-1047.
57. Ingles, O.G., (1964). " The Nature and strength of the Interparticle Bonds in Natural and Stabilized soils", Mechanisms of soil stabilization, D3-9, Proc. of a colloquium held at Sydnal, Victoria, Australia.
58. Brown, G., (1961). "The X-Ray identification and Crystal Structures of Clay Minerals", Mineralogical Society (Clay Minerals Group), London.
59. ASTM (1991). " Index to the powder diffraction file", Published by Joint Committee on Powder Diffraction Standards", Philadelphia, Pennsylvania, 19103.
60. Glenn, G.R. (1967). " X-Ray Studies of Lime-Bentonite reaction products", J. of American Society, Vol. 50, pp. 312-316.
61. Willoughby, D.R., Gross, K.A., Ingles, O.G., Silva, S.R. and Veronica, M.S. (1968). "The identification of reaction products in alkali stabilized clay by electron microscopy, x-ray and electron diffraction, Paper No. 430, Rept from the Proc. of fourth conf. of Australian Board 4, Part 2, pp. 1386-1408.
62. Sides, G.R. and Barden, L. (1971). " The microstructure of Dispersed and Flocculated Samples of Kaolinite, Illite and Montmorillonite", Canadian Geotechnical Journal, Vol. 8, No. 3, pp. 391-400.

63. Ormsby, W.C. and Kinter, J.B. (1973). " Strength Development and Reaction Products in Lime – Montmorillonite- Water systems " , Public Roads , Vol.37, No.4, pp. 136 – 148.
64. Murthy, V.N.S. (1995) . " Text Book on Soil Mechanics and Foundation Engineering " , pp. 64 – 68.
65. Martin, R.T., (1966) . " Quantitative fabric of wet kaolinites " , Proc. Fourteenth National Conf. On clays and clay minerals., pp. 271 – 289, Pergamon Press, Oxford.
66. Narasimha Rao, S.and Rajasekharan, G.: "Reaction Products Formed in Lime-Stabilized Marine Clays, Journal of Geotechnical Engg, ASCE, May-1996, pp 329-336.