

REFERENCES

- Abu-Samra, A., Morris, J.S. and Koirtyohann S.R.(1975). Wet ashing of some biological samples in a microwave oven. Analytical Chemistry, 47, 1475-1477.
- Adams, F., Espen, P.V. and Maenhout, W.(1983). Aerosol composition of Chacaltaya, Bolivia as determined by size-fractionated sampling. Atmospheric Environment, 17, 1521-1536.
- Adams, F., Green, M.V., Espen, P.V. and Andrenzzi, D.(1980). The elemental composition of atmospheric aerosol particles at Chacaltaya, Bolivia. Atmospheric Environment, 14, 879-893.
- Adepetu, J.A., Asubiojo, O.Z., Iskandar, F.Y. and Bauer, T.L.(1988). Elemental composition of Nigerian Harmattan dust. Journal of Radioanalytical and Nuclear Chemistry Articles, 121, 141-147.
- Alia, A. and Sansoni, B. (1985). A review on activation analysis of air particulate matter. Journal of Radioanalytical and Nuclear Chemistry Articles, 89, 191-275.
- Allen, T.(1981). Particle size measurement. New York: Chapman and Hill. 678pp.
- Ambulkar, M.N., Chutke, N.L., Aggarwal, A.L. and Garg, A.N. (1994). Multielemental analysis of ambient air dust particulates matter from a cement factory by neutron activation. The Science of the Total Environment, 141, 93-101.
- Appel, B.R. (1993). Atmospheric sample analysis and sampling artifacts. In:K. Willeke & P.A. Baron (Eds.), Aerosol measurement. New York: Van Nostrand Reinhold. pp.233-259.
- Archer, A. and Barratt, R.S.(1976). Lead levels in Birmingham dust. The Science of the Total Environment, 6, 275-286.
- Banerjee, D. and Pandey, G.S. (1989). Micropollutant particulates in the ambient air of a cement plant. International Journal of Environmental Analytical Chemistry, 35, 169-174.
- Baron, P.A., and Willeke, K.(1993). Gas and particle motion. In :K.Willeke & P.A. Baron (Eds.), Aerosol measurement. New York: Van Nostrand Reinhold. pp.23-40.
- Barratt, R.S. (1990). An assessment of dust analysis: With particular reference to lead and certain other metals. International Journal of Environmental Analytical Chemistry, 40, 77-97.

- Batel, W. (1976). Dust extraction technology. Stonehouse, England: Technicopy Ltd. 272pp.
- Blust, R., Van der Linden, A. and Decler, W. (1985). Microwave-aided dissolution of a biological matrix in AAS sample cup prior to graphite furnace analysis. Atomic Spectroscopy, 6, 163-165.
- Bonin, M.P., Flower, W.L., Renzi, R.F. and Peng, L.W. (1995). Size and concentration measurements of particles produced in commercial chromium plating processes. Sandia National Laboratories, California. 15pp.
- Brenner, I.B. and Taylor, H.E. (1992). A critical review of inductively coupled plasma-mass spectrometry for geoanalysis, geochemistry and hydrology. Part 1. Analytical performance. Critical Review in Analytical Chemistry, 23(5), 355-367.
- Buller, C.W., Hutton, R.C. and Preston, B. (1981). Comparison of flame, electrothermal and inductively-coupled plasma atomisation techniques for the direct analysis of slurries. Analyst, 106, 913-920.
- Bullock, W.H. and Laird, L.T. (1994). A pilot study of the particle size distribution of dusts in the paper and wood products industry. American Industrial Hygiene Association Journal, 55(9), 836-840.
- Buonicore, A.J. (1982). Wet scrubbers. In: L. Theodore & A.J. Buonicore (Eds.), Air pollution control equipment. New Jersey: Prentice-Hall, Inc. pp.233-281.
- Buonicore, A.J. and Davies, W.T. (1992). Air Pollution Engineering Manual. New York: van Nostrand Reinhold. 918pp.
- Byrne, R.E. (1983). A rapid method for the determination of arsenic, cadmium, copper, lead and zinc in airborne particulates by flame atomic absorption spectrometry. Analytica Chimica Acta, 151, 187-194.
- Camp, D.C., VanLehn, A.L., Rhodes, J. and Pradzynski, A. (1975). Intercomparison of trace elements determination in simulated and real air particulate samples. X-ray Spectroscopy, 4, 123-137.
- Chakraborti, D. and Raeymaekers, B. (1988). Calcutta pollutants: Part III. Toxic metals in dust and characterization of industrial aerosol particles. International Journal of Environmental Analytical Chemistry, 32, 121-133.
- Chen, G.H. and Risby, T.H. (1983). Determination of free silica and manganese in airborne particles by flameless atomic absorption spectrometry. Analytical Chemistry, 55, 943-946.
- Cheremisinoff, P.N. (1993). Air pollution control and design for industry. New York: Marcel Dekker, Inc. 589pp.

- Chutke, N.L., Ambulkar, M.N., Aggarwal, A.L. and Garg, A.N. (1994). Instrumentation neutron activation analysis of ambient dust particulates in metropolitan cities in India. Environmental Pollution, **85**, 67-76.
- Chutke, N.L., Ambulkar, M.N. and Garg, A.N. (1995). An environmental pollution study from multielemental analysis of pedestrian dust in Nagpur City, Central India. The Science of the Total Environment, **164**, 185-194.
- Clement, R.E., Langhorst, M.L., and Eiceman, G.A. (1991). Environmental analysis. Analytical Chemistry, **63**, 270R-292R.
- Cornejo, S.G., Marin, S.R., Olave, S.G. and Urrutia, C. (1995). Determination of trace elements in aerosol samples collected on polycarbonate filters by atomic absorption spectrometry. International Journal of Environmental Analytical Chemistry, **60**, 377-387.
- Darus, R., Robbins, J.A., Rahn, K.A. and Winchester, J.W. (1970). Nondestructive neutron activation analysis of air pollution particulates. Analytical Chemistry, **42**, 861-867.
- Davis, W.D. (1977). Continuous mass spectrometric determination of concentration of particulate impurities in air by the use of surface ionization. Environmental Science Technology, **11**, 593-596.
- de Nevers, N.(1995). Air pollution control engineering. Singapore: McGraw Hill. 506pp.
- DOE-UM. (1986). Water quality criteria and standards for Malaysia (Phase I). Volume I:Executive Summary. Department of Environment, Ministry of Science, Technology and the Environment, Malaysia-University of Malaya, Kuala Lumpur, Malaysia, 80pp.
- Ebdon, L.and Cave, M.R. (1982). A study of pneumatic nebulisation systems for inductively-coupled plasma-emission spectrometry. Analyst, **107**, 172-178.
- Environmental Quality Report,(1991 and 1994). Department of Environment, Ministry of Science, Technology and the Environment, Malaysia.
- ESI-DOE.(1987),Klang Valley Environmental Improvement Project. Volume I: Executive Summary. Department of Environment, Ministry of Science, Technology and the Environment, Malaysia, Kuala Lumpur, (unpaged).
- Fardy, J.J., McOrist, G.D. and Farrer, Y.J. (1989). Neutron activation analysis and radioactivity measurements of Australian coals and flyashes. Journal of Radioanalytical and Nuclear Chemistry Articles, **133**, 217-226.
- Fava, J.A.(1994). Life-cycle assessment: a new way of thinking. Environmental Toxicology and Chemistry **13(6)**, 853-854.

- Filby, R.H. and Shah, K.R. (1974). Activation analysis and applications to environmental research. Toxicological and Environmental Chemistry Reviews, 2, 1-44.
- Forte, A.A., Gonzales, M.G., McCarthy, M.W. and Simon, C. (1992). Air pollution sources. In: J.R. Pfafflin & E.N. Ziegler (Eds.), *Encyclopaedia of Environmental Science and Engineering* (Vol.1). Philadelphia, Penn. :Gordon and Breach Science Publishers. pp.67-102.
- Fox, D.L.(1985). Air pollution. Analytical Chemistry, 57, 223R-238R.
- Geladl, P.,and Adams, F.(1978). The determination of cadmium, copper, iron, lead and zinc in aerosols by atomic absorption spectrometry. Analytical Chimica Acta, 96, 229-241.
- Giauque, R.D., Goda, L.Y.and Brown, N.E.(1974). Characterization of aerosols in California by X-ray induced X-ray fluorescence analysis. Environmental Science Technology, 8, 436-441.
- Godish, T. (1991). Air quality. Chelsea, Michigan: Lewis Publishers.422pp.
- Green, H.L. and Lane, W.R.(1964). Particulate clouds: Dusts, smokes and mists. London: E.& F.N. Spon.471pp.
- Iwatsuki, M., Tillekeratne, S.P. and Fukasawa, T.(1984). X-ray analysis of airborne particulates collected by an Andersen sampler: Compound and elemental distribution vs. particle size of laboratory particulates. Environmental Science Technology, 18, 818-822.
- Keith, L.H., Crummette, W., Deegan Jr., Libby, R.A., Taylor, J.K. and Wentler, G. (1983). Principles of environmental analysis. Analytical Chemistry, 55, 2210-2218.
- Khoo,H.E.(1988). Environmental and occupational toxicology of lead:the Malaysian experience. In: Proceedings of Asia-Pacific Symposium on Environmental and Occupational Toxicology 8, pp.123-131.
- Kingston, H.and Pella, P.H.(1981). Pre-concentration of trace metals in environmental and biological samples by cation-exchange resin filters for X-ray spectrometry. Analytical Chemistry, 53, 223-227.
- Kneip, T.J. and Kleinman, M.T. (1982). Analysis of airborne particles in the workplace and ambient atmosphere. In: J.E. Cattle (Ed.), *Atomic Absorption Spectrometry*. Amsterdam : Elsevier Scientific Pub. Co. pp.123-138.
- Krishna, G.R.(1994). Air pollution and health. In: Proceedings of First National Conference on Environmental Health Research-State of the Art in Malaysia Today. Volume II. Ministry of Health-Ministry of Science, Technology and the Environment, Malaysia, 19-21 April 1994, pp.329-336.

- Lambert, J.P. and Wilshire, F.W. (1979). Neutron activation analysis for simultaneous determination of trace elements in ambient air collection on glass fiber filters. Analytical Chemistry, 51, 1346-1350.
- Linton, R.W., Williams, P., Evans, C.A. Jr. and Natusch, D.F. (1977). Determination of the surface predominance of toxic elements in airborne particles by ion microprobe mass spectrometry and Auger electron spectrometry. Analytical Chemistry, 49, 1514-1520.
- Lodge Jr., J.P. (1989). Methods of air sampling and analysis. Chelsea, MI: Lewis Publishers. 763pp.
- Lynch, A.J., McQuaker, N.R. and Brown, D.F. (1980). ICP/AES analysis and the composition of airborne and soil materials in the vicinity of a lead/zinc smelter. Journal of Air Pollution Control Association, 30, 257-260.
- Manahan, S.E. (1994). Environmental chemistry. Boca Raton, Fla: Lewis Publishers. 811pp.
- McQuaker, N.R., Brown, D.F. and Kluckner, P.D. (1979). Digestion of environmental materials for analysis by inductively-coupled plasma atomic emission spectrometry. Analytical Chemistry, 51, 1082-1087.
- Metcalfe, E. (1991). Atomic absorption and emission spectroscopy. Analytical Chemistry by Open Learning. Singapore: John Wiley. 289 pp.
- Natusch, D.F.S. and Wallace, J.R. (1974). Urban aerosol toxicity: The influence of particle size. Science, 186, 695-699.
- Ng, T.F., Yap, S.Y. and Yeap, E.B. (1995a). Study of dustfall in the Labu-Nilai-Pajam area. In: Forum on Environmental Geology and Geotechnics. Organised by the Geological Society of Malaysia. pp.2.1-2.16.
- Ng, T.F., Pereira, J.J., Yap, S.Y. and Yeap, E.B. (1995b). Granulometry and mineralogy of airborne dust from a cast iron foundry in Kuala Lumpur: A preliminary study. In: Ann. Geol. Conf., 27 & 28th May 1995, Melaka. pp.37-38.
- Nielson, K.K. (1977). Matrix corrections for energy-dispersive X-ray fluorescence analysis of environmental samples with coherent/incoherent scattered X-rays. Analytical Chemistry, 49, 641-648.
- Noller, B.N. and Bloom, H. (1977). Sampling of metals in air particulates for analysis by furnace atomic absorption spectrometry. Analytical Chemistry, 49, 346-348.
- Nriagu, J.O. and Davidson, C.I. (1986). Toxic metals in the atmosphere. New York: John Wiley & Sons. 563pp.

- Ondov, J..M., Zoller, W.H., Olmez, I., Aras, N., Gorden, G., Rancitelli, L., Abel, K., Filby, R., Shah, K.and Ragaini, R.(1975). Elemental concentration in the National Bureau of Standards environmental coal and flyash standard reference materials. Analytical Chemistry, 47, 1102-1109.
- Orr, C. (1987). Filtration :Principles and Practices. New York: Marcel Dekker.736pp.
- Ortolano, L.(1997). Environmental regulations and impact assessment. New York:John Wiley. 604pp.
- Pereira, J.J. (1996). Life cycle assessment- a tool for environmental management. Newsletter LESTARI, pp.6.
- Pickford, C.J. and Rossi, G. (1978). Determination of lead in atmospheric particulates using an automated atomic absorption spectrophotometric system with electrothermal atomization. Analyst, 103, 341-345.
- Plinke, M., Leith, D., Boundy, M. and Liffler, F.(1995). Dust generation from handling powders in industry. American Industrial Hygiene Association Journal, 56:251-257.
- Ponka, A.(1991). Asthma and low level air pollution in Helsinki. Arch. Environ. Health 46, 262-269.
- Ragaini, R., Ralston, H.R. and Roberts, N. (1977). Trace metal contamination in Kellog, Idaho, near a lead smelting complex. Environmental Science Technology, 11, 773-780.
- Rahmalan, A., Zaiton, M, Rashid, M., Zahari, M. and Abdullah, O.(1994). Air quality of Pasir Gudang Industrial Estate. In: Proceedings of First National Conference on Environmental Health Research-State of the Art in Malaysia Today. Volume II. Ministry of Health-Ministry of Science, Technology and the Environment, Malaysia, 19-21 April 1994, pp. 529-548.
- Rashid, M. and Griffiths, R.F. (1995). Trends of atmospheric fine and coarse particulates in Kuala Lumpur, Malaysia (1986-1990). Environmental Technology 16, 25-34.
- Reeve,R.N.(1994). Environmental analysis. Analytical Chemistry by Open Learning. Chichester:John Wiley. 263 pp.
- Reist, P.C.(1993). Aerosol science and technology. Singapore: McGraw Hill Inc.379pp.
- Salbu, B.and Steines, E. (1992). Application of nuclear analytical techniques in environmental research. Analyst, 117, 243-249.

- Schiffner, K. and Hesketh, H. (1992). Wet scrubbers. In: A.J. Buonicore and W.T. Davies (Eds.), Air pollution control manual . New York:VanNostrand Reinhold. pp.78-88.
- Scott, D.R., Loseke, W.A., Holbroke, L.E. and Thompson, R.J. (1976). Analysis of atmospheric particulates for trace elements by optical emission spectrometry. Applied Spectroscopy, 30, 392-405.
- Shendrikor, A.D. and Ensor, D.S. (1986). Sampling and measurement of trace element emissions from particulate control devices. In: J.O. Nriagau & C.I. Davidson (Eds.), Toxic metals in the atmosphere. New York: John Wiley. pp. 53-107.
- Sittig, M.(1977). Particulates and fine dust removal. New Jersey: Noyes Data Corp.605pp.
- SMHB-DOE. (1989). Development of criteria and standards for air quality and water quality (Phase II). Volume V: Air quality criteria and standards. In: Syed Muhammad, Hooi and Binnie Ltd. Co. (Ed.), Department of Environment, Ministry of Science, Technology and the Environment, Malaysia, Kuala Lumpur, (unpaged).
- Sneddon, J. (1983). Collection and atomic spectroscopic measurement of metal compounds in the atmosphere: A review. Talanta, 30, 631-648.
- Stern, A.C.(1977). Air pollution: Vol. II The effects of air pollution. New York: Academic Press.684pp.
- Stern, A.C., Baubel, R.W., Turner, D.B. and Fox, D.L. (1984). Fundamentals of air pollution. Orlando, FL: Academic Press.530pp.
- Stoker, H.S. and Seager, S. L.(1972). Environmental chemistry: Air and water pollution. Glenview, Ill: Scott, Foresman & Co.186pp.
- Strasheim, A. and Montaser, A.(1992). Instrumentation for optical emission spectrometry. In: A. Montaser & D.W. Golightly(Eds.), Inductively coupled plasma in analytical atomic spectrometry. New York: VCH Publishers. 476pp.
- Strobel, H.A. and Heineman, W.R. (1989). Chemical instrumentation: A systematic approach. New York: John Wiley. 1210pp.
- Sugimae, A. (1975). Sensitive emission spectrometric method for the analysis of airborne particulate matter. Analytical Chemistry, 47, 1840-1843.
- Sutter, E.M..M. and Leroy, M.J.F. (1978). Nature of the interference of nitric acid in the determination of nickel and vanadium by atomic absorption spectrometry with electrothermal atomization. Analytica Chimica Acta, 96, 243-249.

- The New Straits Times. (1997). Forest fires in Sumatra cause of the haze.31-7-1997.
- Valerio, F., Brescianini, C. and Lastraioli, S. (1989). Airborne metals in urban areas. International Journal of Environmental Analytical Chemistry, 35, 101-110.
- Walton, W.H.(1974). Airborne particles and health. In: R.G. Dorman (Ed.), Dust control and air cleaning .New York: Pergamon Press. pp.1-29.
- Wang, C.F., Miao, T.T., Perng, J.Y., Yeh, S.J., Chiang, P.C., Tsai, H.T. and Yang, M.H.(1989). Multielement analysis of airborne particulate matter by inductively coupled plasma atomic emission spectrometry. Analyst, 114, 1067-1070.
- Ward, N.I. (1995). Trace elements. In: F.W. Fifield & P.J. Haines (Eds.), Environmental analytical chemistry. Glasgow: Blackie Academic & Professional. pp.320-351.
- Ward, N.I., Kerr, S.A. and Otsuko, T. (1987). Multielemental content of coal by neutron activation analysis techniques. Journal of Radioanalytical and Nuclear Chemistry Articles, 114, 113-123.
- WHO. (1982). Rapid assessment of sources of air, water and land pollution. WHO Offset Publication No.62. World Health Organization, Geneva, 1982. 113pp.
- Winchester, J.W. and Desaedeleer, G.G. (1981). Application of trace element analysis to studies of the atmospheric environment. In: S. Amiel (Ed.), Nondestructive activation analysis. Amsterdam: Elsevier. pp.187-236.
- Yap, S.Y., John, M.W. and Thornton, I.(1995). Guidelines on dust particle characterisation using automated computer controlled microanalyser (Superprobe J.E.O.L.). In: I. Thornton & F. Margaret(Eds.), Environment and Health,Imperial College of Science, Technology & Medicine, University of London Press. 75pp.
- Zailina, H., Jamal, H., Mancy, K.H., Keeler, G.J. and Burton, M. (1994). Exposure assessment of atmospheric lead on urban and suburban children in the Klang Valley, Malaysia. In: Proceedings of First National Conference on Environmental Health Research-State of the Art in Malaysia Today. Volume II. Ministry of Health-Ministry of Science, Technology and the Environment, Malaysia, 19-21 April 1994. pp.516-528.