

REFERENCES

- [1] R. Compañó and A. Hullmann, "Forecasting the development of nanotechnology with the help of science and technology indicators", *Nanotechnology*, Vol. 13, pp. 243-247, 2002.
- [2] Encyclopedia Britannica, "Zeolite", URL: www.britannica.com, Britannica.com Inc., 2001.
- [3] J.V. Smith, "Chapter 1: Origin and structure of zeolites", in J. Rabo (ed) *Zeolite Chemistry and Catalysis*, pp. 3-4, American Chemical Society, 1976.
- [4] W. McGregor, private correspondence, 2001.
- [5] Molecular Universe Website, URL: www.molecularuniverse.com, The Royal Institution of Great Britain, 2001.
- [6] D.W. Breck, *Zeolite Molecular Sieves: Structure, Chemistry, and Use*, p. 5, New York: John Wiley & Sons, Inc., 1974.
- [7] K.E. Gonsalves, S.P. Rangarajan and J. Wang, "Chapter 1: Chemical synthesis of nanostructured metals, metal alloys, and semiconductors" in H.S. Nalwa (ed) *Handbook of Nanostructured Materials and Nanotechnology, Volume 1: Synthesis and Processing*, p. 40, San Diego: Academic Press Inc., 2000.
- [8] J. N. Israelachvili, *Intermolecular and Surface Forces, Second Edition*, p. 110, San Diego: Academic Press Inc., 1992.
- [9] R.M. Cornell and U. Schwertmann, *The Iron Oxides: Structure, Properties, Reactions, Occurrence and Uses*, p. 4, Weinheim: VCH Verlagsgesellschaft, 1996.
- [10] R.M. Cornell and U. Schwertmann, *The Iron Oxides: Structure, Properties, Reactions, Occurrence and Uses*, p. 465, Weinheim: VCH Verlagsgesellschaft, 1996.
- [11] R.M. Cornell and U. Schwertmann, *The Iron Oxides: Structure, Properties, Reactions, Occurrence and Uses*, pp. 477-478, Weinheim: VCH Verlagsgesellschaft, 1996.
- [12] K.E. Gonsalves, S.P. Rangarajan and J. Wang, "Chapter 1: Chemical synthesis of nanostructured metals, metal alloys, and semiconductors" in H.S. Nalwa (ed) *Handbook of Nanostructured Materials and Nanotechnology, Volume 1: Synthesis and Processing*, p. 2, San Diego: Academic Press Inc., 2000.
- [13] G. Asti and M. Solziⁱ in: *Applied Magnetism* (R. Gerber et al., eds.), p. 370, Dordrecht, The Netherlands: Kluwer Academic Publishers, 1994.
- [14] J. Fang, A. Kumbhar, W.L. Zhou, and K.L. Stokes, "Nanoneedles of maghemite iron oxide prepared from a wet chemical route", *Materials Research Bulletin*, Vol. 38, pp. 461-467, 2003.

- [15] C.P. Bean, "Hysteresis loops of mixtures of ferromagnetic powders", Journal of Applied Physics, Vol. 26, pp. 1381-1383, 1955.
- [16] E.H. Frei, S. Shtrikman and D. Treves, "Critical size and nucleation field of ideal ferromagnetic particles", Physical Review, Vol. 106, pp. 446-455, 1957.
- [17] R. H. Kodama, "Magnetic nanoparticles", Journal of Magnetism and Magnetic Materials, Vol. 200, pp. 359-372, 1999.
- [18] R.M. Cornell and U. Schwertmann, *The Iron Oxides: Structure, Properties, Reactions, Occurrence and Uses*, p. 123, Weinheim: VCH Verlagsgesellschaft, 1996.
- [19] R.M. Cornell and U. Schwertmann, *The Iron Oxides: Structure, Properties, Reactions, Occurrence and Uses*, pp. 123-124, Weinheim: VCH Verlagsgesellschaft, 1996.
- [20] R.M. Cornell and U. Schwertmann, *The Iron Oxides: Structure, Properties, Reactions, Occurrence and Uses*, p. 120, Weinheim: VCH Verlagsgesellschaft, 1996.
- [21] H.-D. Pfannes, A. Mijovilovich, R. Magalhães-Paniago and R. Paniago, "Spin-lattice-relaxation-like model for superparamagnetic particles under an external magnetic field", Physical Review B, Vol 62, pp. 3372-3380, 2000.
- [22] D. Fiorani, J.L. Dormann, R. Cherkaoui, E. Tronc, F. Lucari, F. D'Orazio, L. Sjpinu, M. Nogues, A. Garcia and A.M. Testa. "Collective magnetic state in nanoparticles systems", Journal of Magnetism and Magnetic Materials, Vol. 196-197, pp. 143-147, 1999.
- [23] P. Jönsson, T. Jonsson, J.L. García-Palacios and P. Svedlindh, "Nonlinear dynamic susceptibilities of interacting and noninteracting magnetic nanoparticles", Journal of Magnetism and Magnetic Materials, Vol. 222, pp. 219-226, 2000.
- [24] R.M. Cornell and U. Schwertmann, *The Iron Oxides: Structure, Properties, Reactions, Occurrence and Uses*, p. 314, Weinheim: VCH Verlagsgesellschaft, 1996.
- [25] C. Cannas, G. Concas, A. Falqui, A. Musinu, G. Spano and G. Piccaluga, "Investigation of the precursor of gamma Fe₂O₃ in Fe₂O₃/SiO₂ nanocomp obtained through sol-gel", Journal of Non-Crystalline Solids, Vol. 286, pp. 64-73, 2001.
- [26] S. Solinas, G. Piccaluga, M.P. Morales and C.J. Serena, "Sol-gel formation of gamma Fe₂O₃/SiO₂ nanocomposites", Acta Materialia, Vol. 49, pp. 2805-2811, 2001.
- [27] L. Zhang, G.C. Papaefthymiou, R.F. Ziolo and J.Y. Ying, "Novel gamma Fe₂O₃/SiO₂ magnetic nanocomposites via sol-gel matrix-mediated synthesis", NanoStructured Materials, Vol. 9, pp. 185-188, 1997.

- [28] A. Bee, R. Massart and S. Neveu, "Synthesis of very fine maghemite particles", Journal of Magnetism and Magnetic Materials, Vol. 149, pp 6-9, 1995.
- [29] C.V.G. Reddy, K.K. Seela and S.V. Manorama, "Preparation of gamma Fe₂O₃ by the hydrazine method: Application as an alcohol sensor", International Journal of Inorganic Materials, Vol. 2 pp. 301-307, 2000.
- [30] R. Gomez-Villacíeros, L. Hernan and J. Morales, "Mechanochemical preparation and thermal stability of gamma-Fe₂O₃ derived from gamma-FeOOH", Materials Research Bulletin, Vol. 22, pp. 513-520, 1987.
- [31] E. Herrero, M.V. Cabanas, M. Vallet-Regi, J.L. Martinez and J.M. Gonzalez-Calbet, "Influence of synthesis conditions on the gamma Fe₂O₃ properties", Solid State Ionics, Vol. 101-103, pp.213-219, 1997.
- [32] S. Musić, M. Gotić, S. Popović, I. Czakó-Nagy, "Formation of gamma-Fe₂O₃ by thermal decomposition of a mixture of Fe(II)- and Fe(III)-oxalate salts", Materials Letters, Vol. 20, p. 143-148, 1994.
- [33] D. Vollath, D.V. Szabo, R.D. Taylor and J.O. Willis, "Synthesis and magnetic properties of nanostructured maghemite", Journal of Materials Research, Vol. 12, pp. 2175-2182, 1997.
- [34] B. Martinez, A. Roig, X. Obradors, E. Molins, A. Rouanet and C. Monty, "Magnetic properties of γ-Fe₂O₃ nanoparticles obtained by vaporization condensation in a solar furnace", Journal of Applied Physics, Vol. 79, pp. 2580-2586, 1996.
- [35] T. Gonzalez-Carreno, M.P. Morales, M. Garcia and C.J. Serna, "Preparation of uniform gamma-Fe₂O₃ particles with nanometer size by spray pyrolysis", Materials Letters, Vol. 18, pp. 151-155, 1993.
- [36] H. Liu, T. Hihara, K. Sumiyama and K. Suzuki, "Magnetic viscosity of fine maghemite clusters prepared by electrochemical method", Physical Status Solidi (A), Vol. 169, pp. 153-160, 1998.
- [37] Y. Okuda and T. Harada, United States Patent No. 4495164, 1985.
- [38] T. Liu, L. Guo, Y. Tao, Y.B. Wang and W.D. Wang, "Synthesis and interfacial structure of nanoparticles gamma-Fe₂O₃ coated with surfactant DBS and CTAB", Nanostructured Materials, Vol. 11, pp. 487-492, 1999.
- [39] N. Feltin and M.P. Pileni, "New technique to make ferrite nanosized particles", Journal de Physique IV, Vol. 7, pp. 609-610, 1998.
- [40] A. Bee, R. Massart and S. Neveu, "Synthesis of very fine maghemite particles", Journal of Magnetism and Magnetic Materials, Vol. 149, pp. 6-9, 1995.
- [41] Q. Wang, H. Yang, J. Shi and G. Zou, "One step synthesis of the nanometer particles of gamma Fe₂O₃ by wire electrical explosion method", Materials Research Bulletin, Vol. 36, pp. 503-509, 2001.

- [42] I. I. Yaacob, A.C. Nunes, A. Bose and D.O. Shah, "Synthesis and characterization of magnetic nanoparticles in spontaneously generated vesicles", Journal of Colloid and Interface Science, Vol. 168, pp. 289-301, 1994.
- [43] M. Klotz, A. Ayral, C. Guizard, C. Ménager and V. Cabuil, "Silica coating on colloidal maghemite particles", Journal of Colloid and Interface Science, Vol. 220, pp. 357-361, 1999.
- [44] L. Raymond, J.-F. Revol, D.H. Ryan and R.H. Marchessault, "Precipitation of ferrites in Nafion® membranes", Journal of Applied Polymer Science, Vol. 59, pp. 1073-1086, 1996.
- [45] R.F. Ziolo, E.P. Giannelis, B.A. Weinstein, M.P. O'Horo, B.N. Ganguly, V. Mehrotra, M.W. Russell and D.R. Huffman, "Matrix-mediated synthesis of nanocrystalline γ -Fe₂O₃: A new optically transparent magnetic material", Science, Vol. 257, pp. 219-223, 1992.
- [46] B.Z. Tang, Y. Geng, J.W.Y. Lam, B. Li, X. Jing, X. Wang, F. Wang, A.B. Pakhomov and X.X. Zhang, "Processible nanostructure materials with electrical conductivity and magnetic susceptibility: preparation and properties of maghemite/polyaniline nanocomposite films", Chemistry of Materials, Vol. 11, pp. 1581-1589, 1999.
- [47] C. Cannas, G. Concas, A. Falqui, A. Musinu, G. Spano and G. Piccaluga, "Investigation of the precursor of gamma Fe₂O₃ in Fe₂O₃/SiO₂ nanocomposite obtained through sol-gel", Journal of Non-Crystalline Solids, Vol. 286, pp. 64-73, 2001.
- [48] S. Solinas, G. Piccaluga, M.P. Morales and C.J. Serena, "Sol-gel formation of gamma Fe₂O₃/SiO₂ nanocomposites", Acta Materialia, Vol. 49, pp. 2805-2811, 2001.
- [49] L. Zhang, G.C. Papaefthymiou, R.F. Ziolo and J.Y. Ying, "Novel gamma Fe₂O₃/SiO₂ magnetic nanocomposites via sol-gel matrix-mediated synthesis", Nanostructured Materials, Vol. 9, pp.185-188, 1997.
- [50] A. Bourlinos, A. Simopoulos, D. Petridis, H. Okumura and G. Hadjipanayis, "Silica-maghemite nanocomposites", Advanced Materials, Vol. 13, pp. 289-291, 2001.
- [51] R. Massart, United States Patent No. 4329241, 1982.
- [52] G.A. Van Ewijk, G.J. Vroege and A.P. Philipse, "Convenient preparation methods for magnetic colloids", Journal of Magnetism and Magnetic Materials, Vol. 201, pp. 31-33, 1999.
- [53] S. Selim, United States Patent No. 5695900, 1982.
- [54] H. Pardoe, W. Chua-anusorn, T.G. St. Pierre and J. Dobson, "Structural and magnetic properties of nanoscale iron oxide particles synthesized in the presence

- of dextran or polyvinyl alcohol”, Journal of Magnetism and Magnetic Materials, Vol. 225, pp. 41-46, 2001.
- [55] R.R. Dauer and E.H. Dunlop, “High gradient magnetic separation of yeast”, Biotechnology and Bioengineering, Vol. 37, pp. 1021-1028, 1991.
- [56] N. Fauconnier, A. Bée, J. Roger and J.N. Pons, “Synthesis of aqueous magnetic liquids by surface complexations of maghemite nanoparticles”, Journal of Molecular Liquids, Vol. 83, pp. 233-242, 1999.
- [57] V.N. Bogomolov, V.V. Poborchii and S.V. Kholodkevich, “Absorption edge of a semiconductor NaX-Se superlattice”, JETP Letters, Vol. 31, pp. 434-437, 1980.
- [58] R.D. Stramet, T. Nakamura and J.K. Thomas, “Photophysical and photochemical properties of CdS with limited dimensions”, Journal of the Chemical Society, Faraday Transactions I, Vol. 84, pp. 1287-1300, 1988.
- [59] N. Herron, Y. Wang, M.M. Eddy, G.D. Stucky, D.E. Cox, K. Moller and T. Bein, “Structure and optical properties of CdS superclusters in zeolite hosts”, Journal of the American Chemical Society, Vol. 111, pp. 530-540, 1989.
- [60] L.N. Mulay, D.W. Collins, A.W. Thompson, P.L. Walker Jr., “Novel applications of organometals: magnetic, etc. properties of iron dispersions (i) in zeolites and (ii) in amorphous glass-like carbons”, Journal of Organometallic Chemistry, Vol. 178, pp. 217-226, 1979.
- [61] J.L. Garcia, F.J. Lazaro, C. Martinez and A. Corma, “Zeolite supported magnetic clusters”, Journal of Magnetism and Magnetic Materials, Vol. 140-144, pp. 363-364, 1995.
- [62] J.L. Garcia, A. Lopez, F.J. Lazaro, C. Martinez and A. Corma, “Iron oxide particles in large pore zeolites”, Journal of Magnetism and Magnetic Materials, Vol. 157-158, pp. 272-273, 1996.
- [63] J. F. Shackelford, *Introduction to Materials Science for Engineers*, Fifth Edition, pp. 102-107, Upper Saddle River: Prentice-Hall, Inc., 2000.
- [64] B.D. Cullity, *Elements of X-ray Diffraction*, pp. 98-99, Massachusetts: Addison-Wesley Publishing Co., 1956.
- [65] J. A. Chandler, *X-ray Microanalysis in the Electron Microscope*, pp. 327-328, Amsterdam: North-Holland Publishing Co., 1977.
- [66] J. A. Chandler, *X-ray Microanalysis in the Electron Microscope*, pp. 333-334, Amsterdam: North-Holland Publishing Co., 1977.
- [67] G. Thomas and M.J. Goringe, *Transmission Electron Microscopy of Materials*, pp. 16-19, New York: John Wiley & Sons, Inc., 1979.
- [68] S. Lowell, *Introduction to Powder Surface Area*, p. 8, New York: John Wiley & Sons, 1979.

- [69] S. Lowell, *Introduction to Powder Surface Area*, pp. 8-10, New York: John Wiley & Sons, 1979.
- [70] S. Lowell, *Introduction to Powder Surface Area*, pp. 67-68, New York: John Wiley & Sons, 1979.
- [71] H.P. Klug and L.E. Alexander, *X-ray Diffraction Procedures for Polycrystalline and Amorphous Materials, Second Edition*, pp. 506-507, New York: John Wiley & Sons, 1974.
- [72] J. Crangle, *The Magnetic Properties of Solids*, pp. 128-129, London: Edward Arnold Ltd., 1977