

REFERENCES

Albino, V., Cioffi, R., De Vito, B. and Santoro, L. (1996) Evaluation of Solid Waste Stabilization Processes by Means of Leaching Tests, *Environ. Technol.*, **17**: 309-315.

American Nuclear Society (ANS), (1986) Measurement of Leachability of Solidified Low-Level Radioactive Wastes by a Short-Term Test Procedure, LaGrange Park, IL, ANS-16-1, pp.35.

American Society for Testing and Materials (ASTM), (1992) Standard Test Method for Compressive Strength of Hydraulic Cement Mortars, C109/c 109M-95, Annual Book of ASTM Standard, **04.01**: 68-72.

Anderson, A.E., (1995) Friction Materials - A Technical Update, International Conference on Friction Materials, at Goiania, Brazil.

Asbestos Information Association (AIA) Health and Safety Publication (1985) Recommended Control Procedure No.10, Asbestos Containing Friction Material Application and Servicing.

Atkins, W.S. (1994) Project Catalyst, Report to the Project Events, Manchester Airport, UK.

Baker, A.K., (1992) Industrial Brake and Clutch Design: A Ferodo Design Manual, Pentech Press, London, pp.8-107.

Barth, E.F., (1990) An Overview of the History, Present Status and Future Direction of Solidification/Stabilization Technologies for Hazardous Waste Treatment, GCHSRC Second Annual Symposium: Mechanisms and Applications of Solidification/Stabilization, Lamar University, Beaumont, USA.

Batstone, R., Smith, J.E. and Wilson, D. (ed.) (1989) World Bank Technical Paper No.93: The Safe Disposal of Hazardous Wastes, The Special Needs and Problems of Developing Countries, Vol. II: 176-203.

Beck, M. (1997) Waste Minimization Culture Pays Dividends at Walkers, ICHM *Environmental Bulletin*, issues 49: 3-7.

Bishop, P.L., Keener, T.C., Dusing, D.C., Gong, R. and Li, C.L., (1992) Chemical Fixation of Flue Gas Desulfurization Sludges and Fly Ash, *Solidification/Stabilization of Hazardous, Radioactive and Mixed Wastes*, Gilliam T.M. and Wiles C.C. (ed.), ASTM STP 1123, American Society for Testing and Materials, Philadelphia, PA, pp.103-118.

Bishop, P.L. (1995) Contaminant Leaching from Solidified-Stabilized Wastes, In *Solidification/Stabilization*, pp.260.

Biyani, R.K. and Fort, L.A. (1997) Report on Microencapsulation of Surrogate Salt with Polyester Resins, Fluor Daniel Hanford, Inc., (Unreleased Report).

Blackburn, W.B., Show, I., Williams, L., Taylor, D.R. and Marsden, P.J. (1988) Collaborative Study of the Toxicity Characteristic Leaching Procedure (TCLP), *Waste Testing and Quality Assurance, ASTM STP 999*, D.Friedman (ed.), American Society for Testing and Materials. Philadelphia, pp.14-61.

Breslin, V.T. and Tisdell, S.E. (1994) Thermoplastic Stabilization of MSW Combuster Ash, *J. of Environmental Engineering*, 120: 154-168.

Brodersen, K., Hjelmal, O. and Mortensen, S. (1992) Cement Conditioning of Waste Materials and Polluted Soils Using the GEODUR Process, *Solidification/Stabilization of Hazardous, Radioactive and Mixed Wastes*, Gilliam T.M. and Wiles C.C. (ed.), ASTM STP 1123, American Society for Testing and Materials, Philadelphia, PA, pp.320-337.

Brown, R.E., Jindal, B.S., and Bulzan, J.D. (1992) A Critical Review of The Effectiveness of Solidification and Stabilization of Hazardous Organic Wastes, *Solidification/Stabilization of Hazardous, Radioactive and Mixed Wastes*, Gilliam T.M. and Wiles C.C. (ed.), ASTM STP 1123, American Society for Testing and Materials, Philadelphia, PA, pp.43-60.

Burgess, W.A. (1995) Asbestos Product, In Recognition of Health Hazards In Industry - A review of Materials and Processes, Wiley Interscience, 2nd edition, pp.442-451.

Canda, E. (1990) The Transboundary Movement of Waste: An Europe Commission Approach, pp.296-297

Cheremisinoff, P.N. and King, J.A. (1991) Waste Minimization, Pollution Engineering, 64-68.

Cioffi, R., Pasini, M., Caputo, D., and Colella, C. (1996) Evaluation of Mechanical and Leaching Properties of Cement-Based Solidified Materials Encapsulating Cd-Exchange Natural Zeolites, *Environ. Technol.*, **17**: 1215-1224.

Cirillo, R.R., Chin, S., Chun, K.C. and Conzelman, G. (1994) Hazardous Waste Management in The Pacific Basin, Argonne National Laboratory and The East-West Center, MAL 11-13.

Clark, J.H. ed. (1995) Chemistry of Waste Minimization, Blackie Academic and Professional, Chapman and Hall, Glasgow, pp.20-30.

Clift, R. (1997) Clean Technology - The Idea and The Practice, *J. Chem. Tech. Biotechnol.*, **68**: 347-350.

Cocke, D.(1990) The Binding Chemistry and Leaching Mechanism of Hazardous Substances in Cementitious Solidification/Stabilization Systems, *J. Haz. Mat.* **24**: 231-253.

Conner, J.R. (1990) Chemical Fixation and Solidification of Hazardous Wastes, Van Nostrand Reinhold, New York, pp.259-273, 351-363 and 454-464.

Commins, B.T. (1985) The Significance of Asbestos and Other Mineral Fibers in Environment Ambient Air.

Crittenden, B. and Kolaczowski, S. (1995) Waste Minimization: A Practical Guide, Institution of Chemical Engineers, pp.81.

Cullinane, M.J. and Jones, L.W. (1992) An Assessment of Short-Term Penetration Testing as an Indicator of Strength Development in Solidified/Stabilized Hazardous Waste, *Solidification/Stabilization of Hazardous, Radioactive and Mixed Wastes*, Gilliam T.M. and Wiles C.C. (ed.), ASTM STP 1123, American Society for Testing and Materials, Philadelphia, PA, pp.385-393.

De Angelis, G., Marchetti, A. and Balzamo, S. (1992) Leach Studies: Influence of Various Parameters on the Leachability of Caesium from Cemented BWR Evaporator Concentrates, *Solidification/Stabilization of Hazardous, Radioactive and Mixed Wastes*, Gilliam T.M. and Wiles C.C. (ed.), ASTM STP 1123, American Society for Testing and Materials, Philadelphia, PA, pp.182-192.

DeFranco, J. (1990) Solidification/Stabilization Techniques: Promising Treatment Technologies for Remediating Superfund Sites, In: Physical/Chemical Processes - Innovative Hazardous Waste Treatment Technologies Series, Freeman H.M. (ed.) pp.237-242.

De Groot, G.J. and Van der Sloot, H.A. (1992) Determination of Leaching Characteristics of Waste Materials Leading to Environmental Product Certification, *Solidification/Stabilization of Hazardous, Radioactive and Mixed Wastes*, Gilliam T.M. and Wiles C.C. (ed.), ASTM STP 1123, American Society for Testing and Materials, Philadelphia, PA, pp.149-170.

Delaine, J. and Miosh, M. (1988), Asbestos Removal, Management and Control, Anchor Brendon Ltd., Great Britain, pp.64-115.

Donaldson, J. (1996), Waste Exchange Networks, *ICHEM Environmental Protection Bulletin*, **42**: 20-23.

Dunning, J. (1995) Scientific Health Update on Asbestos and Other Fibrous Materials, with special reference to friction material , Friction Material Workshop, Brazil.

Englande, A.J. (1994) Status and Direction of Waste Minimization in the Chemical and Petrochemical Industries, *Water Science and Technology*, **29 (8)**: 25-36.

Englehardt, J.D. (1994) Identifying Promising Pollution-Prevention Technologies, *J. Environmental Engineering*, **120(3)**: 513-526.

Freeman, H., Harten, T., Springer, J., Randall, P., Curran, M.A. and Stone, K. (1992) Industrial Pollution Prevention: A Critical Review, *J. Air Waste Manage. Assoc.*, **42**: 616-656.

Freeman, H.M. and Harris (1995) Solidification/Stabilization of Organics and Inorganics, In Solidification/Stabilization , pp.261-273.

Global Environmental Center Foundation (GECF) (1995) Survey of On-Site Green Techniques in Japan, pp.81.

Gilles, D.G. and Loehr, R.C. (1994) Waste Generation and Minimization in Semiconductor Industry, *J. Environmental Engineering*, **120(1)**: 72-86.

Glasser, F.P. (1997) Fundamental Aspects of Cement Solidification and Stabilization, *J. Haz. Mat.*, **52**: 151-170.

Goodrich, M. (1994) Waste Minimization, Proceeding of the Institution of Mechanical Engineers: Engineering for Profit from Waste IV, C493/031, pp.203-208.

Grube, W.E. (1992) Physical and Morphological Measures of Waste Solidification Effectiveness of Environmental Control Technologies, Vol.5, Waste Minimization and Recycling, P.N. Cheremisinoff (ed.) Gulf Publishing Co., Houston, Texas, pp.123-133.

Haas, C.N. (1995) Hazardous and Industrial Waste Treatment, Englewood Cliffs, Prentice Hall, New Jersey, pp.363.

Hannak, P., Liem, A.J. and Cote, P.L. (1988) Methods for Evaluating Solidified Waste, *Waste Testing and Quality Assurance, ASTM STP 999*, D. Friedman (ed.) America Society Testing and Materials, Philadelphia, pp.67-75.

Higgins, T.E. (1989) Hazardous Waste Management Handbook, Louis Publishers, pp.3-7.

Hirschhorn, J.S. and Oldenburg, K.U. (1989) Waste Reduction Audits: Matching Types to Stages, *Hazardous and Industrial Solid Waste Minimization Practices, ASTM STP 1043*, R.A. Conway, J.H. Frick, D.J. Warner, C.C. Wiles and E.J. Duckett (eds.) America Society Testing and Materials, Philadelphia, pp.41-47.

Hodgson, A.A (1979) Chemistry and Physics of Asbestos, In: Asbestos: Properties, Applications and Hazards, Vol. 1, L. Michael, S.S. Chissick (eds.) John Wiley and Sons Ltd., Northern Ireland, pp.67-115.

Hunt, G.E. and Schecter, R.N. (1989) Minimization of Hazardous Waste Generation, In: Standard Handbook of Hazardous Waste Treatment and Disposal, Freeman H.M. (ed.) McGraw Hill, pp.5.3-5.27.

Industrial Waste Minimization (IWM) In Taiwan R.O.C. (1996) Industrial Development Bureau, Ministry of Economic Affairs.

Jackson, S. (1996) Profiting from Pollution Prevention - The 3Es Methodology, ICHM, *Environmental Protection Bulletin*, **44**: 9-18.

Johnston, N. (1994) Waste Minimization, A Route to Profit and Cleaner Production, An Interim Report on The Aire and Calder Project, Center for Exploitation of Science and Technology, UK.

Jones, L.W. (1990) Interference Mechanisms in Waste Solidification/Stabilization Processes, *J. Haz. Mat.*, **24**: 83-88.

Jones, L.W., Bricka, R.M. and Cullinane, M.J. (1992) Effects of Selected Waste Constituents on Solidified/Stabilized Waste Leachability, *Solidification/Stabilization of Hazardous, Radioactive and Mixed Wastes*, Gilliam T.M. and Wiles C.C. (ed.), ASTM STP 1123, American Society for Testing and Materials, Philadelphia, PA, pp.193-203.

Karen, H. (1991) Solid and Hazardous Waste Management, In Handbook of Environmental Health and Safety: Principles and Practices, Vol.II, 2nd ed., Lewis Publisher, US, pp.80-148.

Kim, H.Y., Kim, K.H., Park, H.H. and Suh, I.S. (1992) Solidification of Dried Borate Waste with Polyester, *Solidification/Stabilization of Hazardous, Radioactive and Mixed Wastes*, Gilliam T.M. and Wiles C.C. (ed.), ASTM STP 1123, American Society for Testing and Materials, Philadelphia, PA, pp.297-303.

Kim, J.H., Kim, H.Y., Park, H.H. and Suh, I.S. (1992) Solidification of Borate Waste by Adding Slaked Lime, *Solidification/Stabilization of Hazardous, Radioactive and Mixed Wastes*, Gilliam T.M. and Wiles C.C. (ed.), ASTM STP 1123, American Society for Testing and Materials, Philadelphia, PA, pp.338-347.

LaGrega, M.D., Buckingham, P.L, Evans, P.L. and The Environmental Resources Management Group (1994) Solidification/Stabilization, In Hazardous Waste Management, McGraw-Hill, pp.641-703.

Lehr, J.H. (1992) Mineral and Health: The Asbestos Problem, in Rational Reading on Environmental Concerns, Van Nostrand Reinhold, pp.110-111.

Legal Resource Board (1995) Environmental Quality Act, 1974, International Law Book Services, pp.107, 162.

Lynch, J.R. (1968) Brake Lining Decomposition Products, *J. of Air Pollution Control Association*, **19(12)**: 824-826.

Lo, I.M.C., Mak, R.K. and Lee S.C.H. (1997) Modified Clays for Waste Contaminant and Pollution Attenuation, *J. Environmental Engineering*, **123(1)**: 25-32.

Manjunath, C. and Cheremisinoff, P.N. (1992) Asbestos Abatement and Removal Techniques, In Encyclopaedia of Environmental Control Technology: Pollution Reduction and Contaminant Control, **6**:447-475.

Means, J.L., Smith, L.A., Nehring, K.W., Brauning, S.E., Gavaskar, A.R., Sass, B.M., Wiles, C.C. and Masni, C.I. (1995) The Application of Solidification/Stabilization to Waste Materials, Lewis Publisher, Cincinnati, Ohio, pp.334.

Morgan, I.L. and Bostick, W.D. (1992) Performance testing of Grout-Based Waste Forms for the Solidification of Anion Exchange Resins, *Solidification/Stabilization of Hazardous, Radioactive and Mixed Wastes*, Gilliam T.M. and Wiles C.C. (ed.), ASTM STP 1123, American Society for Testing and Materials, Philadelphia, PA, pp.133-145.

National Academy Press (1990) Tracking Toxic Substances at Industrial Facilities: Engineering Mass Balance versus Material Accounting, pp.2-69.

New Straits Times (5 Dec. 1997) Towards a Greener Bottomline.

Ontario Royal Commission on Asbestos (1984) pp.666.

Petek, J. and Glavic, P. (1996) An Integral Approach to Waste Minimization in Process Industries, Resources, Conservation and Recycling, **17**: 169-188.

Pigg, B.J. (1995) Background and Current Status of Asbestos Regulations for Friction Material in The United States of America, Asbestos Information Association, North America.

Planning Research Corporation (PRC) (1988) Evaluation of Test Protocols for Stabilization/Solidification Technology Demonstrations, pp.22.

Pojasek, R.B. (1979) Toxic and Hazardous Waste Disposal: Vol. 1, Processes for Stabilization/Solidification, Ann Arbor Science Publisher, Michigan, pp.388.

Pollard, S.J.T., Hills, C.D., and Kennedy, J. (1994) Preliminary Examination of Mechanistic Control in The Solidification of Flue Gas Desulfurization Sludge and Pulverised Fuel Ash, *Environ. Technol.*, **15**: 617-630.

Pollard, S.J.T., Sollars, C.J. and Perry, R. (1990)The Reuse of Spent Bleaching Earth for the Stabilization/Solidification of Mixed Waste Streams, *Environ. Technol.*, **12**: 1113-1122.

Pollard, S.J.T., Montgomery, D.M., Sollars, C.J. Perry, R (1991) Organic Compound in The Cement-Based Stabilization/Solidification of Hazardous Mixed Wastes - Mechanistic and Process Considerations, *J. Haz. Mat.*, **28**: 313-327.

Powell, M.R. and Mahalingam, R. (1992) Continuous Solidification/Stabilization Processing of Hazardous Waste Through Polymeric Microencapsulation, *Ind. Eng. Chem. Res.*, **31(2)**: 543-549.

Powell, M.R. and Mahalingam, R. (1992) Leach Studies on Hazardous Waste Monoliths from Continuous Solidification/Stabilization Processing, *Environ. Sci. Technol.*, **26**: 507-511.

PRO-ACT (1996) Fact Sheet: Asbestos, A Basel-Level Pollution Prevention Resource.

Rajhans, G.S. and Bagg, G.M. (1978) Engineering Aspects of Asbestos Dust Control, Ann Arbor Science, Ann Arbor, MI, pp.98.

Resch, M.E. (1989) Hazardous Waste Minimization Audits: Strategy and Methodology, Hazardous and Industrial Solid Waste Minimization Practices, ASTM STP 1043, R.A. Conway, J.H. Frick, D.J. Warner, C.C. Wiles and E.J. Duckett (eds.) America Society for Testing and Materials, Philadelphia, pp.64-70.

Reynolds, C.C. (1991) Potential Problems Using the TCLP to Determine BDAT Compliance, *Environmental Progress*, **10(4)**: 319-322.

Roy, A., Eaton, H.C., Cartledge, F.K. and Tittlebaum, M.E. (1992) Solidification/Stabilization of Hazardous Waste: Evidence of Physical Encapsulation, *Environ. Sci. Technol.*, **26**: 1349-1353.

Sastry, C.A. (1995) Waste Audit, In Waste Treatment Plants, C.A. Sastry, M.A. Hashim and P.Agamuthu (eds.) John Wiley & Sons and Narosa Publishing House, New Delhi, pp.88-100.

Sastry, C.A. (1995) Waste Minimization and Cleaner Technologies, In Waste Treatment Plants, C.A. Sastry, M.A. Hashim and P.Agamuthu (eds.) John Wiley & Sons and Narosa Publishing House, New Delhi, pp.72-87.

Satchell, M. (1996) Making Waste Work at Merck, *ICHEME Environmental Protection Bulletin*, **45**: 14-17.

Schreier, H. (1989) Asbestos in Natural Environment, Studies in Environmental Science, 37; Elsevier Science, Netherlands, pp.3-29.

Sharma, H.D. and Lewis, S.P. (1994) Waste Containment System, Waste Stabilization and Landfills: Design and Evaluation, John Wiley and Sons, Inc. US. pp.233.

Shen, T.T. (1995) Industrial Pollution Prevention, Springer-Verlag, Berlin, pp.371.

Shively, W., Bishop, P., Gress, D. and Brown, T. (1986) Leaching Tests of Heavy Metals Stabilized with Portland Cement, *J. Water Pollution Control Federation*, **58(3)**: 234-242.

Slater, S.A., Khan, J. and Smith, R.L. (1995) Transferring Waste Minimization Solutions Between Industrial Categories with A Unit Operations Approach: I. Chemical and Plating Industries, *J. Environ. Sci. Health*, **A30(2)**: 379-406.

Smith, M. (1997) A Brief History of Waste Minimization, ICHME *Environmental Protection Bulletin*, **48**: 8-14.

Soundararajan, R. (1992) Guidelines for Evaluation of The Performance of Solidification/Stabilization, *Solidification/Stabilization of Hazardous, Radioactive and Mixed Wastes*, Gilliam T.M. and Wiles C.C. (ed.), ASTM STP 1123, American Society for Testing and Materials, Philadelphia, PA, pp.33-42.

Stegemann, J.A. and Cote, P.L. (1992) A Proposed Protocol for Evaluation of Solidified Waste, In: Proc. Cement Industry Solutions to Waste Management, October, 1992, Calgary, R.W. Piggot (ed.) CPCA, Toronto (Canada), pp.1-12.

Subramaniam, R.V. and Mahalingam, R. (1979) Immobilization of Hazardous Residuals by Polyester Encapsulation, in Toxic and Hazardous Waste Disposal, R.B. Pojasek (ed.) Vol.1, Ann Arbor Science, Ann Arbor, pp.247-295.

UNEP Industry and Environment (1994) Cleaner production in The Asia Pacific Economic Corporation Region.

UNEP Industry and Environment (1994) Cleaner Production Worldwide, Vol.II.

USEPA (1979) Background Study on The Development of A Standard Leaching Test, Industrial Environmental Research Laboratory, Office of Research and Development, US Environmental Protection Agency, Cincinnati, OH.

USEPA, Engineering Bulletin (1992) Solidification/Stabilization of Organics and Inorganics, EPA/540/S-92/015. Cincinnati, OH: US Environmental Protection Agency , Office of Research and Development.

USEPA, Engineering Bulletin (1997) Technology Alternatives for The Remediation of Soils Contaminated with As, Cd, Cr, Hg and Pb. EPA/540/S-97/500, Cincinnati, OH: US Environmental Protection Agency, Office of Emergency and Remedial Response.

USEPA (1996) Process for Specific Low-Level Mixed Waste (LLMW), Office of Remediation and Indoor Air (ORIA), US Environmental Protection Agency, Cincinnati, OH.

USEPA (1992) Toxicity Characteristics Leaching Procedure, US Environmental Protection Agency, Method 1311 (Reviewed), Washington D.C.

USEPA (1990) Waste Audit Guidelines, Publication No.277, pp.27.

USEPA (1988) Waste Minimization Opportunity Assessment Manual, Hazardous Waste Engineering Research Laboratory, Office of Research Laboratory, US Environmental Protection Agency, Cincinnati, OH.

Vipulanandan, C. and Krishnan, S. (1990) Solidification/Stabilization of Phenolic Waste with Cementitious and Polymeric Materials, *J. Haz. Mat.*, **24**: 123-136.

Warren, P. (1979) The Literature Relating to Asbestos, In: Asbestos: Properties, Applications and Hazards, Vol.1, L. Michael and S.S. Chissick (eds.) pp.377-381.

Weitzman, L. (1990) Factors for Selecting Appropriate Solidification/Stabilization Methods, *J.Haz. Mat.*, **24**: 157-168.

Wiles, C.C. (1987) A Review of Solidification/Stabilization Technology, *J. Haz. Mat.*, **14**:5-21.

Wiles, C.C. (1989) Solidification and Stabilization Technology, In Standard Handbook of Hazardous Waste Treatment and Disposal, Freeman H.M. (ed.) pp.7.85-7.101.

Wiles, C.C. and Barth, E. (1992) Solidification/Stabilization : Is Always Appropriate? *Solidification/Stabilization of Hazardous, Radioactive and Mixed Wastes*, Gilliam T.M. and Wiles C.C. (ed.), ASTM STP 1123, American Society for Testing and Materials, Philadelphia, PA, pp.18-32.

Zamorani, E. (1994) Waste Stabilization Processes, in Environmental Management Vol.2, Technologies for Environmental Cleanup: Toxic and hazardous Waste Management, A. Avogadro and R.C. Ragini (eds.) Netherlands, pp.177-189.